

Angelica Terashima

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2564984/publications.pdf>

Version: 2024-02-01

38
papers

1,953
citations

279798

23
h-index

315739

38
g-index

40
all docs

40
docs citations

40
times ranked

1910
citing authors

#	ARTICLE	IF	CITATIONS
1	Triclabendazole for the treatment of human fascioliasis and the threat of treatment failures. Expert Review of Anti-Infective Therapy, 2021, 19, 817-823.	4.4	8
2	Observational study on the effectiveness and safety of multiple regimens of triclabendazole in human fascioliasis after failure to standard-of-care regimens. Journal of Global Antimicrobial Resistance, 2021, 25, 264-267.	2.2	4
3	Strongyloides stercoralis infection after the use of emergency corticosteroids: a case report on hyperinfection syndrome. Journal of Medical Case Reports, 2019, 13, 121.	0.8	9
4	Strongyloides stercoralis hyperinfection syndrome: a deeper understanding of a neglected disease. Journal of Parasitic Diseases, 2019, 43, 167-175.	1.0	58
5	Soil-Transmitted Helminthiasis in Children from a Rural Community Taking Part in a Periodic Deworming Program in the Peruvian Amazon. American Journal of Tropical Medicine and Hygiene, 2019, 101, 636-640.	1.4	10
6	Occurrence and molecular characterization of Giardia duodenalis cysts and Cryptosporidium oocysts in raw water samples from the RÁmac River, Peru. Environmental Science and Pollution Research, 2018, 25, 11454-11467.	5.3	11
7	Ivermectin versus albendazole or thiabendazole for <i>Strongyloides stercoralis</i> infection. The Cochrane Library, 2016, 2016, CD007745.	2.8	124
8	Improving soil-transmitted helminths detection in chronic kidney disease patients. Infection, 2016, 44, 389-390.	4.7	0
9	Association of Fasciola hepatica Infection with Liver Fibrosis, Cirrhosis, and Cancer: A Systematic Review. PLoS Neglected Tropical Diseases, 2016, 10, e0004962.	3.0	50
10	Efficacy and tolerability of two single-day regimens of triclabendazole for fascioliasis in Peruvian children. Revista Da Sociedade Brasileira De Medicina Tropical, 2015, 48, 445-453.	0.9	12
11	Evaluating the role of intestinal parasites in the high rates of irritable bowel syndrome in South America: a pilot study. Folia Parasitologica, 2015, 62, .	1.3	5
12	Medical Student Knowledge of Neglected Tropical Diseases in Peru: A Cross-Sectional Study. PLoS Neglected Tropical Diseases, 2015, 9, e0004197.	3.0	7
13	Differences in prevalence of geohelminth infections between indigenous and settler populations in a remote <sc>A</sc>mazonian region of <sc>P</sc>eru. Tropical Medicine and International Health, 2013, 18, 615-618.	2.3	4
14	Prevalence and risk factors associated with pediculosis capitis in an impoverished urban community in Lima, Peru. Journal of Global Infectious Diseases, 2013, 5, 138.	0.5	26
15	Field Evaluation of a Coproantigen Detection Test for Fascioliasis Diagnosis and Surveillance in Human Hyperendemic Areas of Andean Countries. PLoS Neglected Tropical Diseases, 2012, 6, e1812.	3.0	56
16	Highly effective and inexpensive parasitological technique for diagnosis of intestinal parasites in developing countries: spontaneous sedimentation technique in tube. International Journal of Infectious Diseases, 2012, 16, e414-e416.	3.3	39
17	Diagnosis of soil-transmitted helminthiasis in an Amazonic community of Peru using multiple diagnostic techniques. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2012, 106, 333-339.	1.8	48
18	Mechanisms of Liver Fibrosis Associated with Experimental Fasciola hepatica Infection: Roles of Fas2 Proteinase and Hepatic Stellate Cell Activation. Journal of Parasitology, 2011, 97, 82.	0.7	19

#	ARTICLE	IF	CITATIONS
19	Sarcoptes-World Molecular Network (Sarcoptes-WMN): integrating research on scabies. <i>International Journal of Infectious Diseases</i> , 2011, 15, e294-e297.	3.3	46
20	Update on Strongyloidiasis in the Immunocompromised Host. <i>Current Infectious Disease Reports</i> , 2011, 13, 35-46.	3.0	130
21	A 52-Year-Old Woman with a Subcapsular Liver Hematoma. <i>Clinical Infectious Diseases</i> , 2011, 52, 1137-1137.	5.8	5
22	Regulatory T Cell Expansion in HTLV-1 and Strongyloidiasis Co-infection Is Associated with Reduced IL-5 Responses to Strongyloides stercoralis Antigen. <i>PLoS Neglected Tropical Diseases</i> , 2009, 3, e456.	3.0	108
23	Detection of antibodies against Fasciola hepatica in cirrhotic patients from Peru. <i>Journal of Helminthology</i> , 2009, 83, 23-26.	1.0	21
24	Strongyloides hyperinfection syndrome: an emerging global infectious disease. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, 314-318.	1.8	245
25	Update on hepatobiliary flukes: fascioliasis, opisthorchiasis and clonorchiasis. <i>Current Opinion in Infectious Diseases</i> , 2008, 21, 523-530.	3.1	167
26	Natural History, Clinicoradiologic Correlates, and Response to Triclabendazole in Acute Massive Fascioliasis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 222-227.	1.4	59
27	Hepatic fibrosis and <i>Fasciola hepatica</i> infection in cattle. <i>Journal of Helminthology</i> , 2007, 81, 381-386.	1.0	50
28	Use of Ivermectin to Treat an Institutional Outbreak of Scabies in a Low-Resource Setting. <i>Infection Control and Hospital Epidemiology</i> , 2007, 28, 1337-1338.	1.8	19
29	Preliminary antigenic characterisation of an adult worm vomit preparation of Fasciola hepatica by infected human sera. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2007, 49, 31-35.	1.1	12
30	Frequent HTLV-1 infection in the offspring of Peruvian women with HTLV-1-associated myelopathy/tropical spastic paraparesis or strongyloidiasis. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2007, 22, 223-230.	1.1	30
31	EVALUATION OF FAS2-ELISA FOR THE SEROLOGICAL DETECTION OF FASCIOLA HEPATICA INFECTION IN HUMANS. <i>American Journal of Tropical Medicine and Hygiene</i> , 2007, 76, 977-982.	1.4	100
32	Risk factors for Fasciola hepatica infection in children: a case-control study. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2006, 100, 158-166.	1.8	56
33	Fascioliasis in relatives of patients with Fasciola hepatica infection in Peru. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2005, 47, 219-222.	1.1	28
34	Cutaneous anthrax in Lima, Peru: retrospective analysis of 71 cases, including four with a meningoencephalic complication. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2005, 47, 25-30.	1.1	19
35	Gelatin particle indirect agglutination and enzyme-linked immunosorbent assay for diagnosis of strongyloidiasis using Strongyloides venezuelensis antigen. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2003, 97, 535-538.	1.8	24
36	<i>Cryptosporidium muris</i> , a Rodent Pathogen, Recovered from a Human in Peru. <i>Emerging Infectious Diseases</i> , 2003, 9, 1174-1176.	4.3	77

#	ARTICLE	IF	CITATIONS
37	Treatment failure in intestinal strongyloidiasis: an indicator of HTLV-I infection. International Journal of Infectious Diseases, 2002, 6, 28-30.	3.3	52
38	Strongyloides stercoralis hyperinfection associated with human T cell lymphotropic virus type-1 infection in Peru.. American Journal of Tropical Medicine and Hygiene, 1999, 60, 146-149.	1.4	158