Cristiane Hatsuko Baggio

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/256591/cristiane-hatsuko-baggio-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

2,647
citations

33
h-index

86
ext. papers

2,955
ext. citations

33
47
g-index

4.62
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 85 | A64 THE DIETARY FIBRE RHAMNOGALACTURONAN PROMOTES INTESTINAL EPITHELIAL CELL MIGRATION THROUGH THE NF-B SIGNALING PATHWAY. <i>Journal of the Canadian Association of Gastroenterology</i> , 2022 , 5, 74-75 | 0.5 | |
| 84 | The dietary fibre rhamnogalacturonan improves intestinal epithelial barrier function in a microbiota-independent manner. <i>British Journal of Pharmacology</i> , 2021 , 179, 337 | 8.6 | 0 |
| 83 | Rhamnogalacturonan polysaccharide inhibits inflammation and oxidative stress and alleviates visceral pain. <i>Journal of Functional Foods</i> , 2021 , 82, 104483 | 5.1 | 2 |
| 82 | Neuroimmune Responses Mediate Depression-Related Behaviors following Acute Colitis. <i>IScience</i> , 2019 , 16, 12-21 | 6.1 | 11 |
| 81 | A73 DIETARY FIBRE IMPROVES INTESTINAL EPITHELIAL BARRIER FUNCTION THROUGH TLR4 ACTIVATION. <i>Journal of the Canadian Association of Gastroenterology</i> , 2019 , 2, 147-148 | 0.5 | 78 |
| 80 | A252 THE DIETARY FIBRE, RHAMNOGALACTURONAN (RGAL), DRIVES AN INFLAMMATORY GENE EXPRESSION PROFILE IN INTESTINAL EPITHELIAL CELLS. <i>Journal of the Canadian Association of Gastroenterology</i> , 2019 , 2, 492-493 | 0.5 | 78 |
| 79 | RGal Increases Intestinal Epithelial Barrier Function in a PKC-Dependent Manner and Drives an Inflammatory Gene Expression Profile. <i>FASEB Journal</i> , 2019 , 33, 711.2 | 0.9 | |
| 78 | A86 NON-PREBIOTIC EFFECTS OF RHAMNOGALACTURONAN ON INTESTINAL EPITHELIAL BARRIER FUNCTION AND WOUND HEALING. <i>Journal of the Canadian Association of Gastroenterology</i> , 2018 , 1, 131-131 | 0.5 | 1 |
| 77 | ER-stress mobilization of death-associated protein kinase-1-dependent xenophagy counteracts mitochondria stress-induced epithelial barrier dysfunction. <i>Journal of Biological Chemistry</i> , 2018 , 293, 3073-3087 | 5.4 | 19 |
| 76 | Rhamnogalacturonan, a chemically-defined polysaccharide, improves intestinal barrier function in DSS-induced colitis in mice and human Caco-2 cells. <i>Scientific Reports</i> , 2018 , 8, 12261 | 4.9 | 40 |
| 75 | Interferon gamma decreases intestinal epithelial aquaporin 3 expression through downregulation of constitutive transcription. <i>Journal of Molecular Medicine</i> , 2018 , 96, 1081-1093 | 5.5 | 4 |
| 74 | A simple, cost-effective method for generating murine colonic 3D enteroids and 2D monolayers for studies of primary epithelial cell function. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, G467-G475 | 5.1 | 26 |
| 73 | Further Antinociceptive Properties of Naringenin on Acute and Chronic Pain in Mice. <i>Natural Product Communications</i> , 2017 , 12, 1934578X1701200 | 0.9 | 1 |
| 72 | Modulation of antioxidant systems by subchronic exposure to the aqueous extract of leaves from Achillea millefolium L. in rats. <i>Natural Product Research</i> , 2016 , 30, 613-5 | 2.3 | 8 |
| 71 | Polysaccharides from Arctium lappa L.: Chemical structure and biological activity. <i>International Journal of Biological Macromolecules</i> , 2016 , 91, 954-60 | 7.9 | 27 |
| 70 | Arabinoxylan from Mucilage of Tomatoes (Solanum lycopersicum L.): Structure and Antinociceptive Effect in Mouse Models. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 1239-44 | 5.7 | 7 |
| 69 | Anti-inflammatory effect of laser acupuncture in ST36 (Zusanli) acupoint in mouse paw edema. <i>Lasers in Medical Science</i> , 2016 , 31, 315-22 | 3.1 | 16 |

(2013-2016)

| 68 | Chemical characterization of heteropolysaccharides from green and black teas (Camellia sinensis) and their anti-ulcer effect. <i>International Journal of Biological Macromolecules</i> , 2016 , 86, 772-81 | 7.9 | 20 | |
|----|--|-------|----|--|
| 67 | Healing mechanisms of the hydroalcoholic extract and ethyl acetate fraction of green tea (Camellia sinensis (L.) Kuntze) on chronic gastric ulcers. <i>Naunyn-Schmiedebergts Archives of Pharmacology</i> , 2016 , 389, 259-68 | 3.4 | 9 | |
| 66 | Structure and antinociceptive effects of ED-glucans from Cookeina tricholoma. <i>Carbohydrate Polymers</i> , 2016 , 141, 220-8 | 10.3 | 21 | |
| 65 | Anandamide reverses depressive-like behavior, neurochemical abnormalities and oxidative-stress parameters in streptozotocin-diabetic rats: Role of CB1 receptors. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1590-600 | 1.2 | 25 | |
| 64 | Structure of an arabinogalactan from the edible tropical fruit tamarillo (Solanum betaceum) and its antinociceptive activity. <i>Carbohydrate Polymers</i> , 2015 , 116, 300-6 | 10.3 | 38 | |
| 63 | Antidepressant and antioxidative effect of Ibuprofen in the rotenone model of Parkinson® disease. <i>Neurotoxicity Research</i> , 2014 , 26, 351-62 | 4.3 | 35 | |
| 62 | Gastroprotective bio-guiding fractionation of hydro-alcoholic extracts from green- and black-teas (Camellia sinensis). <i>Food Research International</i> , 2014 , 64, 577-586 | 7 | 12 | |
| 61 | Glucuronoarabinoxylan from coconut palm gum exudate: chemical structure and gastroprotective effect. <i>Carbohydrate Polymers</i> , 2014 , 107, 65-71 | 10.3 | 17 | |
| 60 | Anti-inflammatory properties of the medicinal mushroom Cordyceps militaris might be related to its linear (1->3)-ED-glucan. <i>PLoS ONE</i> , 2014 , 9, e110266 | 3.7 | 56 | |
| 59 | AB de extratos de plantas medicinais sobre a motilidade do trato gastrointestinal. <i>Revista Brasileira De Plantas Medicinais</i> , 2014 , 16, 750-754 | | 1 | |
| 58 | Structural characterization and anti-inflammatory activity of a linear ED-glucan isolated from Pleurotus sajor-caju. <i>Carbohydrate Polymers</i> , 2014 , 113, 588-96 | 10.3 | 37 | |
| 57 | Polysaccharides from prunes: gastroprotective activity and structural elucidation of bioactive pectins. <i>Food Chemistry</i> , 2014 , 146, 492-9 | 8.5 | 41 | |
| 56 | Rhamnogalacturonan from Acmella oleracea (L.) R.K. Jansen: gastroprotective and ulcer healing properties in rats. <i>PLoS ONE</i> , 2014 , 9, e84762 | 3.7 | 28 | |
| 55 | Antinociceptive effects of ethanolic extract from the flowers of Acmella oleracea (L.) R.K. Jansen in mice. <i>Journal of Ethnopharmacology</i> , 2013 , 150, 583-9 | 5 | 52 | |
| 54 | Ethanolic extract of roots from Arctium lappa L. accelerates the healing of acetic acid-induced gastric ulcer in rats: Involvement of the antioxidant system. <i>Food and Chemical Toxicology</i> , 2013 , 51, 17 | 9-187 | 59 | |
| 53 | Agaricus bisporus fucogalactan: structural characterization and pharmacological approaches. <i>Carbohydrate Polymers</i> , 2013 , 92, 184-91 | 10.3 | 44 | |
| 52 | Fucomannogalactan and glucan from mushroom Amanita muscaria: structure and inflammatory pain inhibition. <i>Carbohydrate Polymers</i> , 2013 , 98, 761-9 | 10.3 | 45 | |
| 51 | Polysaccharide glucomannan isolated from Heterodermia obscurata attenuates acute and chronic pain in mice. <i>Carbohydrate Polymers</i> , 2013 , 92, 2058-64 | 10.3 | 13 | |

| 50 | Lactarius rufus (1->3),(1->6)-D-glucans: structure, antinociceptive and anti-inflammatory effects. <i>Carbohydrate Polymers</i> , 2013 , 94, 129-36 | 10.3 | 66 |
|----|--|-----------------|----|
| 49 | Structure of a galactoarabinoglucuronoxylan from tamarillo (Solanum betaceum), a tropical exotic fruit, and its biological activity. <i>Food Chemistry</i> , 2013 , 141, 510-6 | 8.5 | 29 |
| 48 | Antiulcer and gastric antisecretory effects of dichloromethane fraction and piplartine obtained from fruits of Piper tuberculatum Jacq. in rats. <i>Journal of Ethnopharmacology</i> , 2013 , 148, 165-74 | 5 | 17 |
| 47 | Gastroprotective effect and structure of a rhamnogalacturonan from Acmella oleracea. <i>Phytochemistry</i> , 2013 , 85, 137-42 | 4 | 45 |
| 46 | Chemical and biological characterization of polysaccharides isolated from Ilex paraguariensis A. StHil. <i>International Journal of Biological Macromolecules</i> , 2013 , 59, 125-33 | 7.9 | 12 |
| 45 | Antiulcer effect of bark extract of Tabebuia avellanedae: activation of cell proliferation in gastric mucosa during the healing process. <i>Phytotherapy Research</i> , 2013 , 27, 1067-73 | 6.7 | 25 |
| 44 | Antinociceptive and anti-inflammatory potential of extract and isolated compounds from the leaves of Salvia officinalis in mice. <i>Journal of Ethnopharmacology</i> , 2012 , 139, 519-26 | 5 | 95 |
| 43 | Anti-inflammatory effect of triterpene 3[16[116Etrihydroxylup-20(29)-ene obtained from Combretum leprosum Mart & Eich in mice. <i>Journal of Ethnopharmacology</i> , 2012 , 142, 59-64 | 5 | 32 |
| 42 | Evaluation of the antinociceptive, anti-inflammatory and gastric antiulcer activities of the essential oil from Piper aleyreanum C.DC in rodents. <i>Journal of Ethnopharmacology</i> , 2012 , 142, 274-82 | 5 | 49 |
| 41 | Antinociception of ED-glucan from Pleurotus pulmonarius is possibly related to protein kinase C inhibition. <i>International Journal of Biological Macromolecules</i> , 2012 , 50, 872-7 | 7.9 | 35 |
| 40 | Arabinan and arabinan-rich pectic polysaccharides from quinoa (Chenopodium quinoa) seeds: Structure and gastroprotective activity. <i>Food Chemistry</i> , 2012 , 130, 937-944 | 8.5 | 52 |
| 39 | In vivo/in vitro studies of the effects of the type II arabinogalactan isolated from Maytenus ilicifolia Mart. ex Reissek on the gastrointestinal tract of rats. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2012 , 67, 405-10 | 1.7 | 5 |
| 38 | In vivo/in vitro Studies of the Effects of the Type II Arabinogalactan Isolated from Maytenus ilicifolia Mart. ex Reissek on the Gastrointestinal Tract of Rats. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2012 , 67, 0405 | 1.7 | 3 |
| 37 | Antinociceptive and gastroprotective actions of ethanolic extract from Pluchea sagittalis (Lam.) Cabrera. <i>Journal of Ethnopharmacology</i> , 2011 , 135, 603-9 | 5 | 14 |
| 36 | Inhibition of Gastric H+, K+-ATPase Activity by Compounds from Medicinal Plants. <i>Natural Product Communications</i> , 2011 , 6, 1934578X1100600 | 0.9 | 1 |
| 35 | Isolation of a gastroprotective arabinoxylan from sugarcane bagasse. <i>Bioresource Technology</i> , 2011 , 102, 10524-8 | 11 | 17 |
| 34 | Involvement of Interleukin-10 in the Anti-Inflammatory Effect of Sanyinjiao (SP6) Acupuncture in a Mouse Model of Peritonitis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011, 21794 | £ ^{.3} | 35 |
| 33 | Host-mineral trioxide aggregate inflammatory molecular signaling and biomineralization ability. Journal of Endodontics, 2010, 36, 1347-53 | 4.7 | 31 |

(2008-2010)

| 32 | Antiulcerogenic activity of hydroalcoholic extract of Achillea millefolium L.: involvement of the antioxidant system. <i>Journal of Ethnopharmacology</i> , 2010 , 130, 85-92 | 5 | 104 |
|----|---|--------|-----|
| 31 | Antinociceptive effects of (1->3),(1->6)-linked Eglucan isolated from Pleurotus pulmonarius in models of acute and neuropathic pain in mice: evidence for a role for glutamatergic receptors and cytokine pathways. <i>Journal of Pain</i> , 2010 , 11, 965-71 | 5.2 | 22 |
| 30 | Chemical structure and selected biological properties of a glucomannan from the lichenized fungus Heterodermia obscurata. <i>Phytochemistry</i> , 2010 , 71, 2132-9 | 4 | 13 |
| 29 | Structure of Agaricus spp. fucogalactans and their anti-inflammatory and antinociceptive properties. <i>Bioresource Technology</i> , 2010 , 101, 6192-9 | 11 | 63 |
| 28 | An arabinogalactan with anti-ulcer protective effects isolated from Cereus peruvianus. <i>Carbohydrate Polymers</i> , 2010 , 82, 714-721 | 10.3 | 33 |
| 27 | Evidence of TRPV1 receptor and PKC signaling pathway in the antinociceptive effect of amyrin octanoate. <i>Brain Research</i> , 2009 , 1295, 76-88 | 3.7 | 13 |
| 26 | Gastroprotective constituents of Salvia officinalis L. Floterap (12009, 80, 421-6 | 3.2 | 41 |
| 25 | Antinociceptive properties of the hydroalcoholic extract, fractions and compounds obtained from the aerial parts of Baccharis illinita DC in mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2009 , 104, 285-92 | 3.1 | 14 |
| 24 | Polygalacturonic acid: Another anti-ulcer polysaccharide from the medicinal plant Maytenus ilicifolia. <i>Carbohydrate Polymers</i> , 2009 , 78, 361-363 | 10.3 | 24 |
| 23 | Gastroprotective effect of a type I arabinogalactan from soybean meal. Food Chemistry, 2009, 115, 687 | 7-69.9 | 47 |
| 22 | Involvement of glutamate and cytokine pathways on antinociceptive effect of Pfaffia glomerata in mice. <i>Journal of Ethnopharmacology</i> , 2009 , 122, 468-72 | 5 | 8 |
| 21 | Muscarinic-dependent inhibition of gastric emptying and intestinal motility by fractions of Maytenus ilicifolia Mart ex. Reissek. <i>Journal of Ethnopharmacology</i> , 2009 , 123, 385-91 | 5 | 24 |
| 20 | Gastroprotective activity of the chloroform extract of the roots from Arctium lappa L. <i>Journal of Pharmacy and Pharmacology</i> , 2008 , 60, 795-801 | 4.8 | 25 |
| 19 | Inhibition of H+/K+ ATPase in the gastroprotective effect of Baccharis illinita DC. <i>Journal of Pharmacy and Pharmacology</i> , 2008 , 60, 1105-10 | 4.8 | 10 |
| 18 | Anti-inflammatory and analgesic properties in a rodent model of a (1>3),(1>6)-linked beta-glucan isolated from Pleurotus pulmonarius. <i>European Journal of Pharmacology</i> , 2008 , 597, 86-91 | 5.3 | 112 |
| 17 | Antiulcerogenic activity of bark extract of Tabebuia avellanedae, Lorentz ex Griseb. <i>Journal of Ethnopharmacology</i> , 2008 , 118, 455-9 | 5 | 23 |
| 16 | Effects of Pfaffia glomerata (Spreng) pedersen aqueous extract on healing acetic acid-induced ulcers. <i>Brazilian Archives of Biology and Technology</i> , 2008 , 51, 479-483 | 1.8 | 1 |
| 15 | A 3-O-methylated mannogalactan from Pleurotus pulmonarius: structure and antinociceptive effect. <i>Phytochemistry</i> , 2008 , 69, 2731-6 | 4 | 64 |

| 14 | Acidic heteroxylans from medicinal plants and their anti-ulcer activity. <i>Carbohydrate Polymers</i> , 2008 , 74, 274-278 | 10.3 | 40 |
|----|--|------|----|
| 13 | Lentinus edodes heterogalactan: Antinociceptive and anti-inflammatory effects. <i>Food Chemistry</i> , 2008 , 111, 531-537 | 8.5 | 94 |
| 12 | Gastroprotective activity of the hydroalcoholic extract obtained from Polygala paniculata L. in rats. Journal of Pharmacy and Pharmacology, 2007 , 59, 1413-9 | 4.8 | 21 |
| 11 | Gastroprotective effect of hydroalcoholic extract from barks of Persea major Kopp (Lauraceae) in rats. <i>Revista Brasileira De Farmacognosia</i> , 2007 , 17, 533-537 | 2 | 5 |
| 10 | Mikania laevigata syrup does not induce side effects on reproductive system of male Wistar rats. Journal of Ethnopharmacology, 2007 , 111, 29-32 | 5 | 11 |
| 9 | In vivo assessment of safety and mechanisms underlying in vitro relaxation induced by Mikania laevigata Schultz Bip. ex Baker in the rat trachea. <i>Journal of Ethnopharmacology</i> , 2007 , 112, 430-9 | 5 | 16 |
| 8 | Flavonoid-rich fraction of Maytenus ilicifolia Mart. ex. Reiss protects the gastric mucosa of rodents through inhibition of both H+,K+ -ATPase activity and formation of nitric oxide. <i>Journal of Ethnopharmacology</i> , 2007 , 113, 433-40 | 5 | 47 |
| 7 | A polysaccharide from a tea (infusion) of Maytenus ilicifolia leaves with anti-ulcer protective effects. <i>Journal of Natural Products</i> , 2006 , 69, 1018-21 | 4.9 | 85 |
| 6 | Inhibition of gastric H+,K+-ATPase activity by flavonoids, coumarins and xanthones isolated from Mexican medicinal plants. <i>Journal of Ethnopharmacology</i> , 2006 , 105, 167-72 | 5 | 63 |
| 5 | Safety and antiulcer efficacy studies of Achillea millefolium L. after chronic treatment in Wistar rats. <i>Journal of Ethnopharmacology</i> , 2006 , 107, 277-84 | 5 | 76 |
| 4 | Gastroprotective mechanisms of indole alkaloids from Himatanthus lancifolius. <i>Planta Medica</i> , 2005 , 71, 733-8 | 3.1 | 31 |
| 3 | Involvement of nitric oxide in the gastroprotective effects of an aqueous extract of Pfaffia glomerata (Spreng) Pedersen, Amaranthaceae, in rats. <i>Life Sciences</i> , 2004 , 74, 1167-79 | 6.8 | 36 |
| 2 | Gastroprotective effects of a crude extract of Baccharis illinita DC in rats. <i>Pharmacological Research</i> , 2003 , 47, 93-8 | 10.2 | 41 |
| 1 | Action of crude aqueous extract of leaves of Achillea millefolium L. (Compositae) on gastrointestinal tract. <i>Revista Brasileira De Farmacognosia</i> , 2002 , 12, 31-33 | 2 | 6 |