

# Steven D Hollon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2566/publications.pdf>

Version: 2024-02-01

202  
papers

25,720  
citations

11639

70  
h-index

6643

156  
g-index

206  
all docs

206  
docs citations

206  
times ranked

16785  
citing authors

#	ARTICLE	IF	CITATIONS
1	Defining empirically supported therapies.. Journal of Consulting and Clinical Psychology, 1998, 66, 7-18.	1.6	2,327
2	Antidepressant Drug Effects and Depression Severity. JAMA - Journal of the American Medical Association, 2010, 303, 47.	3.8	1,616
3	Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adults with major depression.. Journal of Consulting and Clinical Psychology, 2006, 74, 658-670.	1.6	1,287
4	Cognitive self-statements in depression: Development of an automatic thoughts questionnaire. Cognitive Therapy and Research, 1980, 4, 383-395.	1.2	1,216
5	Issues and recommendations regarding use of the Beck Depression Inventory. Cognitive Therapy and Research, 1987, 11, 289-299.	1.2	966
6	Comparative efficacy of cognitive therapy and pharmacotherapy in the treatment of depressed outpatients. Cognitive Therapy and Research, 1977, 1, 17-37.	1.2	842
7	Cognitive Therapy vs Medications in the Treatment of Moderate to Severe Depression. Archives of General Psychiatry, 2005, 62, 409.	13.8	806
8	Prevention of Relapse Following Cognitive Therapy vs Medications in Moderate to Severe Depression. Archives of General Psychiatry, 2005, 62, 417.	13.8	619
9	Cognitive therapy versus medication for depression: treatment outcomes and neural mechanisms. Nature Reviews Neuroscience, 2008, 9, 788-796.	4.9	573
10	Cognitive Therapy and Pharmacotherapy for Depression. Archives of General Psychiatry, 1992, 49, 774.	13.8	441
11	Prevention of Depression in At-Risk Adolescents. JAMA - Journal of the American Medical Association, 2009, 301, 2215.	3.8	435
12	Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the prevention of relapse and recurrence in major depression.. Journal of Consulting and Clinical Psychology, 2008, 76, 468-477.	1.6	427
13	Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. Lancet, The, 2016, 388, 871-880.	6.3	427
14	The investigation of schematic content and processing in eating disorders. Cognitive Therapy and Research, 1990, 14, 191-214.	1.2	410
15	Mental health and clinical psychological science in the time of COVID-19: Challenges, opportunities, and a call to action.. American Psychologist, 2021, 76, 409-426.	3.8	408
16	Enduring Effects for Cognitive Behavior Therapy in the Treatment of Depression and Anxiety. Annual Review of Psychology, 2006, 57, 285-315.	9.9	394
17	The Selection and Design of Control Conditions for Randomized Controlled Trials of Psychological Interventions. Psychotherapy and Psychosomatics, 2009, 78, 275-284.	4.0	388
18	The effects of psychotherapies for major depression in adults on remission, recovery and improvement: A meta-analysis. Journal of Affective Disorders, 2014, 159, 118-126.	2.0	376

#	ARTICLE	IF	CITATIONS
19	Treatment and Prevention of Depression. Psychological Science in the Public Interest: A Journal of the American Psychological Society, 2002, 3, 39-77.	6.7	368
20	Personality Change During Depression Treatment. Archives of General Psychiatry, 2009, 66, 1322.	13.8	338
21	Efficacy of cognitive-behavioural therapy and other psychological treatments for adult depression: meta-analytic study of publication bias. British Journal of Psychiatry, 2010, 196, 173-178.	1.7	333
22	How does cognitive therapy work? Cognitive change and symptom change in cognitive therapy and pharmacotherapy for depression.. Journal of Consulting and Clinical Psychology, 1990, 58, 862-869.	1.6	322
23	Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. American Journal of Psychiatry, 2007, 164, 739-752.	4.0	297
24	Psychosocial intervention development for the prevention and treatment of depression: promoting innovation and increasing access. Biological Psychiatry, 2002, 52, 610-630.	0.7	288
25	Prediction of response to medication and cognitive therapy in the treatment of moderate to severe depression.. Journal of Consulting and Clinical Psychology, 2009, 77, 775-787.	1.6	274
26	Psychotherapy for chronic major depression and dysthymia: A meta-analysis. Clinical Psychology Review, 2010, 30, 51-62.	6.0	249
27	The efficacy of non-directive supportive therapy for adult depression: A meta-analysis. Clinical Psychology Review, 2012, 32, 280-291.	6.0	242
28	Psychotherapy and Medication in the Treatment of Adult and Geriatric Depression. Journal of Clinical Psychiatry, 2005, 66, 455-468.	1.1	227
29	A lifetime approach to major depressive disorder: The contributions of psychological interventions in preventing relapse and recurrence. Clinical Psychology Review, 2015, 41, 16-26.	6.0	217
30	What can specificity designs say about causality in psychopathology research?. Psychological Bulletin, 1991, 110, 129-136.	5.5	214
31	Cognitive Behavioral Therapy for Mood Disorders: Efficacy, Moderators and Mediators. Psychiatric Clinics of North America, 2010, 33, 537-555.	0.7	213
32	Comorbid psychiatric disorders in depressed outpatients: Demographic and clinical features. Journal of Affective Disorders, 2005, 87, 43-55.	2.0	210
33	Cognitive therapy and pharmacotherapy for depression.. Journal of Consulting and Clinical Psychology, 1991, 59, 88-99.	1.6	206
34	A review of empirically supported psychological therapies for mood disorders in adults. Depression and Anxiety, 2010, 27, 891-932.	2.0	205
35	Adding Psychotherapy to Pharmacotherapy in the Treatment of Depressive Disorders in Adults. Journal of Clinical Psychiatry, 2009, 70, 1219-1229.	1.1	204
36	How would we know if psychotherapy were harmful?. American Psychologist, 2010, 65, 21-33.	3.8	199

#	ARTICLE	IF	CITATIONS
37	Does cognitive behaviour therapy have an enduring effect that is superior to keeping patients on continuation pharmacotherapy? A meta-analysis. <i>BMJ Open</i> , 2013, 3, e002542.	0.8	195
38	Does pretreatment severity moderate the efficacy of psychological treatment of adult outpatient depression? A meta-analysis.. <i>Journal of Consulting and Clinical Psychology</i> , 2010, 78, 668-680.	1.6	162
39	Baseline Depression Severity as Moderator of Depression Outcomes Between Cognitive Behavioral Therapy vs Pharmacotherapy. <i>JAMA Psychiatry</i> , 2015, 72, 1102.	6.0	155
40	Does Publication Bias Inflate the Apparent Efficacy of Psychological Treatment for Major Depressive Disorder? A Systematic Review and Meta-Analysis of US National Institutes of Health-Funded Trials. <i>PLoS ONE</i> , 2015, 10, e0137864.	1.1	153
41	The prevention of depression and anxiety.. <i>Prevention &amp; Treatment</i> , 1999, 2, .	0.3	151
42	Cognitive behavior therapy versus pharmacotherapy: Now that the jury's returned its verdict, it's time to present the rest of the evidence.. <i>Journal of Consulting and Clinical Psychology</i> , 1996, 64, 74-80.	1.6	148
43	Causal mediation of change in treatment for depression: Discriminating between nonspecificity and noncausality.. <i>Psychological Bulletin</i> , 1987, 102, 139-149.	5.5	145
44	Childhood trauma history differentiates amygdala response to sad faces within MDD. <i>Journal of Psychiatric Research</i> , 2011, 45, 886-895.	1.5	144
45	Effect of Cognitive Therapy With Antidepressant Medications vs Antidepressants Alone on the Rate of Recovery in Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2014, 71, 1157.	6.0	143
46	Effectiveness of psychological interventions in preventing recurrence of depressive disorder: Meta-analysis and meta-regression. <i>Journal of Affective Disorders</i> , 2015, 174, 400-410.	2.0	139
47	Two aspects of the therapeutic alliance: Differential relations with depressive symptom change.. <i>Journal of Consulting and Clinical Psychology</i> , 2011, 79, 279-283.	1.6	131
48	Predictors of Attrition During Initial (Citalopram) Treatment for Depression: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2007, 164, 1189-1197.	4.0	129
49	On the AHCPR Depression in Primary Care guidelines: Further considerations for practitioners.. <i>American Psychologist</i> , 1994, 49, 42-61.	3.8	128
50	Improving Outcome of Psychosocial Treatments by Enhancing Memory and Learning. <i>Perspectives on Psychological Science</i> , 2014, 9, 161-179.	5.2	124
51	Antidepressant medications v. cognitive therapy in people with depression with or without personality disorder. <i>British Journal of Psychiatry</i> , 2008, 192, 124-129.	1.7	121
52	Extreme nonresponse in cognitive therapy: Can behavioral activation succeed where cognitive therapy fails?. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 531-541.	1.6	117
53	Empirically supported psychological treatments for adult acute stress disorder and posttraumatic stress disorder: a review. <i>Depression and Anxiety</i> , 2009, 26, 1086-1109.	2.0	116
54	How do psychological treatments work? Investigating mediators of change. <i>Behaviour Research and Therapy</i> , 2009, 47, 1-5.	1.6	116

#	ARTICLE	IF	CITATIONS
55	The Healthy Activity Program lay counsellor delivered treatment for severe depression in India: Systematic development and randomised evaluation. <i>British Journal of Psychiatry</i> , 2016, 208, 381-388.	1.7	115
56	Prevention of Depression in At-Risk Adolescents. <i>JAMA Psychiatry</i> , 2013, 70, 1161.	6.0	109
57	Comparative efficacy of psychological therapies for improving mental health and daily functioning in irritable bowel syndrome: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2017, 51, 142-152.	6.0	108
58	Early Adverse Events, HPA Activity and Rostral Anterior Cingulate Volume in MDD. <i>PLoS ONE</i> , 2009, 4, e4887.	1.1	108
59	Therapist competence in cognitive therapy for depression: Predicting subsequent symptom change.. <i>Journal of Consulting and Clinical Psychology</i> , 2010, 78, 429-437.	1.6	107
60	Sudden gains in cognitive therapy of depression and depression relapse/recurrence.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 404-408.	1.6	105
61	The effects of cognitive behavior therapy for adult depression on dysfunctional thinking: A meta-analysis. <i>Clinical Psychology Review</i> , 2015, 42, 62-71.	6.0	101
62	Anxious self-talk: Development of the Anxious Self-Statements Questionnaire (ASSQ). <i>Cognitive Therapy and Research</i> , 1989, 13, 81-93.	1.2	98
63	Presenting characteristics of depressed outpatients as a function of recurrence: Preliminary findings from the STAR*D clinical trial. <i>Journal of Psychiatric Research</i> , 2006, 40, 59-69.	1.5	95
64	Component studies of psychological treatments of adult depression: A systematic review and meta-analysis. <i>Psychotherapy Research</i> , 2019, 29, 15-29.	1.1	95
65	Depression and Suicidal Ideation in College Students. <i>Psychopathology</i> , 2012, 45, 228-234.	1.1	94
66	Effect of a Cognitive-Behavioral Prevention Program on Depression 6 Years After Implementation Among At-Risk Adolescents. <i>JAMA Psychiatry</i> , 2015, 72, 1110.	6.0	91
67	Stereotypes, Prejudice, and Depression. <i>Perspectives on Psychological Science</i> , 2012, 7, 427-449.	5.2	90
68	Effectiveness of preventive cognitive therapy while tapering antidepressants versus maintenance antidepressant treatment versus their combination in prevention of depressive relapse or recurrence (DRD study): a three-group, multicentre, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 401-410.	3.7	84
69	Internet-based behavioural activation with lay counsellor support versus online minimal psychoeducation without support for treatment of depression: a randomised controlled trial in Indonesia. <i>Lancet Psychiatry</i> , 2018, 5, 707-716.	3.7	80
70	The Mortality and Myocardial Effects of Antidepressants Are Moderated by Preexisting Cardiovascular Disease: A Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2017, 86, 268-282.	4.0	76
71	The effects of rumination and negative cognitive styles on depression: A mediation analysis. <i>Behaviour Research and Therapy</i> , 2008, 46, 487-495.	1.6	73
72	Development of Clinical Practice Guidelines. <i>Annual Review of Clinical Psychology</i> , 2014, 10, 213-241.	6.3	69

#	ARTICLE	IF	CITATIONS
73	Cognitive therapy and the prevention of depression. <i>Applied and Preventive Psychology</i> , 1992, 1, 89-95.	0.8	68
74	The efficacy and effectiveness of psychotherapy relative to medications.. <i>American Psychologist</i> , 1996, 51, 1025-1030.	3.8	68
75	Progressive resistance to a selective serotonin reuptake inhibitor but not to cognitive therapy in the treatment of major depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 267-276.	1.6	68
76	The symptom-specific efficacy of antidepressant medication vs. cognitive behavioral therapy in the treatment of depression: results from an individual patient data meta-analysis. <i>World Psychiatry</i> , 2019, 18, 183-191.	4.8	68
77	Sustained effectiveness and cost-effectiveness of the Healthy Activity Programme, a brief psychological treatment for depression delivered by lay counsellors in primary care: 12-month follow-up of a randomised controlled trial. <i>PLoS Medicine</i> , 2017, 14, e1002385.	3.9	68
78	The process of change in cognitive therapy for depression when combined with antidepressant medication: Predictors of early intersession symptom gains.. <i>Journal of Consulting and Clinical Psychology</i> , 2012, 80, 730-738.	1.6	66
79	Prospects for future comparisons between drugs and psychotherapy: Lessons from the CBT-versus-pharmacotherapy exchange.. <i>Journal of Consulting and Clinical Psychology</i> , 1996, 64, 104-108.	1.6	65
80	Initial treatment choices to achieve sustained response in major depression: a systematic review and network meta-analysis. <i>World Psychiatry</i> , 2021, 20, 387-396.	4.8	64
81	An update on the efficacy of psychological treatments for obsessive-compulsive disorder in adults. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2013, 2, 207-218.	0.7	63
82	The effects of once- versus twice-weekly sessions on psychotherapy outcomes in depressed patients. <i>British Journal of Psychiatry</i> , 2020, 216, 222-230.	1.7	60
83	Placebo-psychotherapy combinations: Inappropriate representations of psychotherapy in drug-psychotherapy comparative trials.. <i>Psychological Bulletin</i> , 1981, 90, 467-477.	5.5	59
84	Do depression treatments reduce suicidal ideation? The effects of CBT, IPT, pharmacotherapy, and placebo on suicidality. <i>Journal of Affective Disorders</i> , 2014, 167, 98-103.	2.0	58
85	The effectiveness and cost-effectiveness of lay counsellor-delivered psychological treatments for harmful and dependent drinking and moderate to severe depression in primary care in India: PREMIUM study protocol for randomized controlled trials. <i>Trials</i> , 2014, 15, 101.	0.7	57
86	Initial severity of depression and efficacy of cognitive-behavioural therapy: Individual-participant data meta-analysis of pill-placebo-controlled trials. <i>British Journal of Psychiatry</i> , 2017, 210, 190-196.	1.7	56
87	Exploring mechanisms of change in cognitive therapy and interpersonal psychotherapy for adult depression. <i>Behaviour Research and Therapy</i> , 2017, 94, 81-92.	1.6	56
88	More treatment but no less depression: The treatment-prevalence paradox. <i>Clinical Psychology Review</i> , 2022, 91, 102111.	6.0	56
89	Treatment guidelines for major depressive disorder. <i>Behavior Therapy</i> , 2001, 32, 235-258.	1.3	55
90	Cognitive Therapy of Depression. , 1979, , 153-203.		50

#	ARTICLE	IF	CITATIONS
91	Mood reactivity rather than cognitive reactivity is predictive of depressive relapse: A randomized study with 5.5-year follow-up.. <i>Journal of Consulting and Clinical Psychology</i> , 2013, 81, 508-517.	1.6	48
92	Changes in Positive and Negative Affect During Pharmacological Treatment and Cognitive Therapy for Major Depressive Disorder: A Secondary Analysis of Two Randomized Controlled Trials. <i>Clinical Psychological Science</i> , 2020, 8, 36-51.	2.4	47
93	Cross-sectional networks of depressive symptoms before and after antidepressant medication treatment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 617-627.	1.6	46
94	Improving outcome for mental disorders by enhancing memory for treatment. <i>Behaviour Research and Therapy</i> , 2016, 81, 35-46.	1.6	45
95	Treatment of depression in adolescents with cognitive behavior therapy and medications: A commentary on the TADS project. <i>Cognitive and Behavioral Practice</i> , 2005, 12, 149-155.	0.9	41
96	Divergent Outcomes in Cognitive-Behavioral Therapy and Pharmacotherapy for Adult Depression. <i>American Journal of Psychiatry</i> , 2016, 173, 481-490.	4.0	41
97	Resilience and anxiety or depression among resettled Bhutanese adults in the United States. <i>International Journal of Social Psychiatry</i> , 2019, 65, 496-506.	1.6	39
98	Translating the BDI and BDI-II into the HAMD and vice versa with equipercentile linking. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e24.	1.8	39
99	Empirically Supported Psychotherapies: Comment on Westen, Novotny, and Thompson-Brenner (2004).. <i>Psychological Bulletin</i> , 2005, 131, 412-417.	5.5	36
100	Performance of a Culturally Tailored Cognitive-Behavioral Intervention Integrated in a Public Health Setting to Reduce Risk of Antepartum Depression: A Randomized Controlled Trial. <i>Journal of Midwifery and Women's Health</i> , 2015, 60, 578-592.	0.7	36
101	Cognitive Therapy for Depression. <i>Personality and Social Psychology Bulletin</i> , 1990, 16, 58-73.	1.9	35
102	The Potential Role of Learning Capacity in Cognitive Behavior Therapy for Depression: A Systematic Review of the Evidence and Future Directions for Improving Therapeutic Learning. <i>Clinical Psychological Science</i> , 2019, 7, 668-692.	2.4	35
103	Differential change in specific depressive symptoms during antidepressant medication or cognitive therapy. <i>Behaviour Research and Therapy</i> , 2013, 51, 392-398.	1.6	34
104	Clinical research challenges posed by difficult-to-treat depression. <i>Psychological Medicine</i> , 2022, 52, 419-432.	2.7	34
105	Long-term outcomes of acute treatment with cognitive therapy v. interpersonal psychotherapy for adult depression: follow-up of a randomized controlled trial. <i>Psychological Medicine</i> , 2019, 49, 465-473.	2.7	32
106	Distress and anhedonia as predictors of depression treatment outcome: A secondary analysis of a randomized clinical trial. <i>Behaviour Research and Therapy</i> , 2020, 125, 103507.	1.6	31
107	Depressive realism and clinical depression. <i>Behaviour Research and Therapy</i> , 2010, 48, 257-265.	1.6	30
108	Effectiveness, relapse prevention and mechanisms of change of cognitive therapy vs. interpersonal therapy for depression: Study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 150.	0.7	30



#	ARTICLE	IF	CITATIONS
109	Gains in employment status following antidepressant medication or cognitive therapy for depression. <i>British Journal of Psychiatry</i> , 2015, 206, 332-338.	1.7	30
110	Frequency and change mechanisms of psychotherapy among depressed patients: study protocol for a multicenter randomized trial comparing twice-weekly versus once-weekly sessions of CBT and IPT. <i>BMC Psychiatry</i> , 2015, 15, 137.	1.1	30
111	Prevention of Recurrence After Recovery From a Major Depressive Episode With Antidepressant Medication Alone or in Combination With Cognitive Behavioral Therapy. <i>JAMA Psychiatry</i> , 2020, 77, 237.	6.0	30
112	Socioeconomic Indicators of Treatment Prognosis for Adults With Depression. <i>JAMA Psychiatry</i> , 2022, 79, 406.	6.0	30
113	Does Cognitive Therapy Have an Enduring Effect?. <i>Cognitive Therapy and Research</i> , 2003, 27, 71-75.	1.2	28
114	Cognitive and behavior therapy in the treatment and prevention of depression. <i>Depression and Anxiety</i> , 2011, 28, 263-266.	2.0	28
115	How do you feel? Detection of recurrent Major Depressive Disorder using a single-item screening tool. <i>Psychiatry Research</i> , 2014, 220, 287-293.	1.7	28
116	Why randomised controlled trials of psychological treatments are still essential. <i>Lancet Psychiatry</i> , 2018, 5, 536-538.	3.7	28
117	The contribution of depressive disorder characteristics to determinations of prognosis for adults with depression: an individual patient data meta-analysis. <i>Psychological Medicine</i> , 2021, 51, 1068-1081.	2.7	28
118	Biological markers evaluated in randomized trials of psychological treatments for depression: a systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 101, 32-44.	2.9	26
119	Sequence of improvement in depressive symptoms across cognitive therapy and pharmacotherapy. <i>Journal of Affective Disorders</i> , 2008, 110, 161-166.	2.0	25
120	Demographic and clinical predictors of response to internet-enabled cognitive-behavioural therapy for depression and anxiety. <i>BJPsych Open</i> , 2018, 4, 411-418.	0.3	25
121	Healthy Campus Trial: a multiphase optimization strategy (MOST) fully factorial trial to optimize the smartphone cognitive behavioral therapy (CBT) app for mental health promotion among university students: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 353.	0.7	25
122	Harnessing single-session interventions to improve adolescent mental health and well-being in India: Development, adaptation, and pilot testing of online single-session interventions in Indian secondary schools. <i>Asian Journal of Psychiatry</i> , 2020, 50, 101980.	0.9	25
123	Recent Developments in the Treatment of Depression. <i>Behavior Therapy</i> , 2019, 50, 257-269.	1.3	24
124	Effects of psychological treatment of mental health problems in pregnant women to protect their offspring: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2020, 216, 182-188.	1.7	24
125	Cost and Outcome of Behavioural Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive-behavioural therapy for depression. <i>Health Technology Assessment</i> , 2017, 21, 1-366.	1.3	24
126	The efficacy and acceptability of psychological interventions for depression: where we are now and where we are going. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 295-300.	1.8	23



#	ARTICLE	IF	CITATIONS
127	Melancholic and atypical depression as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression. <i>Depression and Anxiety</i> , 2017, 34, 246-256.	2.0	23
128	The effects of cognitive behavioral therapy are not systematically falling: A revision of Johnsen and Friborg (2015).. <i>Psychological Bulletin</i> , 2017, 143, 326-340.	5.5	23
129	What is cognitive behavioural therapy and does it work?. <i>Current Opinion in Neurobiology</i> , 1998, 8, 289-292.	2.0	22
130	Treatment guidelines: The good, the bad, and the ugly.. <i>Psychotherapy</i> , 1999, 36, 69-79.	0.7	22
131	Behavioral activation treatment for depression: A commentary.. <i>Clinical Psychology: Science and Practice</i> , 2001, 8, 271-274.	0.6	22
132	Are Randomized Controlled Trials Relevant to Clinical Practice?. <i>Canadian Journal of Psychiatry</i> , 2009, 54, 637-643.	0.9	20
133	Measurement of Depressive Symptoms in Women With Breast Cancer and Women With Clinical Depression: A Differential Item Functioning Analysis. <i>Journal of Clinical Psychology in Medical Settings</i> , 2005, 12, 127-141.	0.8	19
134	Sudden gains in routine care cognitive behavioral therapy for depression: A replication with extensions. <i>Behaviour Research and Therapy</i> , 2017, 89, 24-32.	1.6	17
135	Is social support pre-treatment associated with prognosis for adults with depression in primary care?. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 392-405.	2.2	17
136	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. <i>BMC Psychiatry</i> , 2011, 11, 8.	1.1	16
137	Predicting response to cognitive therapy and interpersonal therapy, with or without antidepressant medication, for major depression: A pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2014, 152-154, 146-154.	2.0	16
138	Personality and cognitive vulnerability in remitted recurrently depressed patients. <i>Journal of Affective Disorders</i> , 2015, 173, 97-104.	2.0	16
139	Guided Act and Feel Indonesia (GAF-ID) – Internet-based behavioral activation intervention for depression in Indonesia: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 455.	0.7	16
140	Individual patient data meta-analysis of combined treatments versus psychotherapy (with or without) Tj ETQq0 0 0 rgBT /Overlock 10 Tf e013478.	0.8	16
141	Which patients benefit specifically from short-term psychodynamic psychotherapy (STPP) for depression? Study protocol of a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2018, 8, e018900.	0.8	16
142	Digital training for non-specialist health workers to deliver a brief psychological treatment for depression in India: Protocol for a three-arm randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2021, 102, 106267.	0.8	16
143	Components of smartphone cognitive-behavioural therapy for subthreshold depression among 1093 university students: a factorial trial. <i>Evidence-Based Mental Health</i> , 2022, 25, e18-e25.	2.2	16
144	The antidepressant standoff: why it continues and how to resolve it. <i>Psychological Medicine</i> , 2020, 50, 177-186.	2.7	15

#	ARTICLE	IF	CITATIONS
145	Cognitive Therapy in the Treatment and Prevention of Depression: A Fifty-Year Retrospective with an Evolutionary Coda. <i>Cognitive Therapy and Research</i> , 2021, 45, 402-417.	1.2	14
146	Do cognitive change strategies matter in cognitive therapy?. <i>Prevention &amp; Treatment</i> , 2000, 3, .	0.3	14
147	Preventive cognitive therapy versus care as usual in cognitive behavioral therapy responders: A randomized controlled trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2019, 87, 521-529.	1.6	14
148	Mediating the Effects of Cognitive Therapy for Depression. <i>Cognitive Behaviour Therapy</i> , 2009, 38, 43-47.	1.9	13
149	Preface: The Current Status of Cognitive Behavioral Therapy for Psychiatric Disorders. <i>Psychiatric Clinics of North America</i> , 2010, 33, xiii-xix.	0.7	13
150	Understanding emotion and emotional scarring in recurrent depression. <i>Comprehensive Psychiatry</i> , 2015, 59, 54-61.	1.5	13
151	The Roles of Early Response and Sudden Gains on Depression Outcomes: Findings From a Randomized Controlled Trial of Behavioral Activation in Goa, India. <i>Clinical Psychological Science</i> , 2019, 7, 768-777.	2.4	13
152	Assessing health worker competence to deliver a brief psychological treatment for depression: Development and validation of a scalable measure. <i>Journal of Behavioral and Cognitive Therapy</i> , 2020, 30, 253-266.	0.7	13
153	Is cognitive therapy enduring or antidepressant medications iatrogenic? Depression as an evolved adaptation.. <i>American Psychologist</i> , 2020, 75, 1207-1218.	3.8	13
154	Coping strategies and stress among resettled Bhutanese adults in Massachusetts.. <i>American Journal of Orthopsychiatry</i> , 2020, 90, 502-509.	1.0	12
155	Beliefs about the causes of depression and recovery and their impact on adherence, dosage, and successful tapering of antidepressants. <i>Depression and Anxiety</i> , 2017, 34, 227-235.	2.0	11
156	Disordered doctors or rational rats? Testing adaptationist and disorder hypotheses for melancholic depression and their relevance for clinical psychology. <i>Clinical Psychology Review</i> , 2020, 82, 101927.	6.0	11
157	Adding cognitive therapy to antidepressant medications decreases suicidal ideation. <i>Journal of Affective Disorders</i> , 2021, 281, 183-191.	2.0	11
158	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 2019, 4, 69.	0.9	11
159	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 2019, 4, 69.	0.9	11
160	Cost-effectiveness, cost-utility and the budget impact of antidepressants versus preventive cognitive therapy with or without tapering of antidepressants. <i>BJPsych Open</i> , 2019, 5, e12.	0.3	9
161	Evolutionary theory and the treatment of depression: It is all about the squids and the sea bass. <i>Behaviour Research and Therapy</i> , 2021, 143, 103849.	1.6	9
162	Validation of the Health-Related Felt Stigma and Concealment Questionnaire. <i>Journal of Pediatric Psychology</i> , 2020, 45, 509-520.	1.1	9

#	ARTICLE	IF	CITATIONS
163	Leveraging the Power of Nondisruptive Technologies to Optimize Mental Health Treatment: Case Study. <i>JMIR Mental Health</i> , 2020, 7, e20646.	1.7	9
164	The importance of implementation science in scaling up psychological treatments. <i>Behaviour Research and Therapy</i> , 2020, 130, 103614.	1.6	8
165	Interpersonal Psychotherapy Versus Cognitive Therapy for Depression: How They Work, How Long, and for Whom? Key Findings From an RCT. <i>American Journal of Psychotherapy</i> , 2020, 73, 8-14.	0.4	8
166	Clinical errors in cognitive-behavior therapy. <i>Psychotherapy</i> , 2016, 53, 325-330.	0.7	7
167	Temporal pathways of change in two randomized controlled trials for depression and harmful drinking in Goa, India. <i>Psychological Medicine</i> , 2020, 50, 68-76.	2.7	7
168	Accelerating the rate of progress in reducing mental health burdens: Recommendations for training the next generation of clinical psychologists. <i>Clinical Psychology: Science and Practice</i> , 2021, 28, 107-123.	0.6	7
169	Life events and treatment prognosis for depression: A systematic review and individual patient data meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 299, 298-308.	2.0	7
170	Ethical Considerations for Cognitive-Behavioral Therapists in Psychotherapy Research Trials. <i>Cognitive and Behavioral Practice</i> , 2009, 16, 153-163.	0.9	6
171	Determining what works in depression treatment: Translating research to relational practice using treatment guidelines. <i>Couple and Family Psychology: Research and Practice</i> , 2012, 1, 199-212.	0.9	5
172	Treatment of Depression Versus Treatment of PTSD. <i>American Journal of Psychiatry</i> , 2019, 176, 259-261.	4.0	5
173	Cognitive Behavior Therapy for Depression From an Evolutionary Perspective. <i>Frontiers in Psychiatry</i> , 2021, 12, 667592.	1.3	5
174	Advantages of developing clinical practice guidelines using international standards. <i>Psychotherapy</i> , 2019, 56, 340-346.	0.7	5
175	Psychological Mindedness and Alexithymia Predict Symptom Reduction in Cognitive Behavior Therapy for Major Depressive Disorder. <i>International Journal of Cognitive Therapy</i> , 2020, 13, 287-302.	1.3	4
176	The efficacy of antidepressant medication and interpersonal psychotherapy for adult acute-phase depression: study protocol of a systematic review and meta-analysis of individual participant data. <i>BJPsych Open</i> , 2021, 7, e56.	0.3	4
177	The emperor's new drugs: Effect size and moderation effects. <i>Prevention &amp; Treatment</i> , 2002, 5, No First Page Specified-No Last Page Specified.	0.3	4
178	Initial Severity and Depressive Relapse in Cognitive Behavioral Therapy and Antidepressant Medications: An Individual Patient Data Meta-analysis. <i>Cognitive Therapy and Research</i> , 2022, 46, 517-531.	1.2	4
179	Psychotherapy Research With Older Populations. <i>American Journal of Geriatric Psychiatry</i> , 2003, 11, 7-8.	0.6	3
180	Notice of Retraction and Replacement. Hollon et al. Effect of cognitive therapy with antidepressant medications vs antidepressants alone on the rate of recovery in major depressive disorder: a randomized clinical trial. <i>JAMA Psychiatry</i> . 2014;71(10):1157-1164. <i>JAMA Psychiatry</i> , 2016, 73, 639.	6.0	3

#	ARTICLE	IF	CITATIONS
181	Cognitive Therapy or Behavioral Activation for Major Depressive Disorder in Dutch Mental Health Care: Pilot Effectiveness and Process Trial. <i>International Journal of Cognitive Therapy</i> , 2018, 11, 343-358.	1.3	3
182	Process Trumps Protocol: What I Liked About Hofmann and Hayes. <i>Clinical Psychological Science</i> , 2019, 7, 54-56.	2.4	3
183	Social and Emotional Wellbeing (SEW) Intervention for Mental Health Promotion Among Resettled Bhutanese Adults in Massachusetts. <i>Community Mental Health Journal</i> , 2021, 57, 1318-1327.	1.1	3
184	Specific Pharmacological Effects of Paroxetine Comprise Psychological but Not Somatic Symptoms of Depression. <i>PLoS ONE</i> , 2016, 11, e0159647.	1.1	3
185	Can loss of agency and oppositional perturbation associated with antidepressant monotherapy and low-fidelity psychological treatment dilute the benefits of guideline-consistent depression treatment at the population level?. <i>European Psychiatry</i> , 2020, 63, e89.	0.1	3
186	Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. <i>Focus (American Psychiatric Publishing)</i> , 2008, 6, 104-119.	0.4	2
187	The Long-Term Management of Major Depressive Disorders. <i>Focus (American Psychiatric Publishing)</i> , 2012, 10, 434-441.	0.4	2
188	Developing clinical practice guidelines to enhance clinical decision making.. , 2016, , 125-146.		2
189	Cognitive and Behavior Therapy in the Treatment and Prevention of Depression. <i>Focus (American)</i> Tj ETQq1 1 0.784314 rgBT_1/Overlo	0.4	1
190	Empirically supported treatment: A commentary.. <i>Clinical Psychology: Science and Practice</i> , 2015, 22, 343-344.	0.6	1
191	IOM REPORT ON PSYCHOSOCIAL TREATMENTS: CBT PERSPECTIVE. <i>Depression and Anxiety</i> , 2015, 32, 790-792.	2.0	1
192	Evidence-based assessment: A commentary.. <i>Clinical Psychology: Science and Practice</i> , 2017, 24, 364-366.	0.6	1
193	Mental health promotion among resettled Bhutanese adults in Massachusetts: Results of a peer-reviewed family-centred Social and Emotional Well-being (SEW) intervention study. <i>Health and Social Care in the Community</i> , 2021, , .	0.7	1
194	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 0, 4, 69.	0.9	1
195	Reviewing Psychological Treatments for Adult Depression. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 373-375.	0.9	0
196	Innovative Psychological Treatments for Depression. <i>Focus (American Psychiatric Publishing)</i> , 2016, 14, 174-179.	0.4	0
197	Changing the topic does not change the facts – Authors' reply. <i>Lancet Psychiatry</i> , 2018, 5, 539-540.	3.7	0
198	Variation, selection and retention: the evolution of process of change. <i>World Psychiatry</i> , 2021, 20, 377-378.	4.8	0

#	ARTICLE	IF	CITATIONS
199	Reformulaci3n de los conceptos de resistencia e incumplimiento en la terapia cognitiva. Revista De Psicoterapia, 2001, 12, 51-72.	0.0	0
200	Measuring depression severity in global mental health: comparing the PHQ-9 and the BDI-II. Wellcome Open Research, 0, 3, 165.	0.9	0
201	Effects of an adolescent depression prevention program on maternal criticisms and positive remarks.. Journal of Family Psychology, 2020, 34, 927-937.	1.0	0
202	Peer-led family-centred problem management plus for immigrants (PMP-I) for mental health promotion among immigrants in USA: protocol for a pilot, randomised controlled feasibility trial. BMJ Open, 2022, 12, e061353.	0.8	0