Steven D Hollon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2566/publications.pdf

Version: 2024-02-01

202 papers 25,720 citations

70 h-index

11639

156

206 all docs 206 docs citations

206 times ranked 16785 citing authors

g-index

#	Article	IF	Citations
1	Clinical research challenges posed by difficult-to-treat depression. Psychological Medicine, 2022, 52, 419-432.	2.7	34
2	More treatment but no less depression: The treatment-prevalence paradox. Clinical Psychology Review, 2022, 91, 102111.	6.0	56
3	Life events and treatment prognosis for depression: A systematic review and individual patient data meta-analysis. Journal of Affective Disorders, 2022, 299, 298-308.	2.0	7
4	Initial Severity and Depressive Relapse in Cognitive Behavioral Therapy and Antidepressant Medications: An Individual Patient Data Meta-analysis. Cognitive Therapy and Research, 2022, 46, 517-531.	1.2	4
5	Socioeconomic Indicators of Treatment Prognosis for Adults With Depression. JAMA Psychiatry, 2022, 79, 406.	6.0	30
6	Peer-led family-centred problem management plus for immigrants (PMP-I) for mental health promotion among immigrants in USA: protocol for a pilot, randomised controlled feasibility trial. BMJ Open, 2022, 12, e061353.	0.8	0
7	Components of smartphone cognitive-behavioural therapy for subthreshold depression among 1093 university students: a factorial trial. Evidence-Based Mental Health, 2022, 25, e18-e25.	2.2	16
8	Cognitive Therapy in the Treatment and Prevention of Depression: A Fifty-Year Retrospective with an Evolutionary Coda. Cognitive Therapy and Research, 2021, 45, 402-417.	1.2	14
9	Adding cognitive therapy to antidepressant medications decreases suicidal ideation. Journal of Affective Disorders, 2021, 281, 183-191.	2.0	11
10	Social and Emotional Wellbeing (SEW) Intervention for Mental Health Promotion Among Resettled Bhutanese Adults in Massachusetts. Community Mental Health Journal, 2021, 57, 1318-1327.	1.1	3
11	The efficacy of antidepressant medication and interpersonal psychotherapy for adult acute-phase depression: study protocol of a systematic review and meta-analysis of individual participant data. BJPsych Open, 2021, 7, e56.	0.3	4
12	Is social support preâ€treatment associated with prognosis for adults with depression in primary care?. Acta Psychiatrica Scandinavica, 2021, 143, 392-405.	2.2	17
13	Digital training for non-specialist health workers to deliver a brief psychological treatment for depression in India: Protocol for a three-arm randomized controlled trial. Contemporary Clinical Trials, 2021, 102, 106267.	0.8	16
14	The contribution of depressive †disorder characteristics†to determinations of prognosis for adults with depression: an individual patient data meta-analysis. Psychological Medicine, 2021, 51, 1068-1081.	2.7	28
15	Mental health and clinical psychological science in the time of COVID-19: Challenges, opportunities, and a call to action American Psychologist, 2021, 76, 409-426.	3.8	408
16	Accelerating the rate of progress in reducing mental health burdens: Recommendations for training the next generation of clinical psychologists Clinical Psychology: Science and Practice, 2021, 28, 107-123.	0.6	7
17	Cognitive Behavior Therapy for Depression From an Evolutionary Perspective. Frontiers in Psychiatry, 2021, 12, 667592.	1.3	5
18	Evolutionary theory and the treatment of depression: It is all about the squids and the sea bass. Behaviour Research and Therapy, 2021, 143, 103849.	1.6	9

#	Article	IF	CITATIONS
19	Mental health promotion among resettled Bhutanese adults in Massachusetts: Results of a peerâ€led familyâ€centred Social and Emotional Wellâ€being (SEW) intervention study. Health and Social Care in the Community, 2021, , .	0.7	1
20	Variation, selection and retention: the evolution of process of change. World Psychiatry, 2021, 20, 377-378.	4.8	0
21	Initial treatment choices to achieve sustained response in major depression: a systematic review and network metaâ€analysis. World Psychiatry, 2021, 20, 387-396.	4.8	64
22	Temporal pathways of change in two randomized controlled trials for depression and harmful drinking in Goa, India. Psychological Medicine, 2020, 50, 68-76.	2.7	7
23	Translating the BDI and BDI-II into the HAMD and vice versa with equipercentile linking. Epidemiology and Psychiatric Sciences, 2020, 29, e24.	1.8	39
24	Distress and anhedonia as predictors of depression treatment outcome: A secondary analysis of a randomized clinical trial. Behaviour Research and Therapy, 2020, 125, 103507.	1.6	31
25	Changes in Positive and Negative Affect During Pharmacological Treatment and Cognitive Therapy for Major Depressive Disorder: A Secondary Analysis of Two Randomized Controlled Trials. Clinical Psychological Science, 2020, 8, 36-51.	2.4	47
26	Psychological Mindedness and Alexithymia Predict Symptom Reduction in Cognitive Behavior Therapy for Major Depressive Disorder. International Journal of Cognitive Therapy, 2020, 13, 287-302.	1.3	4
27	Effects of psychological treatment of mental health problems in pregnant women to protect their offspring: randomised controlled trial. British Journal of Psychiatry, 2020, 216, 182-188.	1.7	24
28	The antidepressant standoff: why it continues and how to resolve it. Psychological Medicine, 2020, 50, 177-186.	2.7	15
29	Prevention of Recurrence After Recovery From a Major Depressive Episode With Antidepressant Medication Alone or in Combination With Cognitive Behavioral Therapy. JAMA Psychiatry, 2020, 77, 237.	6.0	30
30	Disordered doctors or rational rats? Testing adaptationist and disorder hypotheses for melancholic depression and their relevance for clinical psychology. Clinical Psychology Review, 2020, 82, 101927.	6.0	11
31	The importance of implementation science in scaling up psychological treatments. Behaviour Research and Therapy, 2020, 130, 103614.	1.6	8
32	The effects of once- versus twice-weekly sessions on psychotherapy outcomes in depressed patients. British Journal of Psychiatry, 2020, 216, 222-230.	1.7	60
33	Harnessing single-session interventions to improve adolescent mental health and well-being in India: Development, adaptation, and pilot testing of online single-session interventions in Indian secondary schools. Asian Journal of Psychiatry, 2020, 50, 101980.	0.9	25
34	Assessing health worker competence to deliver a brief psychological treatment for depression: Development and validation of a scalable measure. Journal of Behavioral and Cognitive Therapy, 2020, 30, 253-266.	0.7	13
35	Is cognitive therapy enduring or antidepressant medications iatrogenic? Depression as an evolved adaptation American Psychologist, 2020, 75, 1207-1218.	3.8	13
36	Coping strategies and stress among resettled Bhutanese adults in Massachusetts American Journal of Orthopsychiatry, 2020, 90, 502-509.	1.0	12

3

#	Article	IF	CITATIONS
37	Validation of the Health-Related Felt Stigma and Concealment Questionnaire. Journal of Pediatric Psychology, 2020, 45, 509-520.	1.1	9
38	Interpersonal Psychotherapy Versus Cognitive Therapy for Depression: How They Work, How Long, and for Whomâ€"Key Findings From an RCT. American Journal of Psychotherapy, 2020, 73, 8-14.	0.4	8
39	Effects of an adolescent depression prevention program on maternal criticisms and positive remarks Journal of Family Psychology, 2020, 34, 927-937.	1.0	O
40	Can loss of agency and oppositional perturbation associated with antidepressant monotherapy and low-fidelity psychological treatment dilute the benefits of guideline-consistent depression treatment at the population level?. European Psychiatry, 2020, 63, e89.	0.1	3
41	Leveraging the Power of Nondisruptive Technologies to Optimize Mental Health Treatment: Case Study. JMIR Mental Health, 2020, 7, e20646.	1.7	9
42	Long-term outcomes of acute treatment with cognitive therapy v. interpersonal psychotherapy for adult depression: follow-up of a randomized controlled trial. Psychological Medicine, 2019, 49, 465-473.	2.7	32
43	Resilience and anxiety or depression among resettled Bhutanese adults in the United States. International Journal of Social Psychiatry, 2019, 65, 496-506.	1.6	39
44	The Roles of Early Response and Sudden Gains on Depression Outcomes: Findings From a Randomized Controlled Trial of Behavioral Activation in Goa, India. Clinical Psychological Science, 2019, 7, 768-777.	2.4	13
45	The symptomâ€specific efficacy of antidepressant medication vs. cognitive behavioral therapy in the treatment of depression: results from an individual patient data metaâ€analysis. World Psychiatry, 2019, 18, 183-191.	4.8	68
46	The Potential Role of Learning Capacity in Cognitive Behavior Therapy for Depression: A Systematic Review of the Evidence and Future Directions for Improving Therapeutic Learning. Clinical Psychological Science, 2019, 7, 668-692.	2.4	35
47	Biological markers evaluated in randomized trials of psychological treatments for depression: a systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2019, 101, 32-44.	2.9	26
48	Treatment of Depression Versus Treatment of PTSD. American Journal of Psychiatry, 2019, 176, 259-261.	4.0	5
49	Cost-effectiveness, cost-utility and the budget impact of antidepressants versus preventive cognitive therapy with or without tapering of antidepressants. BJPsych Open, 2019, 5, e12.	0.3	9
50	Recent Developments in the Treatment of Depression. Behavior Therapy, 2019, 50, 257-269.	1.3	24
51	Process Trumps Protocol: What I Liked About Hofmann and Hayes. Clinical Psychological Science, 2019, 7, 54-56.	2.4	3
52	Component studies of psychological treatments of adult depression: A systematic review and meta-analysis. Psychotherapy Research, 2019, 29, 15-29.	1.1	95
53	Preventive cognitive therapy versus care as usual in cognitive behavioral therapy responders: A randomized controlled trial Journal of Consulting and Clinical Psychology, 2019, 87, 521-529.	1.6	14
54	Advantages of developing clinical practice guidelines using international standards Psychotherapy, 2019, 56, 340-346.	0.7	5

#	Article	IF	CITATIONS
55	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. Wellcome Open Research, 2019, 4, 69.	0.9	11
56	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. Wellcome Open Research, 2019, 4, 69.	0.9	11
57	Which patients benefit specifically from short-term psychodynamic psychotherapy (STPP) for depression? Study protocol of a systematic review and meta-analysis of individual participant data. BMJ Open, 2018, 8, e018900.	0.8	16
58	Effectiveness of preventive cognitive therapy while tapering antidepressants versus maintenance antidepressant treatment versus their combination in prevention of depressive relapse or recurrence (DRD study): a three-group, multicentre, randomised controlled trial. Lancet Psychiatry, the, 2018, 5, 401-410.	3.7	84
59	Cross-sectional networks of depressive symptoms before and after antidepressant medication treatment. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 617-627.	1.6	46
60	Why randomised controlled trials of psychological treatments are still essential. Lancet Psychiatry,the, 2018, 5, 536-538.	3.7	28
61	Cognitive Therapy or Behavioral Activation for Major Depressive Disorder in Dutch Mental Health Care: Pilot Effectiveness and Process Trial. International Journal of Cognitive Therapy, 2018, 11, 343-358.	1.3	3
62	Demographic and clinical predictors of response to internet-enabled cognitive–behavioural therapy for depression and anxiety. BJPsych Open, 2018, 4, 411-418.	0.3	25
63	Changing the topic does not change the facts – Authors' reply. Lancet Psychiatry,the, 2018, 5, 539-540.	3.7	0
64	Healthy Campus Trial: a multiphase optimization strategy (MOST) fully factorial trial to optimize the smartphone cognitive behavioral therapy (CBT) app for mental health promotion among university students: study protocol for a randomized controlled trial. Trials, 2018, 19, 353.	0.7	25
65	Internet-based behavioural activation with lay counsellor support versus online minimal psychoeducation without support for treatment of depression: a randomised controlled trial in Indonesia. Lancet Psychiatry,the, 2018, 5, 707-716.	3.7	80
66	Initial severity of depression and efficacy of cognitive–behavioural therapy: Individual-participant data meta-analysis of pill-placebo-controlled trials. British Journal of Psychiatry, 2017, 210, 190-196.	1.7	56
67	Beliefs about the causes of depression and recovery and their impact on adherence, dosage, and successful tapering of antidepressants. Depression and Anxiety, 2017, 34, 227-235.	2.0	11
68	Individual patient data meta-analysis of combined treatments versus psychotherapy (with or without) Tj ETQq0 0 e013478.	0 rgBT /0 0.8	verlock 10 T 16
69	Exploring mechanisms of change in cognitive therapy and interpersonal psychotherapy for adult depression. Behaviour Research and Therapy, 2017, 94, 81-92.	1.6	56
70	Sudden gains in routine care cognitive behavioral therapy for depression: A replication with extensions. Behaviour Research and Therapy, 2017, 89, 24-32.	1.6	17
71	Melancholic and atypical depression as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression. Depression and Anxiety, 2017, 34, 246-256.	2.0	23
72	The Mortality and Myocardial Effects of Antidepressants Are Moderated by Preexisting Cardiovascular Disease: A Meta-Analysis. Psychotherapy and Psychosomatics, 2017, 86, 268-282.	4.0	76

#	Article	IF	CITATIONS
73	Comparative efficacy of psychological therapies for improving mental health and daily functioning in irritable bowel syndrome: A systematic review and meta-analysis. Clinical Psychology Review, 2017, 51, 142-152.	6.0	108
74	Evidenceâ€based assessment: A commentary Clinical Psychology: Science and Practice, 2017, 24, 364-366.	0.6	1
75	The effects of cognitive behavioral therapy are not systematically falling: A revision of Johnsen and Friborg (2015) Psychological Bulletin, 2017, 143, 326-340.	5.5	23
76	Sustained effectiveness and cost-effectiveness of the Healthy Activity Programme, a brief psychological treatment for depression delivered by lay counsellors in primary care: 12-month follow-up of a randomised controlled trial. PLoS Medicine, 2017, 14, e1002385.	3.9	68
77	Cost and Outcome of BehaviouRal Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive–behavioural therapy for depression. Health Technology Assessment, 2017, 21, 1-366.	1.3	24
78	Guided Act and Feel Indonesia (GAF-ID) – Internet-based behavioral activation intervention for depression in Indonesia: study protocol for a randomized controlled trial. Trials, 2016, 17, 455.	0.7	16
79	The efficacy and acceptability of psychological interventions for depression: where we are now and where we are going. Epidemiology and Psychiatric Sciences, 2016, 25, 295-300.	1.8	23
80	Improving outcome for mental disorders by enhancing memory for treatment. Behaviour Research and Therapy, 2016, 81, 35-46.	1.6	45
81	Innovative Psychological Treatments for Depression. Focus (American Psychiatric Publishing), 2016, 14, 174-179.	0.4	0
82	Notice of Retraction and Replacement. Hollon et al. Effect of cognitive therapy with antidepressant medications vs antidepressants alone on the rate of recovery in major depressive disorder: a randomized clinical trial.JAMA Psychiatry. 2014;71(10):1157-1164. JAMA Psychiatry, 2016, 73, 639.	6.0	3
83	The Healthy Activity Program lay counsellor delivered treatment for severe depression in India: Systematic development and randomised evaluation. British Journal of Psychiatry, 2016, 208, 381-388.	1.7	115
84	Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. Lancet, The, 2016, 388, 871-880.	6.3	427
85	Clinical errors in cognitive–behavior therapy Psychotherapy, 2016, 53, 325-330.	0.7	7
86	Divergent Outcomes in Cognitive-Behavioral Therapy and Pharmacotherapy for Adult Depression. American Journal of Psychiatry, 2016, 173, 481-490.	4.0	41
87	Specific Pharmacological Effects of Paroxetine Comprise Psychological but Not Somatic Symptoms of Depression. PLoS ONE, 2016, 11, e0159647.	1.1	3
88	Developing clinical practice guidelines to enhance clinical decision making, 2016, , 125-146.		2
89	Performance of a Culturally Tailored Cognitiveâ€Behavioral Intervention Integrated in a Public Health Setting to Reduce Risk of Antepartum Depression: A Randomized Controlled Trial. Journal of Midwifery and Women's Health, 2015, 60, 578-592.	0.7	36
90	Empirically supported treatment: A commentary Clinical Psychology: Science and Practice, 2015, 22, 343-344.	0.6	1

#	Article	IF	Citations
91	Does Publication Bias Inflate the Apparent Efficacy of Psychological Treatment for Major Depressive Disorder? A Systematic Review and Meta-Analysis of US National Institutes of Health-Funded Trials. PLoS ONE, 2015, 10, e0137864.	1.1	153
92	IOM REPORT ON PSYCHOSOCIAL TREATMENTS: CBT PERSPECTIVE. Depression and Anxiety, 2015, 32, 790-792.	2.0	1
93	Gains in employment status following antidepressant medication or cognitive therapy for depression. British Journal of Psychiatry, 2015, 206, 332-338.	1.7	30
94	Understanding emotion and emotional scarring in recurrent depression. Comprehensive Psychiatry, 2015, 59, 54-61.	1.5	13
95	A lifetime approach to major depressive disorder: The contributions of psychological interventions in preventing relapse and recurrence. Clinical Psychology Review, 2015, 41, 16-26.	6.0	217
96	Baseline Depression Severity as Moderator of Depression Outcomes Between Cognitive Behavioral Therapy vs Pharmacotherapy. JAMA Psychiatry, 2015, 72, 1102.	6.0	155
97	Frequency and change mechanisms of psychotherapy among depressed patients: study protocol for a multicenter randomized trial comparing twice-weekly versus once-weekly sessions of CBT and IPT. BMC Psychiatry, 2015, 15, 137.	1.1	30
98	Effect of a Cognitive-Behavioral Prevention Program on Depression 6 Years After Implementation Among At-Risk Adolescents. JAMA Psychiatry, 2015, 72, 1110.	6.0	91
99	The effects of cognitive behavior therapy for adult depression on dysfunctional thinking: A meta-analysis. Clinical Psychology Review, 2015, 42, 62-71.	6.0	101
100	Effectiveness of psychological interventions in preventing recurrence of depressive disorder: Meta-analysis and meta-regression. Journal of Affective Disorders, 2015, 174, 400-410.	2.0	139
101	Personality and cognitive vulnerability in remitted recurrently depressed patients. Journal of Affective Disorders, 2015, 173, 97-104.	2.0	16
102	Improving Outcome of Psychosocial Treatments by Enhancing Memory and Learning. Perspectives on Psychological Science, 2014, 9, 161-179.	5.2	124
103	Effect of Cognitive Therapy With Antidepressant Medications vs Antidepressants Alone on the Rate of Recovery in Major Depressive Disorder. JAMA Psychiatry, 2014, 71, 1157.	6.0	143
104	The effects of psychotherapies for major depression in adults on remission, recovery and improvement: A meta-analysis. Journal of Affective Disorders, 2014, 159, 118-126.	2.0	376
105	Predicting response to cognitive therapy and interpersonal therapy, with or without antidepressant medication, for major depression: A pragmatic trial in routine practice. Journal of Affective Disorders, 2014, 152-154, 146-154.	2.0	16
106	How do you feel? Detection of recurrent Major Depressive Disorder using a single-item screening tool. Psychiatry Research, 2014, 220, 287-293.	1.7	28
107	Development of Clinical Practice Guidelines. Annual Review of Clinical Psychology, 2014, 10, 213-241.	6.3	69
108	The effectiveness and cost-effectiveness of lay counsellor-delivered psychological treatments for harmful and dependent drinking and moderate to severe depression in primary care in India: PREMIUM study protocol for randomized controlled trials. Trials, 2014, 15, 101.	0.7	57

#	Article	lF	Citations
109	Do depression treatments reduce suicidal ideation? The effects of CBT, IPT, pharmacotherapy, and placebo on suicidality. Journal of Affective Disorders, 2014, 167, 98-103.	2.0	58
110	Differential change in specific depressive symptoms during antidepressant medication or cognitive therapy. Behaviour Research and Therapy, 2013, 51, 392-398.	1.6	34
111	An update on the efficacy of psychological treatments for obsessive–compulsive disorder in adults. Journal of Obsessive-Compulsive and Related Disorders, 2013, 2, 207-218.	0.7	63
112	Does cognitive behaviour therapy have an enduring effect that is superior to keeping patients on continuation pharmacotherapy? A meta-analysis. BMJ Open, 2013, 3, e002542.	0.8	195
113	Prevention of Depression in At-Risk Adolescents. JAMA Psychiatry, 2013, 70, 1161.	6.0	109
114	Mood reactivity rather than cognitive reactivity is predictive of depressive relapse: A randomized study with 5.5-year follow-up Journal of Consulting and Clinical Psychology, 2013, 81, 508-517.	1.6	48
115	Reviewing Psychological Treatments for Adult Depression. Canadian Journal of Psychiatry, 2013, 58, 373-375.	0.9	0
116	Stereotypes, Prejudice, and Depression. Perspectives on Psychological Science, 2012, 7, 427-449.	5.2	90
117	Depression and Suicidal Ideation in College Students. Psychopathology, 2012, 45, 228-234.	1.1	94
118	The Long-Term Management of Major Depressive Disorders. Focus (American Psychiatric Publishing), 2012, 10, 434-441.	0.4	2
119	The process of change in cognitive therapy for depression when combined with antidepressant medication: Predictors of early intersession symptom gains Journal of Consulting and Clinical Psychology, 2012, 80, 730-738.	1.6	66
120	Determining what works in depression treatment: Translating research to relational practice using treatment guidelines Couple and Family Psychology: Research and Practice, 2012, 1, 199-212.	0.9	5
121	Cognitive and Behavior Therapy in the Treatment and Prevention of Depression. Focus (American) Tj ETQq1 1 0.7	784314 rg 0.4	BT ₁ /Overlock
122	The efficacy of non-directive supportive therapy for adult depression: A meta-analysis. Clinical Psychology Review, 2012, 32, 280-291.	6.0	242
123	Two aspects of the therapeutic alliance: Differential relations with depressive symptom change Journal of Consulting and Clinical Psychology, 2011, 79, 279-283.	1.6	131
124	Childhood trauma history differentiates amygdala response to sad faces withinÂMDD. Journal of Psychiatric Research, 2011, 45, 886-895.	1.5	144
125	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. BMC Psychiatry, 2011, 11, 8.	1.1	16
126	Effectiveness, relapse prevention and mechanisms of change of cognitive therapy vs. interpersonal therapy for depression: Study protocol for a randomised controlled trial. Trials, 2011, 12, 150.	0.7	30

#	Article	IF	CITATIONS
127	Cognitive and behavior therapy in the treatment and prevention of depression. Depression and Anxiety, 2011, 28, 263-266.	2.0	28
128	Therapist competence in cognitive therapy for depression: Predicting subsequent symptom change Journal of Consulting and Clinical Psychology, 2010, 78, 429-437.	1.6	107
129	Does pretreatment severity moderate the efficacy of psychological treatment of adult outpatient depression? A meta-analysis Journal of Consulting and Clinical Psychology, 2010, 78, 668-680.	1.6	162
130	A review of empirically supported psychological therapies for mood disorders in adults. Depression and Anxiety, 2010, 27, 891-932.	2.0	205
131	Efficacy of cognitive–behavioural therapy and other psychological treatments for adult depression: meta-analytic study of publication bias. British Journal of Psychiatry, 2010, 196, 173-178.	1.7	333
132	Antidepressant Drug Effects and Depression Severity. JAMA - Journal of the American Medical Association, 2010, 303, 47.	3.8	1,616
133	Preface: The Current Status of Cognitive Behavioral Therapy for Psychiatric Disorders. Psychiatric Clinics of North America, 2010, 33, xiii-xix.	0.7	13
134	How would we know if psychotherapy were harmful?. American Psychologist, 2010, 65, 21-33.	3.8	199
135	Depressive realism and clinical depression. Behaviour Research and Therapy, 2010, 48, 257-265.	1.6	30
136	Psychotherapy for chronic major depression and dysthymia: A meta-analysis. Clinical Psychology Review, 2010, 30, 51-62.	6.0	249
137	Cognitive Behavioral Therapy for Mood Disorders: Efficacy, Moderators and Mediators. Psychiatric Clinics of North America, 2010, 33, 537-555.	0.7	213
138	Personality Change During Depression Treatment. Archives of General Psychiatry, 2009, 66, 1322.	13.8	338
139	Prevention of Depression in At-Risk Adolescents. JAMA - Journal of the American Medical Association, 2009, 301, 2215.	3.8	435
140	Mediating the Effects of Cognitive Therapy for Depression. Cognitive Behaviour Therapy, 2009, 38, 43-47.	1.9	13
141	Ethical Considerations for Cognitive-Behavioral Therapists in Psychotherapy Research Trials. Cognitive and Behavioral Practice, 2009, 16, 153-163.	0.9	6
142	Empirically supported psychological treatments for adult acute stress disorder and posttraumatic stress disorder: a review. Depression and Anxiety, 2009, 26, 1086-1109.	2.0	116
143	How do psychological treatments work? Investigating mediators of change. Behaviour Research and Therapy, 2009, 47, 1-5.	1.6	116
144	The Selection and Design of Control Conditions for Randomized Controlled Trials of Psychological Interventions. Psychotherapy and Psychosomatics, 2009, 78, 275-284.	4.0	388

#	Article	IF	CITATIONS
145	Are Randomized Controlled Trials Relevant to Clinical Practice?. Canadian Journal of Psychiatry, 2009, 54, 637-643.	0.9	20
146	Prediction of response to medication and cognitive therapy in the treatment of moderate to severe depression Journal of Consulting and Clinical Psychology, 2009, 77, 775-787.	1.6	274
147	Early Adverse Events, HPA Activity and Rostral Anterior Cingulate Volume in MDD. PLoS ONE, 2009, 4, e4887.	1.1	108
148	Adding Psychotherapy to Pharmacotherapy in the Treatment of Depressive Disorders in Adults. Journal of Clinical Psychiatry, 2009, 70, 1219-1229.	1.1	204
149	Cognitive therapy versus medication for depression: treatment outcomes and neural mechanisms. Nature Reviews Neuroscience, 2008, 9, 788-796.	4.9	573
150	Sequence of improvement in depressive symptoms across cognitive therapy and pharmacotherapy. Journal of Affective Disorders, 2008, 110, 161-166.	2.0	25
151	Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the prevention of relapse and recurrence in major depression Journal of Consulting and Clinical Psychology, 2008, 76, 468-477.	1.6	427
152	The effects of rumination and negative cognitive styles on depression: A mediation analysis. Behaviour Research and Therapy, 2008, 46, 487-495.	1.6	73
153	Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. Focus (American Psychiatric Publishing), 2008, 6, 104-119.	0.4	2
154	Antidepressant medications <i>>v.</i> cognitive therapy in people with depression with or without personality disorder. British Journal of Psychiatry, 2008, 192, 124-129.	1.7	121
155	Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. American Journal of Psychiatry, 2007, 164, 739-752.	4.0	297
156	Predictors of Attrition During Initial (Citalopram) Treatment for Depression: A STAR*D Report. American Journal of Psychiatry, 2007, 164, 1189-1197.	4.0	129
157	Progressive resistance to a selective serotonin reuptake inhibitor but not to cognitive therapy in the treatment of major depression Journal of Consulting and Clinical Psychology, 2007, 75, 267-276.	1.6	68
158	Extreme nonresponse in cognitive therapy: Can behavioral activation succeed where cognitive therapy fails?. Journal of Consulting and Clinical Psychology, 2007, 75, 531-541.	1.6	117
159	Sudden gains in cognitive therapy of depression and depression relapse/recurrence Journal of Consulting and Clinical Psychology, 2007, 75, 404-408.	1.6	105
160	Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adults with major depression. Journal of Consulting and Clinical Psychology, 2006, 74, 658-670.	1.6	1,287
161	Enduring Effects for Cognitive Behavior Therapy in the Treatment of Depression and Anxiety. Annual Review of Psychology, 2006, 57, 285-315.	9.9	394
162	Presenting characteristics of depressed outpatients as a function of recurrence: Preliminary findings from the STAR*D clinical trial. Journal of Psychiatric Research, 2006, 40, 59-69.	1.5	95

#	Article	IF	CITATIONS
163	Empirically Supported Psychotherapies: Comment on Westen, Novotny, and Thompson-Brenner (2004) Psychological Bulletin, 2005, 131, 412-417.	5.5	36
164	Comorbid psychiatric disorders in depressed outpatients: Demographic and clinical features. Journal of Affective Disorders, 2005, 87, 43-55.	2.0	210
165	Treatment of depression in adolescents with cognitive behavior therapy and medications: A commentary on the TADS project. Cognitive and Behavioral Practice, 2005, 12, 149-155.	0.9	41
166	Measurement of Depressive Symptoms in Women With Breast Cancer and Women With Clinical Depression: A Differential Item Functioning Analysis. Journal of Clinical Psychology in Medical Settings, 2005, 12, 127-141.	0.8	19
167	Cognitive Therapy vs Medications in the Treatment of Moderate to Severe Depression. Archives of General Psychiatry, 2005, 62, 409.	13.8	806
168	Prevention of Relapse Following Cognitive Therapy vs Medications in Moderate to Severe Depression. Archives of General Psychiatry, 2005, 62, 417.	13.8	619
169	Psychotherapy and Medication in the Treatment of Adult and Geriatric Depression. Journal of Clinical Psychiatry, 2005, 66, 455-468.	1.1	227
170	Does Cognitive Therapy Have an Enduring Effect?. Cognitive Therapy and Research, 2003, 27, 71-75.	1.2	28
171	Psychotherapy Research With Older Populations. American Journal of Geriatric Psychiatry, 2003, 11, 7-8.	0.6	3
172	Psychosocial intervention development for the prevention and treatment of depression: promoting innovation and increasing access. Biological Psychiatry, 2002, 52, 610-630.	0.7	288
173	Treatment and Prevention of Depression. Psychological Science in the Public Interest: A Journal of the American Psychological Society, 2002, 3, 39-77.	6.7	368
174	The emperor's new drugs: Effect size and moderation effects Prevention & Treatment, 2002, 5, No First Page Specified-No Last Page Specified.	0.3	4
175	Behavioral activation treatment for depression: A commentary Clinical Psychology: Science and Practice, 2001, 8, 271-274.	0.6	22
176	Treatment guidelines for major depressive disorder. Behavior Therapy, 2001, 32, 235-258.	1.3	55
177	Reformulaci \tilde{A}^3 n de los conceptos de resistencia e incumplimiento en la terapia cognitiva. Revista De Psicoterapia, 2001, 12, 51-72.	0.0	0
178	Do cognitive change strategies matter in cognitive therapy?. Prevention & Treatment, 2000, 3, .	0.3	14
179	Treatment guidelines: The good, the bad, and the ugly Psychotherapy, 1999, 36, 69-79.	0.7	22
180	The prevention of depression and anxiety Prevention & Treatment, 1999, 2, .	0.3	151

#	Article	IF	CITATIONS
181	What is cognitive behavioural therapy and does it work?. Current Opinion in Neurobiology, 1998, 8, 289-292.	2.0	22
182	Defining empirically supported therapies Journal of Consulting and Clinical Psychology, 1998, 66, 7-18.	1.6	2,327
183	The efficacy and effectiveness of psychotherapy relative to medications American Psychologist, 1996, 51, 1025-1030.	3.8	68
184	Prospects for future comparisons between drugs and psychotherapy: Lessons from the CBT-versus-pharmacotherapy exchange Journal of Consulting and Clinical Psychology, 1996, 64, 104-108.	1.6	65
185	Cognitive–behavior therapy versus pharmacotherapy: Now that the jury's returned its verdict, it's time to present the rest of the evidence Journal of Consulting and Clinical Psychology, 1996, 64, 74-80.	1.6	148
186	On the AHCPR Depression in Primary Care guidelines: Further considerations for practitioners American Psychologist, 1994, 49, 42-61.	3.8	128
187	Cognitive Therapy and Pharmacotherapy for Depression. Archives of General Psychiatry, 1992, 49, 774.	13.8	441
188	Cognitive therapy and the prevention of depression. Applied and Preventive Psychology, 1992, 1, 89-95.	0.8	68
189	Cognitive therapy and pharmacotherapy for depression Journal of Consulting and Clinical Psychology, 1991, 59, 88-99.	1.6	206
190	What can specificity designs say about causality in psychopathology research?. Psychological Bulletin, 1991, 110, 129-136.	5. 5	214
191	How does cognitive therapy work? Cognitive change and symptom change in cognitive therapy and pharmacotherapy for depression Journal of Consulting and Clinical Psychology, 1990, 58, 862-869.	1.6	322
192	The investigation of schematic content and processing in eating disorders. Cognitive Therapy and Research, 1990, 14, 191-214.	1.2	410
193	Cognitive Therapy for Depression. Personality and Social Psychology Bulletin, 1990, 16, 58-73.	1.9	35
194	Anxious self-talk: Development of the Anxious Self-Statements Questionnaire (ASSQ). Cognitive Therapy and Research, 1989, 13, 81-93.	1.2	98
195	Causal mediation of change in treatment for depression: Discriminating between nonspecificity and noncausality Psychological Bulletin, 1987, 102, 139-149.	5.5	145
196	Issues and recommendations regarding use of the Beck Depression Inventory. Cognitive Therapy and Research, 1987, 11, 289-299.	1.2	966
197	Placebo-psychotherapy combinations: Inappropriate representations of psychotherapy in drug-psychotherapy comparative trials Psychological Bulletin, 1981, 90, 467-477.	5.5	59
198	Cognitive self-statements in depression: Development of an automatic thoughts questionnaire. Cognitive Therapy and Research, 1980, 4, 383-395.	1.2	1,216

#	Article	IF	CITATIONS
199	Cognitive Therapy of Depression. , 1979, , 153-203.		50
200	Comparative efficacy of cognitive therapy and pharmacotherapy in the treatment of depressed outpatients. Cognitive Therapy and Research, 1977, 1, 17-37.	1.2	842
201	Measuring depression severity in global mental health: comparing the PHQ-9 and the BDI-II. Wellcome Open Research, 0, 3, 165.	0.9	O
202	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. Wellcome Open Research, 0, 4, 69.	0.9	1