

Masaki Tomita

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2566007/publications.pdf>

Version: 2024-02-01

72
papers

994
citations

471509

17
h-index

477307

29
g-index

72
all docs

72
docs citations

72
times ranked

1372
citing authors

#	ARTICLE	IF	CITATIONS
1	Preoperative neutrophil to lymphocyte ratio as a prognostic predictor after curative resection for non-small cell lung cancer. <i>Anticancer Research</i> , 2011, 31, 2995-8.	1.1	128
2	Correlation between tumor angiogenesis and invasiveness in thymic epithelial tumors. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2002, 124, 493-498.	0.8	77
3	Elevated preoperative inflammatory markers based on neutrophil-to-lymphocyte ratio and C-reactive protein predict poor survival in resected non-small cell lung cancer. <i>Anticancer Research</i> , 2012, 32, 3535-8.	1.1	69
4	Prognostic significance of tumour marker index based on preoperative CEA and CYFRA 21-1 in non-small cell lung cancer. <i>Anticancer Research</i> , 2010, 30, 3099-102.	1.1	57
5	Prognostic impact of thrombocytosis in resectable non-small cell lung cancer. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2008, 7, 613-615.	1.1	52
6	cDNA cloning of rat pS2 peptide and expression of trefoil peptides in acetic acid-induced colitis. <i>Biochemical Journal</i> , 1996, 318, 939-944.	3.7	44
7	Preoperative leukocytosis, anemia and thrombocytosis are associated with poor survival in non-small cell lung cancer. <i>Anticancer Research</i> , 2009, 29, 2687-90.	1.1	37
8	Prognostic significance of preoperative serum carcinoembryonic antigen level in lung adenocarcinoma but not squamous cell carcinoma. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2004, 10, 76-80.	0.8	36
9	Prognostic significance of pre- and postoperative glasgow prognostic score for patients with non-small cell lung cancer. <i>Anticancer Research</i> , 2014, 34, 3137-40.	1.1	32
10	Pulmonary granuloma possibly caused by staples after video-assisted thoracoscopic surgery. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2003, 9, 123-5.	0.8	31
11	The advanced lung cancer inflammation index is an independent prognostic factor after surgical resection in patients with non-small-cell lung cancer. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018, 26, 288-292.	1.1	29
12	Systemic Immune-inflammation Index Predicts Survival of Patients After Curative Resection for Non-small Cell Lung Cancer. <i>In Vivo</i> , 2018, 32, 663-667.	1.3	28
13	Serum carcinoembryonic antigen level in non-small-cell lung cancer patients with preoperative normal serum level. <i>General Thoracic and Cardiovascular Surgery</i> , 2009, 57, 303-306.	0.9	22
14	Prognostic Significance of Carcinoembryonic Antigen Level in Pleural Lavage Fluid for Patients With Lung Adenocarcinoma. <i>Annals of Thoracic Surgery</i> , 2005, 80, 276-281.	1.3	20
15	Maximum SUV on positron emission tomography and serum CEA level as prognostic factors after curative resection for non-small cell lung cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2012, 8, 244-247.	1.1	18
16	Comparison of Inflammation-Based Prognostic Scores in Patients undergoing Curative Resection for Non-small Cell Lung Cancer. <i>World Journal of Oncology</i> , 2018, 9, 85-90.	1.5	18
17	Clinical and immunohistochemical study of eight cases with thymic carcinoma. <i>BMC Surgery</i> , 2002, 2, 3.	1.3	17
18	Impact of preoperative hemoglobin level on survival of non-small cell lung cancer patients. <i>Anticancer Research</i> , 2008, 28, 1947-50.	1.1	17

#	ARTICLE	IF	CITATIONS
19	Combination of Advanced Lung Cancer Inflammation Index and C-Reactive Protein Is a Prognostic Factor in Patients With Operable Non-Small Cell Lung Cancer. <i>World Journal of Oncology</i> , 2017, 8, 175-179.	1.5	15
20	Immunohistochemical demonstration of inter- α -trypsin inhibitor light chain (bikunin) in human mast cells. <i>Cell and Tissue Research</i> , 1999, 297, 149-154.	2.9	14
21	Cloning of the cDNAs for mast-cell chymases from the jejunum of Mongolian gerbils, <i>Meriones unguiculatus</i> , and their sequence similarities with chymases expressed in the connective-tissue mast cells of mice and rats. <i>Biochemical Journal</i> , 1996, 314, 923-929.	3.7	13
22	Distribution of Mast Cells in Mediastinal Lymph Nodes from Lung Cancer Patients. <i>World Journal of Surgical Oncology</i> , 2003, 1, 25.	1.9	13
23	Vascular endothelial growth factor expression in pN2 non-small cell lung cancer: Lack of prognostic value. <i>Respirology</i> , 2005, 10, 31-35.	2.3	13
24	Prognostic significance of the combined use of preoperative platelet count and serum carcinoembryonic antigen level in non-small-cell lung cancer. <i>General Thoracic and Cardiovascular Surgery</i> , 2010, 58, 573-576.	0.9	13
25	Thyroid carcinoma with extensive tumor thrombus in the superior vena cava: A case report. <i>International Journal of Surgery Case Reports</i> , 2016, 29, 25-29.	0.6	13
26	Postoperative Serum CEA Level is a More Significant Prognostic Factor than Post/Preoperative Serum CEA Ratio in Non-small Cell Cancer Patients. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 16, 7809-7812.	1.2	13
27	Impact of smoking on outcome of resected lung adenocarcinoma. <i>General Thoracic and Cardiovascular Surgery</i> , 2015, 63, 608-612.	0.9	10
28	Prognostic Significance of a Tumor Marker Index Based on Preoperative Serum Carcinoembryonic Antigen and Krebs von den Lungen-6 Levels in Non-Small Cell Lung Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2017, 18, 287-291.	1.2	9
29	Isolated Renal Metastasis from Non-Small-Cell Lung Cancer: Report of 2 Cases. <i>Case Reports in Surgery</i> , 2015, 2015, 1-3.	0.4	8
30	Prognostic significance of preoperative serum Krebs von den Lungen-6 level in non-small cell lung cancer. <i>General Thoracic and Cardiovascular Surgery</i> , 2016, 64, 657-661.	0.9	8
31	Fluorodeoxyglucose Positron Emission Tomography Can Provide Useful Information for Differentiating Thymic Epithelial Tumors. <i>Thoracic and Cardiovascular Surgeon</i> , 2018, 66, 345-349.	1.0	8
32	Epidermal Growth Factor Receptor Mutations in Japanese Men with Lung Adenocarcinomas. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 15, 10627-10630.	1.2	8
33	Correlation between Serum Carcinoembryonic Antigen Level and Histologic Subtype in Resected Lung Adenocarcinoma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 16, 3857-3860.	1.2	8
34	Malignant mesothelioma with squamous differentiation. <i>Histopathology</i> , 2018, 72, 1216-1220.	2.9	7
35	Preoperative prognostic factors for pN2 non-small cell lung cancer. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2006, 12, 15-20.	0.8	7
36	Preoperative Total Serum Cholesterol and Patients' Survival in Resected Nonsmall Cell Lung Cancer. <i>Lung Cancer International</i> , 2012, 2012, 1-4.	1.2	6

#	ARTICLE	IF	CITATIONS
37	Low Body Mass Index Is an Independent Predictive Factor after Surgical Resection in Patients with Non-Small Cell Lung Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2017, 18, 3353-3356.	1.2	6
38	Serum carcinoembryonic antigen level in pN1 non-small cell lung cancer patients. <i>Anticancer Research</i> , 2005, 25, 3601-5.	1.1	6
39	Thymoma (World Health Organization type B3) with neuroendocrine differentiation in multiple endocrine neoplasia type 1. <i>Journal of Surgical Case Reports</i> , 2017, 2017, rjx071.	0.4	5
40	A rare association between true thymic hyperplasia and thyroid follicular tumor: a case report. <i>Journal of Medical Case Reports</i> , 2020, 14, 9.	0.8	5
41	Right lung cancer with right aortic arch and posterior aortic left innominate vein. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2006, 20, 166-170.	0.0	4
42	Prognostic Impact of a Novel Tumor Marker and Inflammation Index for Patients With Non-small-cell Lung Cancer. <i>Anticancer Research</i> , 2020, 40, 4023-4027.	1.1	4
43	The Prognostic Values of a Novel Preoperative Inflammation-Based Score in Japanese Patients With Non-Small Cell Lung Cancer. <i>World Journal of Oncology</i> , 2019, 10, 176-180.	1.5	4
44	Squamous cell carcinoma of the hilar lymph node with unknown primary tumor: a case report. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2008, 14, 242-5.	0.8	4
45	A case of pulmonary metastasis from breast cancer following an 18-year disease-free interval that responded to tamoxifen treatment. <i>Breast Cancer</i> , 2002, 9, 82-85.	2.9	3
46	Persistently High Neutrophil to Lymphocyte Ratio after Surgery Indicate Poor Prognosis in Non-small Cell Lung Cancer Patients. <i>Annals of Cancer Research and Therapy</i> , 2011, 19, 54-56.	0.3	3
47	Current status of trauma surgery at a Japanese prefectural academic institute: improved organization in a regional prefecture. <i>Surgery Today</i> , 2021, 51, 1001-1009.	1.5	3
48	Relationship between serum carcinoembryonic antigen level and T status in non-small cell lung cancer. <i>Anticancer Research</i> , 2006, 26, 3845-8.	1.1	3
49	Pulmonary metastasis from renal cell carcinoma 17 years after nephrectomy: report of two cases. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2009, 15, 189-91.	0.8	3
50	Aberrant Expression of Cardiac Troponin-T in Lung Cancer Tissues in Association With Pathological Severity. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 833649.	2.4	3
51	Eosinophil Peroxidase Deficiency in Humans and Mice.. <i>Acta Histochemica Et Cytochemica</i> , 1997, 30, 231-236.	1.6	2
52	Intrathoracic scapular dislocation following lung cancer resection. <i>Journal of Surgical Case Reports</i> , 2018, 2018, rjy178.	0.4	2
53	Clinicopathologic characteristics of non-small cell lung cancer in patients with smoking-related chronic obstructive pulmonary disease. <i>General Thoracic and Cardiovascular Surgery</i> , 2019, 67, 239-246.	0.9	2
54	Recurrent solitary fibrous tumor of the pleura with malignant transformation: a case report. <i>Journal of Surgical Case Reports</i> , 2021, 2021, rjab283.	0.4	2

#	ARTICLE	IF	CITATIONS
55	Primary mucinous adenocarcinoma of the thymus: A case report. <i>Respiratory Medicine Case Reports</i> , 2021, 34, 101497.	0.4	2
56	A case of bilateral invasive mucinous adenocarcinoma of the lung with severe productive cough and dyspnea successfully treated with palliative lung lobectomy. <i>Respiratory Medicine Case Reports</i> , 2021, 32, 101368.	0.4	2
57	Serum Carcinoembryonic Antigen Level Predicts Cancer-Specific Outcomes of Resected Non-Small Cell Lung Cancer With Interstitial Pneumonia. <i>World Journal of Oncology</i> , 2018, 9, 136-140.	1.5	2
58	Lack of prognostic significance of tumor angiogenesis in resected pN2 non-small cell lung cancer. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2003, 2, 201-205.	1.1	1
59	Bronchial Flap Closure of the Lower Membranous Trachea. <i>Annals of Thoracic Surgery</i> , 2011, 91, 935-937.	1.3	1
60	Port-site implantation of Type A Masaoka StageÂI thymoma after video-assisted thoracic surgery: a case report. <i>Journal of Surgical Case Reports</i> , 2016, 2016, rjw164.	0.4	1
61	Resected thymic large cell neuroendocrine carcinoma: A case report and review of the literature. <i>International Journal of Surgery Case Reports</i> , 2019, 60, 53-57.	0.6	1
62	Is There a Relationship Between Serum Carcinoembryonic Antigen Level and Epidermal Growth Factor Receptor Mutations in Resected Lung Adenocarcinomas ?. <i>Annals of Cancer Research and Therapy</i> , 2013, 21, 31-35.	0.3	1
63	The Inflammatory Prognostic Index Predicts Cancer-Specific Outcomes of Patients with Resected Non-Small Cell Lung Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2018, 19, 2867-2870.	1.2	1
64	Combined Procedures for Mediastinal Staging in Non-Small Cell Lung Cancer. <i>Asian Cardiovascular and Thoracic Annals</i> , 2004, 12, 125-129.	0.5	0
65	Lung cancer patients with postoperative normalization of serum carcinoembryonic antigen level: Predictive factors for re-elevation. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2006, 2, 132-136.	1.1	0
66	Pulmonary torsion after resuscitative thoracotomy: a case report. <i>Journal of Surgical Case Reports</i> , 2021, 2021, rjab313.	0.4	0
67	Intralobar sequestration associated with nontuberculous mycobacterial infection.. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2001, 15, 779-784.	0.0	0
68	A case of long-term survival of gefitinib-induction therapy for advanced N2-multistation lung cancer without epidermal growth factor receptor gene mutation. <i>Annals of Cancer Research and Therapy</i> , 2012, 19, 62-65.	0.3	0
69	A case of advanced lung cancer treated by surgery followed by adjuvant combination therapy of gefitinib and interleukin-2 lymphokine-activated killer cell immunotherapy. <i>Annals of Cancer Research and Therapy</i> , 2012, 20, 11-16.	0.3	0
70	Salvage surgery of nonremovable metallic stent for adenoid cystic carcinoma and the subsequent difficulty of airway management. <i>Annals of Cancer Research and Therapy</i> , 2012, 20, 24-31.	0.3	0
71	A Case Report of Resection of a Giant Desmoid Tumor 16 cm in Longer Diameter of the Chest Wall Probably Enlarged after Getting Pregnant. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical)</i> Tj ETQq1 1 0784314 rjBT /Overl	0.7	0
72	Does Obesity-Related Hemodilution of Carcinoembryonic Antigen Exist in Non-Small Cell Lung Cancer Patients?. <i>World Journal of Oncology</i> , 2017, 8, 41-44.	1.5	0