

Yibing Cai

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2566081/yibing-cai-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

3,311
citations

34
h-index

50
g-index

134
ext. papers

3,754
ext. citations

4.4
avg, IF

5.2
L-index

#	Paper	IF	Citations
128	Thermal stability, latent heat and flame retardant properties of the thermal energy storage phase change materials based on paraffin/high density polyethylene composites. <i>Renewable Energy</i> , 2009 , 34, 2117-2123	8.1	136
127	Effects of nano-SiO ₂ on morphology, thermal energy storage, thermal stability, and combustion properties of electrospun lauric acid/PET ultrafine composite fibers as form-stable phase change materials. <i>Applied Energy</i> , 2011 , 88, 2106-2112	10.7	126
126	Catalyzing carbonization function of ZrP based intumescent fire retardant polypropylene nanocomposites. <i>Polymer Degradation and Stability</i> , 2008 , 93, 2014-2018	4.7	109
125	Preparation and properties studies of halogen-free flame retardant form-stable phase change materials based on paraffin/high density polyethylene composites. <i>Applied Energy</i> , 2008 , 85, 765-775	10.7	88
124	Formation of Yolk-Shell Nickel-Cobalt Selenide Dodecahedral Nanocages from Metal-Organic Frameworks for Efficient Hydrogen and Oxygen Evolution. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 10952-10959	8.3	80
123	Preparation and flammability of high density polyethylene/paraffin/organophilic montmorillonite hybrids as a form stable phase change material. <i>Energy Conversion and Management</i> , 2007 , 48, 462-469	10.6	80
122	Electrospun ultrafine composite fibers consisting of lauric acid and polyamide 6 as form-stable phase change materials for storage and retrieval of solar thermal energy. <i>Solar Energy Materials and Solar Cells</i> , 2012 , 103, 53-61	6.4	73
121	Preparation, morphology and thermal properties of electrospun fatty acid eutectics/polyethylene terephthalate form-stable phase change ultrafine composite fibers for thermal energy storage. <i>Energy Conversion and Management</i> , 2012 , 64, 245-255	10.6	70
120	Sonochemical synthesis of ordered SnO ₂ /CMK-3 nanocomposites and their lithium storage properties. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 3704-8	9.5	68
119	Flammability and thermal properties of high density polyethylene/paraffin hybrid as a form-stable phase change material. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 1320-1327	2.9	63
118	Fire retardant synergism between melamine and triphenyl phosphate in poly(butylene terephthalate). <i>Polymer Degradation and Stability</i> , 2006 , 91, 2093-2100	4.7	62
117	Preparation and characterizations of HDPE/EVA alloy/OMT nanocomposites/paraffin compounds as a shape stabilized phase change thermal energy storage material. <i>Thermochimica Acta</i> , 2006 , 451, 44-51	2.9	62
116	Ultralight and Flexible Carbon Foam-Based Phase Change Composites with High Latent-Heat Capacity and Photothermal Conversion Capability. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 31997-32007	8.5	61
115	Preparation, thermal and flammability properties of a novel form-stable phase change materials based on high density polyethylene/poly(ethylene-co-vinyl acetate)/organophilic montmorillonite nanocomposites/paraffin compounds. <i>Energy Conversion and Management</i> , 2008 , 49, 2055-2062	10.6	61
114	Fabrication and characterization of capric-lauric-palmitic acid/electrospun SiO ₂ nanofibers composite as form-stable phase change material for thermal energy storage/retrieval. <i>Solar Energy</i> , 2015 , 118, 87-95	6.8	59
113	A highly flexible self-powered biosensor for glucose detection by epitaxial deposition of gold nanoparticles on conductive bacterial cellulose. <i>Chemical Engineering Journal</i> , 2018 , 351, 177-188	14.7	57
112	Synthesis of novel nitrogen-doped carbon dots for highly selective detection of iron ion. <i>Nanotechnology</i> , 2017 , 28, 165502	3.4	55

111	Self-assembly of nitrogen-doped carbon dots anchored on bacterial cellulose and their application in iron ion detection. <i>Carbohydrate Polymers</i> , 2017 , 172, 93-101	10.3	54
110	Influences of expanded graphite on structural morphology and thermal performance of composite phase change materials consisting of fatty acid eutectics and electrospun PA6 nanofibrous mats. <i>Renewable Energy</i> , 2013 , 57, 163-170	8.1	53
109	Electrospun nanofibrous mats absorbed with fatty acid eutectics as an innovative type of form-stable phase change materials for storage and retrieval of thermal energy. <i>Solar Energy Materials and Solar Cells</i> , 2013 , 109, 160-168	6.4	52
108	Fabrication and characterization of electrospun SiO ₂ nanofibers absorbed with fatty acid eutectics for thermal energy storage/retrieval. <i>Solar Energy Materials and Solar Cells</i> , 2015 , 132, 183-190	6.4	50
107	Electrospun anatase-phase TiO ₂ nanofibers with different morphological structures and specific surface areas. <i>Journal of Colloid and Interface Science</i> , 2013 , 398, 103-11	9.3	48
106	A Dual-Mode Wearable Sensor Based on Bacterial Cellulose Reinforced Hydrogels for Highly Sensitive Strain/Pressure Sensing. <i>Advanced Electronic Materials</i> , 2020 , 6, 1900934	6.4	48
105	Catalyzing carbonization function of ferric chloride based on acrylonitrile-butadiene-styrene copolymer/organophilic montmorillonite nanocomposites. <i>Polymer Degradation and Stability</i> , 2007 , 92, 490-496	4.7	45
104	Graphene oxide improved thermal and mechanical properties of electrospun methyl stearate/polyacrylonitrile form-stable phase change composite nanofibers. <i>Journal of Thermal Analysis and Calorimetry</i> , 2014 , 117, 109-122	4.1	43
103	Structures, thermal stability, and crystalline properties of polyamide6/organic-modified Fe-montmorillonite composite nanofibers by electrospinning. <i>Journal of Materials Science</i> , 2008 , 43, 6132-6138	4.3	43
102	Fabrication of polyaniline/carboxymethyl cellulose/cellulose nanofibrous mats and their biosensing application. <i>Applied Surface Science</i> , 2015 , 349, 35-42	6.7	42
101	Structure, morphology, thermal stability and carbonization mechanism studies of electrospun PA6/Fe-OMT nanocomposite fibers. <i>Polymer Degradation and Stability</i> , 2008 , 93, 2180-2185	4.7	40
100	Structural morphology and thermal performance of composite phase change materials consisting of capric acid series fatty acid eutectics and electrospun polyamide6 nanofibers for thermal energy storage. <i>Materials Letters</i> , 2012 , 89, 43-46	3.3	39
99	Protoporphyrin-IX conjugated cellulose nanofibers that exhibit high antibacterial photodynamic inactivation efficacy. <i>Nanotechnology</i> , 2018 , 29, 265601	3.4	37
98	Thermal energy storage and retrieval properties of form-stable phase change nanofibrous mats based on ternary fatty acid eutectics/polyacrylonitrile composite by magnetron sputtering of silver. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016 , 123, 1293-1307	4.1	37
97	Electrospun form-stable phase change composite nanofibers consisting of capric acid-based binary fatty acid eutectics and polyethylene terephthalate. <i>Fibers and Polymers</i> , 2013 , 14, 89-99	2	36
96	Fe-doped Co ₉ S ₈ nanosheets on carbon fiber cloth as pH-universal freestanding electrocatalysts for efficient hydrogen evolution. <i>Electrochimica Acta</i> , 2018 , 264, 157-165	6.7	34
95	Ag-coated polyurethane fibers membranes absorbed with quinary fatty acid eutectics solid-liquid phase change materials for storage and retrieval of thermal energy. <i>Renewable Energy</i> , 2016 , 99, 1-9	8.1	34
94	A catechol biosensor based on electrospun carbon nanofibers. <i>Beilstein Journal of Nanotechnology</i> , 2014 , 5, 346-54	3	33

93	Synthesis and characterization of thermoplastic polyurethane/montmorillonite nanocomposites produced by reactive extrusion. <i>Journal of Materials Science</i> , 2007 , 42, 5785-5790	4-3	33
92	Structure, surface morphology, thermal and flammability characterizations of polyamide6/organic-modified Fe-montmorillonite nanocomposite fibers functionalized by sputter coating of silicon. <i>Surface and Coatings Technology</i> , 2008 , 203, 264-270	4-4	32
91	MOF-based C-doped coupled TiO ₂ /ZnO nanofibrous membrane with crossed network connection for enhanced photocatalytic activity. <i>Journal of Alloys and Compounds</i> , 2019 , 777, 982-990	5-7	31
90	Surface Structures and Contact Angles of Electrospun Poly(vinylidene fluoride) Nanofiber Membranes. <i>International Journal of Polymer Analysis and Characterization</i> , 2008 , 13, 292-301	1-7	30
89	Facile fabrication of flexible SiO ₂ /PANI nanofibers for ammonia gas sensing at room temperature. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 537, 532-539	5-1	30
88	Immobilization of catalases on amidoxime polyacrylonitrile nanofibrous membranes. <i>Polymer International</i> , 2013 , 62, 251-256	3-3	29
87	Morphology, Thermal and Mechanical Properties of Poly (Styrene-Acrylonitrile) (SAN)/Clay Nanocomposites from Organic-Modified Montmorillonite. <i>Polymer-Plastics Technology and Engineering</i> , 2007 , 46, 541-548		28
86	Effects of SiO ₂ nanoparticles on structure and property of form-stable phase change materials made of cellulose acetate phase inversion membrane absorbed with capric-myristic-stearic acid ternary eutectic mixture. <i>Thermochimica Acta</i> , 2017 , 653, 49-58	2-9	27
85	Structural characterization and dynamic water adsorption of electrospun polyamide6/montmorillonite nanofibers. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 3535-3540	2-9	27
84	Surface functionalization of carbon nanofibers by sol-gel coating of zinc oxide. <i>Applied Surface Science</i> , 2008 , 254, 6543-6546	6-7	27
83	Ammonia gas sensors based on InO/PANI hetero-nanofibers operating at room temperature. <i>Beilstein Journal of Nanotechnology</i> , 2016 , 7, 1312-1321	3	27
82	High Adsorption Pearl-Necklace-Like Composite Membrane Based on Metal-Organic Framework for Heavy Metal Ion Removal. <i>Particle and Particle Systems Characterization</i> , 2018 , 35, 1700438	3-1	26
81	Influence of gamma irradiation on high density polyethylene/ethylene-vinyl acetate/clay nanocomposites. <i>Polymers for Advanced Technologies</i> , 2004 , 15, 601-605	3-2	26
80	Protoporphyrin IX conjugated bacterial cellulose via diamide spacer arms with specific antibacterial photodynamic inactivation against Escherichia coli. <i>Cellulose</i> , 2018 , 25, 1673-1686	5-5	25
79	Influences of organic-modified Fe-montmorillonite on structure, morphology and properties of polyacrylonitrile nanocomposite fibers. <i>Fibers and Polymers</i> , 2009 , 10, 750-755	2	24
78	Thermal behavior and shape-stabilization of fatty acid eutectics/electrospun carbon nano-felts composite phase change materials enhanced by reduced graphene oxide. <i>Solar Energy Materials and Solar Cells</i> , 2019 , 191, 306-315	6-4	24
77	Highly flexible, transparent, and conductive silver nanowire-attached bacterial cellulose conductors. <i>Cellulose</i> , 2018 , 25, 3189-3196	5-5	23
76	Comparison Between Structures and Properties of ABS Nanocomposites Derived from Two Different Kinds of OMT. <i>Journal of Materials Engineering and Performance</i> , 2010 , 19, 171-176	1-6	23

75	Surface modification of PMMA/O-MMT composite microfibers by TiO ₂ coating. <i>Applied Surface Science</i> , 2011 , 258, 98-102	6.7	22
74	Fabrication of hierarchical TiO ₂ nanofibers by microemulsion electrospinning for photocatalysis applications. <i>Ceramics International</i> , 2017 , 43, 15911-15917	5.1	21
73	Electrospinning combined with hydrothermal synthesis and lithium storage properties of ZnFe ₂ O ₄ -graphene composite nanofibers. <i>Ceramics International</i> , 2017 , 43, 2136-2142	5.1	21
72	Removal of a Cationic Dye by Adsorption/Photodegradation Using Electrospun PAN/O-MMT Composite Nanofibrous Membranes Coated with TiO ₂ . <i>International Journal of Photoenergy</i> , 2012 , 2012, 1-8	2.1	21
71	Surface functionalization, morphology and thermal properties of polyamide6/O-MMT composite nanofibers by Fe ₂ O ₃ sputter coating. <i>Applied Surface Science</i> , 2008 , 254, 5501-5505	6.7	21
70	MoS ₂ Nanoplates Embedded in Co ^{II} -Doped Carbon Nanocages as Efficient Catalyst for HER and OER. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 5724-5733	8.3	19
69	The Improvement of Thermal Stability and Conductivity via Incorporation of Carbon Nanofibers into Electrospun Ultrafine Composite Fibers of Lauric Acid/Polyamide 6 Phase Change Materials for Thermal Energy Storage. <i>International Journal of Green Energy</i> , 2014 , 11, 861-875	3	19
68	Solvothermal synthesis of NiO/C hybrid microspheres as Li-intercalation electrode material. <i>Materials Letters</i> , 2010 , 64, 1022-1024	3.3	19
67	Structure, Thermal, and Antibacterial Properties of Polyacrylonitrile/Ferric Chloride Nanocomposite Fibers by Electrospinning. <i>International Journal of Polymer Analysis and Characterization</i> , 2010 , 15, 110-118	1.7	18
66	Wetting behavior of electrospun poly(L-lactic acid)/poly(vinyl alcohol) composite nonwovens. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 3172-3177	2.9	18
65	Evaluation of the interfacial bonding between fibrous substrate and sputter coated copper. <i>Surface and Coatings Technology</i> , 2008 , 202, 4673-4680	4.4	18
64	Preparation of novel form-stable composite phase change materials with porous silica nanofibrous mats for thermal storage/retrieval. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 570, 1-10	5.1	17
63	Amperometric detection of hydrogen peroxide using a nanofibrous membrane sputtered with silver. <i>RSC Advances</i> , 2014 , 4, 3857-3863	3.7	17
62	Effects of ferric chloride on structure, surface morphology and combustion property of electrospun polyacrylonitrile composite nanofibers. <i>Fibers and Polymers</i> , 2011 , 12, 145-150	2	17
61	Carbon-Coated Magnesium Ferrite Nanofibers for Lithium-Ion Battery Anodes with Enhanced Cycling Performance. <i>Energy Technology</i> , 2017 , 5, 1364-1372	3.5	16
60	Electrospun ultrafine composite fibers of binary fatty acid eutectics and polyethylene terephthalate as innovative form-stable phase change materials for storage and retrieval of thermal energy. <i>International Journal of Energy Research</i> , 2013 , 37, 657-664	4.5	16
59	Thermal and mechanical properties of nanofibers-based form-stable PCMs consisting of glycerol monostearate and polyethylene terephthalate. <i>Journal of Thermal Analysis and Calorimetry</i> , 2013 , 114, 101-111	4.1	16
58	Effect of order of mixing on morphology and thermal properties of the compatibilized PBT and ABS alloys/OMT nanocomposites. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 2130-2139	2.9	16

57	Functionalization of polyamide 6 nanofibers by electroless deposition of copper 2008 , 5, 399-403		16
56	Effect of pore distribution on the lithium storage properties of porous C/SnO ₂ nanofibers. <i>Journal of Alloys and Compounds</i> , 2017 , 711, 414-423	5.7	15
55	Preparation of TiO ₂ Nanofibrous Membranes with Hierarchical Porosity for Efficient Photocatalytic Degradation. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 8946-8953	3.8	15
54	Novel freestanding N-doped carbon coated Fe ₃ O ₄ nanocomposites with 3D carbon fibers network derived from bacterial cellulose for supercapacitor application. <i>Journal of Electroanalytical Chemistry</i> , 2018 , 810, 18-26	4.1	15
53	Effects of carbon nanotubes on morphological structure, thermal and flammability properties of electrospun composite fibers consisting of lauric acid and polyamide 6 as thermal energy storage materials. <i>Fibers and Polymers</i> , 2012 , 13, 837-845	2	15
52	Solvothermal preparation and lithium storage properties of Fe ₂ O ₃ /C hybrid microspheres. <i>Journal of Alloys and Compounds</i> , 2012 , 513, 220-223	5.7	14
51	Electrochemical charge storage of flowerlike rutile TiO ₂ nanorods. <i>Chemical Physics Letters</i> , 2010 , 490, 180-183	2.5	14
50	Effect of temperature on structure, morphology and crystallinity of PVDF nanofibers via electrospinning. <i>E-Polymers</i> , 2008 , 8,	2.7	14
49	Sonochemical synthesis and high lithium storage properties of ordered Co/CMK-3 nanocomposites. <i>Applied Surface Science</i> , 2017 , 400, 492-497	6.7	13
48	Deposition of TiO ₂ Nanoparticles on Porous Polylactic Acid Fibrous Substrates and Its Photocatalytic Capability. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 5617-5623	1.3	13
47	Fabrication of hydrophilic nanoporous PMMA/O-MMT composite microfibrillar membrane and its use in enzyme immobilization. <i>Journal of Porous Materials</i> , 2013 , 20, 457-464	2.4	13
46	Wintersweet Branch-Like C/C@SnO ₂ /MoS ₂ Nanofibers as High-Performance Li and Na-Ion Battery Anodes. <i>Particle and Particle Systems Characterization</i> , 2017 , 34, 1700295	3.1	13
45	Characterization of PVAc/TiO ₂ hybrid nanofibers: From fibrous morphologies to molecular structures. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 1481-1485	2.9	13
44	Fabrication and characterization of polyamide6-room temperature ionic liquid (PA6-RTIL) composite nanofibers by electrospinning. <i>Fibers and Polymers</i> , 2013 , 14, 1614-1619	2	12
43	Flexible cellulose acetate nano-felts absorbed with capric/myristic/stearyl acid ternary eutectic mixture as form-stable phase-change materials for thermal energy storage/retrieval. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017 , 128, 661-673	4.1	11
42	A form-stable phase change material made with a cellulose acetate nanofibrous mat from bicomponent electrospinning and incorporated capric/myristic/stearyl acid ternary eutectic mixture for thermal energy storage/retrieval. <i>RSC Advances</i> , 2015 , 5, 84245-84251	3.7	11
41	One-pot synthesis and electrochemical property of MnO/C hybrid microspheres. <i>Ionics</i> , 2013 , 19, 595-600.	0.7	10
40	Electrochemical properties of rutile TiO ₂ nanorods as anode material for lithium-ion batteries. <i>Ionics</i> , 2012 , 18, 667-672	2.7	10

39	Preparation, Morphology and Properties of Electrospun Lauric Acid/PET Form-Stable Phase Change Ultrafine Composite Fibres. <i>Polymers and Polymer Composites</i> , 2011 , 19, 773-780	0.8	10
38	In situ 3D bacterial cellulose/nitrogen-doped graphene oxide quantum dot-based membrane fluorescent probes for aggregation-induced detection of iron ions. <i>Cellulose</i> , 2019 , 26, 6073-6086	5.5	9
37	Fabrication, Structural Morphology and Thermal Energy Storage/Retrieval of Ultrafine Phase Change Fibres Consisting of Polyethylene Glycol and Polyamide 6 by Electrospinning. <i>Polymers and Polymer Composites</i> , 2013 , 21, 525-532	0.8	9
36	Preparation and characterization of poly (styrene-acrylonitrile) (SAN)/clay nanocomposites by melt intercalation. <i>Journal of Materials Science</i> , 2007 , 42, 5524-5533	4.3	9
35	Electrospun TiO ₂ nanofibers coated with polydopamine for enhanced sunlight-driven photocatalytic degradation of cationic dyes. <i>Surface and Interface Analysis</i> , 2019 , 51, 169-176	1.5	9
34	Fluorescent Nitrogen-Doped Carbon Dots via Single-Step Synthesis Applied as Fluorescent Probe for the Detection of Fe ³⁺ Ions and Anti-Counterfeiting Inks. <i>Nano</i> , 2018 , 13, 1850097	1.1	9
33	Facile controlled synthesis of monodispersed MoO ₃ -MoS ₂ hybrid nanospheres for efficient hydrogen evolution reaction. <i>Applied Surface Science</i> , 2020 , 529, 147115	6.7	8
32	Characterization of polymer nanofibers coated by reactive sputtering of zinc. <i>Journal of Materials Processing Technology</i> , 2009 , 209, 2028-2032	5.3	8
31	Fabrication and characterization of porous cellulose acetate films by breath figure incorporated with capric acid as form-stable phase change materials for storing/retrieving thermal energy. <i>Fibers and Polymers</i> , 2017 , 18, 253-263	2	7
30	3D Lamellar Structure of Biomass-Based Porous Carbon Derived from Towel Gourd toward Phase Change Composites with Thermal Management and Protection.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 8923-8932	4.1	7
29	Facile one-step solid-state reaction to synthesis of hafnium carbide nanoparticles at low temperature. <i>Journal of the Ceramic Society of Japan</i> , 2017 , 125, 789-791	1	7
28	Surface nanostructures and dynamic contact angles of functionalized poly(ethylene terephthalate) fibers. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 654-658	2.9	7
27	Surface characterization of aromatic thermotropic liquid crystalline fiber deposited by nanostructured silver. <i>Fibers and Polymers</i> , 2010 , 11, 813-818	2	6
26	Cu Nanoparticles Improved Thermal Property of Form-Stable Phase Change Materials Made with Carbon Nanofibers and LA-MA-SA Eutectic Mixture. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 2723-2731	1.3	5
25	Fabrication of flexible TiO ₂ -SiO ₂ composite nanofibers with variable structure as efficient adsorbent. <i>Ceramics International</i> , 2020 , 46, 3543-3549	5.1	5
24	Fabrication of Form-Stable Phase Change Materials Based on Mechanically Flexible SiO ₂ Nanofibrous Mats for Thermal Energy Storage/Retrieval. <i>Journal of Nanoscience and Nanotechnology</i> , 2019 , 19, 5562-5571	1.3	4
23	Fabrication of hierarchically porous TiO nanofibers by microemulsion electrospinning and their application as anode material for lithium-ion batteries. <i>Beilstein Journal of Nanotechnology</i> , 2017 , 8, 1297-1306	2.7	4
22	Graphene Oxide Nanocoating Prevents Flame Spread on Polyurethane Sponge. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 5105-5112	1.3	4

21	The catalyzing carbonization properties of acrylonitrile-butadiene-styrene copolymer (ABS)/rare earth oxide (La ₂ O ₃)/organophilic montmorillonite(OMT) nanocomposites. <i>Journal of Polymer Research</i> , 2010 , 17, 83-88	2.7	4
20	Ultrafast gelation of multifunctional hydrogel/composite based on self-catalytic Fe/Tannic acid-cellulose nanofibers. <i>Journal of Colloid and Interface Science</i> , 2022 , 606, 1457-1468	9.3	4
19	Liquid or solid? a biologically inspired concentrated suspension for protective coating. <i>Chemical Engineering Journal</i> , 2022 , 428, 131793	14.7	4
18	Superior Form-Stable Phase Change Material Made with Graphene-Connected Carbon Nanofibers and Fatty Acid Eutectics. <i>Journal of Nanoscience and Nanotechnology</i> , 2019 , 19, 7044-7053	1.3	3
17	Preparation and characterization of polyaniline/Fe ₃ O ₄ /polyacrylonitrile composite nanofibers. <i>International Journal of Materials Research</i> , 2012 , 103, 1390-1394	0.5	3
16	The Effect of Organic/Inorganic Hybridization on the Structures of Nanofibers. <i>Journal of Industrial Textiles</i> , 2010 , 39, 293-304	1.6	3
15	Preparation, Surface Morphology, and Thermal Stability of Polyamide 6 Composite Nanofibres by Electrospinning. <i>Polymers and Polymer Composites</i> , 2008 , 16, 605-610	0.8	3
14	Biomorphic NiO/Ni with a Regular Pore-Array Structure as a Supercapacitor Electrode Material. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 562-566	2.3	3
13	Fabrication and characterization of electrospun porous cellulose acetate nanofibrous mats incorporated with capric acid as form-stable phase change materials for storing/retrieving thermal energy. <i>International Journal of Green Energy</i> , 2017 , 14, 1011-1019	3	2
12	Preparation and Characterization of porous Carbon/Nickel Nanofibers for Supercapacitor. <i>Journal of Engineered Fibers and Fabrics</i> , 2013 , 8, 155892501300800	0.9	2
11	Structure and Morphological Evolvement of Electrospun Polyacrylonitrile/Organic Modified Fe-Montmorillonite Composite Carbon Nanofibers. <i>International Journal of Polymer Analysis and Characterization</i> , 2011 , 16, 24-35	1.7	2
10	Comparison Between Effects of Two Different Cationic Surfactants on Structure and Properties of HIPS/OMT Nanocomposites. <i>Journal of Reinforced Plastics and Composites</i> , 2009 , 28, 2161-2172	2.9	2
9	Effect of Graphene Oxide Modified Cobalt Nickel Phosphate on Flame Retardancy of Epoxy Resin. <i>Frontiers in Materials</i> , 2020 , 7,	4	2
8	Fabrication and Performance of Shape-Stable Phase Change Composites Supported by Environment-Friendly and Economical Loofah Sponge Fibers for Thermal Energy Storage. <i>Energy & Fuels</i> , 2022 , 36, 3938-3946	4.1	2
7	Effects of chemical pre-treatment on structure and property of polyacrylonitrile based pre-oxidized fibers. <i>Journal of Engineered Fibers and Fabrics</i> , 2020 , 15, 155892501989894	0.9	1
6	Morphology, thermal and mechanical properties of PVAc/ TiO ₂ hybrid nanofibers. <i>E-Polymers</i> , 2009 , 9,	2.7	1
5	High-performance polyacrylonitrile-based pre-oxidized fibers fabricated through strategy with chemical pretreatment, layer-by-layer assembly, and stabilization techniques. <i>High Performance Polymers</i> , 2021 , 33, 105-114	1.6	1
4	Multifunctional shape-stabilized phase change composites based upon multi-walled carbon nanotubes and polypyrrole decorated melamine foam for light/electric-to-thermal energy conversion and storage. <i>Journal of Energy Storage</i> , 2021 , 43, 103187	7.8	1

- | | | | |
|---|--|-----|---|
| 3 | Inspection for supercritical CO ₂ dyeing of poly(m-phenylene isophthalamide) by kinetics and thermodynamics analysis. <i>Journal of Engineered Fibers and Fabrics</i> , 2019 , 14, 155892501988640 | 0.9 | o |
| 2 | Preparation and Characterization of Porous TiO ₂ Fibers and Their Photocatalytic Activity. <i>Journal of Engineered Fibers and Fabrics</i> , 2012 , 7, 155892501200700 | 0.9 | |
| 1 | Structure, Morphology and Thermal Stability of Porous Carbon Nanofibers Loaded with Cobalt Nanoparticles. <i>Journal of Engineered Fibers and Fabrics</i> , 2011 , 6, 155892501100600 | 0.9 | |