

Baolong Shen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2566338/publications.pdf>

Version: 2024-02-01

167
papers

6,082
citations

87843

38
h-index

95218

68
g-index

167
all docs

167
docs citations

167
times ranked

2266
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | WReTaMo Refractory High-Entropy Alloy with High Strength at 1600°C. <i>Advanced Engineering Materials</i> , 2022, 24, 2100765. | 1.6 | 10 |
| 2 | Efficient rejuvenation of heterogeneous $\{[(\text{Fe}_{0.5}\text{Co}_{0.5})_{0.75}\text{B}_{0.2}\text{Si}_{0.05}]_{96}\text{Nb}_4\}_{99.9}\text{Cu}_{0.1}$ bulk metallic glass upon cryogenic cycling treatment. <i>Journal of Materials Science and Technology</i> , 2022, 97, 20-28. | 5.6 | 21 |
| 3 | Heterogeneous GdTbDyCoAl high-entropy alloy with distinctive magnetocaloric effect induced by hydrogenation. <i>Journal of Materials Science and Technology</i> , 2022, 109, 147-156. | 5.6 | 15 |
| 4 | Tunable magnetocaloric effect in Gd-based metallic glasses microalloying elements with different magnetism. <i>Journal of Non-Crystalline Solids</i> , 2022, 576, 121222. | 1.5 | 7 |
| 5 | Tuning magnetocaloric effect of Gd-Co-Al-Si bulk metallic glass via controlling degree of structural order. <i>Journal of Magnetism and Magnetic Materials</i> , 2022, 545, 168769. | 1.0 | 2 |
| 6 | Excellent magnetic softness-magnetization synergy and suppressed defect activation in soft magnetic amorphous alloys by magnetic field annealing. <i>Journal of Materials Science and Technology</i> , 2022, 116, 72-82. | 5.6 | 21 |
| 7 | Rejuvenation-to-Relaxation Transition Induced by Elastostatic Compression and Its Effect on Deformation Behavior in a Zr-Based Bulk Metallic Glass. <i>Metals</i> , 2022, 12, 282. | 1.0 | 7 |
| 8 | Nanoscale Heterogeneities of Non-Noble Iron-Based Metallic Glasses toward Efficient Water Oxidation at Industrial-Level Current Densities. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 10288-10297. | 4.0 | 18 |
| 9 | Nanoscale-to-Mesoscale Heterogeneity and Percolating Favored Clusters Govern Ultrastability of Metallic Glasses. <i>Nano Letters</i> , 2022, , . | 4.5 | 4 |
| 10 | Non-noble metal-based amorphous high-entropy oxides as efficient and reliable electrocatalysts for oxygen evolution reaction. <i>Nano Research</i> , 2022, 15, 8751-8759. | 5.8 | 61 |
| 11 | Utilization of high entropy in rare earth-based magnetocaloric metallic glasses. <i>Journal of Materials Research and Technology</i> , 2022, 18, 5301-5311. | 2.6 | 10 |
| 12 | Microstructures and mechanical properties of $(\text{Nb}_{0.25}\text{Mo}_{0.25}\text{Ta}_{0.25}\text{W}_{0.25})\text{C}$ and $(\text{Nb}_{0.2}\text{Mo}_{0.2}\text{Ta}_{0.2}\text{W}_{0.2}\text{Hf}_{0.2})\text{C}$ high-entropy carbide ceramics produced by arc melting. <i>International Journal of Refractory Metals and Hard Materials</i> , 2022, 107, 105859. | 1.7 | 9 |
| 13 | Synthesis of WTaMoNbZr refractory high-entropy alloy powder by plasma spheroidization process for additive manufacturing. <i>Journal of Alloys and Compounds</i> , 2022, 917, 165501. | 2.8 | 7 |
| 14 | An Ultrafast and Stable High-Entropy Metallic Glass Electrode for Alkaline Hydrogen Evolution Reaction. , 2022, 4, 1389-1396. | | 17 |
| 15 | Correlation between deformation behavior and atomic-scale heterogeneity in Fe-based bulk metallic glasses. <i>Journal of Materials Science and Technology</i> , 2021, 65, 54-60. | 5.6 | 13 |
| 16 | Defects activation in CoFe-based metallic glasses during creep deformation. <i>Journal of Materials Science and Technology</i> , 2021, 69, 42-47. | 5.6 | 15 |
| 17 | Anelastic and viscoplastic deformation in a Fe-based metallic glass. <i>Journal of Alloys and Compounds</i> , 2021, 853, 157233. | 2.8 | 17 |
| 18 | Effects of C/B ratio on glass-forming ability and low-temperature magnetic behavior of FeCoCrMoCBTm metallic glass. <i>Journal of Alloys and Compounds</i> , 2021, 864, 158211. | 2.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Magnetically separable Z-scheme FeSiB metallic glass/g-C ₃ N ₄ heterojunction photocatalyst with high degradation efficiency at universal pH conditions. <i>Applied Surface Science</i> , 2021, 540, 148401. | 3.1 | 30 |
| 20 | Influence of Si on tribological behavior of laser clad Fe-based amorphous/crystalline composite coatings. <i>Surface and Coatings Technology</i> , 2021, 405, 126570. | 2.2 | 15 |
| 21 | A plastic FeNi-based bulk metallic glass and its deformation behavior. <i>Journal of Materials Science and Technology</i> , 2021, 76, 20-32. | 5.6 | 35 |
| 22 | Liquid dynamics and glass formation of Gd ₅₅ Co ₂₀ Al ₂₅ metallic glass with minor Si addition. <i>Journal of Materials Science and Technology</i> , 2021, 77, 28-37. | 5.6 | 18 |
| 23 | Ultrasonic-assisted plastic flow in a Zr-based metallic glass. <i>Science China Materials</i> , 2021, 64, 448-459. | 3.5 | 14 |
| 24 | Effects of minor Si addition on structural heterogeneity and glass formation of GdDyErCoAl high-entropy bulk metallic glass. <i>Journal of Materials Research and Technology</i> , 2021, 11, 378-391. | 2.6 | 13 |
| 25 | Pressure-induced spin crossover in a Fe ₇₈ Si ₉ B ₁₃ metallic glass. <i>Journal of Applied Physics</i> , 2021, 129, . | 1.1 | 1 |
| 26 | Effect of Ni Substitution for Si Element on Thermal and Soft Magnetic Properties of Fe _{73.5} Ni _x Si _{15.5-x} B ₇ Nb ₃ Cu ₁ Nanocrystalline Alloys. <i>Journal of Electronic Materials</i> , 2021, 50, 4577-4585. | 1.0 | 3 |
| 27 | Mechanical Properties and Phase Stability of WTaMoNbTi Refractory High-Entropy Alloy at Elevated Temperatures. <i>Acta Metallurgica Sinica (English Letters)</i> , 2021, 34, 1585-1590. | 1.5 | 30 |
| 28 | Combined effect of demagnetization field and magnetic anisotropy on magnetocaloric behavior and magnetocaloric-magneto-resistance correlation in GdTmErCoAl high-entropy amorphous alloy. <i>Journal of Magnetism and Magnetic Materials</i> , 2021, 528, 167817. | 1.0 | 8 |
| 29 | Effects of Si addition on glass-forming ability and crystallization behavior of DyCoAl bulk metallic glass. <i>Journal of Alloys and Compounds</i> , 2021, 874, 159964. | 2.8 | 7 |
| 30 | Improved catalytic efficiency and stability by surface activation in Fe-based amorphous alloys for hydrogen evolution reaction in acidic electrolyte. <i>Electrochimica Acta</i> , 2021, 390, 138815. | 2.6 | 13 |
| 31 | Structures and properties of the (NbMoTaW) _{100-α} x _{Cx} high-entropy composites. <i>Journal of Alloys and Compounds</i> , 2021, 889, 161645. | 2.8 | 13 |
| 32 | Quantifying a partial polyamorphic transition in a cerium-based metallic glass during cooling. <i>Journal of Applied Physics</i> , 2021, 130, 145901. | 1.1 | 1 |
| 33 | Impact of hybridization on metallic-glass formation and design. <i>Materials Today</i> , 2020, 32, 26-34. | 8.3 | 34 |
| 34 | Magnetocaloric difference between ribbon and bulk shape of Gd-based metallic glasses. <i>Journal of Magnetism and Magnetic Materials</i> , 2020, 497, 166015. | 1.0 | 9 |
| 35 | High Bs of FePBCu nanocrystalline alloys with excellent soft-magnetic properties. <i>Journal of Non-Crystalline Solids</i> , 2020, 530, 119800. | 1.5 | 35 |
| 36 | Excellent reusability of FeBC amorphous ribbons induced by progressive formation of through-pore structure during acid orange 7 degradation. <i>Journal of Materials Science and Technology</i> , 2020, 38, 107-118. | 5.6 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Ductile Co-based bulk metallic glass with superhigh strength and excellent soft magnetic properties induced by modulation of structural heterogeneity. <i>Materialia</i> , 2020, 9, 100561. | 1.3 | 19 |
| 38 | Effects of Ni substitution for Fe/Co on mechanical and magnetic properties of Co-based bulk metallic glasses. <i>Journal of Alloys and Compounds</i> , 2020, 820, 153105. | 2.8 | 12 |
| 39 | Formation, structure and properties of pseudo-high entropy clustered bulk metallic glasses. <i>Journal of Alloys and Compounds</i> , 2020, 820, 153164. | 2.8 | 7 |
| 40 | Effect of Yttrium addition on magnetocaloric properties of Gd-Co-Al-Ho high entropy metallic glasses. <i>Journal of Non-Crystalline Solids</i> , 2020, 549, 120354. | 1.5 | 19 |
| 41 | Effect of Dy, Ho, and Er substitution on the magnetocaloric properties of Gd-Co-Al-Y high entropy bulk metallic glasses. <i>Journal of Alloys and Compounds</i> , 2020, 827, 154101. | 2.8 | 32 |
| 42 | Numerical Investigation of Particles in Warm-Particle Peening-Assisted High-Velocity Oxygen Fuel (WPPA-HVOF) Spraying. <i>Journal of Thermal Spray Technology</i> , 2020, 29, 1682-1694. | 1.6 | 6 |
| 43 | In Situ Synchrotron X-ray Diffraction Investigations of the Nonlinear Deformation Behavior of a Low Modulus β -Type Ti36Nb5Zr Alloy. <i>Metals</i> , 2020, 10, 1619. | 1.0 | 4 |
| 44 | Low-Temperature Magnetic Properties and Magnetocaloric Effect of Fe-Zr-Cu Amorphous Alloys. <i>Journal of Low Temperature Physics</i> , 2020, 200, 51-61. | 0.6 | 10 |
| 45 | Enhancement of plasticity for FeCoBSiNb bulk metallic glass with superhigh strength through cryogenic thermal cycling. <i>Scripta Materialia</i> , 2020, 187, 13-18. | 2.6 | 47 |
| 46 | Making Fe-Si-B amorphous powders as an effective catalyst for dye degradation by high-energy ultrasonic vibration. <i>Materials and Design</i> , 2020, 194, 108876. | 3.3 | 27 |
| 47 | A novel FeNi-based bulk metallic glass with high notch toughness over 70 MPa \sqrt{m} combined with excellent soft magnetic properties. <i>Materials and Design</i> , 2020, 191, 108597. | 3.3 | 24 |
| 48 | Thermal, structural and soft magnetic properties of FeSiBPCCu alloys. <i>Journal of Non-Crystalline Solids</i> , 2020, 533, 119941. | 1.5 | 25 |
| 49 | Correlation among the amorphous forming ability, viscosity, free-energy difference and interfacial tension in Fe-Si-B-P soft magnetic alloys. <i>Journal of Alloys and Compounds</i> , 2020, 831, 154784. | 2.8 | 8 |
| 50 | Magnetocaloric performance and its linear relationship with magnetoresistance in Gd-Al-Cu metallic glass. <i>Journal of Magnetism and Magnetic Materials</i> , 2020, 507, 166828. | 1.0 | 6 |
| 51 | Enhanced dye degradation capability and reusability of Fe-based amorphous ribbons by surface activation. <i>Journal of Materials Science and Technology</i> , 2020, 53, 163-173. | 5.6 | 25 |
| 52 | Co Doping and High Pressure Studies of the Iron Arsenide $\text{La}_{0.4}\text{Na}_{0.6}\text{Fe}_2\text{As}_2$. <i>Journal of the Physical Society of Japan</i> , 2020, 89, 055001. | 0.7 | 1 |
| 53 | Effects of Ho addition on thermal stability, thermoplastic deformation and magnetic properties of FeHoNbB bulk metallic glasses. <i>Journal of Alloys and Compounds</i> , 2019, 807, 151675. | 2.8 | 9 |
| 54 | The role of Co/Al ratio in glass-forming GdCoAl magnetocaloric metallic glasses. <i>Materialia</i> , 2019, 7, 100419. | 1.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Pronounced nanoindentation creep deformation in Cu-doped CoFe-based metallic glasses. <i>Journal of Alloys and Compounds</i> , 2019, 806, 246-253. | 2.8 | 21 |
| 56 | Effects of structural relaxation on the dye degradation ability of FePC amorphous alloys. <i>Journal of Non-Crystalline Solids</i> , 2019, 525, 119671. | 1.5 | 19 |
| 57 | Effects of heavy rare-earth addition on glass-forming ability, thermal, magnetic, and mechanical properties of Fe-RE-B-Nb (RE = Dy, Ho, Er or Tm) bulk metallic glass. <i>Journal of Non-Crystalline Solids</i> , 2019, 525, 119681. | 1.5 | 13 |
| 58 | Ab initio simulations of the atomic and electronic environment around B in Fe-Nb-B metallic glasses. <i>Intermetallics</i> , 2019, 112, 106501. | 1.8 | 11 |
| 59 | Strengthening strain-transformable \hat{I}^2 Ti-alloy via multi-phase nanostructuring. <i>Journal of Alloys and Compounds</i> , 2019, 799, 389-397. | 2.8 | 27 |
| 60 | Atomic-scale heterogeneity in large-plasticity Cu-doped metallic glasses. <i>Journal of Alloys and Compounds</i> , 2019, 798, 517-522. | 2.8 | 17 |
| 61 | Microstructure and soft-magnetic properties of FeCoPCCu nanocrystalline alloys. <i>Journal of Materials Science and Technology</i> , 2019, 35, 1655-1661. | 5.6 | 67 |
| 62 | Thermal, magnetic and magnetocaloric properties of FeErNbB metallic glasses with high glass-forming ability. <i>Journal of Non-Crystalline Solids</i> , 2019, 512, 184-188. | 1.5 | 10 |
| 63 | Strong and ductile beta Ti-18Zr-13Mo alloy with multimodal twinning. <i>Materials Research Letters</i> , 2019, 7, 251-257. | 4.1 | 69 |
| 64 | Gd ₂₅ RE ₂₅ Co ₂₅ Al ₂₅ (RE = Tb, Dy and Ho) high-entropy glassy alloys with distinct spin-glass behavior and good magnetocaloric effect. <i>Journal of Alloys and Compounds</i> , 2019, 790, 633-639. | 2.8 | 55 |
| 65 | Effect of Co addition on catalytic activity of FePCCu amorphous alloy for methylene blue degradation. <i>New Journal of Chemistry</i> , 2019, 43, 6126-6135. | 1.4 | 30 |
| 66 | Tunability of correlated magnetocaloric effect and magnetoresistance by Ar ion irradiation in a Gd-based nanocrystalline/amorphous alloy. <i>Journal of Alloys and Compounds</i> , 2019, 788, 283-288. | 2.8 | 3 |
| 67 | In-situ scattering study of a liquid-liquid phase transition in Fe-B-Nb-Y supercooled liquids and its correlation with glass-forming ability. <i>Journal of Alloys and Compounds</i> , 2019, 787, 831-839. | 2.8 | 29 |
| 68 | Competitive Effects of Structural Heterogeneity and Surface Chemical States on Catalytic Efficiency of FeSiBPCu Amorphous and Nanocrystalline Alloys. <i>ACS Applied Nano Materials</i> , 2019, 2, 214-227. | 2.4 | 28 |
| 69 | Enhanced plasticity of FeCoBSiNb bulk glassy alloys by controlling the structure heterogeneity with Cu addition. <i>Journal of Non-Crystalline Solids</i> , 2019, 505, 181-187. | 1.5 | 7 |
| 70 | A novel thermal-tuning Fe-based amorphous alloy for automatically recycled methylene blue degradation. <i>Materials and Design</i> , 2019, 161, 136-146. | 3.3 | 51 |
| 71 | Effects of Ni and Si additions on mechanical properties and serrated flow behavior in FeMoPCB bulk metallic glasses. <i>Journal of Alloys and Compounds</i> , 2019, 783, 555-564. | 2.8 | 25 |
| 72 | Oxygen-driven impurities scavenging before solidification of Fe-based metallic glasses. <i>Journal of Alloys and Compounds</i> , 2019, 773, 401-412. | 2.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Synthesis of novel FeSiBPCCu alloys with high amorphous forming ability and good soft magnetic properties. <i>Journal of Non-Crystalline Solids</i> , 2019, 503-504, 36-43. | 1.5 | 49 |
| 74 | Ductile FeNi-based bulk metallic glasses with high strength and excellent soft magnetic properties. <i>Journal of Alloys and Compounds</i> , 2018, 742, 318-324. | 2.8 | 29 |
| 75 | Effect of magnetic field annealing on soft magnetic properties of Co ₇₁ Fe ₂ Si ₁₄ B ₉ Mn ₄ amorphous alloys with low permeability. <i>AIP Advances</i> , 2018, 8, . | 0.6 | 7 |
| 76 | Facile synthesis of 3D binder-free N-doped carbon nanonet derived from silkworm cocoon for Li-ion battery. <i>Journal of Materials Science</i> , 2018, 53, 4395-4405. | 1.7 | 17 |
| 77 | Effects of Cr addition on thermal stability, soft magnetic properties and corrosion resistance of FeSiB amorphous alloys. <i>Corrosion Science</i> , 2018, 138, 20-27. | 3.0 | 54 |
| 78 | Effects of Cu additions on mechanical and soft-magnetic properties of CoFeBSiNb bulk metallic glasses. <i>Journal of Alloys and Compounds</i> , 2018, 737, 815-820. | 2.8 | 22 |
| 79 | Fabrication and characterization of a novel β metastable Ti-Mo-Zr alloy with large ductility and improved yield strength. <i>Materials Characterization</i> , 2018, 139, 421-427. | 1.9 | 53 |
| 80 | Distinct spin glass behavior and excellent magnetocaloric effect in Er ₂₀ Dy ₂₀ Co ₂₀ Al ₂₀ RE ₂₀ (RE =) Tj ETQq0 0 0 rgBT /Overlock 10 | 1.8 | 58 |
| 81 | Investigation of FePC amorphous alloys with self-renewing behaviour for highly efficient decolorization of methylene blue. <i>Journal of Materials Chemistry A</i> , 2018, 6, 10686-10699. | 5.2 | 93 |
| 82 | Effect of Fe substitution on magnetocaloric effects and glass-forming ability in Gd-based metallic glasses. <i>Intermetallics</i> , 2018, 93, 67-71. | 1.8 | 24 |
| 83 | Fluxing induced boron alloying in Fe-based bulk metallic glasses. <i>Materials and Design</i> , 2017, 129, 63-68. | 3.3 | 20 |
| 84 | Microstructural evolution of a ductile metastable β titanium alloy with combined TRIP/TWIP effects. <i>Journal of Alloys and Compounds</i> , 2017, 699, 775-782. | 2.8 | 76 |
| 85 | Influence of dynamic compressive loading on the in vitro degradation behavior of pure PLA and Mg/PLA composite. <i>Acta Biomaterialia</i> , 2017, 64, 269-278. | 4.1 | 23 |
| 86 | The effect of Ni addition on microstructure and soft magnetic properties of FeCoZrBCu nanocrystalline alloys. <i>AIP Advances</i> , 2017, 7, . | 0.6 | 12 |
| 87 | Effect of Magnetic Field Annealing on Microstructure and Magnetic Properties of FeCuNbSiB Nanocrystalline Magnetic Core with High Inductance. <i>Applied Microscopy</i> , 2017, 47, 29-35. | 0.8 | 5 |
| 88 | Non-repeatability of large plasticity for Fe-based bulk metallic glasses. <i>Journal of Alloys and Compounds</i> , 2016, 676, 209-214. | 2.8 | 20 |
| 89 | Extraordinary magnetocaloric effect of Fe-based bulk glassy rods by combining fluxing treatment and J-quenching technique. <i>Journal of Alloys and Compounds</i> , 2016, 684, 29-33. | 2.8 | 31 |
| 90 | Effect of Co addition on the magnetic properties and microstructure of FeNbBCu nanocrystalline alloys. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 419, 198-201. | 1.0 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Electronic specific heats for amorphous and crystallized alloys. SpringerPlus, 2016, 5, 699. | 1.2 | 0 |
| 92 | Effects of Cu substitution for Nb on magnetic properties of Fe-based bulk metallic glasses. Journal of Non-Crystalline Solids, 2016, 443, 108-111. | 1.5 | 22 |
| 93 | Development of FeNiNbSiBP bulk metallic glassy alloys with excellent magnetic properties and high glass forming ability evaluated by different criterions. Intermetallics, 2016, 71, 1-6. | 1.8 | 19 |
| 94 | Electronic structure of $\text{Cu}_{100-x}\text{Zr}_x$ ($x=40,50,60$) metallic glasses. Materials and Design, 2015, 82, 126-129. | 3.3 | 8 |
| 95 | Atomic-scale structural heterogeneity and elastic modulus for metallic glasses. Journal of Non-Crystalline Solids, 2015, 426, 137-140. | 1.5 | 5 |
| 96 | Crystallization behavior and magnetic properties in High Fe content FeBCSiCu alloy system. Journal of Magnetism and Magnetic Materials, 2015, 385, 277-281. | 1.0 | 34 |
| 97 | Enhanced glass forming ability of Fe-based amorphous alloys with minor Cu addition. Journal of Non-Crystalline Solids, 2015, 419, 65-68. | 1.5 | 38 |
| 98 | Preparation and magnetic properties of $(\text{Co}_{0.6}\text{Fe}_{0.3}\text{Ni}_{0.1})_{70-x}(\text{B}_{0.811}\text{Si}_{0.189})_{25+x}\text{Nb}_5$ bulk glassy alloys. Journal of Materials Science: Materials in Electronics, 2015, 26, 7006-7012. | 1.1 | 7 |
| 99 | Pronounced enhancement of glass-forming ability of $\text{Fe}_{40}\text{Si}_{10}\text{B}_{40}\text{P}$ bulk metallic glass in oxygen atmosphere. Journal of Materials Research, 2014, 29, 1217-1222. | 1.2 | 27 |
| 100 | Effects of Cu substitution for Fe on the glass-forming ability and soft magnetic properties for Fe-based bulk metallic glasses. Journal of Magnetism and Magnetic Materials, 2014, 358-359, 23-26. | 1.0 | 45 |
| 101 | Origin of abnormal glass transition behavior in metallic glasses. Intermetallics, 2014, 49, 52-56. | 1.8 | 14 |
| 102 | Development and applications of Fe- and Co-based bulk glassy alloys and their prospects. Journal of Alloys and Compounds, 2014, 615, S2-S8. | 2.8 | 82 |
| 103 | Ductile $\text{Co}_{40}\text{Nb}_{40}\text{B}$ bulk metallic glass with ultrahigh strength. Journal of Non-Crystalline Solids, 2014, 386, 121-123. | 1.5 | 27 |
| 104 | Soft magnetic properties and microstructure of $\text{Fe}_{84}\text{Nb}_2\text{B}_{14}\text{Cu}$ nanocrystalline alloys. Materials & Design, 2014, 56, 227-231. | 5.1 | 47 |
| 105 | Thermal stability, magnetic and mechanical properties of $\text{Fe}_{40}\text{Dy}_{10}\text{B}_{40}\text{Nb}$ bulk metallic glasses with high glass-forming ability. Intermetallics, 2014, 46, 85-90. | 1.8 | 33 |
| 106 | Effect of Tb addition on the thermal stability, glass-forming ability and magnetic properties of $\text{Fe}_{40}\text{B}_{10}\text{Si}_{10}\text{Nb}$ bulk metallic glass. Journal of Alloys and Compounds, 2014, 586, S46-S49. | 2.8 | 38 |
| 107 | Mechanical properties and structural features of novel Fe-based bulk metallic glasses with unprecedented plasticity. Scientific Reports, 2014, 4, 6233. | 1.6 | 118 |
| 108 | Composition Effect on Intrinsic Plasticity or Brittleness in Metallic Glasses. Scientific Reports, 2014, 4, 5733. | 1.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | A new CoFe-based bulk metallic glasses with high thermoplastic forming ability. Scripta Materialia, 2013, 69, 553-556. | 2.6 | 21 |
| 110 | Thermal stability and crystallization behavior of $(\text{Fe}_{0.75-x}\text{Dy}_x\text{B}_{0.2}\text{Si}_{0.05})_{96}\text{Nb}_4$ ($x=0\text{--}0.07$) bulk metallic glasses. Journal of Non-Crystalline Solids, 2013, 365, 42-46. | 1.5 | 17 |
| 111 | Nearly free electron model to glass-forming ability of multi-component metallic glasses. Journal of Non-Crystalline Solids, 2013, 361, 82-85. | 1.5 | 17 |
| 112 | Magnetic properties of $(\text{Fe}_{1-x}\text{Ni}_x)_{72}\text{B}_{20}\text{Si}_4\text{Nb}_4$ ($x=0\text{--}0.5$) bulk metallic glasses. Journal of Magnetism and Magnetic Materials, 2013, 335, 172-176. | 1.0 | 38 |
| 113 | The soft magnetic properties of ring-shaped $(\text{Co}_{0.6}\text{Fe}_{0.3}\text{Ni}_{0.1})_{68}(\text{B}_{0.811}\text{Si}_{0.189})_{27}\text{Nb}_5$ bulk metallic glasses. Journal of Applied Physics, 2013, 113, 17A336. | 1.1 | 1 |
| 114 | Enhancement of plastic deformation in FeCoNbB bulk metallic glass with superhigh strength. Intermetallics, 2013, 32, 408-412. | 1.8 | 24 |
| 115 | Soft magnetic properties in $\text{Fe}_{84-x}\text{B}_{10}\text{C}_6\text{Cu}_x$ nanocrystalline alloys. Journal of Magnetism and Magnetic Materials, 2013, 326, 22-27. | 1.0 | 49 |
| 116 | Crystallization behaviors of FeSiBPMo bulk metallic glasses. Journal of Non-Crystalline Solids, 2013, 360, 31-35. | 1.5 | 12 |
| 117 | Effect of Fe to P concentration ratio on structures, crystallization behavior, and magnetic properties in $(\text{Fe}_{0.79+x}\text{P}_{0.1-x}\text{C}_{0.04}\text{B}_{0.04}\text{Si}_{0.03})_{99}\text{Cu}_1$ alloys. Journal of Applied Physics, 2013, 113, 17A337. | 1.1 | 10 |
| 118 | The effect of Fe/Al ratio on the thermal stability and magnetocaloric effect of $\text{Gd}_{55}\text{Fe}_x\text{Al}_{45-x}$ ($x=15\text{--}35$) glassy ribbons. Journal of Applied Physics, 2012, 111, 07A937. | 1.1 | 22 |
| 119 | Enhancement of glass-forming ability of Fe-based bulk metallic glasses with high saturation magnetic flux density. AIP Advances, 2012, 2, . | 0.6 | 18 |
| 120 | FeNiPBNb bulk glassy alloys with good soft-magnetic properties. Journal of Alloys and Compounds, 2012, 536, S354-S358. | 2.8 | 21 |
| 121 | Effect of B to P concentration ratio on glass-forming ability and soft-magnetic properties in $[(\text{Fe}_{0.5}\text{Ni}_{0.5})_{0.78}\text{B}_{0.22-x}\text{P}_x]_{97}\text{Nb}_3$ glassy alloys. Intermetallics, 2012, 20, 93-97. | 1.8 | 27 |
| 122 | $(\text{Co}_{1-x}\text{Fe}_x)_{68}\text{B}_{21.9}\text{Si}_5.1\text{Nb}_5$ bulk glassy alloys with high glass-forming ability, excellent soft-magnetic properties and superhigh fracture strength. Intermetallics, 2012, 23, 63-67. | 1.8 | 30 |
| 123 | Development of quaternary Fe-based bulk metallic glasses with high saturation magnetization above 1.6T. Journal of Non-Crystalline Solids, 2012, 358, 1443-1446. | 1.5 | 67 |
| 124 | Enhancement of plasticity in Co-Nb-B ternary bulk metallic glasses with ultrahigh strength. Journal of Non-Crystalline Solids, 2012, 358, 3060-3064. | 1.5 | 25 |
| 125 | FePCCu nanocrystalline alloys with excellent soft magnetic properties. Science China Technological Sciences, 2012, 55, 3419-3424. | 2.0 | 26 |
| 126 | The influence of Si substitution on soft magnetic properties and crystallization behavior in $\text{Fe}_{83}\text{B}_{10}\text{C}_6-x\text{Si}_x\text{Cu}_1$ alloy system. Science China Technological Sciences, 2012, 55, 2416-2419. | 2.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Giant magnetoimpedance effect in stress-joule-heated Co-based amorphous ribbons. Science China: Physics, Mechanics and Astronomy, 2012, 55, 2372-2377. | 2.0 | 10 |
| 128 | Controllable spin-glass behavior and large magnetocaloric effect in Gd-Ni-Al bulk metallic glasses. Applied Physics Letters, 2012, 101, . | 1.5 | 89 |
| 129 | Fe-based nanocrystalline FeBCCu soft magnetic alloys with high magnetic flux density. Journal of Applied Physics, 2011, 109, . | 1.1 | 28 |
| 130 | High B_c \times S $Fe_{84}Si_4B_8P_4Cu$ (~ 1.5) nanocrystalline alloys with excellent magnetic softness. Journal of Applied Physics, 2011, 109, . | 1.1 | 59 |
| 131 | Glass-forming ability and soft magnetic properties of $(Co_{0.6}Fe_{0.3}Ni_{0.1})_{67}B_{22+x}Si_6Nb_5$ bulk glassy alloys. Journal of Alloys and Compounds, 2011, 509, S206-S209. | 2.8 | 14 |
| 132 | Soft-ferromagnetic bulk glassy alloys with large magnetostriction and high glass-forming ability. AIP Advances, 2011, 1, . | 0.6 | 21 |
| 133 | Glass-Forming Ability and Magnetocaloric Effect in $Gd_{55}Co_{20}Al_{25-x}Si_x$ Bulk Metallic Glass. IEEE Transactions on Magnetics, 2011, 47, 2490-2493. | 1.2 | 8 |
| 134 | Effect of Ni addition on the glass-forming ability and soft-magnetic properties of FeNiBPb metallic glasses. Science Bulletin, 2011, 56, 3932-3936. | 1.7 | 24 |
| 135 | Large Glass-forming Ability and Magnetocaloric Effect in $Gd_{55}Co_{20}Al_{23}Si_2$ Bulk Metallic Glass. Journal of Magnetics, 2011, 16, 440-443. | 0.2 | 2 |
| 136 | Magnetic properties and crystallization behavior of nanocrystalline FeSiBPCuAl alloys. Science China Technological Sciences, 2010, 53, 1590-1593. | 2.0 | 11 |
| 137 | Shear band evolution during large plastic deformation of brittle and ductile metallic glasses. Philosophical Magazine Letters, 2010, 90, 573-579. | 0.5 | 8 |
| 138 | Effects of B and Si contents on glass-forming ability and soft-magnetic properties in $(Co_{0.89}Fe_{0.057}Nb_{0.053})_{100-x}(B_{0.8}Si_{0.2})_x$ glassy alloys. Journal of Applied Physics, 2010, 107, . | 1.1 | 15 |
| 139 | Enhanced glass-forming ability of FeCoBSiNb bulk glassy alloys prepared using commercial raw materials through the optimization of Nb content. Journal of Applied Physics, 2010, 107, 09A315. | 1.1 | 10 |
| 140 | Enhancement of glass-forming ability of CoFeBSiNb bulk glassy alloys with excellent soft-magnetic properties and superhigh strength. Intermetallics, 2010, 18, 1876-1879. | 1.8 | 30 |
| 141 | Effect of Nb addition on the glass-forming ability, mechanical and soft-magnetic properties in $(Co_{0.942}Fe_{0.058})_{72-x}Nb_xB_{22.4}Si_{5.6}$ bulk glassy alloys. Journal of Alloys and Compounds, 2010, 504, S31-S33. | 2.8 | 22 |
| 142 | Serrated flow behavior induced by blunt mechanism of shear crack propagation in metallic glass. Journal of Materials Research, 2009, 24, 436-440. | 1.2 | 2 |
| 143 | Nanocrystallization induced by quasi-static fracture of metallic glasses at room temperature. Philosophical Magazine Letters, 2008, 88, 837-843. | 0.5 | 4 |
| 144 | Enhancement of glass-forming ability of FeCoNiBSiNb bulk glassy alloys with superhigh strength and good soft-magnetic properties. Journal of Applied Physics, 2007, 102, 023515. | 1.1 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Excellent soft-magnetic properties of (Fe,Co)â€“Moâ€“(P,C,B,Si) bulk glassy alloys with ductile deformation behavior. Applied Physics Letters, 2007, 91, . | 1.5 | 46 |
| 146 | Formation, ductile deformation behavior and soft-magnetic properties of (Fe,Co,Ni)â€“Bâ€“Siâ€“Nb bulk glassy alloys. Intermetallics, 2007, 15, 9-16. | 1.8 | 69 |
| 147 | Synthesis of bulk glassy alloys in the (Fe,Co,Ni)â€“Bâ€“Siâ€“Nb system. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 449-451, 239-242. | 2.6 | 24 |
| 148 | Excellent soft-ferromagnetic bulk glassy alloys with high saturation magnetization. Applied Physics Letters, 2006, 88, 131907. | 1.5 | 94 |
| 149 | Effects of Si and Mo additions on glass-forming in FeGaPCB bulk glassy alloys with high saturation magnetization. Physical Review B, 2006, 73, . | 1.1 | 60 |
| 150 | Fe- and Co-based bulk glassy alloys with ultrahigh strength of over 4000MPa. Intermetallics, 2006, 14, 936-944. | 1.8 | 204 |
| 151 | Developments and Applications of Bulk Glassy Alloys in Late Transition Metal Base System. Materials Transactions, 2006, 47, 1275-1285. | 0.4 | 114 |
| 152 | Coâ€“Feâ€“Bâ€“Siâ€“Nb bulk glassy alloys with superhigh strength and extremely low magnetostriction. Applied Physics Letters, 2006, 88, 011901. | 1.5 | 72 |
| 153 | Superhigh strength and excellent soft-magnetic properties of [(Co1â€“xFex)0.75B0.2Si0.05]96Nb4 bulk glassy alloys. Journal of Applied Physics, 2006, 100, 013515. | 1.1 | 41 |
| 154 | Fe-based bulk glassy alloy composite containing in situ formed $\hat{\pm}$ -(Fe,Co) and (Fe,Co)23B6 microcrystalline grains. Applied Physics Letters, 2006, 89, 101915. | 1.5 | 47 |
| 155 | FeNi-based bulk glassy alloys with superhigh mechanical strength and excellent soft-magnetic properties. Applied Physics Letters, 2006, 89, 051912. | 1.5 | 52 |
| 156 | Enhancement of the fracture strength and glass-forming ability of CoFeTaB bulk glassy alloy. Journal of Physics Condensed Matter, 2005, 17, 5647-5653. | 0.7 | 33 |
| 157 | Ultra-high strength above 5000 MPa and soft magnetic properties of Coâ€“Feâ€“Taâ€“B bulk glassy alloys. Acta Materialia, 2004, 52, 1631-1637. | 3.8 | 226 |
| 158 | Super-high strength of over 4000 MPa for Fe-based bulk glassy alloys in [(Fe1â€“xCox)0.75B0.2Si0.05]96Nb4 system. Acta Materialia, 2004, 52, 4093-4099. | 3.8 | 436 |
| 159 | Superhigh strength and good soft-magnetic properties of (Fe,Co)â€“Bâ€“Siâ€“Nb bulk glassy alloys with high glass-forming ability. Applied Physics Letters, 2004, 85, 4911-4913. | 1.5 | 204 |
| 160 | Cobalt-based bulk glassy alloy with ultrahigh strength and soft magnetic properties. Nature Materials, 2003, 2, 661-663. | 13.3 | 514 |
| 161 | Soft Magnetic Properties of Nanocrystalline Feâ€“Coâ€“Bâ€“Siâ€“Nbâ€“Cu Alloys in Ribbon and Bulk Forms. Journal of Materials Research, 2003, 18, 2799-2806. | 1.2 | 39 |
| 162 | Structure and Magnetic Properties of Fe_{42.5}Co_{42.5}Nb₇B₈ Nanocrystalline Alloy. Materials Transactions, 2002, 43, 589-592. | 0.4 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Soft Magnetic Bulk Glassy Fe-B-Si-Nb Alloys with High Saturation Magnetization above 1.5 T. Materials Transactions, 2002, 43, 766-769. | 0.4 | 161 |
| 164 | Bulk Glassy Fe-Ca-P-C-B-Si Alloys with High Glass-Forming Ability, High Saturation Magnetization and Good Soft Magnetic Properties. Materials Transactions, 2002, 43, 1235-1239. | 0.4 | 74 |
| 165 | Formation and Functional Properties of Fe-Based Bulk Glassy Alloys. Materials Transactions, 2001, 42, 970-978. | 0.4 | 86 |
| 166 | Bulk Glassy Co ₄₃ Fe ₂₀ Ta _{5.5} B _{31.5} Alloy with High Glass-Forming Ability and Good Soft Magnetic Properties. Materials Transactions, 2001, 42, 2136-2139. | 0.4 | 34 |
| 167 | High Strength and Good Soft Magnetic Properties of Bulk Glassy Fe-Mo-Ga-P-C-B Alloys with High Glass-Forming Ability. Materials Transactions, JIM, 2000, 41, 1478-1481. | 0.9 | 28 |