

# Axel Hausmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2566491/publications.pdf>

Version: 2024-02-01

73

papers

2,823

citations

257450

24

h-index

189892

50

g-index

77

all docs

77

docs citations

77

times ranked

2701

citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Taxonomic review of the genus <i>Rhodostrophia</i> Hübner, 1823 (Geometridae: Sterrhinae) in Iran. <i>Zootaxa</i> , 2022, 5118, 1-64.  | 0.5 | 1         |
| 2  | A novel approach for reliable qualitative and quantitative prey spectra identification of carnivorous plants combining DNA metabarcoding and macro photography. <i>Scientific Reports</i> , 2022, 12, 4778.  | 3.3 | 3         |
| 3  | Dietary specialization mirrors Rapoport's rule in European geometrid moths. <i>Global Ecology and Biogeography</i> , 2022, 31, 1161-1171.  | 5.8 | 3         |
| 4  | An unexpected species complex unveiled in southern European populations of <i>Phragmatiphila nexa</i> (Hübner, [1808]) (Lepidoptera, Noctuidae, Noctuinae, Apameini). <i>Zootaxa</i> , 2022, 5128, 355-383.  | 0.5 | 2         |
| 5  | Taxonomic review of the genus <i>Morabia</i> Hausmann & Tujuba, 2020 with descriptions of two new species and introducing five new generic combinations (Lepidoptera, Geometridae, Ennominae). <i>Zootaxa</i> , 2022, 5134, 215-237.   | 0.5 | 2         |
| 6  | Redescription of the little-known geometrid moth <i>Perigune jordanaria</i> (Staudinger, 1901), with description of a new subspecies (Lepidoptera: Geometridae). <i>Zoology in the Middle East</i> , 2021, 67, 65-72.  | 0.6 | 5         |
| 7  | Taxonomy and systematics of the Iranian species of the genus <i>Ourapteryx</i> Leach, 1814 (Lepidoptera: Geometridae) with the description of a new species. <i>Zoology in the Middle East</i> , 2021, 67, 247-258.  | 0.6 | 0         |
| 8  | Coverage and quality of DNA barcode references for Central and Northern European Odonata. <i>PeerJ</i> , 2021, 9, e11192.  | 2.0 | 14        |
| 9  | <p><strong>Revision of the genus <i>Prometopidia</i> Hampson, 1902, with description of the new species <i>P. joshimathensis</i> sp. nov. from West-Himalaya and its subspecies <i>P. j. yazakii</i> ssp. nov. from Nepal (Lepidoptera: Geometridae).</strong></p> <i>Zootaxa</i> , 2021, 4980, 28-44. | 0.5 | 2         |
| 10 | Description of <i>Idaea josephinae</i> sp. n. from the Iberian Peninsula (Lepidoptera: Geometridae). <i>Zootaxa</i> , 2021, 4990, 369377.  | 0.5 | 0         |
| 11 | Insect taxonomy can be difficult: a noctuid moth (Agaristinae: <i>Aletopus imperialis</i> ) and a geometrid moth (Sterrhmae: <i>Cartaletis dargei</i> ) combined into a cryptic species complex in eastern Africa (Lepidoptera). <i>PeerJ</i> , 2021, 9, e11613.                                       | 2.0 | 3         |
| 12 | New distribution and range extension records of geometrid moths (Lepidoptera: Geometridae) from two western Himalayan protected areas. <i>Journal of Threatened Taxa</i> , 2021, 13, 18817-18826.  | 0.3 | 0         |
| 13 | Congruence between morphology-based species and Barcode Index Numbers (BINs) in Neotropical Eumaeini (Lycaenidae). <i>PeerJ</i> , 2021, 9, e11843.   | 2.0 | 2         |
| 14 | A new species of <i>Typhonoya</i> Prozorov (Lepidoptera, Lasiocampidae, Lasiocampinae, Gastropachini) from the moist broadleaf forest of the Democratic Republic of the Congo. <i>Zootaxa</i> , 2021, 5067, 417-428.   | 0.5 | 10        |
| 15 | Species delimitation and evolutionary relationships among <i>Phoebis</i> New World sulphur butterflies (Lepidoptera, Pieridae, Coliadinae). <i>Systematic Entomology</i> , 2020, 45, 481-492.  | 3.9 | 7         |
| 16 | <p><strong>Taxonomic revision of the genus <i>Nychiodes</i> Lederer, 1853 (Geometridae)</strong></p> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Zootaxa, 2020, 4812, 1-61.   | 0.5 | 10        |
| 17 | Toward a standardized quantitative and qualitative insect monitoring scheme. <i>Ecology and Evolution</i> , 2020, 10, 4009-4020.   | 1.9 | 45        |
| 18 | <p><strong><i>Archedontia agnesae</i> gen. n., sp. n., a new sterrhine species from Tadzhikistan</strong></p> (Lepidoptera, Geometridae, Sterrhinae). <i>Zootaxa</i> , 2020, 4743, 275-279.  | 0.5 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | DNA metabarcoding for biodiversity monitoring in a national park: Screening for invasive and pest species. <i>Molecular Ecology Resources</i> , 2020, 20, 1542-1557.  | 4.8 | 33        |
| 20 | DNA barcoding of fogged caterpillars in Peru: A novel approach for unveiling host-plant relationships of tropical moths (Insecta, Lepidoptera). <i>PLoS ONE</i> , 2020, 15, e0224188.   | 2.5 | 8         |
| 21 | A new species of <i>Macaria</i> Curtis (Lepidoptera: Geometridae: Ennominae) from the Andes of northern Chile. <i>Revista Brasileira De Entomologia</i> , 2020, 64, .   | 0.4 | 5         |
| 22 | Revision of the <i>Orbamia</i> Herbuleot, 1966 group of genera with description of two new genera, ten new species, and two new subspecies (Lepidoptera, Geometridae, Ennominae, Cassymini). <i>ZooKeys</i> , 2020, 929, 53-77. | 1.1 | 4         |
| 23 | <scp>DNA</scp> Barcoding in Forensic Entomology – Establishing a <scp>DNA</scp> Reference Library of Potentially Forensic Relevant Arthropod Species., <i>Journal of Forensic Sciences</i> , 2019, 64, 593-601.                 | 1.6 | 25        |
| 24 | Authorsâ€™ Response. <i>Journal of Forensic Sciences</i> , 2019, 64, 1287-1287.   | 1.6 | 1         |
| 25 | A DNA barcode library for 5,200 German flies and midges (Insecta: Diptera) and its implications for metabarcoding-based biomonitoring. <i>Molecular Ecology Resources</i> , 2019, 19, 900-928.                                  | 4.8 | 77        |
| 26 | Molecular species delimitation in the genus <i>Rhamma</i> Johnson, 1992 (Lepidoptera: Lycaenidae,) Tj ETQq0 0 0 rgBT /Overlock 10 T   | 0.7 | 3         |
| 27 | Stability in Lepidoptera names is not served by reversal to gender agreement: a response to Wiemers et al. (2018). <i>Nota Lepidopterologica</i> , 2019, 42, 101-111.   | 0.6 | 6         |
| 28 | A comprehensive molecular phylogeny of Geometridae (Lepidoptera) with a focus on enigmatic small subfamilies. <i>PeerJ</i> , 2019, 7, e7386.  | 2.0 | 49        |
| 29 | Lepidopteran biodiversity of Ethiopia: current knowledge and future perspectives. <i>ZooKeys</i> , 2019, 882, 87-125.   | 1.1 | 3         |
| 30 | Information Dropout Patterns in Restriction Site Associated DNA Phylogenomics and a Comparison with Multilocus Sanger Data in a Species-Rich Moth Genus. <i>Systematic Biology</i> , 2018, 67, 925-939.                         | 5.6 | 46        |
| 31 | The dark side of Lepidoptera: Colour lightness of geometrid moths decreases with increasing latitude. <i>Global Ecology and Biogeography</i> , 2018, 27, 407-416.   | 5.8 | 48        |
| 32 | Review of some species groups of the genus <i>Oospila</i> Warren, with descriptions of nine new species (Lepidoptera: Geometridae: Geometrinae). <i>Zootaxa</i> , 2018, 4497, 151.  | 0.5 | 3         |
| 33 | Large geographic distance versus small DNA barcode divergence: Insights from a comparison of European to South Siberian Lepidoptera. <i>PLoS ONE</i> , 2018, 13, e0206668.  | 2.5 | 18        |
| 34 | <i>Ptilophora variabilis</i> Hartig, 1968, bona species, and description of <i>Ptilophora nebrodensis</i> sp. n. from Sicily (Lepidoptera, Notodontidae). <i>Zootaxa</i> , 2018, 4369, 237.                                     | 0.5 | 3         |
| 35 | A <scp>DNA</scp> barcode library for Germanyâ€²s mayflies, stoneflies and caddisflies (Ephemeroptera,) Tj ETQq1 1 0.784314 rgBT   | 4.8 | 67        |
| 36 | Taxonomic revision of the genus <i>Protorhoe</i> Herbuleot, 1951 (Lepidoptera, Geometridae, Larentiinae), new taxonomic changes and <br />description of two new species. <i>Zootaxa</i> , 2017, 4282, 269.                     | 0.5 | 2         |

| #  | ARTICLE   | IF       | CITATIONS                  |
|----|---|----------|----------------------------|
| 37 | A molecular phylogeny of the Palaearctic and Oriental members of the tribe Boarmiini (Lepidoptera : ) Tj ETQq1 1 0.784314 rgBT /Overlock 12   | 0.784314 | rgBT /Overlock 12          |
| 38 | Close congruence between Barcode Index Numbers (bins) and species boundaries in the Erebidae (Lepidoptera: Noctuoidea) of the Iberian Peninsula. Biodiversity Data Journal, 2017, 5, e19840.  | 0.8      | 21                         |
| 39 | A streamlined collecting and preparation protocol for DNA barcoding of Lepidoptera as part of large-scale rapid biodiversity assessment projects, exemplified by the Indonesian Biodiversity Discovery and Information System (IndoBioSys). Biodiversity Data Journal, 2017, 5, e20006. | 0.8      | 9                          |
| 40 | Nothocasis rosariae sp. n., a new sylvicolous, montane species from southern Europe (Lepidoptera: ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5   | 0.5      | rgBT /Overlock 10 Tf 5     |
| 41 | Calibrating the taxonomy of a megadiverse insect family: 3000 DNA barcodes from geometrid type specimens (Lepidoptera, Geometridae). Genome, 2016, 59, 671-684.   | 2.0      | 44                         |
| 42 | Advancing taxonomy and bioinventories with DNA barcodes. Philosophical Transactions of the Royal Society B: Biological Sciences, 2016, 371, 20150339.   | 4.0      | 91                         |
| 43 | &lt;p&gt;&lt;strong&gt;The Geometrinae of Ethiopia II: Tribus Hemistolini, genus &lt;em&gt;Prasinocyma&lt;/em&gt;&lt;/strong&gt;&lt;br /&gt;&lt;strong&gt;(Lepidoptera: Geometridae,) Tj ETQq1 1 0.784314 rgBT /Overlock 11   | 0.784314 | rgBT /Overlock 11          |
| 44 | Revision of the genus Eueupithecia Prout, 1910 from Argentina (Lepidoptera, Geometridae, Sterrhinae). Zootaxa, 2016, 4138, 392.   | 0.5      | 4                          |
| 45 | Species-Level Para- and Polyphyly in DNA Barcode Gene Trees: Strong Operational Bias in European Lepidoptera. Systematic Biology, 2016, 65, 1024-1040.  | 5.6      | 160                        |
| 46 | ThePenaincisalia amatistaspecies-group (Lepidoptera: Lycaenidae, Eumaeini) in Colombia, insights from mtDNA barcodes and the description of a new species. Systematics and Biodiversity, 2016, 14, 171-183.   | 1.2      | 6                          |
| 47 | Species Identification in Malaise Trap Samples by DNA Barcoding Based on NGS Technologies and a Scoring Matrix. PLoS ONE, 2016, 11, e0155497.   | 2.5      | 100                        |
| 48 | Testing the Global Malaise Trap Program â€“ How well does the current barcode reference library identify flying insects in Germany?. Biodiversity Data Journal, 2016, 4, e10671.  | 0.8      | 82                         |
| 49 | <p><strong>Taxonomy 2.0: Sequencing of old type specimens supports the description of two new species of the <em>Lasiocampa decolorata</em> group from MoroccoÂ(Lepidoptera,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 25  | 0.784314 | rgBT /Overlock 10 Tf 50 25 |
| 50 | Comparative molecular species delimitation in the charismatic Nawab butterflies (Nymphalidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2   | 0.7      | rgBT /Overlock 10 Tf 50 2  |
| 51 | Formulation of attractive toxic sugar bait (ATSB) with safe EPA-exempt substance significantly diminishes the Anopheles sergentii population in a desert oasis. Acta Tropica, 2015, 150, 29-34.   | 2.0      | 34                         |
| 52 | A comprehensive <scp>DNA</scp> barcode database for Central European beetles with a focus on Germany: adding more than 3500 identified species to BOLD. Molecular Ecology Resources, 2015, 15, 795-818.   | 4.8      | 198                        |
| 53 | Australian Sphingidae â€“ DNA Barcodes Challenge Current Species Boundaries and Distributions. PLoS ONE, 2014, 9, e101108.  | 2.5      | 36                         |
| 54 | <p class="HeadingRunIn"><strong>The geometrid moths of Ethiopia I: tribes Pseudoterpnini and Comibaenini (Lepidoptera: Geometridae, Geometrinae)</strong></p>. Zootaxa, 2014, 3768, 460.  | 0.5      | 9                          |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | <strong>Revision of the <em>Hylaea</em> <em>fasciaria</em> (Linnaeus, 1758) species group in the western Palaearctic (Lepidoptera: Geometridae, Ennominae)</strong>. Zootaxa, 2014, 3768, 469.                             | 0.5 | 4         |
| 56 | Prey identification in nests of the potter wasp Hypodynerus andeus (Packard) (Hymenoptera, Vespidae.) Tj ETQq0 0.4 rgBT /Overlock 10   |     |           |
| 57 | Control of <i>Aedes albopictus</i> with attractive toxic sugar baits (ATSB) and potential impact on non-target organisms in St. Augustine, Florida. Parasitology Research, 2014, 113, 73-79.                               | 1.6 | 63        |
| 58 | Evaluation of attractive toxic sugar bait (ATSB)â€”Barrier for control of vector and nuisance mosquitoes and its effect on non-target organisms in sub-tropical environments in Florida. Acta Tropica, 2014, 131, 104-110. | 2.0 | 61        |
| 59 | Barcode Fauna Bavarica: 78% of the Neuroptera Fauna Barcoded!. PLoS ONE, 2014, 9, e109719.   | 2.5 | 35        |
| 60 | Cataclysm subtilisparsata Wehrli, 1932 (Lepidoptera, Geometridae, Larentiinae) recognized as bona species â€œ an integrative approach. Nota Lepidopterologica, 2014, 37, 141-150.  | 0.6 | 2         |
| 61 | Genetic Patterns in European Geometrid Moths Revealed by the Barcode Index Number (BIN) System. PLoS ONE, 2013, 8, e84518.   | 2.5 | 125       |
| 62 | Taxonomic decision as a compromise: <i>Acasis appensata</i> (Eversmann, 1832) in Central Italyâ€”a case of conflicting evidence between DNA barcode and morphology (Lepidoptera: Geometridae). Zootaxa, 2011, 3070, .      | 0.5 | 11        |
| 63 | Order Lepidoptera Linnaeus, 1758. In: Zhang, Z.-Q. (Ed.) Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness. Zootaxa, 2011, 3148, .   | 0.5 | 398       |
| 64 | DNA Barcoding the Geometrid Fauna of Bavaria (Lepidoptera): Successes, Surprises, and Questions. PLoS ONE, 2011, 6, e17134.  | 2.5 | 153       |
| 65 | Comprehensive Molecular Sampling Yields a Robust Phylogeny for Geometrid Moths (Lepidoptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10  |     |           |
| 66 | An unexpected hotspot of moth biodiversity in Chilean northern Patagonia (Lepidoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td (  |     |           |
| 67 | Revision of the Australian Oenochroma vinaria GuenÃ©e, 1858 species-complex (Lepidoptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 specimen without dissection. Zootaxa, 2009, 2239, 1-21.                                   | 0.5 | 60        |
| 68 | Integration of DNA barcoding into an ongoing inventory of complex tropical biodiversity. Molecular Ecology Resources, 2009, 9, 1-26.   | 4.8 | 305       |
| 69 | A new expanded revision of the European high mountain Sciadia tenebraria species group (Lepidoptera:) Tj ETQq1 1 0.784314 rgBT /Ove  |     |           |
| 70 | Enzymatic digestion â€“ a new method for egg extraction from dry female collection specimens (Lepidoptera: Geometridae). Insect Systematics and Evolution, 2006, 37, 351-359.  | 0.7 | 2         |
| 71 | Macaria mirthae: una nueva especie de Ennominae (Lepidoptera: Geometridae) de Chile. Neotropical Entomology, 2005, 34, 571-576.  | 1.2 | 10        |
| 72 | A procedure for combined genitalia dissection and DNA extraction in Lepidoptera. Insect Systematics and Evolution, 2004, 35, 401-409.  | 0.7 | 57        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | »First description of the male and DNA barcode of <i>Euphyia vallatinaria</i> (Oberthür, 1890) from the Iberian Peninsula (Lepidoptera, Geometridae, Larentiinae). Nota Lepidopterologica, 0, 45, 33-39. | 0.6 | 2         |