

Christian Combe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2567254/publications.pdf>

Version: 2024-02-01

230
papers

10,628
citations

26610

56
h-index

40954

93
g-index

271
all docs

271
docs citations

271
times ranked

10548
citing authors

#	ARTICLE	IF	CITATIONS
1	Urea levels and cardiovascular disease in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 184-192.	0.4	9
2	Clinical trajectories and impact of acute kidney disease after acute kidney injury in the intensive care unit: a 5-year single-centre cohort study. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 167-176.	0.4	2
3	The conundrum of the complex relationship between acute kidney injury and cardiac arrhythmias. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 1097-1112.	0.4	2
4	Water intake and progression of chronic kidney disease: the CKD-REIN cohort study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 730-739.	0.4	21
5	New insights into acute-on-chronic kidney disease in nephrology patients: the CKD-REIN study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1700-1709.	0.4	7
6	Sex-Specific Differences in Mortality and Incident Dialysis in the Chronic Kidney Disease Outcomes and Practice Patterns Study. <i>Kidney International Reports</i> , 2022, 7, 410-423.	0.4	15
7	Barriers to conservative care from patients' and nephrologists' perspectives: the CKD-REIN study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 2438-2448.	0.4	10
8	Urine Protein/Creatinine Ratio in Thrombotic Microangiopathies: A Simple Test to Facilitate Thrombotic Thrombocytopenic Purpura and Hemolytic and Uremic Syndrome Diagnosis. <i>Journal of Clinical Medicine</i> , 2022, 11, 648.	1.0	3
9	Potential Surrogate Outcomes for Kidney Failure in Advanced CKD: Evaluation of Power and Predictive Ability in CKDopps. <i>Kidney Medicine</i> , 2022, 4, 100395.	1.0	3
10	Probiotic Intake and Inflammation in Patients With Chronic Kidney Disease: An Analysis of the CKD-REIN Cohort. <i>Frontiers in Nutrition</i> , 2022, 9, 772596.	1.6	7
11	PHACTR-1 (Phosphatase and Actin Regulator 1) Deficiency in Either Endothelial or Smooth Muscle Cells Does Not Predispose Mice to Nonatherosclerotic Arteriopathies in 3 Transgenic Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2022, 42, 597-609.	1.1	8
12	MO499: Incidence of Cause-Specific Cardiovascular Events in Men and Women With CKD. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, .	0.4	0
13	FC098: Arteriovenous Access and Outcomes in Incident Hemodialysis Patients: Is Fistula First Approach Still Holding?. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, .	0.4	0
14	Patient perspectives on chronic kidney disease and decision-making about treatment. Discourse of participants in the French CKD-REIN cohort study. <i>Journal of Nephrology</i> , 2022, 35, 1387-1397.	0.9	2
15	Higher mortality risk among kidney transplant recipients than among estimated glomerular filtration rate-matched patients with CKD preliminary results. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 176-184.	0.4	4
16	Description of a multidisciplinary model of care in a French cohort of adult patients with tuberous sclerosis complex. <i>Journal of Medical Genetics</i> , 2021, 58, 25-31.	1.5	3
17	Chronic kidney disease of unknown origin in agricultural communities: beyond tropical mist?. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 961-962.	0.4	1
18	Sudden cardiac death in dialysis patients: different causes and management strategies. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 396-405.	0.4	39

#	ARTICLE	IF	CITATIONS
19	Incidence, prognostic impact and clinical outcomes of renal impairment in patients with multiple myeloma: a population-based registry. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 482-490.	0.4	14
20	Patients'™ experience one year after dialysis initiation: a lexicometric analysis. <i>Health Psychology and Behavioral Medicine</i> , 2021, 9, 380-397.	0.8	7
21	Adherence to the Kidney Disease: Improving Global Outcomes CKD Guideline in Nephrology Practice Across Countries. <i>Kidney International Reports</i> , 2021, 6, 437-448.	0.4	19
22	Citric Acid'Containing Dialysate and Survival Rate in the Dialysis Outcomes and Practice Patterns Study. <i>Kidney360</i> , 2021, 2, 666-673.	0.9	2
23	A call to optimize haemodialysis vascular access care in healthcare disrupted by COVID-19 pandemic. <i>Journal of Nephrology</i> , 2021, 34, 365-368.	0.9	6
24	Comparison of annual eGFR decline among primary kidney diseases in patients with CKD G3b-5: results from a REACH-J CKD cohort study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 902-910.	0.7	5
25	Urgent-start dialysis in patients referred early to a nephrologist'™the CKD-REIN prospective cohort study. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1500-1510.	0.4	4
26	mRNA COVID-19 Vaccine for People with Kidney Failure: Hope but Prudence Warranted. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 996-998.	2.2	4
27	Is a treat-to-target approach to lipid-lowering therapy appropriate in patients with chronic kidney disease? A prospective French cohort study. <i>Journal of Nephrology</i> , 2021, 34, 1467-1477.	0.9	3
28	Consequences of oral antithrombotic use in patients with chronic kidney disease. <i>Clinical and Translational Science</i> , 2021, 14, 2242-2253.	1.5	3
29	At least 156 reasons to prioritize COVID-19 vaccination in patients receiving in-centre haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 571-574.	0.4	47
30	A plea for renin'angiotensin system blockers as first-line treatment in cases of severe acute hypertension. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 752-753.	0.4	1
31	Effectiveness and Tolerance of Renin-Angiotensin System Inhibitors With Aging in Chronic Kidney Disease. <i>Journal of the American Medical Directors Association</i> , 2021, , .	1.2	1
32	Impact of age on cardiovascular drug use in patients with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 199-207.	1.4	9
33	Long term evolution of renal function in essential hypertensive patients with no baseline proteinuria. <i>Journal of Human Hypertension</i> , 2020, 34, 560-567.	1.0	1
34	Prevalence of atheromatous and non-atheromatous cardiovascular disease by age in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 827-836.	0.4	23
35	Characterization of acute kidney injury in critically ill patients with severe coronavirus disease 2019. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 354-361.	1.4	68
36	Urinary Sodium-to-Potassium Ratio and Blood Pressure in CKD. <i>Kidney International Reports</i> , 2020, 5, 1240-1250.	0.4	9

#	ARTICLE	IF	CITATIONS
37	Reliability and validity of the French adaptation of the Family Relationship Index™ short form in patients with chronic kidney disease. <i>Journal of Health Psychology</i> , 2020, , 135910532094992.	1.3	0
38	Low incidence of SARS-CoV-2, risk factors of mortality and the course of illness in the French national cohort of dialysis patients. <i>Kidney International</i> , 2020, 98, 1519-1529.	2.6	103
39	Dietary protein restriction in chronic kidney disease: one size does not fit all. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 731-732.	0.4	2
40	Recommendations for the prevention, mitigation and containment of the emerging SARS-CoV-2 (COVID-19) pandemic in haemodialysis centres. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 737-741.	0.4	215
41	Adverse Drug Reactions in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 1090-1102.	2.2	47
42	Perceived Health and Quality of Life in Patients With CKD, Including Those With Kidney Failure: Findings From National Surveys in France. <i>American Journal of Kidney Diseases</i> , 2020, 75, 868-878.	2.1	56
43	Associations of Hemoglobin Levels With Health-Related Quality of Life, Physical Activity, and Clinical Outcomes in Persons With Stage 3-5 Nondialysis CKD. , 2020, 30, 404-414.		34
44	Towards an in vitro model of glomerular barrier unit with an innovative bioassembly method. <i>Nephrology Dialysis Transplantation</i> , 2019, 35, 240-250.	0.4	4
45	The Effect of Sevelamer on Serum Levels of Gut-Derived Uremic Toxins: Results from In Vitro Experiments and A Multicenter, Double-Blind, Placebo-Controlled, Randomized Clinical Trial. <i>Toxins</i> , 2019, 11, 279.	1.5	17
46	Prescription of renin-angiotensin-aldosterone system inhibitors (RAASi) and its determinants in patients with advanced CKD under nephrologist care. <i>Journal of Clinical Hypertension</i> , 2019, 21, 991-1001.	1.0	35
47	Potential life-years gained over a 5-year period by correcting DOPPS-identified modifiable practices in haemodialysis: results from the European MONITOR-CKD5 study. <i>BMC Nephrology</i> , 2019, 20, 81.	0.8	6
48	Pros and cons of antithrombotic therapy in end-stage kidney disease: a 2019 update. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 923-933.	0.4	23
49	Vegetarian diets and chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 199-207.	0.4	58
50	Adverse events associated with currently used medical treatments for cystinuria and treatment goals: results from a series of 442 patients in France. <i>BJU International</i> , 2019, 124, 849-861.	1.3	30
51	The Incidence of Chronic Kidney Disease Three Years after Non-Severe Acute Kidney Injury in Critically Ill Patients: A Single-Center Cohort Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 2215.	1.0	20
52	Risk profile, quality of life and care of patients with moderate and advanced CKD: The French CKD-REIN Cohort Study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 277-286.	0.4	49
53	HX575: established biosimilarity in the treatment of renal anemia and 10 years of clinical experience. <i>Drug Design, Development and Therapy</i> , 2018, Volume 12, 9-14.	2.0	3
54	Epoetin Biosimilars in the Treatment of Renal Anemia: What Have We Learned from a Decade of European Experience?. <i>Clinical Drug Investigation</i> , 2018, 38, 481-490.	1.1	24

#	ARTICLE	IF	CITATIONS
55	Cardiac Rhythm Disturbances in Hemodialysis Patients. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 397-408.	1.3	47
56	Idiopathic Nephrotic Syndrome: Characteristics and Identification of Prognostic Factors. <i>Journal of Clinical Medicine</i> , 2018, 7, 265.	1.0	13
57	Magnetic resonance imaging biomarkers for chronic kidney disease: a position paper from the European Cooperation in Science and Technology Action PARENCHIMA. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, ii4-ii14.	0.4	91
58	Evaluation of the adequacy of drug prescriptions in patients with chronic kidney disease: results from the CKD-REIN cohort. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2811-2823.	1.1	64
59	A nationwide prospective cohort study of patients with advanced chronic kidney disease in Japan: The Reach-J CKD cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 309-317.	0.7	8
60	Long-term treatment with biosimilar epoetin- α (HX575) in hemodialysis patients with renal anemia: real-world effectiveness and safety in the MONITOR-CKD5 study. <i>Clinical Nephrology</i> , 2018, 89, 1-9.	0.4	7
61	Impact of an educative program on dialysis patients' knowledge and mental health: controlled before and after program. <i>Education Therapeutique Du Patient</i> , 2018, 10, 20204.	0.5	0
62	Association between changes in quality of life and mortality in hemodialysis patients: results from the DOPPS. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw233.	0.4	42
63	Skin autofluorescence in acute kidney injury. <i>Critical Care</i> , 2017, 21, 24.	2.5	11
64	Randomized Clinical Trial of Sevelamer Carbonate on Serum Klotho and Fibroblast Growth Factor 23 in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1930-1940.	2.2	35
65	Normoalbuminuric chronic kidney disease in type 1 diabetes: is it real and is it serious?. <i>Diabetologia</i> , 2017, 60, 2121-2122.	2.9	1
66	Cost-effectiveness of home telemonitoring in chronic kidney disease patients at different stages by a pragmatic randomized controlled trial (eNephro): rationale and study design. <i>BMC Nephrology</i> , 2017, 18, 126.	0.8	22
67	High glucose repatterns human podocyte energy metabolism during differentiation and diabetic nephropathy. <i>FASEB Journal</i> , 2017, 31, 294-307.	0.2	72
68	Blood platelets and sepsis pathophysiology: A new therapeutic prospect in critical ill patients?. <i>Annals of Intensive Care</i> , 2017, 7, 115.	2.2	120
69	Effect of High-Cutoff Hemodialysis vs Conventional Hemodialysis on Hemodialysis Independence Among Patients With Myeloma Cast Nephropathy. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 2099.	3.8	120
70	French law: what about a reasoned reimbursement of serum vitamin D assays?. <i>Psychologie & Neuropsychiatrie Du Vieillissement</i> , 2016, 14, 377-382.	0.2	7
71	Blood pressure and proteinuria control remains a challenge in patients with type 2 diabetes mellitus and chronic kidney disease: experience from the prospective observational ALICE-PROTECT study. <i>BMC Nephrology</i> , 2016, 17, 135.	0.8	10
72	CD154 Induces Matrix Metalloproteinase-9 Secretion in Human Podocytes. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 2737-2747.	1.2	20

#	ARTICLE	IF	CITATIONS
73	Identifying subgroups of renal function trajectories. <i>Nephrology Dialysis Transplantation</i> , 2016, 32, gfw380.	0.4	20
74	The CKD Outcomes and Practice Patterns Study (CKDopps): Rationale and Methods. <i>American Journal of Kidney Diseases</i> , 2016, 68, 402-413.	2.1	47
75	Radiologic imaging of the renal parenchyma structure and function. <i>Nature Reviews Nephrology</i> , 2016, 12, 348-359.	4.1	71
76	Opponent's comments. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1225-1225.	0.4	0
77	Con: Higher serum bicarbonate in dialysis patients is protective. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1226-1229.	0.4	10
78	Nuclear translocation of IQGAP1 protein upon exposure to puromycin aminonucleoside in cultured human podocytes: ERK pathway involvement. <i>Cellular Signalling</i> , 2016, 28, 1470-1478.	1.7	7
79	Peritoneal dialysis or haemodialysis in end-stage renal disease: do registry data matter?. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 6-7.	0.4	1
80	Bioelectrical impedance spectroscopy to estimate fluid balance in critically ill patients. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 227-233.	0.7	19
81	Spectrum and Prognosis of Noninfectious Renal Mixed Cryoglobulinemic GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1213-1224.	3.0	44
82	Homozygous 16p13.11 duplication associated with mild intellectual disability and urinary tract malformations in two siblings born from consanguineous parents. <i>American Journal of Medical Genetics, Part A</i> , 2015, 167, 2714-2719.	0.7	11
83	The Effects of Cinacalcet in Older and Younger Patients on Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 791-799.	2.2	75
84	Distal Angiopathy and Atypical Hemolytic Uremic Syndrome: Clinical and Functional Properties of an Anti-“Factor H IgA” Antibody. <i>American Journal of Kidney Diseases</i> , 2015, 66, 331-336.	2.1	21
85	Evidence-based choice of dialysis technique in diabetics with end-stage kidney disease: half a loaf is better than no bread. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 160-162.	0.4	1
86	Incidence of erythropoietin antibody-mediated pure red cell aplasia: the Prospective Immunogenicity Surveillance Registry (PRIMS). <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 451-460.	0.4	73
87	Use of the Flixene vascular access graft as an early cannulation solution. <i>Journal of Vascular Surgery</i> , 2015, 62, 128-134.	0.6	23
88	Cinacalcet, Fibroblast Growth Factor-23, and Cardiovascular Disease in Hemodialysis. <i>Circulation</i> , 2015, 132, 27-39.	1.6	259
89	Glycemic control according to glomerular filtration rate in patients with type 2 diabetes and overt nephropathy: A prospective observational study. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, 120-127.	1.1	8
90	Risk-based individualisation of target haemoglobin in haemodialysis patients with renal anaemia in the post-TREAT era: theoretical attitudes versus actual practice patterns (MONITOR-CKD5 study). <i>International Urology and Nephrology</i> , 2015, 47, 837-845.	0.6	3

#	ARTICLE	IF	CITATIONS
91	New frontiers for platelet CD154. <i>Experimental Hematology and Oncology</i> , 2015, 4, 6.	2.0	25
92	CKD and Its Risk Factors among Patients with Cystinuria. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 842-851.	2.2	71
93	Embolization of renal arteries before transplantation in patients with polycystic kidney disease: a single institution long-term experience. <i>European Radiology</i> , 2015, 25, 3263-3271.	2.3	21
94	Kinetic eGFR and Novel AKI Biomarkers to Predict Renal Recovery. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1900-1910.	2.2	97
95	Incidence of obstetrical thrombotic thrombocytopenic purpura in a retrospective study within thrombocytopenic pregnant women. A difficult diagnosis and a treatable disease. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 137.	0.9	27
96	Should We Use Standard Survival Models or the Illness-Death Model for Interval-Censored Data to Investigate Risk Factors of Chronic Kidney Disease Progression?. <i>PLoS ONE</i> , 2014, 9, e114839.	1.1	7
97	The French Chronic Kidney Disease-Renal Epidemiology and Information Network (CKD-REIN) cohort study. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1500-1507.	0.4	81
98	Outbreak of Escherichia coli O104:H4 haemolytic uraemic syndrome in France: outcome with eculizumab. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 565-572.	0.4	93
99	Adult Height in Patients with Advanced CKD Requiring Renal Replacement Therapy during Childhood. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 92-99.	2.2	72
100	Knowing What We Do and Doing What We Should: Quality Assurance in Hemodialysis. <i>Nephron Clinical Practice</i> , 2014, 126, 135-143.	2.3	9
101	Association of blood pressure with all-cause mortality and stroke in Japanese hemodialysis patients: The JAPAN dialysis outcomes and practice pattern study. <i>Hemodialysis International</i> , 2014, 18, 607-615.	0.4	21
102	Impact of prior CKD management in a renal care network on early outcomes in incident dialysis patients: a prospective observational study. <i>BMC Nephrology</i> , 2013, 14, 41.	0.8	13
103	A pharmacoepidemiological study of the multi-level determinants, predictors, and clinical outcomes of biosimilar epoetin alfa for renal anaemia in haemodialysis patients: background and methodology of the MONITOR-CKD5 study. <i>Internal and Emergency Medicine</i> , 2013, 8, 389-399.	1.0	9
104	Vegetarianism: Advantages and Drawbacks in Patients With Chronic Kidney Diseases. , 2013, 23, 399-405.		40
105	Post-partum atypical haemolytic-uraemic syndrome treated with eculizumab: terminal complement activity assessment in clinical practice. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 243-244.	1.4	30
106	'Catheter Last' not 'Fistula First' in elderly patients. <i>Nature Reviews Nephrology</i> , 2013, 9, 632-634.	4.1	17
107	Outbreak of Shiga Toxin-Producing Escherichia coli O104:H4 Associated With Organic Fenugreek Sprouts, France, June 2011. <i>Clinical Infectious Diseases</i> , 2012, 54, 1588-1594.	2.9	154
108	Family relations, mental health and adherence to nutritional guidelines in patients facing dialysis initiation. <i>Psychology and Health</i> , 2012, 27, 753-766.	1.2	16

#	ARTICLE	IF	CITATIONS
109	Psychosocial variables are associated with being wait-listed, but not with receiving a kidney transplant in the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2107-2113.	0.4	23
110	Immunoadsorption in patients with haemolytic uraemic syndrome. <i>Lancet, The</i> , 2012, 379, 517-518.	6.3	9
111	Detection of intrarenal microstructural changes with supersonic shear wave elastography in rats. <i>European Radiology</i> , 2012, 22, 243-250.	2.3	49
112	3 Considerations regarding the management of hyponatraemia secondary to SIADH. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2012, 26, S16-S26.	2.2	11
113	Doppler resistive index to reflect regulation of renal vascular tone during sepsis and acute kidney injury. <i>Critical Care</i> , 2012, 16, R165.	2.5	87
114	Supersonic Shear Wave Elastography of In Vivo Pig Kidney: Influence of Blood Pressure, Urinary Pressure and Tissue Anisotropy. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 1559-1567.	0.7	214
115	Fractional excretion of urea as a diagnostic index in acute kidney injury in intensive care patients. <i>Journal of Critical Care</i> , 2012, 27, 505-510.	1.0	36
116	IQGAP1 Interacts with Components of the Slit Diaphragm Complex in Podocytes and Is Involved in Podocyte Migration and Permeability In Vitro. <i>PLoS ONE</i> , 2012, 7, e37695.	1.1	30
117	Estimation of renal function in patients with diabetes. <i>Diabetes and Metabolism</i> , 2011, 37, 359-366.	1.4	33
118	The Associations of Social Support and Other Psychosocial Factors with Mortality and Quality of Life in the Dialysis Outcomes and Practice Patterns Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 142-152.	2.2	142
119	Naturally Occurring Higher Hemoglobin Concentration Does Not Increase Mortality among Hemodialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 358-365.	3.0	58
120	C-Reactive Protein and Prediction of 1-Year Mortality in Prevalent Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2452-2461.	2.2	123
121	An in vitro study of epoetin β intravenous injection site at the end of hemodialysis. <i>International Journal of Pharmaceutics</i> , 2010, 396, 140-142.	2.6	1
122	Large kidneys predict poor renal outcome in subjects with diabetes and chronic kidney disease. <i>BMC Nephrology</i> , 2010, 11, 3.	0.8	47
123	Tissue inhibitor of matrix metalloproteinase-1 reduces phosphatidylserine exposure on activated and aged platelets. <i>British Journal of Haematology</i> , 2010, 149, 302-306.	1.2	2
124	Lethal acute poisoning with potassium ferrocyanide. <i>American Journal of Emergency Medicine</i> , 2010, 28, 642.e3-642.e5.	0.7	15
125	The effect of a low-protein diet for diabetic nephropathy is underestimated. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1277-1278.	2.2	2
126	Long-term outcome on renal replacement therapy in patients who previously received a keto acid-supplemented very-low-protein diet. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 969-974.	2.2	43

#	ARTICLE	IF	CITATIONS
127	The Burden of Amputation Among Hemodialysis Patients in the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , 2009, 54, 680-692.	2.1	69
128	Progression-related bias in the monitoring of kidney function in patients with diabetes and chronic kidney disease. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 1428-1433.	1.5	6
129	Cystatin C improves the diagnosis and stratification of chronic kidney disease, and the estimation of glomerular filtration rate in diabetes. <i>Diabetes and Metabolism</i> , 2008, 34, 482-489.	1.4	46
130	Molecular Magnetic Resonance Imaging of the Genitourinary Tract: Recent Results and Future Directions. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2008, 16, 627-641.	0.6	1
131	Normoalbuminuric Renal-Insufficient Diabetic Patients. <i>Diabetes Care</i> , 2007, 30, 2034-2039.	4.3	117
132	The Mayo Clinic quadratic equation improves the prediction of glomerular filtration rate in diabetic subjects. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 813-818.	0.4	50
133	Post-allogeneic haematopoietic stem cell transplantation membranous nephropathy: clinical presentation, outcome and pathogenic aspects. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 1369-1376.	0.4	61
134	Prediction of glomerular filtration rate decline in diabetic subjects with impaired renal function. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 959-960.	0.4	4
135	Intradialytic Parenteral Nutrition Does Not Improve Survival in Malnourished Hemodialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2583-2591.	3.0	245
136	The Combination of Cystatin C and Serum Creatinine Improves the Monitoring of Kidney Function in Patients with Diabetes and Chronic Kidney Disease. <i>Clinical Chemistry</i> , 2007, 53, 1988-1989.	1.5	10
137	New Predictive Equations Improve Monitoring of Kidney Function in Patients With Diabetes. <i>Diabetes Care</i> , 2007, 30, 1988-1994.	4.3	61
138	Nutritional status in patients with diabetes and chronic kidney disease: a prospective study. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 96-101.	2.2	27
139	Restricted Protein Diet Is Associated With Decrease in Proteinuria: Consequences on the Progression of Renal Failure. , 2007, 17, 250-257.		41
140	Evaluation of Nutritional Status in Patients with Kidney Disease: Usefulness of Dietary Recall. , 2007, 17, 88-92.		22
141	Predominance of CD8+ T lymphocytes among periglomerular infiltrating cells and link to the prognosis of class III and class IV lupus nephritis. <i>Arthritis and Rheumatism</i> , 2007, 56, 2362-2370.	6.7	111
142	Bone loss in diabetic patients with chronic kidney disease. <i>Diabetic Medicine</i> , 2007, 24, 91-93.	1.2	18
143	Use of metformin according to estimated glomerular filtration rate: the threshold and the equation are important. <i>Diabetic Medicine</i> , 2007, 24, 1498-1499.	1.2	1
144	Alterations in cytoskeletal protein expression by mycophenolic acid in human mesangial cells requires Rac inactivation. <i>Biochemical Pharmacology</i> , 2007, 73, 1491-1498.	2.0	11

#	ARTICLE	IF	CITATIONS
145	Higher Hemoglobin Levels in Diabetic Subjects With Renal Hyperfiltration. American Journal of Kidney Diseases, 2007, 49, 346.	2.1	1
146	Accounting for Body Composition does not Improve Cystatin C Estimation of GFR in Diabetic Subjects with CKD. American Journal of Kidney Diseases, 2007, 49, 560.	2.1	6
147	USPIO-enhanced MR imaging of macrophage infiltration in native and transplanted kidneys: initial results in humans. European Radiology, 2007, 17, 2898-2907.	2.3	64
148	Prediction of mortality rate in type 2 diabetes: estimated glomerular filtration rate underestimates the true rate. Diabetologia, 2007, 50, 2410-2411.	2.9	1
149	International Study of Health Care Organization and Financing for end-stage renal disease in France. International Journal of Health Care Finance and Economics, 2007, 7, 171-183.	1.2	32
150	Ultrasound-Induced Expression of a Heat Shock Promoter-Driven Transgene Delivered in the Kidney by Genetically Modified Mesenchymal Stem Cells. , 2007, , 171-179.		1
151	A simplified Cockcroft-Gault formula to improve the prediction of the glomerular filtration rate in diabetic patients. Diabetes and Metabolism, 2006, 32, 56-62.	1.4	19
152	Cockcroft-Gault formula is biased by body weight in diabetic patients with renal impairment. Metabolism: Clinical and Experimental, 2006, 55, 108-112.	1.5	69
153	DIAGNOSIS OF CHRONIC KIDNEY DISEASE IN ELDERLY SUBJECTS WITH DIABETES MELLITUS. Journal of the American Geriatrics Society, 2006, 54, 1007-1008.	1.3	1
154	Longer treatment time and slower ultrafiltration in hemodialysis: Associations with reduced mortality in the DOPPS. Kidney International, 2006, 69, 1222-1228.	2.6	467
155	MR Evaluation of the Glomerular Homing of Magnetically Labeled Mesenchymal Stem Cells in a Rat Model of Nephropathy. Radiology, 2006, 238, 200-210.	3.6	133
156	MR imaging of nephropathies. Abdominal Imaging, 2006, 31, 213-223.	2.0	12
157	Indexing glomerular filtration rate for body surface area is useful in obese subjects. Nephrology Dialysis Transplantation, 2006, 21, 821-821.	0.4	6
158	Glomerular filtration rate prediction using lean mass is unsuccessful in diabetic subjects. Nephrology Dialysis Transplantation, 2006, 21, 1443-1444.	0.4	2
159	Is the diagnosis of chronic kidney disease missed in diabetic women?. Nephrology Dialysis Transplantation, 2006, 21, 1732-1733.	0.4	6
160	Nutritional status partly explains the overestimation of GFR by the Cockcroft and Gault formula in diabetic subjects with severe chronic renal failure. Nephrology Dialysis Transplantation, 2006, 21, 822-823.	0.4	2
161	Glucose Control Influences Glomerular Filtration Rate and Its Prediction in Diabetic Subjects. Diabetes Care, 2006, 29, 1491-1495.	4.3	45
162	Activation of mesangial cells by platelets in systemic lupus erythematosus via a CD154-dependent induction of CD40. Kidney International, 2005, 68, 2068-2078.	2.6	32

#	ARTICLE	IF	CITATIONS
163	HMG-coenzyme a reductase inhibitor use is associated with mortality reduction in hemodialysis patients. American Journal of Kidney Diseases, 2005, 45, 119-126.	2.1	144
164	Biosimilar Epoetins: An Analysis Based on Recently Implemented European Medicines Evaluation Agency Guidelines on Comparability of Biopharmaceutical Proteins. Pharmacotherapy, 2005, 25, 954-962.	1.2	81
165	Estimation of Glomerular Filtration Rate in Diabetic Subjects: Cockcroft formula or Modification of Diet in Renal Disease study equation?. Diabetes Care, 2005, 28, 838-843.	4.3	172
166	In vitro prevention of cyclosporin-induced cell contraction by mycophenolic acid. Life Sciences, 2005, 77, 3366-3374.	2.0	8
167	Dialyzer membrane permeability and survival in hemodialysis patients. American Journal of Kidney Diseases, 2005, 45, 565-571.	2.1	110
168	Body Composition in Diabetic Subjects with Chronic Kidney Disease: Interest of Bio-Impedance Analysis, and Anthropometry. Annals of Nutrition and Metabolism, 2004, 48, 409-413.	1.0	10
169	Resting energy expenditure in uremic, diabetic, and uremic diabetic subjects. Journal of Diabetes and Its Complications, 2004, 18, 237-241.	1.2	15
170	Kidney Disease Outcomes Quality Initiative (K/DOQI) and the Dialysis Outcomes and Practice Patterns Study (DOPPS): Nutrition guidelines, indicators, and practices. American Journal of Kidney Diseases, 2004, 44, 39-46.	2.1	60
171	In Vivo MR Imaging of Intravascularly Injected Magnetically Labeled Mesenchymal Stem Cells in Rat Kidney and Liver. Radiology, 2004, 233, 781-789.	3.6	232
172	Anaemia in haemodialysis patients of five European countries: association with morbidity and mortality in the Dialysis Outcomes and Practice Patterns Study (DOPPS). Nephrology Dialysis Transplantation, 2004, 19, 121-132.	0.4	384
173	Kidney Disease Outcomes Quality Initiative (K/DOQI) and the Dialysis Outcomes and Practice Patterns Study (DOPPS): Nutrition guidelines, indicators, and practices. American Journal of Kidney Diseases, 2004, 44, 39-46.	2.1	109
174	MÃ©tabolisme protÃ©ique et insuffisance rÃ©nale chronique. EMC - Nephrologie, 2004, 1, 2-15.	0.0	3
175	Haemodialysis prescription, adherence and nutritional indicators in five European countries: results from the Dialysis Outcomes and Practice Patterns Study (DOPPS). Nephrology Dialysis Transplantation, 2004, 19, 100-107.	0.4	133
176	Anaemia in haemodialysis patients of five European countries: association with morbidity and mortality in the Dialysis Outcomes and Practice Patterns Study (DOPPS). Nephrology Dialysis Transplantation, 2004, 19, 1666-1666.	0.4	6
177	Renal diffusion and BOLD MRI in experimental diabetic nephropathy. Journal of Magnetic Resonance Imaging, 2003, 17, 104-113.	1.9	209
178	Patterns of hepatitis B prevalence and seroconversion in hemodialysis units from three continents: The DOPPS. Kidney International, 2003, 63, 2222-2229.	2.6	281
179	Nutrition in hemodialysis patients previously on a supplemented very low protein diet. Kidney International, 2003, 63, 1491-1498.	2.6	43
180	C-reactive protein and procalcitonin as markers of mortality in hemodialysis patients: A 2-year prospective study. , 2003, 13, 137-143.		26

#	ARTICLE	IF	CITATIONS
181	Splanchnic tissues play a crucial role in uremic glucose intolerance. , 2003, 13, 212-218.		5
182	Body composition of patients on a very low-protein diet: a two-year survey with DEXA. , 2003, 13, 282-287.		32
183	Cytoskeletal Reorganization by Mycophenolic Acid Alters Mesangial Cell Migration and Contractility. Hypertension, 2003, 42, 956-961.	1.3	24
184	Procalcitonin: a new marker of inflammation in haemodialysis patients?. Nephrology Dialysis Transplantation, 2002, 17, 692-692.	0.4	0
185	Performance of Twin Central Venous Catheters: Influence of the Inversion of Inlet and Outlet on Recirculation. Blood Purification, 2002, 20, 182-188.	0.9	35
186	Procalcitonin: a new marker of inflammation in haemodialysis patients?. Nephrology Dialysis Transplantation, 2002, 17, 326-326.	0.4	0
187	Depression as a predictor of mortality and hospitalization among hemodialysis patients in the United States and Europe. Kidney International, 2002, 62, 199-207.	2.6	426
188	Malnutrition in hemodialysis diabetic patients: Evaluation and prognostic influence. Kidney International, 2002, 62, 593-601.	2.6	99
189	Mycophenolic acid antagonizes the activation of cultured human mesangial cells. Kidney International, 2002, 62, 857-867.	2.6	73
190	Factors influencing survival in hemodialysis patients aged older than 75 years: 2.5-year outcome study. American Journal of Kidney Diseases, 2001, 37, 997-1003.	2.1	69
191	Are supplemented low-protein diets nutritionally safe?. American Journal of Kidney Diseases, 2001, 37, S71-S76.	2.1	15
192	Influence of nutritional factors and hemodialysis adequacy on the survival of 1,610 French patients. American Journal of Kidney Diseases, 2001, 37, S81-S88.	2.1	157
193	ACID-BASE IN RENAL FAILURE: Acidosis and Nutritional Status in Hemodialyzed Patients. Seminars in Dialysis, 2001, 13, 241-246.	0.7	56
194	Procalcitonin: a new marker of inflammation in haemodialysis patients?. Nephrology Dialysis Transplantation, 2001, 16, 980-986.	0.4	57
195	Subjective global assessment of nutrition a useful diagnostic tool for nurses?. Journal of Renal Care, 2001, 27, 193-196.	0.2	9
196	Nephrotoxic Nephritis and Obstructive Nephropathy: Evaluation with MR Imaging Enhanced with Ultrasmall Superparamagnetic Iron Oxide Preliminary Findings in a Rat Model. Radiology, 2000, 217, 819-826.	3.6	72
197	No change of hyperleptinemia despite a decrease in insulin concentration in patients with chronic renal failure on a supplemented very low protein diet. American Journal of Kidney Diseases, 2000, 36, 1201-1206.	2.1	12
198	Nutrition and Outcome on Renal Replacement Therapy of Patients with Chronic Renal Failure Treated by a Supplemented Very Low Protein Diet. Journal of the American Society of Nephrology: JASN, 2000, 11, 708-716.	3.0	119

#	ARTICLE	IF	CITATIONS
199	Volume flow measurement in hemodialysis shunts using time-domain correlation.. Journal of Ultrasound in Medicine, 1999, 18, 177-183.	0.8	10
200	Bone Mass and Dynamic Parathyroid Function According to Bone Histology in Nondialyzed Uremic Patients after Long-Term Protein and Phosphorus Restriction. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 512-519.	1.8	38
201	MR imaging of intrarenal macrophage infiltration in an experimental model of nephrotic syndrome. Magnetic Resonance in Medicine, 1999, 41, 156-162.	1.9	50
202	Outcome of nutritional status and body composition of uremic patients on a very low protein diet. American Journal of Kidney Diseases, 1999, 34, 500-507.	2.1	39
203	Thymoma associated with myasthenia gravis and minimal lesion nephrotic syndrome. American Journal of Kidney Diseases, 1999, 33, e4.1-e4.4.	2.1	16
204	Secretion of chemokines and cytokines by human tubular epithelial cells in response to proteins. Nephrology Dialysis Transplantation, 1999, 14, 2628-2633.	0.4	75
205	Bone Mass and Dynamic Parathyroid Function According to Bone Histology in Nondialyzed Uremic Patients after Long-Term Protein and Phosphorus Restriction. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 512-519.	1.8	15
206	A low-protein diet improves insulin sensitivity of endogenous glucose production in predialytic uremic patients. American Journal of Clinical Nutrition, 1997, 65, 1512-1516.	2.2	52
207	Henoch-SchÅ¶nlein purpura with immunoglobulin a nephropathy and abnormalities of immunoglobulin a in a Wiskott-Aldrich syndrome carrier. American Journal of Kidney Diseases, 1997, 29, 285-287.	2.1	17
208	Cyclosporin-A- and Angiotensin-II- Induced Vasoreactivity in Isolated Glomeruli and Cultured Mesangial Cells, 4 and 24 h after Renal Mass Reduction: Role of Vasodilatory Prostaglandins. Nephron, 1997, 76, 337-344.	0.6	9
209	Low protein diet in uremia: Effects on glucose metabolism and energy production rate. Kidney International, 1997, 51, 1222-1227.	2.6	53
210	Hypoxia induces intercellular adhesion molecule-1 on cultured human tubular cells. Kidney International, 1997, 51, 1703-1709.	2.6	44
211	Antioxidant Effects of a Supplemented Very Low Protein Diet in Chronic Renal Failure. Free Radical Biology and Medicine, 1997, 22, 313-320.	1.3	58
212	Improvement in Lipid Profiles and Triglyceride Removal in Patients on Polyamide Membrane Hemodialysis. Blood Purification, 1996, 14, 170-176.	0.9	14
213	The beneficial effects of oral nifedipine on cyclosporin-treated renal transplant recipients â€” a randomised prospective study. Transplant International, 1996, 9, 115-125.	0.8	32
214	Gd-DOTA tubular transit asymmetry induced by angiotensin-converting enzyme inhibitor in experimental renovascular hypertension. Journal of Magnetic Resonance Imaging, 1996, 6, 149-155.	1.9	10
215	Fibronectin production by human tubular cells: The effect of apical protein. Kidney International, 1996, 50, 760-767.	2.6	45
216	Diagnosis of renovascular hypertension: feasibility of captopril-sensitized dynamic MR imaging and comparison with captopril scintigraphy.. American Journal of Roentgenology, 1996, 166, 835-843.	1.0	54

#	ARTICLE	IF	CITATIONS
217	The beneficial effects of oral nifedipine on cyclosporin-treated renal transplant recipients ? a randomised prospective study. <i>Transplant International</i> , 1996, 9, 115-125.	0.8	12
218	Evaluation of Red Blood Cell Lipoperoxidation in Hemodialysed Patients during Erythropoietin Therapy Supplemented or Not with Iron. <i>Nephron</i> , 1995, 69, 404-410.	0.9	48
219	Induction of intercellular adhesion molecule-1 by monocyte adhesion to endothelial cells in human culture system. <i>Journal of Cellular Physiology</i> , 1995, 164, 295-303.	2.0	20
220	USPIO-Enhanced MR imaging of glycerol-induced acute renal failure in the rabbit. <i>Magnetic Resonance Imaging</i> , 1995, 13, 233-240.	1.0	27
221	Phosphorus and protein restriction and parathyroid function in chronic renal failure. <i>Kidney International</i> , 1994, 46, 1381-1386.	2.6	100
222	Granulocyte Activation and Adhesion Molecules During Hemodialysis With Cuprophane and a High-Flux Biocompatible Membrane. <i>American Journal of Kidney Diseases</i> , 1994, 24, 437-442.	2.1	53
223	Evaluation of Intrarenal Distribution of Ultrasmall Superparamagnetic Iron Oxide Particles by Magnetic Resonance Imaging and Modification by Furosemide and Water Restriction. <i>Investigative Radiology</i> , 1994, 29, 540-546.	3.5	18
224	Body building, high-protein diet, and progressive renal failure in chronic glomerulonephritis. <i>Lancet</i> , The, 1993, 341, 379-380.	6.3	6
225	Ketodiet, physiological calcium intake and native vitamin D improve renal osteodystrophy. <i>Kidney International</i> , 1992, 42, 1217-1225.	2.6	63
226	Improvement of leucocytic Na+K+ pump activity in uremic patients on low protein diet. <i>Kidney International</i> , 1991, 40, 238-242.	2.6	12
227	Therapeutic value of a cardioprotective agent in patients with severe ischaemic cardiomyopathy. <i>European Heart Journal</i> , 1990, 11, 207-212.	1.0	107
228	Effect of prostaglandin E2 on proline uptake and protein synthesis by cultured human mesangial cells. <i>Kidney International</i> , 1990, 38, 1151-1158.	2.6	23
229	Cardioprotective effect of trimetazidine in severe ischemic cardiomyopathy. <i>Cardiovascular Drugs and Therapy</i> , 1990, 4, 861-865.	1.3	15
230	Other Organs. , 0, , 311-332.		0