

Lei Xing

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2567358/publications.pdf>

Version: 2024-02-01

71
papers

2,960
citations

185998

28
h-index

168136

53
g-index

71
all docs

71
docs citations

71
times ranked

2489
citing authors

#	ARTICLE	IF	CITATIONS
1	Ordered mesoporous Pt-Ru-Ir nanostructures as superior bifunctional electrocatalyst for oxygen reduction/oxygen evolution reactions. <i>Journal of Colloid and Interface Science</i> , 2022, 608, 207-218.	5.0	26
2	Reinforcement of proton exchange membrane fuel cell performance through a novel flow field design with auxiliary channels and a hole array. <i>AICHE Journal</i> , 2022, 68, e17461.	1.8	8
3	Characterization of excipients to improve pharmaceutical properties of sirolimus in the supercritical anti-solvent fluidized process. <i>International Journal of Pharmaceutics</i> , 2022, 611, 121240.	2.6	6
4	Multi-sub-inlets at cathode flow-field plate for current density homogenization and enhancement of PEM fuel cells in low relative humidity. <i>Energy Conversion and Management</i> , 2022, 252, 115069.	4.4	62
5	Potential of enhanced weathering of calcite in packed bubble columns with seawater for carbon dioxide removal. <i>Chemical Engineering Journal</i> , 2022, 431, 134096.	6.6	11
6	Cu ₂ O nano-flowers/graphene enabled scaffolding structure catalyst layer for enhanced CO ₂ electrochemical reduction. <i>Applied Catalysis B: Environmental</i> , 2022, 305, 121022.	10.8	29
7	Boosting the performance of alkaline direct ethanol fuel cell with low-Pd-loading nickel foam electrode via mixed acid-etching. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 9672-9679.	3.8	12
8	Comparison of state-of-the-art machine learning algorithms and data-driven optimization methods for mitigating nitrogen crossover in PEM fuel cells. <i>Chemical Engineering Journal</i> , 2022, 442, 136064.	6.6	22
9	Nano-Graphene Layer from Facile, Scalable and Eco-Friendly Liquid Phase Exfoliation Strategy as Effective Barrier Layer for High-Performance and Durable Direct Liquid Alcohol Fuel Cells. <i>Molecules</i> , 2022, 27, 3044.	1.7	2
10	Mass transfer effect to electrochemical reduction of CO ₂ : Electrode, electrocatalyst and electrolyte. <i>Journal of Energy Storage</i> , 2022, 52, 104764.	3.9	39
11	Improvement of under-rib oxygen concentration and water removal in proton exchange membrane fuel cells through three-dimensional metal printed novel flow fields. <i>AICHE Journal</i> , 2022, 68, .	1.8	5
12	A numerical study of dynamic behaviors of a unitized regenerative fuel cell during gas purging. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 22203-22214.	3.8	12
13	Visible-light-driven photocatalytic activity of kaolinite: Sensitized by in situ growth of Cu ₂ O. <i>Environmental Progress and Sustainable Energy</i> , 2021, 40, .	1.3	4
14	Sandwich hydrogel with confined plasmonic Cu/carbon cells for efficient solar water purification. <i>Journal of Materials Chemistry A</i> , 2021, 9, 15462-15471.	5.2	41
15	A segmented fuel cell unit with functionally graded distributions of platinum loading and operating temperature. <i>Chemical Engineering Journal</i> , 2021, 406, 126889.	6.6	40
16	Enhanced low-humidity performance of proton exchange membrane fuel cell by incorporating phosphoric acid-loaded covalent organic framework in anode catalyst layer. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 10903-10912.	3.8	13
17	Multiphysics Modeling and Simulation of Subcutaneous Injection and Absorption of Biotherapeutics: Model Development. <i>Pharmaceutical Research</i> , 2021, 38, 607-624.	1.7	14
18	Levelling renewable power output using hydrogen-based storage systems: A techno-economic analysis. <i>Journal of Energy Storage</i> , 2021, 37, 102413.	3.9	17

#	ARTICLE	IF	CITATIONS
19	Multiphysics Modeling and Simulation of Subcutaneous Injection and Absorption of Biotherapeutics: Sensitivity Analysis. <i>Pharmaceutical Research</i> , 2021, 38, 1011-1030.	1.7	15
20	Combining Baffles and Secondary Porous Layers for Performance Enhancement of Proton Exchange Membrane Fuel Cells. <i>Energies</i> , 2021, 14, 3675.	1.6	7
21	Carbon Nanofibers-Assembled Tungsten Oxide as Unique Hybrid Electrode Materials for High-Performance Symmetric Supercapacitors. <i>Energy & Fuels</i> , 2021, 35, 11572-11579.	2.5	16
22	Enhanced performance of high temperature polymer electrolyte membrane fuel cell using a novel dual catalyst layer structured cathode. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, 125, 285-290.	2.7	10
23	Pt-based (Zn, Cu) nanodendrites with enhanced catalytic efficiency and durability toward methanol electro-oxidation via trace Ir-doping engineering. <i>Journal of Colloid and Interface Science</i> , 2021, 598, 126-135.	5.0	18
24	Enhanced weathering to capture atmospheric carbon dioxide: Modeling of a trickle-bed reactor. <i>AIChE Journal</i> , 2021, 67, e17202.	1.8	11
25	Modeling and Upscaling Analysis of Gas Diffusion Electrode-Based Electrochemical Carbon Dioxide Reduction Systems. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 351-361.	3.2	34
26	Enhanced Cell Performance and Improved Catalyst Utilization for a Direct Methanol Fuel Cell with an In-Plane Gradient Loading Catalyst Electrode. <i>Processes</i> , 2021, 9, 1787.	1.3	2
27	Constructing a graphene-contained layer in anode to improve the performance of direct methanol fuel cells using high-concentration fuel. <i>International Journal of Green Energy</i> , 2021, 18, 566-577.	2.1	6
28	Numerical study of inhomogeneous deformation of gas diffusion layers on proton exchange membrane fuel cells performance. <i>Journal of Energy Storage</i> , 2021, 44, 103486.	3.9	9
29	Modeling the effect of temperature on performance of an iron-vanadium redox flow battery with deep eutectic solvent (DES) electrolyte. <i>Journal of Power Sources</i> , 2020, 449, 227491.	4.0	29
30	Experimental investigation on the effect of mixed acids etched nickel foam electrode on performance of an alkaline direct ethanol fuel cell. <i>E3S Web of Conferences</i> , 2020, 194, 02021.	0.2	1
31	Bimetallic Pt ₃ Mn nanowire network structures with enhanced electrocatalytic performance for methanol oxidation. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 30455-30462.	3.8	22
32	Carbon supported PtPdCr ternary alloy nanoparticles with enhanced electrocatalytic activity and durability for methanol oxidation reaction. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 22752-22760.	3.8	29
33	Stable Surface-Anchored Cu Nanocubes for CO ₂ Electroreduction to Ethylene. <i>ACS Applied Nano Materials</i> , 2020, 3, 8328-8334.	2.4	41
34	Coexisting Single-Atomic Fe and Ni Sites on Hierarchically Ordered Porous Carbon as a Highly Efficient ORR Electrocatalyst. <i>Advanced Materials</i> , 2020, 32, e2004670.	11.1	404
35	Sandwich Photothermal Membrane with Confined Hierarchical Carbon Cells Enabling High-Efficiency Solar Steam Generation. <i>Small</i> , 2020, 16, e2000573.	5.2	67
36	Balancing the electron conduction and mass transfer: Effect of nickel foam thickness on the performance of an alkaline direct ethanol fuel cell (ADEFC) with 3D porous anode. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 19801-19812.	3.8	17

#	ARTICLE	IF	CITATIONS
37	Numerical investigation on the dispersion effect in vanadium redox flow battery. <i>Chemical Engineering Journal</i> , 2020, 393, 124753.	6.6	48
38	A novel flow field with controllable pressure gradient to enhance mass transport and water removal of PEM fuel cells. <i>AIChE Journal</i> , 2020, 66, e16957.	1.8	23
39	Improving cell performance and alleviating performance degradation by constructing a novel structure of membrane electrode assembly (MEA) of DMFCs. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 32231-32239.	3.8	33
40	GA Optimization Method for a Multi-Vector Energy System Incorporating Wind, Hydrogen, and Fuel Cells for Rural Village Applications. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 3554.	1.3	8
41	Membrane electrode assemblies for PEM fuel cells: A review of functional graded design and optimization. <i>Energy</i> , 2019, 177, 445-464.	4.5	162
42	Silver Nanoparticle/Multiwalled Carbon Nanotube Hybrid as an Efficient Electrocatalyst for the Oxygen Reduction Reaction in Alkaline Medium. <i>ChemElectroChem</i> , 2019, 6, 2489-2496.	1.7	5
43	In-situ growth of Zn ²⁺ /AgIn ₅ S ₈ quantum dots on Ag-C ₃ N ₄ towards 0D/2D heterostructured photocatalysts with enhanced hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 15882-15891.	3.8	135
44	GA-Aided Power Flow Management in a Multi-Vector Energy System. , 2019, , .		0
45	Three-dimensional interconnected MoS ₂ nanosheets on industrial 316L stainless steel mesh as an efficient hydrogen evolution electrode. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 1555-1564.	3.8	46
46	Numerical matching of anisotropic transport processes in porous electrodes of proton exchange membrane fuel cells. <i>Chemical Engineering Science</i> , 2019, 195, 127-140.	1.9	40
47	Self-induced Fenton reaction constructed by Fe(III) grafted BiVO ₄ nanosheets with improved photocatalytic performance and mechanism insight. <i>Applied Surface Science</i> , 2019, 467-468, 673-683.	3.1	15
48	An agglomerate model for PEM fuel cells operated with non-precious carbon-based ORR catalysts. <i>Chemical Engineering Science</i> , 2018, 179, 198-213.	1.9	26
49	Effect of air supply on the performance of an active direct methanol fuel cell (DMFC) fed with neat methanol. <i>International Journal of Green Energy</i> , 2018, 15, 181-188.	2.1	24
50	Effects of blade thickness on hydraulic performance and structural dynamic characteristics of high-power coolant pump at overload condition. <i>Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy</i> , 2018, 232, 992-1003.	0.8	7
51	A low-cost clay-based heterogeneous Fenton-like catalyst: Activation, efficiency enhancement, and mechanism study. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2018, 13, e2156.	0.8	5
52	In-situ diagnosis on performance degradation of high temperature polymer electrolyte membrane fuel cell by examining its electrochemical properties under operation. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 21006-21016.	3.8	33
53	Homogenization of current density of PEM fuel cells by in-plane graded distributions of platinum loading and GDL porosity. <i>Chemical Engineering Science</i> , 2018, 192, 699-713.	1.9	73
54	Inhomogeneous distribution of platinum and ionomer in the porous cathode to maximize the performance of a PEM fuel cell. <i>AIChE Journal</i> , 2017, 63, 4895-4910.	1.8	40

#	ARTICLE	IF	CITATIONS
55	Coating of sodium percarbonate particles using water soluble materials in a fluidised bed to achieve delayed release in aqueous environment. Cogent Engineering, 2017, 4, 1372730.	1.1	0
56	Sulfated Ce-doped TiO ₂ as visible light driven photocatalyst: Preparation, characterization and promotion effects of Ce doping and sulfation on catalyst performance. Environmental Progress and Sustainable Energy, 2017, 36, 494-504.	1.3	13
57	Enhanced visible-light photocatalytic activity of carbonate-doped anatase TiO ₂ based on the electron-withdrawing bidentate carboxylate linkage. Applied Catalysis B: Environmental, 2017, 202, 642-652.	10.8	125
58	Numerical study of the effect of relative humidity and stoichiometric flow ratio on PEM (proton) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 62 modelling. Energy, 2016, 106, 631-645.	4.5	83
59	Acclimated sediment microbial fuel cells from a eutrophic lake for the in situ denitrification process. RSC Advances, 2016, 6, 80079-80085.	1.7	9
60	A polybenzimidazole/graphite oxide based three layer membrane for intermediate temperature polymer electrolyte membrane fuel cells. RSC Advances, 2016, 6, 72224-72229.	1.7	13
61	Anode partial flooding modelling of proton exchange membrane fuel cells: Optimisation of electrode properties and channel geometries. Chemical Engineering Science, 2016, 146, 88-103.	1.9	56
62	Anode partial flooding modelling of proton exchange membrane fuel cells: Model development and validation. Energy, 2016, 96, 80-95.	4.5	75
63	Numerical analysis of the optimum membrane/ionomer water content of PEMFCs: The interaction of Nafion® ionomer content and cathode relative humidity. Applied Energy, 2015, 138, 242-257.	5.1	109
64	A two-phase flow and non-isothermal agglomerate model for a proton exchange membrane (PEM) fuel cell. Energy, 2014, 73, 618-634.	4.5	194
65	Numerical investigation of the optimal Nafion® ionomer content in cathode catalyst layer: An agglomerate two-phase flow modelling. International Journal of Hydrogen Energy, 2014, 39, 9087-9104.	3.8	86
66	Multi-variable optimisation of PEMFC cathodes based on surrogate modelling. International Journal of Hydrogen Energy, 2013, 38, 14295-14313.	3.8	64
67	A two dimensional agglomerate model for a proton exchange membrane fuel cell. Energy, 2013, 61, 196-210.	4.5	70
68	Direct Methanol Fuel Cells. Advances in Chemical Engineering, 2012, 41, 145-196.	0.5	23
69	A poly (ethylene oxide)/graphene oxide electrolyte membrane for low temperature polymer fuel cells. Journal of Power Sources, 2011, 196, 8377-8382.	4.0	168
70	Transient Response and Steady-State Analysis of the Anode of Direct Methanol Fuel Cells Based on Dual-Site Kinetics. International Journal of Electrochemistry, 2011, 2011, 1-14.	2.4	2
71	Analysis of the kinetics of methanol oxidation in a porous Pt-Ru anode. Journal of Power Sources, 2010, 195, 1-10.	4.0	46