

# Harry Hx Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2567758/publications.pdf>

Version: 2024-02-01

112  
papers

4,029  
citations

236925

25  
h-index

133252

59  
g-index

118  
all docs

118  
docs citations

118  
times ranked

8611  
citing authors

#	ARTICLE	IF	CITATIONS
1	Healthcare needs, experiences and treatment burden in primary care patients with multimorbidity: An evaluation of process of care from patients' perspectives. <i>Health Expectations</i> , 2022, 25, 203-213.	2.6	12
2	The cost-effectiveness of starting 23-valent pneumococcal polysaccharide vaccine and influenza vaccination at 50 vs. 65 years: A comparative modelling study. <i>Vaccine</i> , 2022, , .	3.8	1
3	A Global Evaluation of the Performance Indicators of Colorectal Cancer Screening with Fecal Immunochemical Tests and Colonoscopy: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2022, 14, 1073.	3.7	12
4	Dietary intake of monounsaturated and polyunsaturated fatty acids is related to the reduced risk of esophageal squamous cell carcinoma. <i>Lipids in Health and Disease</i> , 2022, 21, 25.	3.0	5
5	Outside Back Cover: Volume 25 Issue 1. <i>Health Expectations</i> , 2022, 25, .	2.6	0
6	Primary care-based lung and breast cancer control in China: A commentary on lessons learnt from Korea. <i>European Journal of Cancer Care</i> , 2022, 31, .	1.5	1
7	Performance of screening tests for esophageal squamous cell carcinoma: a systematic review and meta-analysis. <i>Gastrointestinal Endoscopy</i> , 2022, 96, 197-207.e34.	1.0	7
8	Leveraging the power of health communication: messaging matters not only in clinical practice but also in public health. , 2022, 28, 103-105.		5
9	Time Window for Acute Stroke Management: A Cross-Sectional Study Among Community Healthcare Practitioners in Primary Care. <i>International Journal of General Medicine</i> , 2022, Volume 15, 4483-4493.	1.8	4
10	Association between Systolic Blood Pressure and Diabetic Retinopathy in Both Hypertensive and Normotensive Patients with Type 2 Diabetes: Risk Factors and Healthcare Implications. <i>Healthcare (Switzerland)</i> , 2021, 9, 580.	2.0	5
11	Indoor solid fuel use for heating and cooking with blood pressure and hypertension: A cross-sectional study among middle-aged and older adults in China. <i>Indoor Air</i> , 2021, 31, 2158-2166.	4.3	28
12	Scientific research on COVID-19 conducted in Hong Kong in 2020. , 2021, 27, 244-246.		0
13	IDDF2021-ABS-0179â€¦The association between organised colorectal cancer screening and reduction of its related mortality: a systematic review and meta-analysis. , 2021, , .		0
14	Association between Hypertriglyceridemic-Waist Phenotype and Risk of Type 2 Diabetes Mellitus in Middle-Aged and Older Chinese Population: A Longitudinal Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9618.	2.6	10
15	The association of nighttime sleep duration and quality with chronic kidney disease in middle-aged and older Chinese: a cohort study. <i>Sleep Medicine</i> , 2021, 86, 25-31.	1.6	16
16	Can fecal calprotectin accurately identify histological activity of ulcerative colitis? A meta-analysis. <i>Therapeutic Advances in Gastroenterology</i> , 2021, 14, 175628482199474.	3.2	3
17	Integration of health and social care: necessary but challenging for all. <i>British Journal of General Practice</i> , 2021, 71, 442-443.	1.4	0
18	Body Constitution and Unhealthy Lifestyles in a Primary Care Population at High Cardiovascular Risk: New Insights for Health Management. <i>International Journal of General Medicine</i> , 2021, Volume 14, 6991-7001.	1.8	3

#	ARTICLE	IF	CITATIONS
19	Adverse Childhood Experiences and Subsequent Chronic Diseases Among Middle-aged or Older Adults in China and Associations With Demographic and Socioeconomic Characteristics. <i>JAMA Network Open</i> , 2021, 4, e2130143.	5.9	84
20	Follow-up care delivery in community-based hypertension and type 2 diabetes management: a multi-centre, survey study among rural primary care physicians in China. <i>BMC Family Practice</i> , 2021, 22, 224.	2.9	9
21	Association of the Labor Migration of Parents With Nonsuicidal Self-injury and Suicidality Among Their Offspring in China. <i>JAMA Network Open</i> , 2021, 4, e2133596.	5.9	15
22	Understanding Barriers to Adherence to Optimal Treatment of Elevated Blood Pressure and Hypertension—Insights From Primary Care. <i>JAMA Network Open</i> , 2021, 4, e2138651.	5.9	3
23	Influence of health education on clinical parameters in type 2 diabetic subjects with and without hypertension: A longitudinal, comparative analysis in routine primary care settings. <i>Diabetes Research and Clinical Practice</i> , 2020, 170, 108539.	2.8	8
24	Global, regional, and national estimates of the population at increased risk of severe COVID-19 due to underlying health conditions in 2020: a modelling study. <i>The Lancet Global Health</i> , 2020, 8, e1003-e1017.	6.3	760
25	Neutrophil-to-lymphocyte ratio as an independent risk factor for mortality in hospitalized patients with COVID-19. <i>Journal of Infection</i> , 2020, 81, e6-e12.	3.3	731
26	Global, regional and time-trend prevalence of central obesity: a systematic review and meta-analysis of 13.2 million subjects. <i>European Journal of Epidemiology</i> , 2020, 35, 673-683.	5.7	112
27	Taking a multidisciplinary team approach to better healthcare outcomes for society. , 2020, 26, 551-552.		1
28	Medication adherence among the older adults: challenges and recommendations. , 2020, 26, 476-478.		3
29	Contributions of physicians to government-subsidised disease prevention programmes: an appeal for active participation. , 2020, 26, 364-366.		1
30	IDDF2020-ABS-0142—Performance indicators of organised colorectal cancer screening programmes using faecal immunochemical tests and colonoscopy: a systematic review and meta-analysis. , 2020, , .		0
31	Capability of four sigmoidoscopy-based screening strategies to predict proximal neoplasia in an asymptomatic Chinese population. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 707-712.	2.8	1
32	Implications of evidence-based understanding of benefits and risks for cancer prevention strategy. , 2019, 25, 346-348.		1
33	Association between investigator-measured body-mass index and colorectal adenoma: a systematic review and meta-analysis of 168,201 subjects. <i>European Journal of Epidemiology</i> , 2018, 33, 15-26.	5.7	22
34	Global Incidence and mortality of oesophageal cancer and their correlation with socioeconomic indicators temporal patterns and trends in 41 countries. <i>Scientific Reports</i> , 2018, 8, 4522.	3.3	92
35	Benefits and limitations of implementing Chronic Care Model (CCM) in primary care programs: A systematic review. <i>International Journal of Cardiology</i> , 2018, 258, 279-288.	1.7	61
36	A7365 Effectiveness of self-management patient education combined with family doctor team service among Chinese type 2 diabetic patients in urban-rural fringe area. <i>Journal of Hypertension</i> , 2018, 36, e307.	0.5	0

#	ARTICLE	IF	CITATIONS
37	The adoption of hypertension reference framework: An investigation among primary care physicians of Hong Kong. PLoS ONE, 2018, 13, e0205529.	2.5	2
38	Global Patterns and Trends of Esophageal Cancer: A Joinpoint Regression Analysis. Clinical Gastroenterology and Hepatology, 2017, 15, e34.	4.4	0
39	Performance of a Score for Advanced Proximal Colorectal Neoplasia in a Chinese Population. Clinical Gastroenterology and Hepatology, 2017, 15, e33.	4.4	1
40	An algorithm to predict advanced proximal colorectal neoplasia in Chinese asymptomatic population. Scientific Reports, 2017, 7, 46493.	3.3	5
41	The Relationship Between Distal Findings and Proximal Neoplasia in Colorectal Cancer Screening: A Systematic Review and Meta-Analysis. Gastroenterology, 2017, 152, S21-S22.	1.3	1
42	The Association between Distal Findings and Proximal Colorectal Neoplasia: A Systematic Review and Meta-Analysis. American Journal of Gastroenterology, 2017, 112, 1234-1245.	0.4	8
43	The unhealthy lifestyle factors associated with an increased risk of poor nutrition among the elderly population in China. Journal of Nutrition, Health and Aging, 2017, 21, 943-953.	3.3	10
44	International incidence and mortality trends of liver cancer: a global profile. Scientific Reports, 2017, 7, 45846.	3.3	199
45	Impacts of undetected and inadequately treated hypertension on incident stroke in China. BMJ Open, 2017, 7, e016581.	1.9	18
46	Body-Mass Index and Colorectal Neoplasia According to Gender and Ethnicity: A Systematic Review and Meta-Analysis. Gastroenterology, 2017, 152, S829-S830.	1.3	0
47	Approaching the Hard-to-Reach in Organized Colorectal Cancer Screening: an Overview of Individual, Provider and System Level Coping Strategies. AIMS Public Health, 2017, 4, 289-300.	2.6	5
48	Medication Adherence and Blood Pressure Control Among Hypertensive Patients With Coexisting Long-Term Conditions in Primary Care Settings. Medicine (United States), 2016, 95, e3572.	1.0	34
49	Tailoring choice between colonoscopy versus sigmoidoscopy for population-based colorectal cancer screening in Chinese patients: a prospective colonoscopy study. Lancet, The, 2016, 388, S87.	13.7	4
50	The association between types of regular primary care and hospitalization among people with and without multimorbidity: A household survey on 25,780 Chinese. Scientific Reports, 2016, 6, 29758.	3.3	17
51	The effectiveness of Dietary Approaches to Stop Hypertension (DASH) counselling on estimated 10-year cardiovascular risk among patients with newly diagnosed grade 1 hypertension: A randomised clinical trial. International Journal of Cardiology, 2016, 224, 79-87.	1.7	6
52	The incidence of all-cause, cardiovascular and respiratory disease admission among 20,252 users of lisinopril vs. perindopril: A cohort study. International Journal of Cardiology, 2016, 219, 410-416.	1.7	3
53	OS 22-02 Hypertensive patients with multimorbidity in mainland China, Scotland, and Hong Kong. Journal of Hypertension, 2016, 34, e238.	0.5	0
54	PS 15-14 PATIENTSâ€™ PERCEPTIONS OF HEALTH CARE MANAGEMENT AMONG CHINESE RURAL MIDDLE-AGED AND OLDER ADULTS WITH CARDIOVASCULAR CONDITIONS. Journal of Hypertension, 2016, 34, e462-e463.	0.5	1

#	ARTICLE	IF	CITATIONS
55	Use of Traditional and Complementary Medicine as Self-Care Strategies in Community Health Centers. <i>Medicine (United States)</i> , 2016, 95, e3761.	1.0	14
56	The adoption of the Reference Framework for diabetes care among primary care physicians in primary care settings. <i>Medicine (United States)</i> , 2016, 95, e4108.	1.0	3
57	Global Incidence and Mortality for Prostate Cancer: Analysis of Temporal Patterns and Trends in 36 Countries. <i>European Urology</i> , 2016, 70, 862-874.	1.9	392
58	Effect of employment and social medical insurance on hospital admissions for people living with multimorbidity in China: analysis of a large community household survey. <i>Lancet, The</i> , 2015, 386, S19.	13.7	0
59	Patients' experiences in community health centres under the health-care reform: research findings from a cross-sectional study using the Primary Care Assessment Tool in China. <i>Lancet, The</i> , 2015, 386, S69.	13.7	0
60	The development of urban community health centres for strengthening primary care in China: a systematic literature review. <i>British Medical Bulletin</i> , 2015, 116, ldv043.	6.9	56
61	Rapid emergence of atherosclerosis in Asia. <i>Current Opinion in Lipidology</i> , 2015, 26, 257-269.	2.7	52
62	Evaluation of anti-smoking television advertising on tobacco control among urban community population in Chongqing, China. <i>Tobacco Induced Diseases</i> , 2015, 13, 31.	0.6	8
63	The Perception of Health Care Management among Middle-aged and Elderly Patients with Major Cardiovascular Conditions in Rural Settings. <i>Journal of Hypertension</i> , 2015, 33, e20-e21.	0.5	0
64	The Association Between Physical Activity, Mental Status, and Social and Family Support with Five Major Non-Communicable Chronic Diseases Among Elderly People: A Cross-Sectional Study of a Rural Population in Southern China. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 13209-13223.	2.6	19
65	Attributes of primary care in community health centres in China and implications for equitable care: a cross-sectional measurement of patients' experiences. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015, 108, 549-560.	0.5	25
66	Determinants of medication adherence and blood pressure control among hypertensive patients in Hong Kong: A cross-sectional study. <i>International Journal of Cardiology</i> , 2015, 182, 250-257.	1.7	60
67	The rising prevalence of self-reported hypertension among Chinese subjects: a population-based study from 121 895 household interviews. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015, 108, 9-17.	0.5	11
68	International primary care snapshots: Israel and China. <i>British Journal of General Practice</i> , 2015, 65, 250-251.	1.4	13
69	Dietary counselling with the Dietary Approaches to Stop Hypertension (DASH) diet for Chinese patients with grade 1 hypertension: a parallel-group, randomised controlled trial. <i>Lancet, The</i> , 2015, 386, S8.	13.7	3
70	Duration of initial antihypertensive prescription and medication adherence: A cohort study among 203,259 newly diagnosed hypertensive patients. <i>International Journal of Cardiology</i> , 2015, 182, 503-508.	1.7	13
71	Relationships of Multimorbidity and Income With Hospital Admissions in 3 Health Care Systems. <i>Annals of Family Medicine</i> , 2015, 13, 164-167.	1.9	56
72	Comparison of three models of ownership of community health centres in China: a qualitative study. <i>Journal of Health Services Research and Policy</i> , 2015, 20, 162-169.	1.7	29

#	ARTICLE	IF	CITATIONS
73	Factors associated with grade 1 hypertension: implications for hypertension care based on the Dietary Approaches to Stop Hypertension (DASH) in primary care settings. <i>BMC Family Practice</i> , 2015, 16, 26.	2.9	16
74	The effectiveness of perindopril vs. lisinopril on reducing the incidence of diabetes and renal diseases: A cohort study of 20,252 patients. <i>International Journal of Cardiology</i> , 2015, 190, 384-388.	1.7	2
75	Dietary counselling has no effect on cardiovascular risk factors among Chinese Grade 1 hypertensive patients: a randomized controlled trial. <i>European Heart Journal</i> , 2015, 36, 2598-2607.	2.2	32
76	Association between the 8-item Morisky medication adherence scale (MMAS-8) score and glycaemic control among Chinese diabetes patients. <i>Journal of Clinical Pharmacology</i> , 2015, 55, 279-287.	2.0	31
77	The incidence of cancer deaths among hypertensive patients in a large Chinese population: A cohort study. <i>International Journal of Cardiology</i> , 2015, 179, 178-185.	1.7	16
78	Abstract 10862: The Effects of a New Medication Monitoring Programme on Blood Pressure Control Among Elderly Home Residents With Multiple Medications. <i>Circulation</i> , 2015, 132, .	1.6	0
79	Epidemiology of multimorbidity in China and implications for the healthcare system: cross-sectional survey among 162,464 community household residents in southern China. <i>BMC Medicine</i> , 2014, 12, 188.	5.5	203
80	The association between multimorbidity and poor adherence with cardiovascular medications. <i>International Journal of Cardiology</i> , 2014, 177, 477-482.	1.7	34
81	Cardiovascular mortality in hypertensive patients newly prescribed perindopril vs. lisinopril: A 5-year cohort study of 15,622 Chinese subjects. <i>International Journal of Cardiology</i> , 2014, 176, 703-709.	1.7	11
82	Factors associated with multimorbidity and its link with poor blood pressure control among 223,286 hypertensive patients. <i>International Journal of Cardiology</i> , 2014, 177, 202-208.	1.7	35
83	The effectiveness of metoprolol versus atenolol on prevention of all-cause and cardiovascular mortality in a large Chinese population: A cohort study. <i>International Journal of Cardiology</i> , 2014, 175, 425-432.	1.7	8
84	Exposure to air pollutants and mortality in hypertensive patients according to demography: A 10 year case-crossover study. <i>Environmental Pollution</i> , 2014, 192, 179-185.	7.5	9
85	O085 Anti- tobacco TV advertising effect evaluation about local people's tobacco controls in Chongqing, China. , 2014, 9, e23.		0
86	Comparative Effectiveness of Dipeptidyl Peptidase-4 (DPP-4) Inhibitors and Human Glucagon-Like Peptide-1 (GLP-1) Analogue as Add-On Therapies to Sulphonylurea among Diabetes Patients in the Asia-Pacific Region: A Systematic Review. <i>PLoS ONE</i> , 2014, 9, e90963.	2.5	9
87	Determinants of Initial Utilization of Community Healthcare Services among Patients with Major Non-Communicable Chronic Diseases in South China. <i>PLoS ONE</i> , 2014, 9, e116051.	2.5	27
88	Compliance to the DASH diet: a systematic review. <i>International Journal of Cardiology</i> , 2013, 164, S24-S25.	1.7	0
89	Patients at risk for all-cause mortality from a 5 year cohort study among 218,047 Chinese patients. <i>International Journal of Cardiology</i> , 2013, 164, S25.	1.7	0
90	Effectiveness of a community-based medication counseling service on enhancing medication adherence among patients prescribed antihypertensive agents: a randomized controlled trial. <i>International Journal of Cardiology</i> , 2013, 164, S7.	1.7	2

#	ARTICLE	IF	CITATIONS
91	Drug adherence and the incidence of coronary heart disease- and stroke-specific mortality among 218,047 patients newly prescribed an antihypertensive medication: A five-year cohort study. <i>International Journal of Cardiology</i> , 2013, 168, 928-933.	1.7	40
92	The profile of cardiovascular multimorbidity among patients in primary care in southern China: a cross-sectional study. <i>International Journal of Cardiology</i> , 2013, 164, S28.	1.7	3
93	Initial antihypertensive prescription and mortality due to diabetes or renal disease: a five-year cohort study. <i>International Journal of Cardiology</i> , 2013, 164, S24.	1.7	0
94	Predictors of the incidence of all-cause mortality and deaths due to diabetes and renal diseases among patients newly prescribed antihypertensive agents: A cohort study. <i>International Journal of Cardiology</i> , 2013, 168, 4705-4710.	1.7	10
95	The impact of cardiovascular multimorbidity on healthcare service utilisation under three primary care organisational models in China. <i>International Journal of Cardiology</i> , 2013, 164, S1-S2.	1.7	3
96	Factors associated with cardiovascular multimorbidity among primary care patients in southern China. <i>International Journal of Cardiology</i> , 2013, 164, S8-S9.	1.7	1
97	Integrating Traditional Chinese Medicine Services in Community Health Centers: Insights into Utilization Patterns in the Pearl River Region of China. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-8.	1.2	22
98	Patients' Experiences in Different Models of Community Health Centers in Southern China. <i>Annals of Family Medicine</i> , 2013, 11, 517-526.	1.9	66
99	Effectiveness of a Pharmacist-Led Drug Counseling on Enhancing Antihypertensive Adherence and Blood Pressure Control: A Randomized Controlled Trial. <i>Journal of Clinical Pharmacology</i> , 2013, 53, 753-761.	2.0	31
100	Compliance with the Dietary Approaches to Stop Hypertension (DASH) Diet: A Systematic Review. <i>PLoS ONE</i> , 2013, 8, e78412.	2.5	81
101	Determinants of Medication Adherence to Antihypertensive Medications among a Chinese Population Using Morisky Medication Adherence Scale. <i>PLoS ONE</i> , 2013, 8, e62775.	2.5	146
102	Factors Associated With Adoption of the Electronic Health Record System Among Primary Care Physicians. <i>JMIR Medical Informatics</i> , 2013, 1, e1.	2.6	23
103	12 EFFECT OF CARDIOVASCULAR RISK-BASED APPROACH IN PRIMARY CARE PHYSICIAN-LED MANAGEMENT FOR 19,400 HYPERTENSIVE PATIENTS IN SOUTHERN CHINA. <i>Journal of Hypertension</i> , 2012, 30, e4.	0.5	0
104	Pharmacoepidemiological profiles of oral hypoglycemic agents among 28,773 Chinese patients with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2012, 96, 319-325.	2.8	5
105	Performance Comparison among the Major Healthcare Financing Systems in Six Cities of the Pearl River Delta Region, Mainland China. <i>PLoS ONE</i> , 2012, 7, e46309.	2.5	20
106	B004 Subjects at Risk of Antihypertensive Drug Discontinuation: A Cohort Study from 93,286 Chinese Subjects. <i>International Journal of Cardiology</i> , 2011, 147, S2.	1.7	0
107	P061 Hyponatremia and Hypokalemia Induced by Antihypertensive Monotherapies in Clinical Practice: Risk Association Study among Ethnic Chinese Subjects. <i>International Journal of Cardiology</i> , 2011, 147, S26.	1.7	0
108	P080 Pharmacoepidemiological Profile of Fixed-Dose Combination Therapy Among Ethnic Chinese Subjects: A Cohort Study. <i>International Journal of Cardiology</i> , 2011, 147, S32.	1.7	0

#	ARTICLE	IF	CITATIONS
109	P081 Effectiveness of Lifestyle Interventions in Reducing Cardiovascular Risk Factors among Chinese Subjects in Primary Care Setting: A Systematic Review. International Journal of Cardiology, 2011, 147, S32.	1.7	2
110	Non-adherence to lipid-lowering therapies: a need for more studies to evaluate reasons for medication non-adherence. International Journal of Clinical Practice, 2011, 65, 1321-1322.	1.7	1
111	Predictors of switching from beta-blockers to other anti-hypertensive drugs: a review of records of 19,177 Chinese patients seen in public primary care clinics in the New Territory East, Hong Kong. Asia Pacific Family Medicine, 2011, 10, 10.	0.4	3
112	Individuals at risk of beta-blocker discontinuation: a cohort study in 19,177 Chinese patients. Clinical Research in Cardiology, 2010, 99, 277-284.	3.3	5