

Harry Hx Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2567758/publications.pdf>

Version: 2024-02-01

112
papers

4,029
citations

236612

25
h-index

133063

59
g-index

118
all docs

118
docs citations

118
times ranked

8611
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national estimates of the population at increased risk of severe COVID-19 due to underlying health conditions in 2020: a modelling study. <i>The Lancet Global Health</i> , 2020, 8, e1003-e1017.	2.9	760
2	Neutrophil-to-lymphocyte ratio as an independent risk factor for mortality in hospitalized patients with COVID-19. <i>Journal of Infection</i> , 2020, 81, e6-e12.	1.7	731
3	Global Incidence and Mortality for Prostate Cancer: Analysis of Temporal Patterns and Trends in 36 Countries. <i>European Urology</i> , 2016, 70, 862-874.	0.9	392
4	Epidemiology of multimorbidity in China and implications for the healthcare system: cross-sectional survey among 162,464 community household residents in southern China. <i>BMC Medicine</i> , 2014, 12, 188.	2.3	203
5	International incidence and mortality trends of liver cancer: a global profile. <i>Scientific Reports</i> , 2017, 7, 45846.	1.6	199
6	Determinants of Medication Adherence to Antihypertensive Medications among a Chinese Population Using Morisky Medication Adherence Scale. <i>PLoS ONE</i> , 2013, 8, e62775.	1.1	146
7	Global, regional and time-trend prevalence of central obesity: a systematic review and meta-analysis of 13.2 million subjects. <i>European Journal of Epidemiology</i> , 2020, 35, 673-683.	2.5	112
8	Global Incidence and mortality of oesophageal cancer and their correlation with socioeconomic indicators temporal patterns and trends in 41 countries. <i>Scientific Reports</i> , 2018, 8, 4522.	1.6	92
9	Adverse Childhood Experiences and Subsequent Chronic Diseases Among Middle-aged or Older Adults in China and Associations With Demographic and Socioeconomic Characteristics. <i>JAMA Network Open</i> , 2021, 4, e2130143.	2.8	84
10	Compliance with the Dietary Approaches to Stop Hypertension (DASH) Diet: A Systematic Review. <i>PLoS ONE</i> , 2013, 8, e78412.	1.1	81
11	Patients' Experiences in Different Models of Community Health Centers in Southern China. <i>Annals of Family Medicine</i> , 2013, 11, 517-526.	0.9	66
12	Benefits and limitations of implementing Chronic Care Model (CCM) in primary care programs: A systematic review. <i>International Journal of Cardiology</i> , 2018, 258, 279-288.	0.8	61
13	Determinants of medication adherence and blood pressure control among hypertensive patients in Hong Kong: A cross-sectional study. <i>International Journal of Cardiology</i> , 2015, 182, 250-257.	0.8	60
14	The development of urban community health centres for strengthening primary care in China: a systematic literature review. <i>British Medical Bulletin</i> , 2015, 116, ldv043.	2.7	56
15	Relationships of Multimorbidity and Income With Hospital Admissions in 3 Health Care Systems. <i>Annals of Family Medicine</i> , 2015, 13, 164-167.	0.9	56
16	Rapid emergence of atherosclerosis in Asia. <i>Current Opinion in Lipidology</i> , 2015, 26, 257-269.	1.2	52
17	Drug adherence and the incidence of coronary heart disease- and stroke-specific mortality among 218,047 patients newly prescribed an antihypertensive medication: A five-year cohort study. <i>International Journal of Cardiology</i> , 2013, 168, 928-933.	0.8	40
18	Factors associated with multimorbidity and its link with poor blood pressure control among 223,286 hypertensive patients. <i>International Journal of Cardiology</i> , 2014, 177, 202-208.	0.8	35

#	ARTICLE	IF	CITATIONS
19	The association between multimorbidity and poor adherence with cardiovascular medications. <i>International Journal of Cardiology</i> , 2014, 177, 477-482.	0.8	34
20	Medication Adherence and Blood Pressure Control Among Hypertensive Patients With Coexisting Long-Term Conditions in Primary Care Settings. <i>Medicine (United States)</i> , 2016, 95, e3572.	0.4	34
21	Dietary counselling has no effect on cardiovascular risk factors among Chinese Grade 1 hypertensive patients: a randomized controlled trial. <i>European Heart Journal</i> , 2015, 36, 2598-2607.	1.0	32
22	Effectiveness of a Pharmacist-Led Drug Counseling on Enhancing Antihypertensive Adherence and Blood Pressure Control: A Randomized Controlled Trial. <i>Journal of Clinical Pharmacology</i> , 2013, 53, 753-761.	1.0	31
23	Association between the 8-item Morisky medication adherence scale (MMAS-8) score and glycaemic control among Chinese diabetes patients. <i>Journal of Clinical Pharmacology</i> , 2015, 55, 279-287.	1.0	31
24	Comparison of three models of ownership of community health centres in China: a qualitative study. <i>Journal of Health Services Research and Policy</i> , 2015, 20, 162-169.	0.8	29
25	Indoor solid fuel use for heating and cooking with blood pressure and hypertension: A cross-sectional study among middle-aged and older adults in China. <i>Indoor Air</i> , 2021, 31, 2158-2166.	2.0	28
26	Determinants of Initial Utilization of Community Healthcare Services among Patients with Major Non-Communicable Chronic Diseases in South China. <i>PLoS ONE</i> , 2014, 9, e116051.	1.1	27
27	Attributes of primary care in community health centres in China and implications for equitable care: a cross-sectional measurement of patients' experiences. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015, 108, 549-560.	0.2	25
28	Factors Associated With Adoption of the Electronic Health Record System Among Primary Care Physicians. <i>JMIR Medical Informatics</i> , 2013, 1, e1.	1.3	23
29	Integrating Traditional Chinese Medicine Services in Community Health Centers: Insights into Utilization Patterns in the Pearl River Region of China. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-8.	0.5	22
30	Association between investigator-measured body-mass index and colorectal adenoma: a systematic review and meta-analysis of 168,201 subjects. <i>European Journal of Epidemiology</i> , 2018, 33, 15-26.	2.5	22
31	Performance Comparison among the Major Healthcare Financing Systems in Six Cities of the Pearl River Delta Region, Mainland China. <i>PLoS ONE</i> , 2012, 7, e46309.	1.1	20
32	The Association Between Physical Activity, Mental Status, and Social and Family Support with Five Major Non-Communicable Chronic Diseases Among Elderly People: A Cross-Sectional Study of a Rural Population in Southern China. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 13209-13223.	1.2	19
33	Impacts of undetected and inadequately treated hypertension on incident stroke in China. <i>BMJ Open</i> , 2017, 7, e016581.	0.8	18
34	The association between types of regular primary care and hospitalization among people with and without multimorbidity: A household survey on 25,780 Chinese. <i>Scientific Reports</i> , 2016, 6, 29758.	1.6	17
35	Factors associated with grade 1 hypertension: implications for hypertension care based on the Dietary Approaches to Stop Hypertension (DASH) in primary care settings. <i>BMC Family Practice</i> , 2015, 16, 26.	2.9	16
36	The incidence of cancer deaths among hypertensive patients in a large Chinese population: A cohort study. <i>International Journal of Cardiology</i> , 2015, 179, 178-185.	0.8	16

#	ARTICLE	IF	CITATIONS
37	The association of nighttime sleep duration and quality with chronic kidney disease in middle-aged and older Chinese: a cohort study. <i>Sleep Medicine</i> , 2021, 86, 25-31.	0.8	16
38	Association of the Labor Migration of Parents With Nonsuicidal Self-injury and Suicidality Among Their Offspring in China. <i>JAMA Network Open</i> , 2021, 4, e2133596.	2.8	15
39	Use of Traditional and Complementary Medicine as Self-Care Strategies in Community Health Centers. <i>Medicine (United States)</i> , 2016, 95, e3761.	0.4	14
40	International primary care snapshots: Israel and China. <i>British Journal of General Practice</i> , 2015, 65, 250-251.	0.7	13
41	Duration of initial antihypertensive prescription and medication adherence: A cohort study among 203,259 newly diagnosed hypertensive patients. <i>International Journal of Cardiology</i> , 2015, 182, 503-508.	0.8	13
42	Healthcare needs, experiences and treatment burden in primary care patients with multimorbidity: An evaluation of process of care from patients' perspectives. <i>Health Expectations</i> , 2022, 25, 203-213.	1.1	12
43	A Global Evaluation of the Performance Indicators of Colorectal Cancer Screening with Fecal Immunochemical Tests and Colonoscopy: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2022, 14, 1073.	1.7	12
44	Cardiovascular mortality in hypertensive patients newly prescribed perindopril vs. lisinopril: A 5-year cohort study of 15,622 Chinese subjects. <i>International Journal of Cardiology</i> , 2014, 176, 703-709.	0.8	11
45	The rising prevalence of self-reported hypertension among Chinese subjects: a population-based study from 121 895 household interviews. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015, 108, 9-17.	0.2	11
46	Predictors of the incidence of all-cause mortality and deaths due to diabetes and renal diseases among patients newly prescribed antihypertensive agents: A cohort study. <i>International Journal of Cardiology</i> , 2013, 168, 4705-4710.	0.8	10
47	The unhealthy lifestyle factors associated with an increased risk of poor nutrition among the elderly population in China. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 943-953.	1.5	10
48	Association between Hypertriglyceridemic-Waist Phenotype and Risk of Type 2 Diabetes Mellitus in Middle-Aged and Older Chinese Population: A Longitudinal Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9618.	1.2	10
49	Exposure to air pollutants and mortality in hypertensive patients according to demography: A 10 year case-crossover study. <i>Environmental Pollution</i> , 2014, 192, 179-185.	3.7	9
50	Comparative Effectiveness of Dipeptidyl Peptidase-4 (DPP-4) Inhibitors and Human Glucagon-Like Peptide-1 (GLP-1) Analogue as Add-On Therapies to Sulphonylurea among Diabetes Patients in the Asia-Pacific Region: A Systematic Review. <i>PLoS ONE</i> , 2014, 9, e90963.	1.1	9
51	Follow-up care delivery in community-based hypertension and type 2 diabetes management: a multi-centre, survey study among rural primary care physicians in China. <i>BMC Family Practice</i> , 2021, 22, 224.	2.9	9
52	The effectiveness of metoprolol versus atenolol on prevention of all-cause and cardiovascular mortality in a large Chinese population: A cohort study. <i>International Journal of Cardiology</i> , 2014, 175, 425-432.	0.8	8
53	Evaluation of anti-smoking television advertising on tobacco control among urban community population in Chongqing, China. <i>Tobacco Induced Diseases</i> , 2015, 13, 31.	0.3	8
54	The Association between Distal Findings and Proximal Colorectal Neoplasia: A Systematic Review and Meta-Analysis. <i>American Journal of Gastroenterology</i> , 2017, 112, 1234-1245.	0.2	8

#	ARTICLE	IF	CITATIONS
55	Influence of health education on clinical parameters in type 2 diabetic subjects with and without hypertension: A longitudinal, comparative analysis in routine primary care settings. <i>Diabetes Research and Clinical Practice</i> , 2020, 170, 108539.	1.1	8
56	Performance of screening tests for esophageal squamous cell carcinoma: a systematic review and meta-analysis. <i>Gastrointestinal Endoscopy</i> , 2022, 96, 197-207.e34.	0.5	7
57	The effectiveness of Dietary Approaches to Stop Hypertension (DASH) counselling on estimated 10-year cardiovascular risk among patients with newly diagnosed grade 1 hypertension: A randomised clinical trial. <i>International Journal of Cardiology</i> , 2016, 224, 79-87.	0.8	6
58	Individuals at risk of beta-blocker discontinuation: a cohort study in 19,177 Chinese patients. <i>Clinical Research in Cardiology</i> , 2010, 99, 277-284.	1.5	5
59	Pharmacoepidemiological profiles of oral hypoglycemic agents among 28,773 Chinese patients with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2012, 96, 319-325.	1.1	5
60	An algorithm to predict advanced proximal colorectal neoplasia in Chinese asymptomatic population. <i>Scientific Reports</i> , 2017, 7, 46493.	1.6	5
61	Association between Systolic Blood Pressure and Diabetic Retinopathy in Both Hypertensive and Normotensive Patients with Type 2 Diabetes: Risk Factors and Healthcare Implications. <i>Healthcare (Switzerland)</i> , 2021, 9, 580.	1.0	5
62	Approaching the Hard-to-Reach in Organized Colorectal Cancer Screening: an Overview of Individual, Provider and System Level Coping Strategies. <i>AIMS Public Health</i> , 2017, 4, 289-300.	1.1	5
63	Dietary intake of monounsaturated and polyunsaturated fatty acids is related to the reduced risk of esophageal squamous cell carcinoma. <i>Lipids in Health and Disease</i> , 2022, 21, 25.	1.2	5
64	Leveraging the power of health communication: messaging matters not only in clinical practice but also in public health. , 2022, 28, 103-105.		5
65	Tailoring choice between colonoscopy versus sigmoidoscopy for population-based colorectal cancer screening in Chinese patients: a prospective colonoscopy study. <i>Lancet, The</i> , 2016, 388, S87.	6.3	4
66	Time Window for Acute Stroke Management: A Cross-Sectional Study Among Community Healthcare Practitioners in Primary Care. <i>International Journal of General Medicine</i> , 2022, Volume 15, 4483-4493.	0.8	4
67	Predictors of switching from beta-blockers to other anti-hypertensive drugs: a review of records of 19,177 Chinese patients seen in public primary care clinics in the New Territory East, Hong Kong. <i>Asia Pacific Family Medicine</i> , 2011, 10, 10.	0.4	3
68	The profile of cardiovascular multimorbidity among patients in primary care in southern China: a cross-sectional study. <i>International Journal of Cardiology</i> , 2013, 164, S28.	0.8	3
69	The impact of cardiovascular multimorbidity on healthcare service utilisation under three primary care organisational models in China. <i>International Journal of Cardiology</i> , 2013, 164, S1-S2.	0.8	3
70	Dietary counselling with the Dietary Approaches to Stop Hypertension (DASH) diet for Chinese patients with grade 1 hypertension: a parallel-group, randomised controlled trial. <i>Lancet, The</i> , 2015, 386, S8.	6.3	3
71	The incidence of all-cause, cardiovascular and respiratory disease admission among 20,252 users of lisinopril vs. perindopril: A cohort study. <i>International Journal of Cardiology</i> , 2016, 219, 410-416.	0.8	3
72	The adoption of the Reference Framework for diabetes care among primary care physicians in primary care settings. <i>Medicine (United States)</i> , 2016, 95, e4108.	0.4	3

#	ARTICLE	IF	CITATIONS
73	Can fecal calprotectin accurately identify histological activity of ulcerative colitis? A meta-analysis. Therapeutic Advances in Gastroenterology, 2021, 14, 175628482199474.	1.4	3
74	Body Constitution and Unhealthy Lifestyles in a Primary Care Population at High Cardiovascular Risk: New Insights for Health Management. International Journal of General Medicine, 2021, Volume 14, 6991-7001.	0.8	3
75	Medication adherence among the older adults: challenges and recommendations. , 2020, 26, 476-478.		3
76	Understanding Barriers to Adherence to Optimal Treatment of Elevated Blood Pressure and Hypertension—Insights From Primary Care. JAMA Network Open, 2021, 4, e2138651.	2.8	3
77	P081 Effectiveness of Lifestyle Interventions in Reducing Cardiovascular Risk Factors among Chinese Subjects in Primary Care Setting: A Systematic Review. International Journal of Cardiology, 2011, 147, S32.	0.8	2
78	Effectiveness of a community-based medication counseling service on enhancing medication adherence among patients prescribed antihypertensive agents: a randomized controlled trial. International Journal of Cardiology, 2013, 164, S7.	0.8	2
79	The effectiveness of perindopril vs. lisinopril on reducing the incidence of diabetes and renal diseases: A cohort study of 20,252 patients. International Journal of Cardiology, 2015, 190, 384-388.	0.8	2
80	The adoption of hypertension reference framework: An investigation among primary care physicians of Hong Kong. PLoS ONE, 2018, 13, e0205529.	1.1	2
81	Non-adherence to lipid-lowering therapies: a need for more studies to evaluate reasons for medication non-adherence. International Journal of Clinical Practice, 2011, 65, 1321-1322.	0.8	1
82	Factors associated with cardiovascular multimorbidity among primary care patients in southern China. International Journal of Cardiology, 2013, 164, S8-S9.	0.8	1
83	PS 15-14 PATIENTS' PERCEPTIONS OF HEALTH CARE MANAGEMENT AMONG CHINESE RURAL MIDDLE-AGED AND OLDER ADULTS WITH CARDIOVASCULAR CONDITIONS. Journal of Hypertension, 2016, 34, e462-e463.	0.3	1
84	Performance of a Score for Advanced Proximal Colorectal Neoplasia in a Chinese Population. Clinical Gastroenterology and Hepatology, 2017, 15, e33.	2.4	1
85	The Relationship Between Distal Findings and Proximal Neoplasia in Colorectal Cancer Screening: A Systematic Review and Meta-Analysis. Gastroenterology, 2017, 152, S21-S22.	0.6	1
86	Capability of four sigmoidoscopy-based screening strategies to predict proximal neoplasia in an asymptomatic Chinese population. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 707-712.	1.4	1
87	Taking a multidisciplinary team approach to better healthcare outcomes for society. , 2020, 26, 551-552.		1
88	Implications of evidence-based understanding of benefits and risks for cancer prevention strategy. , 2019, 25, 346-348.		1
89	Contributions of physicians to government-subsidised disease prevention programmes: an appeal for active participation. , 2020, 26, 364-366.		1
90	The cost-effectiveness of starting 23-valent pneumococcal polysaccharide vaccine and influenza vaccination at 50 vs. 65 years: A comparative modelling study. Vaccine, 2022, , .	1.7	1

#	ARTICLE	IF	CITATIONS
91	Primary care-based lung and breast cancer control in China: A commentary on lessons learnt from Korea. <i>European Journal of Cancer Care</i> , 2022, 31, .	0.7	1
92	B004 Subjects at Risk of Antihypertensive Drug Discontinuation: A Cohort Study from 93,286 Chinese Subjects. <i>International Journal of Cardiology</i> , 2011, 147, S2.	0.8	0
93	P061 Hyponatremia and Hypokalemia Induced by Antihypertensive Monotherapies in Clinical Practice: Risk Association Study among Ethnic Chinese Subjects. <i>International Journal of Cardiology</i> , 2011, 147, S26.	0.8	0
94	P080 Pharmacoepidemiological Profile of Fixed-Dose Combination Therapy Among Ethnic Chinese Subjects: A Cohort Study. <i>International Journal of Cardiology</i> , 2011, 147, S32.	0.8	0
95	12 EFFECT OF CARDIOVASCULAR RISK-BASED APPROACH IN PRIMARY CARE PHYSICIAN-LED MANAGEMENT FOR 19,400 HYPERTENSIVE PATIENTS IN SOUTHERN CHINA. <i>Journal of Hypertension</i> , 2012, 30, e4.	0.3	0
96	Compliance to the DASH diet: a systematic review. <i>International Journal of Cardiology</i> , 2013, 164, S24-S25.	0.8	0
97	Patients at risk for all-cause mortality from a 5 year cohort study among 218,047 Chinese patients. <i>International Journal of Cardiology</i> , 2013, 164, S25.	0.8	0
98	Initial antihypertensive prescription and mortality due to diabetes or renal disease: a five-year cohort study. <i>International Journal of Cardiology</i> , 2013, 164, S24.	0.8	0
99	O085 Anti-tobacco TV advertising effect evaluation about local people's tobacco controls in Chongqing, China. , 2014, 9, e23.		0
100	Effect of employment and social medical insurance on hospital admissions for people living with multimorbidity in China: analysis of a large community household survey. <i>Lancet, The</i> , 2015, 386, S19.	6.3	0
101	Patients' experiences in community health centres under the health-care reform: research findings from a cross-sectional study using the Primary Care Assessment Tool in China. <i>Lancet, The</i> , 2015, 386, S69.	6.3	0
102	The Perception of Health Care Management among Middle-aged and Elderly Patients with Major Cardiovascular Conditions in Rural Settings. <i>Journal of Hypertension</i> , 2015, 33, e20-e21.	0.3	0
103	OS 22-02 Hypertensive patients with multimorbidity in mainland China, Scotland, and Hong Kong. <i>Journal of Hypertension</i> , 2016, 34, e238.	0.3	0
104	Global Patterns and Trends of Esophageal Cancer: A Joinpoint Regression Analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, e34.	2.4	0
105	Body-Mass Index and Colorectal Neoplasia According to Gender and Ethnicity: A Systematic Review and Meta-Analysis. <i>Gastroenterology</i> , 2017, 152, S829-S830.	0.6	0
106	A7365 Effectiveness of self-management patient education combined with family doctor team service among Chinese type 2 diabetic patients in urban-rural fringe area. <i>Journal of Hypertension</i> , 2018, 36, e307.	0.3	0
107	Scientific research on COVID-19 conducted in Hong Kong in 2020. , 2021, 27, 244-246.		0
108	IDDF2021-ABS-0179...The association between organised colorectal cancer screening and reduction of its related mortality: a systematic review and meta-analysis. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
109	Integration of health and social care: necessary but challenging for all. British Journal of General Practice, 2021, 71, 442-443.	0.7	0
110	Abstract 10862: The Effects of a New Medication Monitoring Programme on Blood Pressure Control Among Elderly Home Residents With Multiple Medications. Circulation, 2015, 132, .	1.6	0
111	IDDF2020-ABS-0142â€¦Performance indicators of organised colorectal cancer screening programmes using faecal immunochemical tests and colonoscopy: a systematic review and meta-analysis. , 2020, , .		0
112	Outside Back Cover: Volume 25 Issue 1. Health Expectations, 2022, 25, .	1.1	0