

Hiroshi Shiku

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2568310/publications.pdf>

Version: 2024-02-01

319
papers

12,024
citations

25034

57
h-index

40979

93
g-index

324
all docs

324
docs citations

324
times ranked

13126
citing authors

#	ARTICLE	IF	CITATIONS
1	HDAC Inhibition for Optimized Cellular Immunotherapy of NY-ESO-1-Positive Soft Tissue Sarcoma. <i>Biomedicines</i> , 2022, 10, 373.	3.2	2
2	Distinguishing functional exosomes and other extracellular vesicles as a nucleic acid cargo by the anion-exchange method. <i>Journal of Extracellular Vesicles</i> , 2022, 11, e12205.	12.2	29
3	Prognostic significance of NY-ESO-1 antigen and PIGR expression in esophageal tumors of CHP-NY-ESO-1-vaccinated patients as adjuvant therapy. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 2743-2755.	4.2	2
4	Self-assembled polysaccharide nanogel delivery system for overcoming tumor immune resistance. <i>Journal of Controlled Release</i> , 2022, 347, 175-182.	9.9	22
5	NY-ESO-1-specific redirected T cells with endogenous TCR knockdown mediate tumor response and cytokine release syndrome. , 2022, 10, e003811.		26
6	Safety and antibody immune response of CHP-NY-ESO-1 vaccine combined with poly-ICLC in advanced or recurrent esophageal cancer patients. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 3081-3091.	4.2	20
7	Evaluation of Production Protocols for the Generation of NY-ESO-1-Specific T Cells. <i>Cells</i> , 2021, 10, 152.	4.1	2
8	Development of INSOL-tag for proteome-wide protein handling and its application in protein array analysis. <i>Genes To Cells</i> , 2020, 25, 41-53.	1.2	0
9	MAGE-A4, NY-ESO-1 and SAGE mRNA expression rates and co-expression relationships in solid tumours. <i>BMC Cancer</i> , 2020, 20, 606.	2.6	25
10	First-in-human phase I clinical trial of the NY-ESO-1 protein cancer vaccine with NOD2 and TLR9 stimulants in patients with NY-ESO-1-expressing refractory solid tumors. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 663-675.	4.2	22
11	Development of a Unique T Cell Receptor Gene-Transferred Tax-Redirected T Cell Immunotherapy for Adult T Cell Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1377-1385.	2.0	14
12	Relationship between T cell receptor clonotype and PD-1 expression of tumor-infiltrating lymphocytes in colorectal cancer. <i>European Journal of Immunology</i> , 2020, 50, 1580-1590.	2.9	3
13	CD4 + T cells support polyfunctionality of cytotoxic CD8 + T cells with memory potential in immunological control of tumor. <i>Cancer Science</i> , 2020, 111, 1958-1968.	3.9	19
14	Nanogel antigen DDS toward overcoming immune resistance of cancer. <i>Drug Delivery System</i> , 2020, 35, 64-69.	0.0	0
15	Comparison of IL-2 vs IL-7/IL-15 for the generation of NY-ESO-1-specific T cells. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1195-1209.	4.2	27
16	Immunohistochemical expression and clinicopathological assessment of the cancer testis antigens NY-ESO-1 and MAGE-A4 in high-grade soft tissue sarcoma. <i>Oncology Letters</i> , 2019, 17, 3937-3943.	1.8	29
17	First Case of Cytokine Release Syndrome after Nivolumab for Gastric Cancer. <i>Case Reports in Oncology</i> , 2019, 12, 147-156.	0.7	28
18	Exosomal regulation of lymphocyte homing to the gut. <i>Blood Advances</i> , 2019, 3, 1-11.	5.2	52

#	ARTICLE	IF	CITATIONS
19	Antigen delivery targeted to tumor-associated macrophages overcomes tumor immune resistance. <i>Journal of Clinical Investigation</i> , 2019, 129, 1278-1294.	8.2	102
20	Tumor responses and early onset cytokine release syndrome in synovial sarcoma patients treated with a novel affinity-enhanced NY-ESO-1-targeting TCR-redirection T cell transfer. <i>Journal of Clinical Oncology</i> , 2019, 37, 2530-2530.	1.6	6
21	Phase I/II clinical trial of NY-ESO-1-specific TCR-engineered T-cell transfer combined with a novel T-cell stimulator CHP:NE1 for patients with refractory soft tissue sarcoma. <i>Journal of Clinical Oncology</i> , 2019, 37, TPS11074-TPS11074.	1.6	1
22	Activated CD8+ T cell extracellular vesicles prevent tumour progression by targeting of lesional mesenchymal cells. <i>Nature Communications</i> , 2018, 9, 435.	12.8	139
23	Serum immunoglobulin E response as a marker for unfavorable prognosis following cholesteryl pullulan-MAGE A4 vaccination. <i>Oncology Letters</i> , 2018, 15, 3703-3711.	1.8	1
24	Prognostic value of MAGEA4 in primary lung cancer depends on subcellular localization and p53 status. <i>International Journal of Oncology</i> , 2018, 53, 713-724.	3.3	7
25	Antitumor activity of CAR-T cells targeting the intracellular oncoprotein WT1 can be enhanced by vaccination. <i>Blood</i> , 2018, 132, 1134-1145.	1.4	73
26	Exosome-mediated regulation of tumor immunology. <i>Cancer Science</i> , 2018, 109, 2998-3004.	3.9	119
27	First-in-human phase I clinical trial of NY-ESO-1 protein cancer vaccine with a novel adjuvant MIS416, NOD2 and TLR9 stimulant, for patients with NY-ESO-1 expressing solid tumors. <i>Journal of Clinical Oncology</i> , 2018, 36, e15176-e15176.	1.6	1
28	Pertuzumab, trastuzumab and eribulin mesylate therapy for previously treated advanced HER2-positive breast cancer: a feasibility study with analysis of biomarkers. <i>Oncotarget</i> , 2018, 9, 14909-14921.	1.8	6
29	NY-ESO-1 antigen expression and immune response are associated with poor prognosis in MAGE-A4-vaccinated patients with esophageal or head/neck squamous cell carcinoma. <i>Oncotarget</i> , 2018, 9, 35997-36011.	1.8	12
30	Clinical Implications of CD4+CD25+Foxp3+Regulatory T Cell Frequencies After CHP-MAGE-A4 Cancer Vaccination. <i>Anticancer Research</i> , 2018, 38, 1435-1444.	1.1	2
31	Identification of an immunogenic neo-epitope encoded by mouse sarcoma using CXCR3 ligand mRNAs as sensors. <i>Oncimmunology</i> , 2017, 6, e1306617.	4.6	5
32	Safety and persistence of WT1-specific T-cell receptor gene-transduced lymphocytes in patients with AML and MDS. <i>Blood</i> , 2017, 130, 1985-1994.	1.4	127
33	Attempt to Harvest a Sufficient Number of Mononuclear Cells in an Appropriate Blood Product Volume By Modification of the Default Apheresis Setting. <i>Therapeutic Apheresis and Dialysis</i> , 2017, 21, 507-511.	0.9	0
34	[OPINION] Problems of cancer vaccine therapy development. <i>Drug Delivery System</i> , 2017, 32, 172-173.	0.0	0
35	Signal-transducing adaptor protein-2 promotes generation of functional long-term memory CD8+ T cells by preventing terminal effector differentiation. <i>Oncotarget</i> , 2017, 8, 30766-30780.	1.8	9
36	Abstract PR02: Antigen delivery targeting tumor-infiltrating macrophages leads to eradication of tumor highly resistant to immune checkpoint inhibitors. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
37	Epirubicin, Identified Using a Novel Luciferase Reporter Assay for Foxp3 Inhibitors, Inhibits Regulatory T Cell Activity. PLoS ONE, 2016, 11, e0156643.	2.5	14
38	193. Efficacy and Safety of Immunotherapy with Chimeric Antigen Receptor Targeting WT1 and HLA-A24:02 pMHC Complex. Molecular Therapy, 2016, 24, S75-S76.	8.2	1
39	PD32-05 PHASE I CLINICAL STUDY ON THE COMBINATION THERAPY OF CHP-NY-ESO-1 CANCER VACCINE AND MIS416 FOR THE TREATMENT OF PATIENTS WITH NY-ESO-1 EXPRESSING REFRACTORY UROTHELIAL CANCER OR CASTRATION-RESISTANT PROSTATE CANCER. Journal of Urology, 2016, 195, .	0.4	1
40	Development of Engineered T Cells Expressing a Chimeric CD16-CD3 ζ Receptor to Improve the Clinical Efficacy of Mogamulizumab Therapy Against Adult T-Cell Leukemia. Clinical Cancer Research, 2016, 22, 4405-4416.	7.0	20
41	Engineering hybrid exosomes by membrane fusion with liposomes. Scientific Reports, 2016, 6, 21933.	3.3	447
42	Efficient tumor regression by adoptively transferred CEA-specific CAR-T cells associated with symptoms of mild cytokine release syndrome. Oncoimmunology, 2016, 5, e1211218.	4.6	36
43	Time-dependent transition of the immunoglobulin G subclass and immunoglobulin E response in cancer patients vaccinated with cholesteryl pullulan-melanoma antigen gene-A4 nanogel. Oncology Letters, 2016, 12, 4493-4504.	1.8	26
44	CD8 ⁺ CD122 ⁺ CD49d ^{low} regulatory T cells maintain T-cell homeostasis by killing activated T cells via Fas/FasL-mediated cytotoxicity. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 2460-2465.	7.1	55
45	Clinical relevance of antigen spreading pattern induced by CHP-MAGE-A4 cancer vaccination. Immunotherapy, 2016, 8, 527-540.	2.0	10
46	Phase 1 Clinical Trial of Adoptive Immunotherapy for Acute Myelogenous Leukemia and Myelodysplastic Syndrome, Using Gene-Modified Autologous Lymphocytes Expressing WT1-Specific T-Cell Receptor. Blood, 2016, 128, 1653-1653.	1.4	2
47	Guanine-Rich Sequences Are a Dominant Feature of Exosomal microRNAs across the Mammalian Species and Cell Types. PLoS ONE, 2016, 11, e0154134.	2.5	15
48	A Functionally Superior Second-Generation Vector Expressing an Aurora Kinase-A-Specific T-Cell Receptor for Anti-Leukaemia Adoptive Immunotherapy. PLoS ONE, 2016, 11, e0156896.	2.5	0
49	Tumor-Specific Donor Lymphocyte Infusion for Tumor Relapse after MHC-Haploidentical Hematopoietic Stem Cell Transplantation. Blood, 2016, 128, 2157-2157.	1.4	0
50	2015 Guidance on cancer immunotherapy development in early-phase clinical studies. Cancer Science, 2015, 106, 1761-1771.	3.9	16
51	Direct tumor recognition by a human CD4 ⁺ T-cell subset potently mediates tumor growth inhibition and orchestrates anti-tumor immune responses. Scientific Reports, 2015, 5, 14896.	3.3	70
52	Adoptive immunotherapy of cancer utilizing genetically engineered lymphocytes. Cancer Immunology, Immunotherapy, 2015, 64, 903-909.	4.2	3
53	Antileukemia multifunctionality of CD4 ⁺ T cells genetically engineered by HLA class I-restricted and WT1-specific T-cell receptor gene transfer. Leukemia, 2015, 29, 2393-2401.	7.2	12
54	Gene expression profiling of diffuse large B-Cell lymphomas supervised by CD5 expression. International Journal of Hematology, 2015, 102, 188-194.	1.6	25

#	ARTICLE	IF	CITATIONS
55	Adoptive Transfer of MAGE-A4 T-cell Receptor Gene-Transduced Lymphocytes in Patients with Recurrent Esophageal Cancer. <i>Clinical Cancer Research</i> , 2015, 21, 2268-2277.	7.0	139
56	Immunotherapy with Chimeric Antigen Receptor Targeting Intracellular WT1 Gene Product Complexed with HLA-a*24:02 Molecule. <i>Blood</i> , 2015, 126, 4292-4292.	1.4	5
57	Adoptive Transfer of WT1-Specific TCR Gene-Transduced Lymphocytes in Patients with Myelodysplastic Syndrome and Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 97-97.	1.4	3
58	Abstract B34: Signal transducing adaptor protein 2 (STAP2) has the crucial role in maintaining the CTL function of memory T cells. , 2015, , .		0
59	Targeting Aurora Kinase with a Superior T-Cell Receptor Gene-Transfer Vector. <i>Blood</i> , 2015, 126, 4291-4291.	1.4	0
60	Systemic CD8+ T Cell-Mediated Tumoricidal Effects by Intratumoral Treatment of Oncolytic Herpes Simplex Virus with the Agonistic Monoclonal Antibody for Murine Glucocorticoid-Induced Tumor Necrosis Factor Receptor. <i>PLoS ONE</i> , 2014, 9, e104669.	2.5	12
61	Classification of current anticancer immunotherapies. <i>Oncotarget</i> , 2014, 5, 12472-12508.	1.8	395
62	Stimulation through very late antigenâ€4 and â€5 improves the multifunctionality and memory formation of CD8⁺ T cells. <i>European Journal of Immunology</i> , 2014, 44, 1747-1758.	2.9	9
63	Adoptive transfer of genetically engineered WT1-specific cytotoxic T lymphocytes does not induce renal injury. <i>Journal of Hematology and Oncology</i> , 2014, 7, 3.	17.0	4
64	Gene-Modified Human Î±Î²-T Cells Expressing a Chimeric CD16-CD3Î³ Receptor as Adoptively Transferable Effector Cells for Anticancer Monoclonal Antibody Therapy. <i>Cancer Immunology Research</i> , 2014, 2, 249-262.	3.4	38
65	Nanogel-Based Immunologically Stealth Vaccine Targets Macrophages in the Medulla of Lymph Node and Induces Potent Antitumor Immunity. <i>ACS Nano</i> , 2014, 8, 9209-9218.	14.6	117
66	High expression of MAGE-A4 and MHC class I antigens in tumor cells and induction of MAGE-A4 immune responses are prognostic markers of CHP-MAGE-A4 cancer vaccine. <i>Vaccine</i> , 2014, 32, 5901-5907.	3.8	54
67	Interleukin-17 Induces an Atypical M2-Like Macrophage Subpopulation That Regulates Intestinal Inflammation. <i>PLoS ONE</i> , 2014, 9, e108494.	2.5	53
68	Tumor- and Immune Cell-Derived Exosomes. <i>Drug Delivery System</i> , 2014, 29, 152-159.	0.0	1
69	Abstract CT212: Adoptive transfer of wild-type TCR gene transduced T lymphocytes targeting MAGE-A4 antigen to patients with refractory esophageal cancer. , 2014, , .		0
70	Tumor-Specific TCR-Engineered Donor Lymphocyte Infusion Therapy with Reduced GvHD Induction Utilizing Novel Retrovirus Vector Silencing Endogenous TCR Expression. <i>Blood</i> , 2014, 124, 656-656.	1.4	0
71	Dose-dependent effects of NY-ESO-1 protein vaccine complexed with cholesteryl pullulan (CHP-NY-ESO-1) on immune responses and survival benefits of esophageal cancer patients. <i>Journal of Translational Medicine</i> , 2013, 11, 246.	4.4	94
72	Establishment of animal models to analyze the kinetics and distribution of human tumor antigen-specific CD8+ T cells. <i>Vaccine</i> , 2013, 31, 2110-2118.	3.8	6

#	ARTICLE	IF	CITATIONS
73	Manipulation of human early T lymphopoiesis by coculture on human bone marrow stromal cells: Potential utility for adoptive immunotherapy. <i>Experimental Hematology</i> , 2013, 41, 367-376.e1.	0.4	1
74	Adoptive transfer of genetically modified Wilms' tumor α -specific T cells in a novel malignant skull base meningioma model. <i>Neuro-Oncology</i> , 2013, 15, 747-758.	1.2	12
75	Overcoming regulatory T-cell suppression by a lyophilized preparation of <i>Streptococcus pyogenes</i> . <i>European Journal of Immunology</i> , 2013, 43, 989-1000.	2.9	8
76	Development of a novel redirected T-cell-based adoptive immunotherapy targeting human telomerase reverse transcriptase for adult T-cell leukemia. <i>Blood</i> , 2013, 121, 4894-4901.	1.4	40
77	Limited expression of cancer-testis antigens in renal cell carcinoma patients. <i>Molecular and Clinical Oncology</i> , 2013, 1, 326-330.	1.0	9
78	Co-Introduced Functional CCR2 Potentiates In Vivo Anti-Lung Cancer Functionality Mediated by T Cells Double Gene-Modified to Express WT1-Specific T-Cell Receptor. <i>PLoS ONE</i> , 2013, 8, e56820.	2.5	39
79	Abstract B11: Control of in vivo spatiotemporal dynamics of antigen and adjuvant by a delivery system CHP nanogel markedly improves the immunogenicity and antitumor efficacy of long peptide cancer vaccine.., 2013, , .		0
80	A novel human-derived antibody against NY-ESO-1 improves the efficacy of chemotherapy. <i>Cancer Immunity</i> , 2013, 13, 3.	3.2	10
81	A Promising Vector for TCR Gene Therapy: Differential Effect of siRNA, 2A Peptide, and Disulfide Bond on the Introduced TCR Expression. <i>Molecular Therapy - Nucleic Acids</i> , 2012, 1, e63.	5.1	34
82	Aurora kinase A-specific T-cell receptor gene transfer redirects T lymphocytes to display effective antileukemia reactivity. <i>Blood</i> , 2012, 119, 368-376.	1.4	24
83	Peptide-pulsed dendritic cell vaccination targeting interleukin-13 receptor β 2 chain in recurrent malignant glioma patients with HLA-A*24/A*02 allele. <i>Cytotherapy</i> , 2012, 14, 733-742.	0.7	56
84	Cancer immunotherapy; integration of T cell biology with nanogel- and vector-technology in translational research. <i>Arthritis Research and Therapy</i> , 2012, 14, .	3.5	0
85	siRNA-mediated silencing of PD-1 ligands enhances tumor-specific human T-cell effector functions. <i>Gene Therapy</i> , 2012, 19, 959-966.	4.5	57
86	Intracellular Tumor-Associated Antigens Represent Effective Targets for Passive Immunotherapy. <i>Cancer Research</i> , 2012, 72, 1672-1682.	0.9	46
87	Antigen-Receptor Gene-Modified T Cells For Treatment Of Glioma. <i>Advances in Experimental Medicine and Biology</i> , 2012, 746, 202-215.	1.6	7
88	T-cell receptor gene therapy targeting melanoma-associated antigen A4 inhibits human tumor growth in nonobese diabetic/SCID/ β 2-microglobulin null mice. <i>Cancer Science</i> , 2012, 103, 17-25.	3.9	26
89	Human bone marrow stromal cells simultaneously support B and T/NK lineage development from human haematopoietic progenitors: a principal role for flt3 ligand in lymphopoiesis. <i>British Journal of Haematology</i> , 2012, 157, 674-686.	2.5	12
90	The possibility of antigenic peptide, protein and DNA delivery by percutaneous vaccination. <i>Drug Delivery System</i> , 2012, 27, 194-201.	0.0	0

#	ARTICLE	IF	CITATIONS
91	Therapeutically Infused Redirected T Cells Targeting WT1 Successfully Inhibited Leukemia Stem Cells in Vivo. <i>Blood</i> , 2012, 120, 4221-4221.	1.4	0
92	Defining the critical hurdles in cancer immunotherapy. <i>Journal of Translational Medicine</i> , 2011, 9, 214.	4.4	139
93	Myelodysplastic Syndrome of del 20q with Plasma Cell Dysplasia. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2011, 51, 141-145.	0.8	2
94	Intratumoral Injection of <i>Propionibacterium acnes</i> Suppresses Malignant Melanoma by Enhancing Th1 Immune Responses. <i>PLoS ONE</i> , 2011, 6, e29020.	2.5	28
95	Novel adoptive T-cell immunotherapy using a WT1-specific TCR vector encoding silencers for endogenous TCRs shows marked antileukemia reactivity and safety. <i>Blood</i> , 2011, 118, 1495-1503.	1.4	114
96	Gemcitabine enhances Wilms's tumor gene WT1 expression and sensitizes human pancreatic cancer cells with WT1-specific T-cell-mediated antitumor immune response. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 1289-1297.	4.2	46
97	UV irradiation of immunized mice induces type 1 regulatory T cells that suppress tumor antigen specific cytotoxic T lymphocyte responses. <i>International Journal of Cancer</i> , 2011, 129, 1126-1136.	5.1	19
98	Feasibility of gene-immunotherapy using WT1-specific T-cell receptor gene transfer for infant acute lymphoblastic leukemia with MLL gene rearrangement. <i>Blood Cancer Journal</i> , 2011, 1, e10-e10.	6.2	0
99	A clinical trial of combined immunotherapy with MAGE-A4 peptide and cultured T lymphocyte for patients with head and neck squamous cell carcinoma. <i>Japanese Journal of Head and Neck Cancer</i> , 2011, 37, 366-369.	0.1	0
100	Forced Expression of CC Chemokine Receptor 2 Enhances Anti-Cancer Reactivity Mediated by T Lymphocytes Beforehand Redirected Toward WT1 Inside the Tumor Microenvironment. <i>Blood</i> , 2011, 118, 2059-2059.	1.4	0
101	Tumor-specific Crosslinking of GITR as Costimulation for Immunotherapy. <i>Journal of Immunotherapy</i> , 2010, 33, 925-934.	2.4	15
102	Thioredoxin suppresses airway inflammation independently of systemic Th1/Th2 immune modulation. <i>European Journal of Immunology</i> , 2010, 40, 787-796.	2.9	37
103	NY-ESO-1 protein glycosylated by yeast induces enhanced immune responses. <i>Yeast</i> , 2010, 27, 919-931.	1.7	5
104	Two Distinct Mechanisms of Augmented Antitumor Activity by Modulation of Immunostimulatory/Inhibitory Signals. <i>Clinical Cancer Research</i> , 2010, 16, 2781-2791.	7.0	118
105	Peptide Vaccine Induces Enhanced Tumor Growth Associated with Apoptosis Induction in CD8+ T Cells. <i>Journal of Immunology</i> , 2010, 185, 3768-3776.	0.8	47
106	UV irradiation after immunization induces type 1 regulatory T cells that suppress Th2-type immune responses via secretion of IL-10. <i>Immunobiology</i> , 2010, 215, 124-132.	1.9	16
107	Polyvalent Cancer Vaccine with a Novel Antigen Delivery System, CHP (cholesterol bearing) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5	0.0	0
108	Abstract 5615: Effects of corticosteroids on tumor immunity induced by anti-CTLA-4 mAb therapy in a mouse model. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
109	Abstract 4751: Peptide vaccine induces apoptosis of antigen-specific CD8+ T cells. , 2010, , .		0
110	Augmented Expression of WT1-Specific TCR and Inhibition of Mispairing-TCR Formation In TCR-Gene Modified T-Cells Can Concomitantly Be Achieved Using a Novel Retroviral Vector with Silencers for Endogenous TCRs. Blood, 2010, 116, 1020-1020.	1.4	0
111	Engineering of Human T-Cells with a Novel Aurora-A Kinase-Specific T-Cell Receptor Gene Transfer Confers Anti-Leukemia Reactivity. Blood, 2010, 116, 4290-4290.	1.4	0
112	IFN- γ -dependent type 1 immunity is crucial for immunosurveillance against squamous cell carcinoma in a novel mouse carcinogenesis model. Carcinogenesis, 2009, 30, 1408-1415.	2.8	33
113	Tumor progression inhibits the induction of multifunctionality in adoptively transferred tumor-specific CD8 ⁺ T cells. European Journal of Immunology, 2009, 39, 241-253.	2.9	50
114	Glucocorticoid-induced tumor necrosis factor receptor stimulation enhances the multifunctionality of adoptively transferred tumor antigen-specific CD8 ⁺ T cells with tumor regression. Cancer Science, 2009, 100, 1317-1325.	3.9	34
115	Rapid γ TCR-mediated responses in γ T cells transduced with cancer-specific TCR genes. Gene Therapy, 2009, 16, 620-628.	4.5	59
116	Antibody responses against NY-ESO-1 and HER2 antigens in patients vaccinated with combinations of cholesteryl pullulan (CHP)-NY-ESO-1 and CHP-HER2 with OK-432. Vaccine, 2009, 27, 6854-6861.	3.8	45
117	Improved Expression and Reactivity of Transduced Tumor-Specific TCRs in Human Lymphocytes by Specific Silencing of Endogenous TCR. Cancer Research, 2009, 69, 9003-9011.	0.9	174
118	Gene expression profiling of peripheral T-cell lymphoma including γ T-cell lymphoma. Blood, 2009, 113, 1071-1074.	1.4	64
119	Development of Novel Stem Cell Transplantation and Gene-Immunotherapy Using WT1-Specific T-Cell Receptor Gene.. Blood, 2009, 114, 3028-3028.	1.4	0
120	Biliary Carcinomas Induced in the Hamster. , 2009, , 69-94.		0
121	Induction of immune response against NY-ESO-1 by CHP-NY-ESO-1 vaccination and immune regulation in a melanoma patient. Cancer Immunology, Immunotherapy, 2008, 57, 1429-1437.	4.2	40
122	Analysis of peripheral and local anti-tumor immune response in esophageal cancer patients after NY-ESO-1 protein vaccination. International Journal of Cancer, 2008, 123, 2362-2369.	5.1	46
123	Long-term phenotypic, functional and genetic stability of cancer-specific T-cell receptor (TCR) γ genes transduced to CD8+ T cells. Gene Therapy, 2008, 15, 695-699.	4.5	19
124	Humoral immune responses in patients vaccinated with 146 HER2 protein complexed with cholesteryl pullulan nanogel. Cancer Science, 2008, 99, 601-607.	3.9	117
125	Gene expression profiling of diffuse large B-cell lymphoma supervised by CD21 expression. British Journal of Haematology, 2008, 142, 562-570.	2.5	12
126	Importance of CD80/CD86-CD28 interactions in the recognition of target cells by CD8+CD122+regulatory T cells. Immunology, 2008, 124, 121-128.	4.4	43

#	ARTICLE	IF	CITATIONS
127	Differential Regulatory Function of Resting and Preactivated Allergen-Specific CD4+CD25+ Regulatory T Cells in Th2-Type Airway Inflammation. <i>Journal of Immunology</i> , 2008, 181, 6889-6897.	0.8	40
128	Post-immune UV irradiation induces Tr1-like regulatory T cells that suppress humoral immune responses. <i>International Immunology</i> , 2008, 20, 57-70.	4.0	25
129	CD8+CD122+ regulatory T cells recognize activated T cells via conventional MHC class II-TCR interaction and become IL-10-producing active regulatory cells. <i>International Immunology</i> , 2008, 20, 937-947.	4.0	95
130	Regulatory T Cell-Resistant CD8+ T Cells Induced by Glucocorticoid-Induced Tumor Necrosis Factor Receptor Signaling. <i>Cancer Research</i> , 2008, 68, 5948-5954.	0.9	80
131	The Membrane Proteinase 3 Expression on Neutrophils Was Downregulated After Treatment With Infliximab in Patients With Rheumatoid Arthritis. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2008, 14, 186-192.	1.7	20
132	De novo CD5+ diffuse large B-cell lymphoma: results of a detailed clinicopathological review in 120 patients. <i>Haematologica</i> , 2008, 93, 1195-1202.	3.5	113
133	RHAMM-R3 peptide vaccination in patients with acute myeloid leukemia, myelodysplastic syndrome, and multiple myeloma elicits immunologic and clinical responses. <i>Blood</i> , 2008, 111, 1357-1365.	1.4	202
134	Hematopoietic origin of hepatic stellate cells in the adult liver. <i>Blood</i> , 2008, 111, 2427-2435.	1.4	79
135	Induction of regulatory T cell-resistant helper CD4+ T cells by bacterial vector. <i>Blood</i> , 2008, 111, 1404-1412.	1.4	28
136	Preclinical safety pharmacology study of a novel protein-based cancer vaccine CHP-NY-ESO-1. <i>Kobe Journal of Medical Sciences</i> , 2008, 54, E23-34.	0.2	6
137	Early Tumor Regression Following Severe Lung Injury after Allogeneic Stem Cell Transplantation in a Patient with Renal Cell Carcinoma. <i>Internal Medicine</i> , 2007, 46, 291-293.	0.7	0
138	Decreased ADAMTS13 activity in plasma from patients with thrombotic thrombocytopenic purpura. <i>Thrombosis Research</i> , 2007, 119, 447-452.	1.7	19
139	Reduced Cd4+Cd25+ T cells in patients with idiopathic thrombocytopenic purpura. <i>Thrombosis Research</i> , 2007, 120, 187-193.	1.7	143
140	Antibody response against NY-ESO-1 in CHP-NY-ESO-1 vaccinated patients. <i>International Journal of Cancer</i> , 2007, 120, 2178-2184.	5.1	68
141	Detection of the CFBF/MYH11 fusion gene in de novo acute myeloid leukemia (AML): A single-institution study of 224 Japanese AML patients. <i>Leukemia Research</i> , 2007, 31, 471-476.	0.8	17
142	Notch ligand Delta-1 differentially modulates the effects of gp130 activation on interleukin-6 receptor γ -positive and -negative human hematopoietic progenitors. <i>Cancer Science</i> , 2007, 98, 1597-1603.	3.9	13
143	Clinicopathologic Significance of Loss of CD19 Expression in Diffuse Large B-Cell Lymphoma. <i>International Journal of Hematology</i> , 2007, 85, 41-48.	1.6	9
144	Immunological and Clinical Responses in Patients with Acute Myeloid Leukemia (AML), Myelodysplastic Syndrome (MDS), Multiple Myeloma (MM) and Chronic Lymphocytic Leukemia (CLL) after RHAMM-R3 Peptide Vaccination. <i>Blood</i> , 2007, 110, 1806-1806.	1.4	9

#	ARTICLE	IF	CITATIONS
145	T cell immunomonitoring and tumor responses in patients immunized with a complex of cholesterol-bearing hydrophobized pullulan (CHP) and NY-ESO-1 protein. <i>Cancer Immunity</i> , 2007, 7, 9.	3.2	87
146	Hemostatic abnormalities and leukocyte activation caused by infection in patients with malignant lymphoma during chemotherapy. <i>Thrombosis Research</i> , 2006, 117, 671-679.	1.7	10
147	De novo CD5-positive Diffuse Large B-cell Lymphoma of the Temporal Bone Presenting with an External Auditory Canal Tumor. <i>Internal Medicine</i> , 2006, 45, 733-737.	0.7	19
148	PROTEINASE 3 EXPRESSION ON NEUTROPHIL MEMBRANES FROM PATIENTS WITH INFECTIOUS DISEASE. <i>Shock</i> , 2006, 26, 128-133.	2.1	18
149	Pleiotropic role of histone deacetylases in the regulation of human adult erythropoiesis. <i>British Journal of Haematology</i> , 2006, 135, 242-253.	2.5	26
150	Differential cell division history between neutrophils and macrophages in their development from granulocyte?macrophage progenitors. <i>British Journal of Haematology</i> , 2006, 135, 725-731.	2.5	11
151	Expression profiling analysis of the CD5+ diffuse large B-cell lymphoma subgroup: Development of a CD5 signature. <i>Cancer Science</i> , 2006, 97, 868-874.	3.9	56
152	Haunting appearance of bcr/abl fusion gene products in a patient with therapy related leukaemia. <i>Leukemia Research</i> , 2006, 30, 106-108.	0.8	4
153	Low p53 expression of acute myelocytic leukemia cells with t(8;21) chromosome abnormality: Association with low p14ARF expression. <i>Leukemia Research</i> , 2006, 30, 379-383.	0.8	10
154	Granulocytic sarcoma of mesentery in acute myeloid leukemia with CFBF/MYH11 fusion gene but not inv(16) chromosome: Case report and review of literature. <i>Leukemia Research</i> , 2006, 30, 1053-1057.	0.8	22
155	Mutational analysis of the KIT gene in myelodysplastic syndrome (MDS) and MDS-derived leukemia. <i>Leukemia Research</i> , 2006, 30, 1235-1239.	0.8	28
156	Development of Mixed-Type Autoimmune Hemolytic Anemia and Evans' Syndrome following Chicken Pox Infection in a Case of Low-Titer Cold Agglutinin Disease. <i>International Journal of Hematology</i> , 2006, 84, 220-223.	1.6	11
157	Bilateral Osteonecrosis of the Head of the Femur during Treatment with Retinoic Acid in a Young Patient with Acute Promyelocytic Leukemia. <i>International Journal of Hematology</i> , 2006, 83, 252-253.	1.6	8
158	Features of early gastric cancer and gastric adenoma by enhanced-magnification endoscopy. <i>Journal of Gastroenterology</i> , 2006, 41, 332-338.	5.1	54
159	Molecular analysis of PDGFRalpha/beta genes in core binding factor leukemia with eosinophilia. <i>European Journal of Haematology</i> , 2006, 76, 18-22.	2.2	10
160	Molecular and phenotypic analysis of Philadelphia chromosome-positive bilineage leukemia: possibility of a lineage switch from T-lymphoid leukemic progenitor to myeloid cells. <i>Cancer Genetics and Cytogenetics</i> , 2006, 164, 118-121.	1.0	23
161	Contrast-enhanced ultrasound examination of lymph nodes in different types of lymphoma. <i>Cancer Detection and Prevention</i> , 2006, 30, 188-191.	2.1	29
162	Generation of peptide-specific CD8+ T cells by phytohemagglutinin-stimulated antigen-mRNA-transduced CD4+ T cells. <i>Journal of Immunological Methods</i> , 2006, 314, 54-66.	1.4	16

#	ARTICLE	IF	CITATIONS
163	Frequency of Abnormal Biphasic aPTT Clot Waveforms in Patients with Underlying Disorders Associated with Disseminated Intravascular Coagulation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006, 12, 185-192.	1.7	48
164	In vitro Stimulation of CD8 and CD4 T Cells by Dendritic Cells Loaded with a Complex of Cholesterol-Bearing Hydrophobized Pullulan and NY-ESO-1 Protein: Identification of a New HLA-DR15 Binding CD4 T-Cell Epitope. <i>Clinical Cancer Research</i> , 2006, 12, 1921-1927.	7.0	44
165	HER2-Specific T-Cell Immune Responses in Patients Vaccinated with Truncated HER2 Protein Complexed with Nanogels of Cholesteryl Pullulan. <i>Clinical Cancer Research</i> , 2006, 12, 7397-7405.	7.0	115
166	In vivo antigen delivery by a <i>Salmonella typhimurium</i> type III secretion system for therapeutic cancer vaccines. <i>Journal of Clinical Investigation</i> , 2006, 116, 1946-1954.	8.2	164
167	Gene Expression Profiling of Diffuse Large B-Cell Lymphomas Supervised by CD21 Expression.. <i>Blood</i> , 2006, 108, 2029-2029.	1.4	3
168	Thrombomodulin accelerates activated protein C production and inhibits thrombin generation in the plasma of disseminated intravascular coagulation patients. <i>Blood Coagulation and Fibrinolysis</i> , 2005, 16, 17-24.	1.0	7
169	Acute interstitial pneumonitis during chemotherapy for haematological malignancy. <i>European Journal of Cancer Care</i> , 2005, 14, 336-341.	1.5	9
170	Elevated levels of soluble interleukin-2 receptor in serum of patients with hematological or non-hematological malignancies. <i>Cancer Detection and Prevention</i> , 2005, 29, 256-259.	2.1	26
171	Inhibition by Rho-kinase and protein kinase C of myosin phosphatase is involved in thrombin-induced shape change of megakaryocytic leukemia cell line UT-7/TPO. <i>Cellular Signalling</i> , 2005, 17, 321-330.	3.6	9
172	Effects of atorvastatin on serum lipids, lipoproteins, and hemostasis. <i>American Journal of Hematology</i> , 2005, 78, 1-6.	4.1	9
173	Haemostatic abnormalities and thrombotic disorders in malignant lymphoma. <i>Thrombosis and Haemostasis</i> , 2005, 93, 153-159.	3.4	34
174	Elevated Plasma Levels of Fibrin Degradation Products by Granulocyte-Derived Elastase in Patients with Disseminated Intravascular Coagulation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2005, 11, 391-400.	1.7	22
175	Accelerated chemically induced tumor development mediated by CD4+CD25+ regulatory T cells in wild-type hosts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 9253-9257.	7.1	102
176	IFN- γ Controls the Generation/Activation of CD4+CD25+ Regulatory T Cells in Antitumor Immune Response. <i>Journal of Immunology</i> , 2005, 175, 4433-4440.	0.8	92
177	Definition of target antigens for naturally occurring CD4+ CD25+ regulatory T cells. <i>Journal of Experimental Medicine</i> , 2005, 201, 681-686.	8.5	118
178	Usefulness of Measurement of Reticulated Platelets for Diagnosis of Idiopathic Thrombocytopenic Purpura. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2005, 11, 253-261.	1.7	16
179	Determination of Cellularly Processed HLA-A2402-Restricted Novel CTL Epitopes Derived from Two Cancer Germ Line Genes, MAGE-A4 and SAGE. <i>Clinical Cancer Research</i> , 2005, 11, 5581-5589.	7.0	51
180	A novel role for Notch ligand Delta-1 as a regulator of human Langerhans cell development from blood monocytes. <i>Journal of Leukocyte Biology</i> , 2005, 78, 921-929.	3.3	57

#	ARTICLE	IF	CITATIONS
181	Usefulness of Fully Automated Measurement of Reticulated Platelets Using Whole Blood. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2005, 11, 263-270.	1.7	15
182	IL-4 and IL-10 synergistically inhibit survival of human blood monocytes supported by GM-CSF. <i>International Journal of Oncology</i> , 2005, 26, 731.	3.3	6
183	Expression of CD29 on lymphoma cells and/or CD36 on microvascular endothels correlates with high serum LDH level in diffuse large B-cell lymphomas (DLBCLs) and is frequent in de novo CD5-positive DLBCLs. <i>International Journal of Oncology</i> , 2005, 27, 1241.	3.3	4
184	Prognostic Impact of Aortic Calcification Index and Ankle-Arm Blood Pressure Index in Patients under Hemodialysis. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2005, 11, 161-169.	1.7	4
185	Rho-kinase induces association of adducin with the cytoskeleton in platelet activation. <i>Biochemical and Biophysical Research Communications</i> , 2005, 332, 347-351.	2.1	13
186	Elevated plasma levels of fibrin degradation products by granulocyte-derived elastase in patients with deep vein thrombosis. <i>Thrombosis Research</i> , 2005, 115, 53-57.	1.7	16
187	Elevated levels of leukocyte tissue factor mRNA in patients with venous thromboembolism. <i>Thrombosis Research</i> , 2005, 116, 307-312.	1.7	26
188	CD19-Negative Diffuse Large B-Cell Lymphoma Shows High Serum LDH Level and Poor Prognosis. <i>Blood</i> , 2005, 106, 1924-1924.	1.4	24
189	Distinct Characteristics of t(8;21) Acute Myeloid Leukemia with Active KIT Mutation. <i>Blood</i> , 2005, 106, 3297-3297.	1.4	1
190	Tissue factor messenger RNA levels in leukocytes compared with tissue factor antigens in plasma from patients in hypercoagulable state caused by various diseases. <i>Thrombosis and Haemostasis</i> , 2004, 92, 132-139.	3.4	22
191	Hemostatic Abnormalities and Changes Following Bone Marrow Transplantation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2004, 10, 341-350.	1.7	18
192	Pathway analysis of informative genes from microarray data reveals that metabolism and signal transduction genes distinguish different subtypes of lymphomas. <i>International Journal of Oncology</i> , 2004, 24, 497.	3.3	4
193	Acute myeloid leukemia with t(8;21)(q22;q22) manifesting as granulocytic sarcomas in the rhinopharynx and external acoustic meatus at relapse after high-dose cytarabine: case report and review of the literature. <i>The Hematology Journal</i> , 2004, 5, 84-89.	1.4	30
194	Upregulated production of IL-6, but not IL-10, by interferon- γ induces SOCS3 expression and attenuates STAT1 phosphorylation in myeloma cells. <i>The Hematology Journal</i> , 2004, 5, 505-512.	1.4	11
195	CD21S antigen expression in tumour cells of diffuse large B-cell lymphomas is an independent prognostic factor indicating better overall survival. <i>British Journal of Haematology</i> , 2004, 125, 180-186.	2.5	13
196	Fluorescent In Situ Hybridization Analysis of Philadelphia Chromosome-Negative Chronic Myeloid Leukemia with the bcr/abl Fusion Gene. <i>International Journal of Hematology</i> , 2004, 80, 155-158.	1.6	7
197	Activities of granulocyte-macrophage colony-stimulating factor and interleukin-3 on monocytes. <i>American Journal of Hematology</i> , 2004, 75, 179-189.	4.1	25
198	Case of chronic-phase chronic myelogenous leukemia with an abdominal hematopoietic tumor of leukemic clone origin. <i>American Journal of Hematology</i> , 2004, 77, 167-170.	4.1	15

#	ARTICLE	IF	CITATIONS
199	mRNA expression of leukemia-associated antigens in patients with acute myeloid leukemia for the development of specific immunotherapies. <i>International Journal of Cancer</i> , 2004, 108, 704-711.	5.1	118
200	Quantization and similarity measure selection for discrimination of lymphoma subtypes under k-nearest neighbor classification. , 2004, 5328, 6.		3
201	Reprogramming of human postmitotic neutrophils into macrophages by growth factors. <i>Blood</i> , 2004, 103, 2973-2980.	1.4	50
202	Increased Membrane Proteinase 3 Expression on Neutrophils in Patients with Infectious Disease.. <i>Blood</i> , 2004, 104, 3806-3806.	1.4	0
203	Importance of CD4+ Helper T-cells in Antitumor Immunity. <i>International Journal of Hematology</i> , 2003, 77, 435-438.	1.6	43
204	Pharmacologic platelet anesthesia by glycoprotein IIb/IIIa complex antagonist and argatroban during in vitro extracorporeal circulation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003, 126, 428-435.	0.8	13
205	High plasma fibrinogen level is associated with poor clinical outcome in DIC patients. <i>American Journal of Hematology</i> , 2003, 72, 1-7.	4.1	75
206	Comparison of diagnostic criteria for disseminated intravascular coagulation (DIC): diagnostic criteria of the International Society of Thrombosis and Hemostasis (ISTH) and of the Japanese Ministry of Health and Welfare for overt DIC. <i>American Journal of Hematology</i> , 2003, 74, 17-22.	4.1	166
207	Increased Soluble Fibrin in Plasma of Patients with Disseminated Intravascular Coagulation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2003, 9, 233-240.	1.7	31
208	The Blood Group P1 Synthase Gene Is Identical to the Gb3/CD77 Synthase Gene. <i>Journal of Biological Chemistry</i> , 2003, 278, 44429-44438.	3.4	60
209	CD4+ CD25+ T cells responding to serologically defined autoantigens suppress antitumor immune responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10902-10906.	7.1	152
210	Good or Poor Responses of Hemostatic Molecular Markers in Patients with Hematopoietic Disorders After Treatment of Disseminated Intravascular Coagulation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2003, 9, 71-77.	1.7	8
211	Elimination of CD4+ T cells may overcome suppression of anti-HER2 immune responses in tumor-bearing hosts. <i>International Journal of Oncology</i> , 2003, 22, 1135.	3.3	0
212	Relationship between Development of Nephrotoxicity and Blood Concentration of Cyclosporine A in Bone-Marrow Transplanted Recipients Who Received the Continuous Intravenous Infusion. <i>Biological and Pharmaceutical Bulletin</i> , 2003, 26, 1115-1119.	1.4	16
213	Measurement of tissue factor messenger RNA levels in leukocytes from patients in hypercoagulable state caused by several underlying diseases. <i>Thrombosis and Haemostasis</i> , 2003, 89, 660-665.	3.4	22
214	Microarray reveals differences in both tumors and vascular specific gene expression in de novo CD5+ and CD5- diffuse large B-cell lymphomas. <i>Cancer Research</i> , 2003, 63, 60-6.	0.9	46
215	Rapid lethality of hosts by interleukin-12 following H-2 compatible allogeneic bone marrow transplantation; Reminiscence of gut-associated acute graft-versus-host reaction. <i>International Journal of Oncology</i> , 2002, 21, 795.	3.3	0
216	Hemostatic Abnormalities Following Bone Marrow Transplantation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2002, 8, 125-132.	1.7	9

#	ARTICLE	IF	CITATIONS
217	Presentation of a major histocompatibility complex class I binding peptide by monocyte-derived dendritic cells incorporating hydrophobized polysaccharide-truncated HER2 protein complex: implications for a polyvalent immuno-cell therapy. <i>Blood</i> , 2002, 99, 3717-3724.	1.4	112
218	De novo CD5+ diffuse large B-cell lymphoma: a clinicopathologic study of 109 patients. <i>Blood</i> , 2002, 99, 815-821.	1.4	273
219	Adult acute myeloid leukemia cells do not express nonfunctional Ikaros isoforms. <i>Blood</i> , 2002, 100, 3436-3436.	1.4	3
220	Plasma Levels of Heparin Cofactor II (HCII) and Thrombin-HCII Complex in Patients with Disseminated Intravascular Coagulation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2002, 8, 265-271.	1.7	9
221	Expression of tissue factor and vascular endothelial growth factor is associated with angiogenesis in colorectal cancer. <i>American Journal of Hematology</i> , 2002, 69, 247-254.	4.1	178
222	Two Independent Clones in Myelodysplastic Syndrome Following Treatment of Acute Myeloid Leukemia. <i>International Journal of Hematology</i> , 2002, 75, 182-186.	1.6	9
223	The Soluble Notch Ligand, Jagged-1, Inhibits Proliferation of CD34+ Macrophage Progenitors. <i>International Journal of Hematology</i> , 2002, 75, 269-276.	1.6	40
224	A Case of Acute Myeloid Leukemia with t(7;11)(p15;p15) Mimicking Myeloid Crisis of Chronic Myelogenous Leukemia. <i>International Journal of Hematology</i> , 2002, 76, 80-83.	1.6	5
225	Effect of direct infusion of antifungal agent on invasive pulmonary aspergillosis in a patient with acute leukemia. <i>Journal of Infection and Chemotherapy</i> , 2002, 8, 106-108.	1.7	3
226	Predicting response to plasma exchange in patients with thrombotic thrombocytopenic purpura with measurement of vWF-cleaving protease activity. <i>Transfusion</i> , 2002, 42, 572-580.	1.6	121
227	HER2 peptide-specific CD8+ T cells are proportionally detectable long after multiple DNA vaccinations. <i>Gene Therapy</i> , 2002, 9, 879-888.	4.5	24
228	Regression of primary lymphoma of the ampulla of Vater after eradication of <i>Helicobacter pylori</i> . <i>Gastrointestinal Endoscopy</i> , 2001, 54, 92-96.	1.0	24
229	Inhibition by combined therapy with ticlopidine and aspirin of enhanced platelet aggregation during physical exercise in patients with coronary artery disease. <i>American Heart Journal</i> , 2001, 142, 5A-12A.	2.7	17
230	Activity and Antigen Levels of Thrombin-Activatable Fibrinolysis Inhibitor in Plasma of Patients With Disseminated Intravascular Coagulation. <i>Thrombosis Research</i> , 2001, 104, 1-6.	1.7	88
231	Comparison of the Responses of Global Tests of Coagulation with Molecular Markers of Neutrophil, Endothelial, and Hemostatic System Perturbation in the Baboon Model of <i>E. coli</i> Sepsis. <i>Thrombosis and Haemostasis</i> , 2001, 86, 1489-1494.	3.4	24
232	Endosonographic Images of Low-grade Lymphoma of Mucosa-associated Lymphoid Tissue After Radiotherapy. <i>Journal of Clinical Gastroenterology</i> , 2001, 33, 237-240.	2.2	7
233	Protein kinase C-catalyzed phosphorylation of an inhibitory phosphoprotein of myosin phosphatase is involved in human platelet secretion. <i>Blood</i> , 2001, 97, 3798-3805.	1.4	57
234	Analysis of Clonal Relationship Using Single-Cell Polymerase Chain Reaction in a Patient with Concomitant Mantle Cell Lymphoma and Multiple Myeloma. <i>International Journal of Hematology</i> , 2001, 73, 383-385.	1.6	10

#	ARTICLE	IF	CITATIONS
235	Efficient ex vivo generation of dendritic cells from CD14+ blood monocytes in the presence of human serum albumin for use in clinical vaccine trials. <i>British Journal of Haematology</i> , 2001, 114, 681-689.	2.5	22
236	Additional t(11;17)(q23;q21) in a patient with Philadelphia-positive mixed lineage antigen-expressing leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2001, 126, 8-12.	1.0	19
237	Successful treatment with low-dose splenic irradiation for massive splenomegaly in an elderly patient with hairy-cell leukemia. <i>European Journal of Haematology</i> , 2001, 67, 255-257.	2.2	11
238	Role of SEREX-defined immunogenic wild-type cellular molecules in the development of tumor-specific immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 14571-14576.	7.1	61
239	Increased Plasma Thrombomodulin as a Vascular Endothelial Cell Marker in Patients With Thrombotic Thrombocytopenic Purpura and Hemolytic Uremic Syndrome. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2001, 7, 5-9.	1.7	26
240	Plasma Levels of Total Plasminogen Activator Inhibitor-I (PAI-I) and tPA/PAI-1 Complex in Patients With Disseminated Intravascular Coagulation and Thrombotic Thrombocytopenic Purpura. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2001, 7, 229-233.	1.7	37
241	HTLV-1 unrelated adult T-cell leukemia/lymphoma with unique phenotype and karyotype. , 2000, 64, 64-66.		3
242	Decreased tissue factor and tissue-plasminogen activator antigen in relapsed acute promyelocytic leukemia. <i>American Journal of Hematology</i> , 2000, 64, 145-150.	4.1	15
243	Plasma levels of activated protein C-protein C inhibitor complex in patients with hypercoagulable states. <i>American Journal of Hematology</i> , 2000, 65, 35-40.	4.1	28
244	Increased plasma levels of tissue factor pathway inhibitor-activated factor X complex in patients with disseminated intravascular coagulation. <i>American Journal of Hematology</i> , 2000, 65, 210-214.	4.1	8
245	A HER2/NEU-derived peptide, a Kd-restricted murine tumor rejection antigen, induces HER2-specific HLA-A2402-restricted CD8+ cytotoxic T lymphocytes. <i>International Journal of Cancer</i> , 2000, 87, 553-558.	5.1	36
246	A novel human HER2-derived peptide homologous to the mouse Kd-restricted tumor rejection antigen can induce HLA-A24-restricted cytotoxic T lymphocytes in ovarian cancer patients and healthy individuals. <i>European Journal of Immunology</i> , 2000, 30, 3338-3346.	2.9	46
247	Activity of interleukin 6 in the differentiation of monocytes to macrophages and dendritic cells. <i>British Journal of Haematology</i> , 2000, 109, 288-295.	2.5	83
248	BaxInduction Activates Apoptotic Cascade via Mitochondrial Cytochrome cRelease andBaxOverexpression Enhances Apoptosis Induced by Chemotherapeutic Agents in DLD-1 Colon Cancer Cells. <i>Japanese Journal of Cancer Research</i> , 2000, 91, 1264-1268.	1.7	43
249	Semiquantitative immunoblot analysis of nm23-H1 and -H2 isoforms in adenocarcinomas of the lung: Prognostic significance. <i>Pathology International</i> , 2000, 50, 200-205.	1.3	4
250	Acute promyelocytic leukemia with del(6)(p23). <i>Leukemia Research</i> , 2000, 24, 79-81.	0.8	8
251	Increased platelet aggregability in response to shear stress in acute myocardial infarction and its inhibition by combined therapy with aspirin and cilostazol after coronary intervention. <i>American Journal of Cardiology</i> , 2000, 85, 1054-1059.	1.6	43
252	Cyclin D1 expression is useful as a prognostic indicator for advanced esophageal carcinomas, but not for superficial tumors. <i>Digestive Diseases and Sciences</i> , 2000, 45, 864-869.	2.3	24

#	ARTICLE	IF	CITATIONS
253	Development of a cancer vaccine: peptides, proteins, and DNA. <i>Cancer Chemotherapy and Pharmacology</i> , 2000, 46, S77-S82.	2.3	43
254	Successful treatment of lymphoid follicular proctitis with sulfasalazine suppositories. <i>American Journal of Gastroenterology</i> , 2000, 95, 2403-2404.	0.4	7
255	Changes of Hemostatic Molecular Markers After Gynecological Surgery. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2000, 6, 197-201.	1.7	6
256	State-of-the-Art Review : Elevated Tissue Factor Levels in Leukemic Cell Homogenate. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2000, 6, 14-17.	1.7	9
257	State-of-the-Art Review : Coagulation Tests and Anti-Phospholipid Antibodies in Patients Positive for Lupus Anticoagulant. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2000, 6, 144-150.	1.7	7
258	Eradication of Established Tumors by CD8+ T Cell Adoptive Immunotherapy. <i>Immunity</i> , 2000, 13, 265-276.	14.3	315
259	Hemostatic Abnormalities in Patients With Thrombotic Complications on Maintenance Hemodialysis. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2000, 6, 100-103.	1.7	19
260	Bcl-2 in Cell-Cycle Regulation of Hematopoietic Cells by Transforming Growth Factor- β 1. <i>Leukemia and Lymphoma</i> , 2000, 39, 601-605.	1.3	6
261	Gastric mucosa-associated lymphoid tissue lymphoma with a focal high-grade component diagnosed by EUS and endoscopic mucosal resection for histologic evaluation. <i>Gastrointestinal Endoscopy</i> , 2000, 51, 752-755.	1.0	15
262	Diagnosis of Disseminated Intravascular Coagulation by Hemostatic Molecular Markers. <i>Seminars in Thrombosis and Hemostasis</i> , 2000, Volume 26, 017-022.	2.7	24
263	Increased Hemostatic Molecular Markers in Patients Undergoing Anticoagulant Therapy. <i>Seminars in Thrombosis and Hemostasis</i> , 2000, Volume 26, 113-118.	2.7	3
264	Successful treatment of lymphoid follicular proctitis with sulfasalazine suppositories. <i>American Journal of Gastroenterology</i> , 2000, 95, 2403-2404.	0.4	1
265	Expression of DCC Protein in Colorectal Tumors and Its Relationship to Tumor Progression and Metastasis. <i>Oncology</i> , 1999, 56, 134-141.	1.9	60
266	Agonist-Induced Regulation of Myosin Phosphatase Activity in Human Platelets Through Activation of Rho-Kinase. <i>Blood</i> , 1999, 93, 3408-3417.	1.4	94
267	State-of-the-Art Review : Outcome of Thrombotic Thrombocytopenic Purpura and Hemolytic Uremic Syndrome in Japan. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 1999, 5, 110-112.	1.7	7
268	Attenuation of Interleukin 2 Signal in the Spleen Cells of Complex Ganglioside-lacking Mice. <i>Journal of Biological Chemistry</i> , 1999, 274, 13744-13747.	3.4	46
269	Survival of human leukaemic B-cell precursors is supported by stromal cells and cytokines: association with the expression of bcl-2 protein. <i>British Journal of Haematology</i> , 1999, 105, 701-710.	2.5	62
270	Myeloid differentiation antigen and cytokine receptor expression on acute myelocytic leukaemia cells with t(16;21)(p11;q22): frequent expression of CD56 and interleukin-2 receptor β chain. <i>British Journal of Haematology</i> , 1999, 105, 711-719.	2.5	25

#	ARTICLE	IF	CITATIONS
271	De novo CD5-positive diffuse large B-cell lymphoma: clinical characteristics and therapeutic outcome. <i>British Journal of Haematology</i> , 1999, 105, 1133-1139.	2.5	68
272	Possible involvement of bcl-2 in regulation of cell-cycle progression of haemopoietic cells by transforming growth factor-beta1. <i>British Journal of Haematology</i> , 1999, 105, 470-477.	2.5	22
273	Tumor-specific targeting of T helper type 1 (Th1) cells by anti-CD3 Å— anti-c-ErbB-2 bispecific antibody. <i>Cancer Immunology, Immunotherapy</i> , 1999, 48, 456-462.	4.2	5
274	Plasma concentration of itraconazole and its antifungal prophylactic efficacy in patients with neutropenia after chemotherapy for acute leukemia. <i>Journal of Infection and Chemotherapy</i> , 1999, 5, 213-216.	1.7	15
275	Increased truncated form of plasma tissue factor pathway inhibitor levels in patients with disseminated intravascular coagulation. , 1999, 60, 94-98.		19
276	Hemostatic molecular markers before the onset of disseminated intravascular coagulation. <i>American Journal of Hematology</i> , 1999, 60, 273-278.	4.1	55
277	Plasma sFas and sFas ligand levels in patients with thrombotic thrombocytopenic purpura and in those with disseminated intravascular coagulation. , 1999, 61, 21-25.		16
278	Changes of plasma hemostatic markers during percutaneous transluminal coronary angioplasty in patients with chronic coronary artery disease. , 1999, 61, 238-242.		26
279	Overexpression of Bax gene sensitizes K562 erythroleukemia cells to apoptosis induced by selective chemotherapeutic agents. <i>Oncogene</i> , 1998, 16, 1587-1591.	5.9	69
280	Poor outcome in disseminated intravascular coagulation or thrombotic thrombocytopenic purpura patients with severe vascular endothelial cell injuries. , 1998, 58, 189-194.		58
281	Hemostatic Molecular Markers Before Onset of Disseminated Intravascular Coagulation in Leukemic Patients. <i>Seminars in Thrombosis and Hemostasis</i> , 1998, 24, 293-297.	2.7	31
282	Immunohistochemical and Semiquantitative Immunoblot Analyses of Nm23-H1 and H2 Isoforms in Normal Human Tissues.. <i>Acta Histochemica Et Cytochemica</i> , 1998, 31, 411-418.	1.6	4
283	De Novo CD5+ Diffuse Large B-Cell Lymphomas Express VH Genes With Somatic Mutation. <i>Blood</i> , 1998, 91, 1145-1151.	1.4	92
284	Tissue Factor Expression and Metastatic Potential of Colorectal Cancer. <i>Thrombosis and Haemostasis</i> , 1998, 80, 894-898.	3.4	112
285	Increased soluble fibrin monomer and soluble thrombomodulin levels in non-insulin-dependent diabetes mellitus. <i>Blood Coagulation and Fibrinolysis</i> , 1997, 8, 303-307.	1.0	12
286	Regulation of Myosin Phosphatase Through Phosphorylation of the Myosin-Binding Subunit in Platelet Activation. <i>Blood</i> , 1997, 90, 3936-3942.	1.4	57
287	Increased tissue factor pathway inhibitor in patients with acute myocardial infarction. <i>American Journal of Hematology</i> , 1997, 55, 183-187.	4.1	43
288	K-ras gene mutations in intrahepatic bile duct tumors of Syrian golden hamsters. , 1997, 66, 97-103.		9

#	ARTICLE	IF	CITATIONS
289	Increased plasma-soluble fibrin monomer levels in patients with disseminated intravascular coagulation. , 1996, 51, 255-260.		68
290	Plasma tissue factor and tissue factor pathway inhibitor levels in patients with disseminated intravascular coagulation. , 1996, 52, 165-170.		29
291	High establishment efficiency of lymph node stromal cells which spontaneously produce multiple cytokines derived from adult T-cell leukemia/lymphoma patients. International Journal of Oncology, 1996, 9, 619-24.	3.3	1
292	Differential Association of Protein Ser/Thr Phosphatase Types 1 and 2A with the Cytoskeleton upon Platelet Activation. Thrombosis and Haemostasis, 1996, 76, 1053-1062.	3.4	25
293	LIPOPROTEIN(A) AND EFFECTIVE RENAL PLASMA FLOW RATE IN OLDER PATIENTS WITH ARTERIOSCLEROTIC DISEASES. Journal of the American Geriatrics Society, 1995, 43, 1067-1068.	2.6	1
294	Decreased protein C inhibitor after percutaneous transluminal coronary angioplasty in patients with acute myocardial infarction. American Journal of Hematology, 1995, 49, 1-5.	4.1	29
295	Expression of α 2,8-sialyltransferase (GD3 synthase) gene in human cancer cell lines: high level expression in melanomas and up-regulation in activated T lymphocytes. Glycoconjugate Journal, 1995, 12, 894-900.	2.7	61
296	Substrate Specificity of α 1,4-N-Acetylgalactosaminyltransferase in Vitro and in cDNA-transfected Cells. Journal of Biological Chemistry, 1995, 270, 6149-6155.	3.4	54
297	T cell receptor-mediated stimulation of mouse thymocytes induces up-regulation of the GM2/GD2 synthase gene. FEBS Letters, 1995, 358, 79-83.	2.8	20
298	Up-regulation of protein serine/threonine phosphatase type 2C during $1\alpha,25$ -dihydroxyvitamin D3-induced monocytic differentiation of leukemic HL-60 cells. FEBS Letters, 1995, 375, 299-303.	2.8	11
299	Outcome of Disseminated Intravascular Coagulation in Relation to the Score when Treatment was Begun. Thrombosis and Haemostasis, 1995, 74, 848-852.	3.4	138
300	Decreased Plasma Tissue Factor Pathway Inhibitor Levels in Patients with Thrombotic Thrombocytopenic Purpura. Thrombosis and Haemostasis, 1995, 73, 010-014.	3.4	39
301	Established IL-2-dependent double-negative (CD4-CD8-) TCR $\alpha\beta$ /CD3+ATL cells: induction of CD4 expression. British Journal of Haematology, 1994, 88, 234-241.	2.5	31
302	Reduced expression of nm23-H1, but not of nm23-H2, is concordant with the frequency of lymph-node metastasis of human breast cancer. International Journal of Cancer, 1993, 55, 66-71.	5.1	132
303	Expression of nm23-H1 and nm23-H2 Proteins in Prostate Carcinoma. Japanese Journal of Cancer Research, 1993, 84, 1050-1054.	1.7	61
304	Immunohistochemical Analysis of Expression of nm23-H1/Nucleoside Diphosphate Kinase in Human Thyroid Carcinomas: Lack of Correlation Between Its Expression and Lymph Node Metastasis. Thyroid, 1993, 3, 105-109.	4.5	25
305	Molecular cloning and functional expression of the second mouse nm23/NDP kinase gene, nm23-M2. FEBS Letters, 1992, 309, 358-362.	2.8	64
306	Distinguishing Pancreatic Carcinoma From Other Periapillary Carcinomas by Analysis of Mutations in the Kirsten-ras Oncogene. Annals of Surgery, 1991, 214, 657-662.	4.2	93

#	ARTICLE	IF	CITATIONS
307	IL-2-Dependent ATL cell lines with phenotypes differing from the original leukemia cells. <i>Leukemia Research</i> , 1991, 15, 619-625.	0.8	35
308	Frequent Glycine-to-Aspartic Acid Mutations at Codon 12 of c-Ki-rasGene in Human Pancreatic Cancer in Japanese. <i>Japanese Journal of Cancer Research</i> , 1990, 81, 135-140.	1.7	95
309	Adult T cell leukaemia cells are of CD4+CDw29+T cell origin and secrete a B cell differentiation factor. <i>British Journal of Haematology</i> , 1989, 72, 370-377.	2.5	24
310	Localization and subcellular distribution of cellular ras gene products in rat brain. <i>Molecular Brain Research</i> , 1989, 5, 31-44.	2.3	50
311	Activated t-lymphocytes with polyclonal gammopathy in patients with human t-lymphotropic virus type i?associated myelopathy. <i>Annals of Neurology</i> , 1988, 24, 280-282.	5.3	58
312	Expression ofc-myc Oncogens Product andras Family Oncogene Products in Various Human Malignant Lymphomas Defined by Immunohistochemical Techniques. <i>Cancer</i> , 1988, 62, 2085-2093.	4.1	30
313	Binding ofrasp21 to bands 4.2 and 6 of human erythrocyte membranes. <i>FEBS Letters</i> , 1988, 226, 291-296.	2.8	7
314	Cytogenetic characterization of a T-cell line, ATN-1, derived from adult T-cell leukemia cells. <i>Cancer Genetics and Cytogenetics</i> , 1988, 34, 77-88.	1.0	21
315	Serological and Biochemical Characterization of Surface Antigens Expressed on Human Myeloid Cells and Identification of Six Distinct Antigen Systems. <i>Acta Haematologica</i> , 1988, 79, 61-67.	1.4	0
316	Cell-mediated cytotoxicity for cultured autologous melanoma cells. <i>International Journal of Cancer</i> , 1979, 24, 34-44.	5.1	55
317	A new differentiation antigen defining a subpopulation of mouse T cells. <i>Nature</i> , 1976, 261, 137-139.	27.8	11
318	EXPERIMENTAL MODELS AND THE ROLE OF RNA IN IMMUNOTHERAPY OF LEUKEMIA. <i>Annals of the New York Academy of Sciences</i> , 1973, 207, 430-441.	3.8	5
319	IL-3 can not replace GM-CSF in inducing human monocytes to differentiate into Langerhans cells. <i>International Journal of Oncology</i> , 0, , .	3.3	3