

Syed Jalal Khundmiri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2568909/publications.pdf>

Version: 2024-02-01

69
papers

1,294
citations

331670

21
h-index

414414

32
g-index

73
all docs

73
docs citations

73
times ranked

1619
citing authors

#	ARTICLE	IF	CITATIONS
1	Systems Biology of the Vasopressin V2 Receptor: New Tools for Discovery of Molecular Actions of a GPCR. <i>Annual Review of Pharmacology and Toxicology</i> , 2022, 62, 595-616.	9.4	5
2	ADPKD-omics: determinants of cyclic AMP levels in renal epithelial cells. <i>Kidney International</i> , 2022, 101, 47-62.	5.2	5
3	PPAR- δ knockout leads to elevated blood pressure response to angiotensin II infusion associated with an increase in renal Na^+/K^+ ATPase protein expression and activity. <i>Life Sciences</i> , 2022, 296, 120444.	4.3	3
4	Rapid Lipid Modification of Endothelial Cell Membranes in Cardiac Ischemia/Reperfusion Injury: a Novel Therapeutic Strategy to Reduce Infarct Size. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 113-123.	2.6	8
5	Transcriptomes of Major Proximal Tubule Cell Culture Models. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 86-97.	6.1	35
6	Lack of ER Stress in NHERF1-Deficient Proximal Tubule Cells Exhibiting Aberrant Npt2a Localization. <i>FASEB Journal</i> , 2021, 35, .	0.5	0
7	Na/H Exchange Regulatory Factor 1 Deficient Mice Show Evidence of Oxidative Stress and Altered Cisplatin Pharmacokinetics. <i>Antioxidants</i> , 2021, 10, 1036.	5.1	1
8	SLC-omics of the kidney: solute transporters along the nephron. <i>American Journal of Physiology - Cell Physiology</i> , 2021, 321, C507-C518.	4.6	22
9	Sodium-hydrogen exchanger regulatory factor-1 (NHERF1) confers salt sensitivity in both male and female models of hypertension in aging. <i>Life Sciences</i> , 2020, 243, 117226.	4.3	4
10	Does SARS-CoV-2 Infect the Kidney?. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 2746-2748.	6.1	43
11	NHERF1 Loss Upregulates Enzymes of the Pentose Phosphate Pathway in Kidney Cortex. <i>Antioxidants</i> , 2020, 9, 862.	5.1	3
12	Biological Functions for STARD5 Assessed Using stard5 ^{-/-} Mice. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.5	0
13	Loss of the Na ⁺ /H ⁺ Exchange Regulatory Factor 1 Increases Susceptibility to Cisplatin-Induced Acute Kidney Injury. <i>American Journal of Pathology</i> , 2019, 189, 1190-1200.	3.8	4
14	The increased expression of microRNAs 451, 638 and 362 in Urinary Exosomes of Human Subjects profiled as Diabetic and Hypertensive. <i>FASEB Journal</i> , 2019, 33, 716.5.	0.5	0
15	Age- and Salt-dependent Changes in miRNA Profile in FBN rat and C57BL/6J mice: Role of sodium hydrogen exchanger regulatory factor-1 (NHERF1). <i>FASEB Journal</i> , 2019, 33, 713.1.	0.5	0
16	Age-dependent Changes in miRNA Profile in F344 rat and C57BL/6J mice: Role of sodium hydrogen exchanger regulatory factor-1 (NHERF1). <i>FASEB Journal</i> , 2018, 32, 753.5.	0.5	0
17	Effects of Low dose Ouabain on Blood Pressure: Role of Angiotensin II type 1 receptor (AT2R1). <i>FASEB Journal</i> , 2018, 32, 716.15.	0.5	0
18	PACAP Protects Against Ethanol and Nicotine Toxicity in SH-SY5Y Cells: Implications for Drinking-Smoking Co-morbidity. <i>Neurotoxicity Research</i> , 2017, 32, 8-13.	2.7	21

#	ARTICLE	IF	CITATIONS
19	Loss of NHERF-1 expression prevents dopamine-mediated Na-K-ATPase regulation in renal proximal tubule cells from rat models of hypertension: aged F344 rats and spontaneously hypertensive rats. <i>American Journal of Physiology - Cell Physiology</i> , 2017, 313, C197-C206.	4.6	8
20	Effect of Fasting on Enzymes of Carbohydrate Metabolism, Brush Border Membrane and on Transport Functions in Superficial and Juxta-Medullary Cortex of Rat Kidney. <i>Journal of Nutrition & Food Sciences</i> , 2017, 07, .	1.0	0
21	Protein-DNA Interactions at the Opossum Npt2a Promoter are Dependent upon NHERF-1. <i>Cellular Physiology and Biochemistry</i> , 2016, 39, 1-12.	1.6	3
22	Identification of an RNA-binding protein that is phosphorylated by PTH and potentially mediates PTH-induced destabilization of Npt2a mRNA. <i>American Journal of Physiology - Cell Physiology</i> , 2016, 310, C205-C215.	4.6	11
23	Low dose ouabain stimulates Na K ATPase $\hat{\pm}$ 1 subunit association with angiotensin II type 1 receptor in renal proximal tubule cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 2624-2636.	4.1	16
24	PTH and Vitamin D. , 2016, 6, 561-601.		198
25	Advances in the Understanding of Renal Proximal Tubular Na ⁺ /K ⁺ ATPase Regulation by Parathyroid Hormone and Dopamine. , 2016, , 359-373.		0
26	Transcriptional regulation of NHE3 and SGLT1 by the circadian clock protein Per1 in proximal tubule cells. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F933-F942.	2.7	57
27	Role of Na ⁺ /H ⁺ exchanger regulatory factor 1 in forward trafficking of the type IIa Na ⁺ -P _i cotransporter. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F109-F119.	2.7	15
28	Role of PTH in the Renal Handling of Phosphate. <i>AIMS Medical Science</i> , 2015, 2, 162-181.	0.4	2
29	Comparison of protein expression in kidney tubular apical and basolateral membranes in young and old rats. <i>FASEB Journal</i> , 2015, 29, 969.9.	0.5	0
30	Low Phosphate Stimulates Na ⁺ /H ⁺ Exchanger Regulatory Factor I (NHERF1) Trafficking. <i>FASEB Journal</i> , 2015, 29, 809.1.	0.5	0
31	Ouabain signaling requires angiotensin II type 1 receptor activation.. <i>FASEB Journal</i> , 2015, 29, 845.31.	0.5	0
32	KSRP and Roquin ² : Mediators of PTH-Induced Npt2a mRNA Destabilization?. <i>FASEB Journal</i> , 2015, 29, 809.2.	0.5	0
33	Sphingolipids affect fibrinogen-induced caveolar transcytosis and cerebrovascular permeability. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 307, C169-C179.	4.6	19
34	Advances in understanding the role of cardiac glycosides in control of sodium transport in renal tubules. <i>Journal of Endocrinology</i> , 2014, 222, R11-R24.	2.6	11
35	Hydrogen sulfide mitigates hyperglycemic remodeling via liver kinase B1-adenosine monophosphate-activated protein kinase signaling. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 2816-2826.	4.1	43
36	Structural determinants for the ouabain-stimulated increase in Na ⁺ -K ⁺ ATPase activity. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 1089-1102.	4.1	21

#	ARTICLE	IF	CITATIONS
37	Aldosterone regulates Na ⁺ , K ⁺ ATPase activity in human renal proximal tubule cells through mineralocorticoid receptor. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013, 1833, 2143-2152.	4.1	54
38	Vacuolar ATPase driven potassium transport in highly metastatic breast cancer cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 1734-1743.	3.8	15
39	Plasma kininogen and kininogen fragments are biomarkers of progressive renal decline in type 1 diabetes. <i>Kidney International</i> , 2013, 83, 1177-1184.	5.2	36
40	Parathyroid hormone (PTH) decreases sodium-phosphate cotransporter type IIa (NpT2a) mRNA stability. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, F1076-F1085.	2.7	21
41	Parathyroid Hormone (PTH) decreases mRNA stability of the Type IIa Sodium-Phosphate Cotransporter (NpT2a). <i>FASEB Journal</i> , 2013, 27, 1210.15.	0.5	0
42	Role of sphingolipids in fibrinogen-induced cerebrovascular permeability. <i>FASEB Journal</i> , 2013, 27, 1131.9.	0.5	0
43	Ouabain increases association between Na ⁺ K ⁺ ATPase (Na ⁺ K ⁺) and NHE1 through N-terminal domain of Na ⁺ K ⁺ . <i>FASEB Journal</i> , 2013, 27, 726.10.	0.5	0
44	Renal proximal tubule ion transporters are discrepantly regulated by parathyroid hormone in acute versus chronic hyperparathyroidism. <i>FASEB Journal</i> , 2012, 26, 867.22.	0.5	0
45	Elongin C is a mediator of Notch4 activity in human renal tubule cells. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2011, 1814, 1748-1757.	2.3	10
46	Role of Vacuolar ATPase in the Trafficking of Renal Type IIa Sodium-phosphate Cotransporter. <i>Cellular Physiology and Biochemistry</i> , 2011, 27, 703-714.	1.6	9
47	Dopamine regulation of Na ⁺ -K ⁺ -ATPase requires the PDZ-2 domain of sodium hydrogen regulatory factor-1 (NHERF-1) in opossum kidney cells. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 300, C425-C434.	4.6	21
48	Steroidogenic Acute Regulatory (StAR)-Related Lipid Transfer Domain Protein 5 (STARD5) expression is associated with cholesterol content of human kidney proximal tubule cells. <i>FASEB Journal</i> , 2011, 25, 937.1.	0.5	0
49	Ouabain stimulates Na-K-ATPase through a sodium/hydrogen exchanger-1 (NHE-1)-dependent mechanism in human kidney proximal tubule cells. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F77-F90.	2.7	60
50	Evidence for Aldosterone-mediated regulation of Na ⁺ K ⁺ ATPase in kidney proximal tubules. <i>FASEB Journal</i> , 2010, 24, 606.25.	0.5	0
51	Endoplasmic Reticulum Stress Enhances Steroidogenic Acute Regulatory (StAR)-Related Lipid Transfer Domain Protein 5 (STARD5) Expression and Cholesterol Efflux in HKC-8 Human Renal Proximal Tubule Cells. <i>FASEB Journal</i> , 2010, 24, 850.1.	0.5	0
52	Steroidogenic acute regulatory-related lipid transfer domain protein 5 localization and regulation in renal tubules. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F380-F388.	2.7	20
53	Low dose ouabain regulation of Na ⁺ K ⁺ ATPase requires NHE1 scaffolding properties.. <i>FASEB Journal</i> , 2009, 23, 798.5.	0.5	0
54	Novel regulatory function for NHERF-1 in Npt2a transcription. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, F840-F849.	2.7	24

#	ARTICLE	IF	CITATIONS
55	PTH-mediated regulation of Na ⁺ -K ⁺ -ATPase requires Src kinase-dependent ERK phosphorylation. American Journal of Physiology - Renal Physiology, 2008, 295, F426-F437.	2.7	23
56	Nanomolar concentrations of ouabain stimulate Na ⁺ -K ⁺ -ATPase through sodium hydrogen exchanger α 1 (NHE1) dependent mechanism.. FASEB Journal, 2008, 22, 935.11.	0.5	0
57	Ouabain stimulates protein kinase B (Akt) phosphorylation in opossum kidney proximal tubule cells through an ERK-dependent pathway. American Journal of Physiology - Cell Physiology, 2007, 293, C1171-C1180.	4.6	42
58	Influence of Ramadan-type fasting on carbohydrate metabolism, brush border membrane enzymes and phosphate transport in rat kidney used as a model. British Journal of Nutrition, 2007, 98, 984-990.	2.3	8
59	The Sodium α -Hydrogen Exchanger Regulatory Factor NHERF α 1 is required for apical membrane protein trafficking in renal epithelial cells. FASEB Journal, 2007, 21, A544.	0.5	0
60	Ouabain induces cell proliferation through calcium-dependent phosphorylation of Akt (protein kinase) Tj ETQq0 0 0 rgBT /Overlock 10 Tj 291, C1247-C1257.	4.6	59
61	Parathyroid Hormone Regulation of Na ⁺ ,K ⁺ -ATPase Requires the PDZ 1 Domain of Sodium Hydrogen Exchanger Regulatory Factor-1 in Opossum Kidney Cells. Journal of the American Society of Nephrology: JASN, 2005, 16, 2598-2607.	6.1	33
62	Parathyroid Hormone-mediated Regulation of Na ⁺ -K ⁺ -ATPase Requires ERK-dependent Translocation of Protein Kinase C β . Journal of Biological Chemistry, 2005, 280, 8705-8713.	3.4	27
63	Effect of ischemia reperfusion on sodium-dependent phosphate transport in renal brush border membranes. Biochimica Et Biophysica Acta - Biomembranes, 2005, 1716, 19-28.	2.6	23
64	Clathrin-mediated Endocytosis of Na ⁺ ,K ⁺ -ATPase in Response to Parathyroid Hormone Requires ERK-dependent Phosphorylation of Ser-11 within the α 1-Subunit. Journal of Biological Chemistry, 2004, 279, 17418-17427.	3.4	62
65	Effect of ischemia and reperfusion on enzymes of carbohydrate metabolism in rat kidney. Journal of Nephrology, 2004, 17, 377-83.	2.0	48
66	Parathyroid Hormone Regulation of Type II Sodium-Phosphate Cotransporters Is Dependent on an A Kinase Anchoring Protein. Journal of Biological Chemistry, 2003, 278, 10134-10141.	3.4	40
67	Role of NHERF-1 in Regulation of the Activity of Na-K ATPase and Sodium-Phosphate Co-transport in Epithelial Cells. Journal of the American Society of Nephrology: JASN, 2003, 14, 1711-1719.	6.1	52
68	PTH and DA regulate Na-K ATPase through divergent pathways. American Journal of Physiology - Renal Physiology, 2002, 282, F512-F522.	2.7	33
69	Effect of reversible and irreversible ischemia on marker enzymes of BBM from renal cortical PT subpopulations. American Journal of Physiology - Renal Physiology, 1997, 273, F849-F856.	2.7	15