

Hidetaka Wakabayashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2568932/publications.pdf>

Version: 2024-02-01

166
papers

4,085
citations

117453

34
h-index

138251

58
g-index

170
all docs

170
docs citations

170
times ranked

2521
citing authors

#	ARTICLE	IF	CITATIONS
1	Interaction between malnutrition and physical disability in older adults: is there a malnutrition-disability cycle?. <i>Nutrition Reviews</i> , 2023, 81, 191-205.	2.6	11
2	Rehabilitation Nutrition and Exercise Therapy for Sarcopenia. <i>World Journal of Men's Health</i> , 2022, 40, 1.	1.7	39
3	Rehabilitation nutrition for individuals with frailty, disability, sarcopenic dysphagia, or sarcopenic respiratory disability. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2022, 25, 29-36.	1.3	15
4	Goal setting for nutrition and body weight in rehabilitation nutrition: position paper by the Japanese Association of Rehabilitation Nutrition (secondary publication). <i>Journal of General and Family Medicine</i> , 2022, 23, 77-86.	0.3	10
5	Deprescribing Leads to Improved Energy Intake among Hospitalized Older Sarcopenic Adults with Polypharmacy after Stroke. <i>Nutrients</i> , 2022, 14, 443.	1.7	23
6	Chair-Stand Exercise Improves Sarcopenia in Rehabilitation Patients after Stroke. <i>Nutrients</i> , 2022, 14, 461.	1.7	20
7	Prevalence of Hoarseness and Its Association with Severity of Dysphagia in Patients with Sarcopenic Dysphagia. <i>Journal of Nutrition, Health and Aging</i> , 2022, 26, 266-271.	1.5	4
8	Association between Inflammation and Functional Outcome in Patients with Sarcopenic Dysphagia. <i>Journal of Nutrition, Health and Aging</i> , 2022, 26, 400-406.	1.5	2
9	Sarcopenia Is Associated with Fecal Incontinence in Patients with Dysphagia: Implication for Anal Sarcopenia. <i>Journal of Nutrition, Health and Aging</i> , 2022, 26, 84-88.	1.5	4
10	Nutrition and Exercise Tolerance. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2022, 59, 40-46.	0.0	0
11	Association between Malnutrition Severity and Swallowing Function in Convalescent Rehabilitation Wards: A Multi-Center Cohort Study in Malnourished Patients with Sarcopenic Dysphagia. <i>Journal of Nutrition, Health and Aging</i> , 2022, 26, 469-476.	1.5	6
12	Diagnostic reasoning in rehabilitation nutrition: Position paper by the Japanese Association of Rehabilitation Nutrition (secondary publication). <i>Journal of General and Family Medicine</i> , 2022, 23, 205-216.	0.3	7
13	Relationship of body mass index on activities of daily living in hospitalized patients with chronic obstructive pulmonary disease. <i>Respiratory Medicine and Research</i> , 2022, 81, 100899.	0.4	1
14	Positive psychology and rehabilitation nutrition. <i>Journal of General and Family Medicine</i> , 2022, 23, 293-294.	0.3	4
15	Use of Antipsychotics is Negatively Associated with Muscle Strength in Older Adults with Sarcopenia after Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106587.	0.7	5
16	Relationship Between Tongue Pressure and Pharyngeal Function Assessed Using High-Resolution Manometry in Older Dysphagia Patients with Sarcopenia: A Pilot Study. <i>Dysphagia</i> , 2021, 36, 33-40.	1.0	32
17	Influence of potentially inappropriate medications on activities of daily living for patients with osteoporotic vertebral compression fractures: A retrospective cohort study. <i>Journal of Orthopaedic Science</i> , 2021, 26, 448-452.	0.5	5
18	Hemoglobin Improvement is Positively Associated with Functional Outcomes in Stroke Patients with Anemia. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105453.	0.7	19

#	ARTICLE	IF	CITATIONS
19	Elevated Creatinine-Based Estimated Glomerular Filtration Rate is Associated with Increased Risk of Sarcopenia, Dysphagia, and Reduced Functional Recovery after Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105491.	0.7	9
20	Digastric muscle mass and intensity in older patients with sarcopenic dysphagia by ultrasonography. <i>Geriatrics and Gerontology International</i> , 2021, 21, 14-19.	0.7	10
21	The Mass of Geniohyoid Muscle Is Associated with Maximum Tongue Pressure and Tongue Area in Patients with Sarcopenic Dysphagia. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 356-360.	1.5	12
22	Aggressive nutrition therapy in malnutrition and sarcopenia. <i>Nutrition</i> , 2021, 84, 111109.	1.1	39
23	Impact of malnutrition on post-stroke cognitive impairment in convalescent rehabilitation ward inpatients. <i>European Geriatric Medicine</i> , 2021, 12, 167-174.	1.2	15
24	Impact of geniohyoid and masseter muscle masses on dysphagia after salvage surgery and radiotherapy in head and neck cancer. <i>Scientific Reports</i> , 2021, 11, 2278.	1.6	11
25	Body mass index affects postoperative daily activities of older patients after gastrectomy. <i>European Geriatric Medicine</i> , 2021, 12, 825-835.	1.2	6
26	Nutritional Management Enhances the Recovery of Swallowing Ability in Older Patients with Sarcopenic Dysphagia. <i>Nutrients</i> , 2021, 13, 596.	1.7	41
27	Diagnosis and Treatment of Sarcopenic Dysphagia: A Scoping Review. <i>Dysphagia</i> , 2021, 36, 523-531.	1.0	38
28	Improvement of swallowing-related muscle mass assessed by ultrasonography in malnourished patient with Wallenberg syndrome: A case report. <i>Journal of General and Family Medicine</i> , 2021, 22, 341-343.	0.3	1
29	Predictive validity of the Mini Nutritional Assessment Short-Form for rehabilitation patients: A retrospective analysis of the Japan Rehabilitation Nutrition Database. <i>Journal of Human Nutrition and Dietetics</i> , 2021, 34, 881-889.	1.3	12
30	On "Nutrition in Physical Therapist Practice: Tools and Strategies to Act Now." Berner P, Bezner JR, Morris D, Lein DH. <i>Phys Ther.</i> 2021;101:pzab061. https://doi.org/10.1093/ptj/pzab061 and "Nutrition in Physical Therapist Practice: Setting the Stage for Taking Action." Berner P, Bezner JR, Morris D, Lein DH. <i>Phys Ther.</i> 2021;101:pzab062. https://doi.org/10.1093/ptj/pzab062 . <i>Physical Therapy</i> , 2021, 101, .	1.1	0
31	Impact of Rehabilitation Dose on Nutritional Status at Discharge from a Convalescent Rehabilitation Ward in Malnourished Patients with Hip Fracture. <i>Healthcare (Switzerland)</i> , 2021, 9, 722.	1.0	2
32	Polypharmacy and Malnutrition Management of Elderly Perioperative Patients with Cancer: A Systematic Review. <i>Nutrients</i> , 2021, 13, 1961.	1.7	27
33	Construction and Quality Evaluation of the Japanese Sarcopenic Dysphagia Database. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 926-932.	1.5	18
34	Clinical practice guidelines for rehabilitation nutrition in cerebrovascular disease, hip fracture, cancer, and acute illness: 2020 update. <i>Clinical Nutrition ESPEN</i> , 2021, 43, 90-103.	0.5	37
35	Comment on high protein intake after subarachnoid hemorrhage improves oral intake and temporal muscle volume. <i>Clinical Nutrition</i> , 2021, 40, 4861-4862.	2.3	0
36	Improvement in Oral Health Enhances the Recovery of Activities of Daily Living and Dysphagia after Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105961.	0.7	12

#	ARTICLE	IF	CITATIONS
37	Stored Energy Increases Body Weight and Skeletal Muscle Mass in Older, Underweight Patients after Stroke. <i>Nutrients</i> , 2021, 13, 3274.	1.7	14
38	Effect of low tongue pressure on nutritional status and improvement of swallowing function in sarcopenic dysphagia. <i>Nutrition</i> , 2021, 90, 111295.	1.1	18
39	Sarcopenia is associated with incontinence and recovery of independence in urination and defecation in post-acute rehabilitation patients. <i>Nutrition</i> , 2021, 91-92, 111397.	1.1	15
40	Respiratory Sarcopenia and Sarcopenic Respiratory Disability: Concepts, Diagnosis, and Treatment. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 507-515.	1.5	65
41	The regulatory approval of anamorelin for treatment of cachexia in patients with non-small cell lung cancer, gastric cancer, pancreatic cancer, and colorectal cancer in Japan: facts and numbers.. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 14-16.	2.9	95
42	Effects of forefoot arthroplasty on plantar pressure, pain, gait and disability in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2020, 30, 301-304.	0.9	3
43	Nutritional status change and activities of daily living in elderly pneumonia patients admitted to acute care hospital: A retrospective cohort study from the Japan Rehabilitation Nutrition Database. <i>Nutrition</i> , 2020, 71, 110613.	1.1	30
44	Body mass index and recovery of activities of daily living in older patients with femoral fracture: An analysis of a national inpatient database in Japan. <i>Archives of Gerontology and Geriatrics</i> , 2020, 87, 104009.	1.4	21
45	Reply to the comments on "Chairstand exercise improves post-stroke dysphagia". <i>Geriatrics and Gerontology International</i> , 2020, 20, 1099-1100.	0.7	1
46	Impact of Body Mass Index on Activities of Daily Living in Patients with Idiopathic Interstitial Pneumonias. <i>Healthcare (Switzerland)</i> , 2020, 8, 385.	1.0	1
47	Predictive Validity of Body Mass Index Cutoff Values Used in the Global Leadership Initiative on Malnutrition Criteria for Discriminating Severe and Moderate Malnutrition Based on Inpatients With Pneumonia in Asians. <i>Journal of Parenteral and Enteral Nutrition</i> , 2020, 45, 941-950.	1.3	20
48	Chairstand exercise improves post-stroke dysphagia. <i>Geriatrics and Gerontology International</i> , 2020, 20, 885-891.	0.7	48
49	Rehabilitation pharmacotherapy: A scoping review. <i>Geriatrics and Gerontology International</i> , 2020, 20, 655-663.	0.7	21
50	Oral Management in Rehabilitation Medicine: Oral Frailty, Oral Sarcopenia, and Hospital-Associated Oral Problems. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 1094-1099.	1.5	43
51	Low Hemoglobin Levels are Associated with Sarcopenia, Dysphagia, and Adverse Rehabilitation Outcomes After Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 105405.	0.7	28
52	Sarcopenic Obesity and Activities of Daily Living in Stroke Rehabilitation Patients: A Cross-Sectional Study. <i>Healthcare (Switzerland)</i> , 2020, 8, 255.	1.0	23
53	Sarcopenic Obesity Is Associated With Activities of Daily Living and Home Discharge in Post-Acute Rehabilitation. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1475-1480.	1.2	38
54	Semi-Solid Nutrients for Prevention of Enteral Tube Feeding-Related Complications in Japanese Population: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2020, 12, 1687.	1.7	5

#	ARTICLE	IF	CITATIONS
55	Association between delivery methods for enteral nutrition and physical status among older adults. BMC Nutrition, 2020, 6, 2.	0.6	3
56	Assessment of swallowing function and muscle using ultrasonography in general and family medicine. Journal of General and Family Medicine, 2020, 21, 1-2.	0.3	3
57	The effects of promoting oral intake using the Kuchi-kara Taberu index, a comprehensive feeding assistant tool, in older pneumonia patients: a cluster randomized controlled trial. BMC Geriatrics, 2020, 20, 36.	1.1	4
58	Role of Nutrition and Rehabilitation in the Prevention and Management of Sarcopenia and Frailty. , 2020, , 117-138.		4
59	Shorter Interval between Onset and Admission to Convalescent Rehabilitation Wards Is Associated with Improved Outcomes in Ischemic Stroke Patients. Tohoku Journal of Experimental Medicine, 2020, 252, 15-22.	0.5	16
60	Effect of manual lymph drainage for up to 10 days after total knee arthroplasty: A randomized controlled trial. Physical Therapy Research, 2020, 23, 39-46.	0.3	5
61	Nutritional Therapeutics: Rehabilitation After Hospitalization and Trauma, Surgery. , 2019, , 103-108.		0
62	Association between Food Store Availability and the Incidence of Functional Disability among Community-Dwelling Older Adults: Results from the Japanese Gerontological Evaluation Cohort Study. Nutrients, 2019, 11, 2369.	1.7	10
63	Sarcopenia and dysphagia: Position paper by four professional organizations. Geriatrics and Gerontology International, 2019, 19, 91-97.	0.7	249
64	Impact of Nutrition Therapy and Rehabilitation on Acute and Critical Illness: A Systematic Review. Journal of UOEH, 2019, 41, 303-315.	0.3	8
65	Medical–dental collaboration in general and family medicine. Journal of General and Family Medicine, 2019, 20, 47-47.	0.3	7
66	Relationship between nutritional status and improved ADL in individuals with cervical spinal cord injury in a convalescent rehabilitation ward. Spinal Cord, 2019, 57, 501-508.	0.9	12
67	Energy Intake at Admission for Improving Activities of Daily Living and Nutritional Status among Convalescent Stroke Patients. Neurologia Medico-Chirurgica, 2019, 59, 313-320.	1.0	17
68	Comment on “Nutritional situation of enterally fed patients in neurological early rehabilitation and impact of nutritional status on functional outcome”. Clinical Nutrition, 2019, 38, 2468-2469.	2.3	0
69	Comprehensive Geriatric Assessment and Nutrition-Related Assessment: A Cross-Sectional Survey for Health Professionals. Geriatrics (Switzerland), 2019, 4, 23.	0.6	3
70	Comment on “Sarcopenia is an Independent Risk Factor for Dysphagia in Community-Dwelling Older Adults”. Dysphagia, 2019, 34, 718-719.	1.0	0
71	Depression and anxiety in pet owners after a diagnosis of cancer in their pets: a cross-sectional study in Japan. BMJ Open, 2019, 9, e024512.	0.8	9
72	Correlation of patient complexity with the burden for health-related professions, and differences in the burden between the professions at a Japanese regional hospital: a prospective cohort study. BMJ Open, 2019, 9, e025176.	0.8	10

#	ARTICLE	IF	CITATIONS
73	Sarcopenia is associated with worse recovery of physical function and dysphagia and a lower rate of home discharge in Japanese hospitalized adults undergoing convalescent rehabilitation. <i>Nutrition</i> , 2019, 61, 111-118.	1.1	145
74	Impact of Body Mass Index on Activities of Daily Living in Inpatients with Acute Heart Failure. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 151-156.	1.5	18
75	The Prevalence and Prognosis of Sarcopenic Dysphagia in Patients Who Require Dysphagia Rehabilitation. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 84-88.	1.5	64
76	Rehabilitation Nutrition for Iatrogenic Sarcopenia and Sarcopenic Dysphagia. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 256-265.	1.5	57
77	Impaired oral health status on admission is associated with poor clinical outcomes in post-acute inpatients: A prospective cohort study. <i>Clinical Nutrition</i> , 2019, 38, 2677-2683.	2.3	33
78	Hospital dental hygienist intervention improves activities of daily living, home discharge and mortality in post-acute rehabilitation. <i>Geriatrics and Gerontology International</i> , 2019, 19, 189-196.	0.7	35
79	Relationship Between Performance Improvement in Activities of Daily Living and Energy Intake in Older Patients With Hip Fracture Undergoing Rehabilitation. <i>Annals of Rehabilitation Medicine</i> , 2019, 43, 562-569.	0.6	2
80	Assessment of Dysphagia and Sarcopenia for Nutritional Applications: Practical Implications for Malnourished Older Patients Who Require Rehabilitation. , 2019, , 769-783.		0
81	Sarcopenia, frailty, and rehabilitation nutrition in peripheral arterial disease. <i>The Journal of Japanese Society of Limb Salvage and Podiatric Medicine</i> , 2019, 11, 2-9.	0.0	0
82	Frailty. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2019, 108, 258-263.	0.0	0
83	Prevalence of sarcopenia and association with oral health-related quality of life and oral health status in older dental clinic outpatients. <i>Geriatrics and Gerontology International</i> , 2018, 18, 915-921.	0.7	27
84	Rehabilitation pharmacotherapy: A combination of rehabilitation and pharmacotherapy. <i>Journal of General and Family Medicine</i> , 2018, 19, 43-44.	0.3	17
85	Nutritional status is associated with the return home in a long-term care health facility. <i>Journal of General and Family Medicine</i> , 2018, 19, 9-14.	0.3	4
86	No clinically significant effect of new complete denture fabrication and simple dietary advice on nutrient intake and masticatory function of edentulous older people. <i>Clinical Nutrition</i> , 2018, 37, 406-407.	2.3	0
87	Ultrasonography to Measure Swallowing Muscle Mass and Quality in Older Patients With Sarcopenic Dysphagia. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 516-522.	1.2	82
88	Prevalence of stroke-related sarcopenia and its association with poor oral status in post-acute stroke patients: Implications for oral sarcopenia. <i>Clinical Nutrition</i> , 2018, 37, 204-207.	2.3	104
89	Occlusal Support, Dysphagia, Malnutrition, and Activities of Daily Living in Aged Individuals Needing Long-Term Care: A Path Analysis. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 53-58.	1.5	23
90	Cognitive impairment has no impact on hospital-associated dysphagia in aspiration pneumonia patients. <i>Geriatrics and Gerontology International</i> , 2018, 18, 233-239.	0.7	13

#	ARTICLE	IF	CITATIONS
91	Prevalence of sarcopenia and its association with activities of daily living and dysphagia in convalescent rehabilitation ward inpatients. <i>Clinical Nutrition</i> , 2018, 37, 2022-2028.	2.3	148
92	The effects of resistance training of swallowing muscles on dysphagia in older people: A cluster, randomized, controlled trial. <i>Nutrition</i> , 2018, 48, 111-116.	1.1	45
93	Prevalence of nutritional risk and its impact on functional recovery in older inpatients on maintenance hemodialysis: a retrospective single-center cohort study. <i>Renal Replacement Therapy</i> , 2018, 4, .	0.3	1
94	Home-based Combined Therapy with Rehabilitation and Aggressive Nutrition Management for a Parkinson's Disease Patient with Sarcopenic Dysphagia: A Case Report. <i>Progress in Rehabilitation Medicine</i> , 2018, 3, n/a.	0.3	6
95	Causal inference from an observational study of geriatric rehabilitation pharmacotherapy. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1307-1308.	0.7	1
96	Construction and Quality Evaluation of the Japanese Rehabilitation Nutrition Database. <i>Journal of Nutritional Science and Vitaminology</i> , 2018, 64, 251-257.	0.2	11
97	Nutritional intake is associated with activities of daily living and complications in older inpatients with stroke. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1334-1339.	0.7	28
98	Rehabilitation nutrition support for a hemodialysis patient with protein-energy wasting and sarcopenic dysphagia: a case report. <i>Renal Replacement Therapy</i> , 2018, 4, .	0.3	8
99	Chapter 4 Treatment of sarcopenia. <i>Geriatrics and Gerontology International</i> , 2018, 18, 28-44.	0.7	53
100	Nutritional Status Changes and Activities of Daily Living after Hip Fracture in Convalescent Rehabilitation Units: A Retrospective Observational Cohort Study from the Japan Rehabilitation Nutrition Database. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018, 118, 1270-1276.	0.4	63
101	Sarcopenia and cachexia evaluation in different healthcare settings: a questionnaire survey of health professionals. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018, 27, 167-175.	0.3	11
102	Post-acute Rehabilitation for Ataxia Associated with Acute Lithium Toxicity: A Case Report. <i>Progress in Rehabilitation Medicine</i> , 2018, 3, n/a.	0.3	0
103	Rehabilitation nutrition in pressure ulcer management with type 2 diabetes: a case report. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018, 27, 728-734.	0.3	3
104	Relationship between body mass index and functional recovery in stroke rehabilitation setting. <i>Disability and Rehabilitation</i> , 2017, 39, 1146-1147.	0.9	0
105	Poor oral status is associated with rehabilitation outcome in older people. <i>Geriatrics and Gerontology International</i> , 2017, 17, 598-604.	0.7	49
106	Relationship between sarcopenia and household status in community-dwelling older women. <i>Geriatrics and Gerontology International</i> , 2017, 17, 179-180.	0.7	0
107	Effects of aging and sarcopenia on strength of swallowing muscles in older adults. <i>Geriatrics and Gerontology International</i> , 2017, 17, 360-361.	0.7	2
108	Correlation between nutritional status and frailty regarding saliva secretion and occlusal force in community-dwelling older people. <i>Geriatrics and Gerontology International</i> , 2017, 17, 177-179.	0.7	1

#	ARTICLE	IF	CITATIONS
109	Cut-off point for chair stand time when used as a surrogate for gait speed in sarcopenia diagnosis. <i>Geriatrics and Gerontology International</i> , 2017, 17, 667-668.	0.7	1
110	Validity and reliability of the Patient Centred Assessment Method for patient complexity and relationship with hospital length of stay: a prospective cohort study. <i>BMJ Open</i> , 2017, 7, e016175.	0.8	21
111	Rehabilitation and nutritional support for sarcopenic dysphagia and tongue atrophy after glossectomy: A case report. <i>Nutrition</i> , 2017, 35, 128-131.	1.1	42
112	Interventions for Treating Sarcopenia: A Systematic Review and Meta-Analysis of Randomized Controlled Studies. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 553.e1-553.e16.	1.2	264
113	Prevalence of skeletal muscle mass loss and its association with swallowing function after cardiovascular surgery. <i>Nutrition</i> , 2017, 38, 70-73.	1.1	27
114	Rehabilitation nutrition in general and family medicine. <i>Journal of General and Family Medicine</i> , 2017, 18, 153-154.	0.3	48
115	Sarcopenia Is Highly Prevalent in Older Medical Patients With Mobility Limitation. <i>Nutrition in Clinical Practice</i> , 2017, 32, 110-115.	1.1	25
116	Nutrition Support Team Intervention Improves Activities of Daily Living in Older Patients Undergoing In-Patient Rehabilitation in Japan: A Retrospective Cohort Study. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2017, 36, 166-177.	0.4	4
117	Prevalence of sarcopenia and its association with dysphagia in cancer patients who require rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 682-685.	0.8	14
118	Impact of a multidisciplinary rehabilitation nutrition team on evaluating sarcopenia, cachexia and practice of rehabilitation nutrition. <i>Journal of Medical Investigation</i> , 2017, 64, 140-145.	0.2	13
119	Qualitative Research into Rehabilitation Awareness and Training among General Practice Residents. <i>Rigakuryoho Kagaku</i> , 2017, 32, 301-306.	0.0	1
120	Comprehensive Approach to Sarcopenia and Cachexia Treatment. , 2017, , 155-178.		0
121	Assessment of Dysphagia and Sarcopenia for Nutritional Applications: Practical Implications for Malnourished Older Patients Who Require Rehabilitation. , 2017, , 1-16.		0
122	The Autophagy-Dependent Signaling in Skeletal Muscle. , 2017, , 93-111.		1
123	Multidisciplinary Comprehensive Care for Early Recommencement of Oral Intake in Older Adults With Severe Pneumonia. <i>Journal of Gerontological Nursing</i> , 2016, 42, 21-29.	0.3	9
124	Effect of Long-Term Proton Pump Inhibitor Therapy on Nutritional Status in Elderly Hospitalized Patients. <i>Journal of Nutritional Science and Vitaminology</i> , 2016, 62, 330-334.	0.2	3
125	Association Between Protein Intake, Occlusal Force, and Walking Speed in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1381-1382.	1.3	0
126	Rehabilitation Nutrition for Possible Sarcopenic Dysphagia After Lung Cancer Surgery. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e84-e89.	0.7	44

#	ARTICLE	IF	CITATIONS
127	Acute myeloid leukemia presenting with complete paraplegia and bilateral total blindness due to central nervous system involvement. <i>Spinal Cord Series and Cases</i> , 2016, 2, 15035.	0.3	3
128	Rehabilitation Nutrition for Acute Heart Failure on Inotropes with Malnutrition, Sarcopenia, and Cachexia: A Case Report. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 765-768.	0.4	7
129	Dysphagia assessed by the 10-item eating assessment tool is associated with nutritional status and activities of daily living in elderly individuals requiring long-term care. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 22-27.	1.5	50
130	Nutritional Improvement Correlates with Recovery of Activities of Daily Living among Malnourished Elderly Stroke Patients in the Convalescent Stage: A Cross-Sectional Study. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 837-843.	0.4	83
131	Social participation and quality-of-life of patients with traumatic brain injury living in the community: A mixed methods study. <i>Brain Injury</i> , 2016, 30, 1590-1598.	0.6	16
132	The Relevance of Nutritional Status and Inactivity to Changes in Quadriceps Muscle Thickness in Patients after Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 2566-2567.	0.7	0
133	Reliability and Validity of a Simplified Comprehensive Assessment Tool for Feeding Support: Kuchi&Kara Taberu Index. <i>Journal of the American Geriatrics Society</i> , 2016, 64, e248-e252.	1.3	24
134	Swallowing function, skeletal muscle mass and sarcopenia in older adults requiring long&term care. <i>Geriatrics and Gerontology International</i> , 2016, 16, 1175-1176.	0.7	2
135	Rehabilitation for People with Small Intestinal Dysfunction. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2016, 53, 855-859.	0.0	0
136	The relevance of muscle mass and quality to postoperative complications after open colon resection. <i>International Journal of Colorectal Disease</i> , 2016, 31, 1541-1542.	1.0	0
137	High Nutritional-Related Risk on Admission Predicts Less Improvement of Functional Independence Measure in Geriatric Stroke Patients: A Retrospective Cohort Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 1335-1341.	0.7	56
138	Sarcopenia Is a Possible Independent Risk Factor of Cognitive Decline in Community-Dwelling Older People. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 559-560.	1.2	0
139	Rehabilitation nutrition for undernourished participants in nursing home and home care: Cluster randomized controlled study. <i>Nutrition</i> , 2016, 32, 503.	1.1	2
140	Pulmonary rehabilitation and oral nutritional supplement enriched with beta-hydroxy-beta-methylbutyrate for bronchiectasis participants: A prospective, randomised study. <i>Clinical Nutrition</i> , 2016, 35, 767-768.	2.3	1
141	Pre-operative psoas muscle mass and post-operative gait speed following total hip arthroplasty for osteoarthritis. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016, 7, 95-96.	2.9	15
142	Neck circumference is not associated with dysphagia but with undernutrition in elderly individuals requiring long-term care. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 355-360.	1.5	9
143	Associations between tongue strength and swallowing difficulty in the older adults receiving long-term care. <i>Clinical Nutrition</i> , 2016, 35, 772-773.	2.3	1
144	Obese Japanese Patients with Stroke Have Higher Functional Recovery in Convalescent Rehabilitation Wards: A Retrospective Cohort Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 26-33.	0.7	46

#	ARTICLE	IF	CITATIONS
145	Availability of Early, Intensive, and Continuous Nutrition Management for Fournier's Gangrene with Rectal Cancer: A Case Report. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 909-916.	0.4	3
146	Nutritional Improvement and Energy Intake Are Associated with Functional Recovery in Patients after Cerebrovascular Disorders. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 57-62.	0.7	87
147	Assessment and rehabilitation of swallowing disorders after mechanical ventilation. <i>Journal of the Japanese Society of Intensive Care Medicine</i> , 2016, 23, 9-11.	0.0	0
148	Skeletal muscle mass is associated with severe dysphagia in cancer patients. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015, 6, 351-357.	2.9	66
149	Early Commencement of Oral Intake and Physical Function are Associated with Early Hospital Discharge with Oral Intake in Hospitalized Elderly Individuals with Pneumonia. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2183-2185.	1.3	38
150	Comment on "Early nutritional support and physiotherapy improved long-term self-sufficiency in acutely ill older patients". <i>Nutrition</i> , 2015, 31, 546.	1.1	3
151	Commentary on Lee et al. (2015) "Need-based nutritional intervention is effective in improving handgrip strength and Barthel Index scores of older people living in a nursing home: A randomized controlled trial". <i>International Journal of Nursing Studies</i> , 2015, 52, 1281-1283.	2.5	0
152	Combined intervention of protein supplementation and resistance training in medical patients. <i>Clinical Nutrition</i> , 2015, 34, 1033-1034.	2.3	0
153	Comment on "Decreased Tongue Pressure is Associated with Sarcopenia and Sarcopenic Dysphagia in the Elderly". <i>Dysphagia</i> , 2015, 30, 373-374.	1.0	1
154	Combined intervention of whey protein intake and rehabilitation in female patients with hip fracture in the early postoperative period. <i>Clinical Nutrition</i> , 2015, 34, 1278-1279.	2.3	0
155	Head lifting strength is associated with dysphagia and malnutrition in frail older adults. <i>Geriatrics and Gerontology International</i> , 2015, 15, 410-416.	0.7	40
156	Changes in body composition in heart failure patients after a resistance exercise program and branched chain amino acid supplementation " Letter to Editor. <i>Clinical Nutrition</i> , 2015, 34, 779-780.	2.3	1
157	Angiotensin-Converting Enzyme Inhibitor in Tube-Fed Patients With Stroke History. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 896-897.	1.2	2
158	A comment on "Improving rehabilitation following critical illness through outpatient physiotherapy classes and essential amino acid supplement: a randomised, controlled trial". <i>Journal of Critical Care</i> , 2015, 30, 1135.	1.0	0
159	Rehabilitation nutrition for sarcopenia with disability: a combination of both rehabilitation and nutrition care management. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2014, 5, 269-277.	2.9	277
160	Malnutrition is associated with poor rehabilitation outcome in elderly inpatients with hospital-associated deconditioning a prospective cohort study. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 277-282.	0.8	84
161	PRESBYPHAGIA AND SARCOPENIC DYSPHAGIA: ASSOCIATION BETWEEN AGING, SARCOPENIA, AND DEGLUTITION DISORDERS. <i>Journal of Frailty & Aging, the</i> , 2014, 3, 1-7.	0.8	163
162	Comprehensive Approach to Sarcopenia Treatment. <i>Current Clinical Pharmacology</i> , 2014, 9, 171-180.	0.2	50

#	ARTICLE	IF	CITATIONS
163	The present situation in regard to perioperative management in Japan. The Japanese Journal of SURGICAL METABOLISM and NUTRITION, 2014, 48, 69-80.	0.1	0
164	Association of Nutrition Status and Rehabilitation Outcome in the Disuse Syndrome: a Retrospective Cohort Study. General Medicine, 2011, 12, 69-74.	0.1	21
165	Rehabilitation and Clinical Nutrition. The Japanese Journal of Rehabilitation Medicine, 2011, 48, 270-281.	0.0	5
166	Calf circumference and stroke are independent predictors for an improvement in the food intake level scale in the Japanese sarcopenic dysphagia database. European Geriatric Medicine, 0, , .	1.2	4