Kuo-Wei Chang

List of Publications by Citations

Source: https://exaly.com/author-pdf/2569054/kuo-wei-chang-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56 3,714 102 35 h-index g-index citations papers 106 4,316 5.2 5.13 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
102	miR-31 ablates expression of the HIF regulatory factor FIH to activate the HIF pathway in head and neck carcinoma. <i>Cancer Research</i> , 2010 , 70, 1635-44	10.1	260
101	Exploiting salivary miR-31 as a clinical biomarker of oral squamous cell carcinoma. <i>Head and Neck</i> , 2012 , 34, 219-24	4.2	158
100	Genome-wide profiling of oral squamous cell carcinoma. <i>Journal of Pathology</i> , 2004 , 204, 326-32	9.4	129
99	miR-24 up-regulation in oral carcinoma: positive association from clinical and in vitro analysis. <i>Oral Oncology</i> , 2010 , 46, 204-8	4.4	123
98	MicroRNA-200c attenuates tumour growth and metastasis of presumptive head and neck squamous cell carcinoma stem cells. <i>Journal of Pathology</i> , 2011 , 223, 482-95	9.4	102
97	miR-134 induces oncogenicity and metastasis in head and neck carcinoma through targeting WWOX gene. <i>International Journal of Cancer</i> , 2014 , 134, 811-21	7.5	88
96	Safrole-like DNA adducts in oral tissue from oral cancer patients with a betel quid chewing history. <i>Carcinogenesis</i> , 1999 , 20, 2331-4	4.6	87
95	High prevalence of human papillomavirus infection and possible association with betel quid chewing and smoking in oral epidermoid carcinomas in Taiwan. <i>Journal of Medical Virology</i> , 1989 , 28, 57-61	19.7	86
94	Areca (betel) nut extract activates mitogen-activated protein kinases and NF-kappaB in oral keratinocytes. <i>International Journal of Cancer</i> , 2005 , 116, 526-35	7.5	81
93	miR-146a enhances the oncogenicity of oral carcinoma by concomitant targeting of the IRAK1, TRAF6 and NUMB genes. <i>PLoS ONE</i> , 2013 , 8, e79926	3.7	81
92	Functional polymorphism in NFKB1 promoter is related to the risks of oral squamous cell carcinoma occurring on older male areca (betel) chewers. <i>Cancer Letters</i> , 2006 , 243, 47-54	9.9	77
91	Increase of disintergin metalloprotease 10 (ADAM10) expression in oral squamous cell carcinoma. <i>Cancer Letters</i> , 2007 , 245, 33-43	9.9	76
90	Ripe areca nut extract induces G1 phase arrests and senescence-associated phenotypes in normal human oral keratinocyte. <i>Carcinogenesis</i> , 2006 , 27, 1273-84	4.6	72
89	miR-211 promotes the progression of head and neck carcinomas by targeting TGFRII. <i>Cancer Letters</i> , 2013 , 337, 115-24	9.9	69
88	MicroRNA aberrances in head and neck cancer: pathogenetic and clinical significance. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2013 , 21, 104-11	2	68
87	MicroRNA-211 Enhances the Oncogenicity of Carcinogen-Induced Oral Carcinoma by Repressing TCF12 and Increasing Antioxidant Activity. <i>Cancer Research</i> , 2016 , 76, 4872-86	10.1	66
86	Array-comparative genomic hybridization to detect genomewide changes in microdissected primary and metastatic oral squamous cell carcinomas. <i>Molecular Carcinogenesis</i> , 2006 , 45, 721-31	5	65

(2003-2016)

85	MicroRNA-31 upregulation predicts increased risk of progression of oral potentially malignant disorder. <i>Oral Oncology</i> , 2016 , 53, 42-7	4.4	58	
84	Areca nut extract induced oxidative stress and upregulated hypoxia inducing factor leading to autophagy in oral cancer cells. <i>Autophagy</i> , 2010 , 6, 725-37	10.2	58	
83	Association of expression aberrances and genetic polymorphisms of lysyl oxidase with areca-associated oral tumorigenesis. <i>Clinical Cancer Research</i> , 2007 , 13, 4378-85	12.9	56	
82	miR-31 is upregulated in oral premalignant epithelium and contributes to the immortalization of normal oral keratinocytes. <i>Carcinogenesis</i> , 2014 , 35, 1162-71	4.6	54	
81	Increased expression of amyloid precursor protein in oral squamous cell carcinoma. <i>International Journal of Cancer</i> , 2004 , 111, 727-32	7.5	54	
80	Association between the rs2910164 polymorphism in pre-mir-146a and oral carcinoma progression. <i>Oral Oncology</i> , 2012 , 48, 404-8	4.4	53	
79	Association of epidermal growth factor receptor (EGFR) gene copy number amplification with neck lymph node metastasis in areca-associated oral carcinomas. <i>Oral Oncology</i> , 2008 , 44, 270-6	4.4	49	
78	Passenger strand miRNA miR-31* regulates the phenotypes of oral cancer cells by targeting RhoA. <i>Oral Oncology</i> , 2013 , 49, 27-33	4.4	47	
77	The biphasic differential expression of the cellular membrane protein, caveolin-1, in oral carcinogenesis. <i>Journal of Oral Pathology and Medicine</i> , 2003 , 32, 461-7	3.3	47	
76	miR-125b suppresses oral oncogenicity by targeting the anti-oxidative gene PRXL2A. <i>Redox Biology</i> , 2019 , 22, 101140	11.3	45	
75	Chromosomal changes in betel-associated oral squamous cell carcinomas and their relationship to clinical parameters. <i>Oral Oncology</i> , 2002 , 38, 266-73	4.4	42	
74	The association between genetic polymorphism and the processing efficiency of miR-149 affects the prognosis of patients with head and neck squamous cell carcinoma. <i>PLoS ONE</i> , 2012 , 7, e51606	3.7	40	
73	MicroRNA miR-31 targets SIRT3 to disrupt mitochondrial activity and increase oxidative stress in oral carcinoma. <i>Cancer Letters</i> , 2019 , 456, 40-48	9.9	39	
72	Evaluation physical characteristics and comparison antimicrobial and anti-inflammation potentials of dental root canal sealers containing hinokitiol in vitro. <i>PLoS ONE</i> , 2014 , 9, e94941	3.7	39	
71	Regulation of IGFBP-5 expression during tumourigenesis and differentiation of oral keratinocytes. <i>Journal of Pathology</i> , 2002 , 198, 317-25	9.4	38	
70	EGF up-regulates miR-31 through the C/EBPIsignal cascade in oral carcinoma. <i>PLoS ONE</i> , 2014 , 9, e1080	04 <u>9</u> .7	37	
69	Impact of diabetes mellitus on the prognosis of patients with oral squamous cell carcinoma: a retrospective cohort study. <i>Annals of Surgical Oncology</i> , 2010 , 17, 2175-83	3.1	36	
68	Elevated expression of cyclooxygenase (COX)-2 in oral squamous cell carcinomaevidence for COX-2 induction by areca quid ingredients in oral keratinocytes. <i>Journal of Oral Pathology and Medicine</i> , 2003 , 32, 522-9	3.3	36	

67	Copy number amplification of 3q26-27 oncogenes in microdissected oral squamous cell carcinoma and oral brushed samples from areca chewers. <i>Journal of Pathology</i> , 2005 , 206, 417-22	9.4	35
66	Curcumin upregulates insulin-like growth factor binding protein-5 (IGFBP-5) and C/EBPalpha during oral cancer suppression. <i>International Journal of Cancer</i> , 2010 , 127, 9-20	7.5	34
65	Multiple molecular alterations of FHIT in betel-associated oral carcinoma. <i>Journal of Pathology</i> , 2002 , 196, 300-6	9.4	34
64	The increase of voltage-gated potassium channel Kv3.4 mRNA expression in oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2003 , 32, 606-11	3.3	33
63	Upregulation of miR-372 and -373 associates with lymph node metastasis and poor prognosis of oral carcinomas. <i>Laryngoscope</i> , 2015 , 125, E365-70	3.6	32
62	Detection and screening of oral cancer and pre-cancerous lesions. <i>Journal of the Chinese Medical Association</i> , 2009 , 72, 227-33	2.8	32
61	Cyclin D1 genotype in areca-associated oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2003 , 32, 265-70	3.3	32
60	Alterations of p16/MTS1 gene in oral squamous cell carcinomas from Taiwanese. <i>Journal of Oral Pathology and Medicine</i> , 2000 , 29, 159-66	3.3	32
59	miR-372 inhibits p62 in head and neck squamous cell carcinoma in vitro and in vivo. <i>Oncotarget</i> , 2015 , 6, 6062-75	3.3	32
58	Expression of phosphorylated Akt in oral carcinogenesis and its induction by nicotine and alkaline stimulation. <i>Journal of Oral Pathology and Medicine</i> , 2009 , 38, 206-13	3.3	31
57	miR-31 targets ARID1A and enhances the oncogenicity and stemness of head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 57254-57267	3.3	31
56	miR-134 targets PDCD7 to reduce E-cadherin expression and enhance oral cancer progression. <i>International Journal of Cancer</i> , 2018 , 143, 2892-2904	7.5	31
55	Increased Plasma Circulating Cell-Free DNA Could Be a Potential Marker for Oral Cancer. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	30
54	K14-EGFP-miR-31 transgenic mice have high susceptibility to chemical-induced squamous cell tumorigenesis that is associating with Ku80 repression. <i>International Journal of Cancer</i> , 2015 , 136, 1263	-75	29
53	IFIT1 and IFIT3 promote oral squamous cell carcinoma metastasis and contribute to the anti-tumor effect of gefitinib via enhancing p-EGFR recycling. <i>Oncogene</i> , 2019 , 38, 3232-3247	9.2	29
52	The increase of oncogenic miRNA expression in tongue carcinogenesis of a mouse model. <i>Oral Oncology</i> , 2015 , 51, 1103-12	4.4	28
51	p53 alterations in betel quid- and tobacco-associated oral squamous cell carcinomas from Taiwan. <i>Journal of Oral Pathology and Medicine</i> , 1998 , 27, 243-8	3.3	28
50	Areca nut extract treatment down-regulates involucrin in normal human oral keratinocyte through P13K/AKT activation. <i>Oral Oncology</i> , 2007 , 43, 670-9	4.4	28

(2011-1999)

49	Telomerase activity and in situ telomerase RNA expression in oral carcinogenesis. <i>Journal of Oral Pathology and Medicine</i> , 1999 , 28, 389-96	3.3	28	
48	Presurgical serum levels of matrix metalloproteinase-9 and vascular endothelial growth factor in oral squamous cell carcinoma. <i>Oral Oncology</i> , 2009 , 45, 920-5	4.4	27	
47	Lysyl oxidase and enhancement of cell proliferation and angiogenesis in oral squamous cell carcinoma. <i>Head and Neck</i> , 2013 , 35, 250-6	4.2	26	
46	Association of aberrant p53 and p21(WAF1) immunoreactivity with the outcome of oral verrucous leukoplakia in Taiwan. <i>Journal of Oral Pathology and Medicine</i> , 2000 , 29, 56-62	3.3	26	
45	FAT1 somatic mutations in head and neck carcinoma are associated with tumor progression and survival. <i>Carcinogenesis</i> , 2018 , 39, 1320-1330	4.6	25	
44	Detection of copy number amplification of cyclin D1 (CCND1) and cortactin (CTTN) in oral carcinoma and oral brushed samples from areca chewers. <i>Oral Oncology</i> , 2009 , 45, 1032-6	4.4	24	
43	Association between lysyl oxidase polymorphisms and oral submucous fibrosis in older male areca chewers. <i>Journal of Oral Pathology and Medicine</i> , 2009 , 38, 109-13	3.3	23	
42	Alterations of Adenomatous Polyposis Coli (APC) gene in oral squamous cell carcinoma. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2000 , 29, 223-226	2.9	23	
41	MicroRNA-21 promotes perineural invasion and impacts survival in patients with oral carcinoma. Journal of the Chinese Medical Association, 2017 , 80, 383-388	2.8	21	
40	Up-regulation of miR-187 modulates the advances of oral carcinoma by targeting BARX2 tumor suppressor. <i>Oncotarget</i> , 2016 , 7, 61355-61365	3.3	21	
39	Molecular and cellular cues of diet-associated oral carcinogenesiswith an emphasis on areca-nut-induced oral cancer development. <i>Journal of Oral Pathology and Medicine</i> , 2015 , 44, 167-77	3.3	20	
38	Continuing root formation following apexification treatment. <i>Dental Traumatology</i> , 1990 , 6, 232-5	4.5	18	
37	The repressive effect of green tea ingredients on amyloid precursor protein (APP) expression in oral carcinoma cells in vitro and in vivo. <i>Cancer Letters</i> , 2007 , 245, 81-9	9.9	17	
36	Association of GST genotypes with age of onset and lymph node metastasis in oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2005 , 34, 473-7	3.3	17	
35	The molecular markers for prognostic evaluation of areca-associated buccal squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2004 , 33, 327-34	3.3	16	
34	Combination of structural and vascular optical coherence tomography for differentiating oral lesions of mice in different carcinogenesis stages. <i>Biomedical Optics Express</i> , 2018 , 9, 1461-1476	3.5	15	
33	Lipopolysaccharide induces the migration of human dental pulp cells by up-regulating miR-146a. <i>Journal of Endodontics</i> , 2012 , 38, 1598-603	4.7	15	
32	Serum decoy receptor 3 level: a predictive marker for nodal metastasis and survival among oral cavity cancer patients. <i>Head and Neck</i> , 2011 , 33, 396-402	4.2	15	

31	Nuclear STK15 expression is associated with aggressive behaviour of oral carcinoma cells in vivo and in vitro. <i>Journal of Pathology</i> , 2010 , 222, 99-109	9.4	15
30	Somatic Mutations in Head and Neck Carcinoma Are Associated With Tumor Progression. <i>Frontiers in Oncology</i> , 2019 , 9, 1379	5.3	15
29	Targeting Cellular Metabolism Modulates Head and Neck Oncogenesis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	14
28	Areca nut extract upregulates vimentin by activating PI3K/AKT signaling in oral carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2011 , 40, 160-6	3.3	14
27	The -ZBTB7A Oncogenic Axis Suppresses TRAIL-R2 Associated Drug Sensitivity in Oral Carcinoma. <i>Frontiers in Oncology</i> , 2020 , 10, 47	5.3	13
26	Frequent microsatellite alterations of chromosome locus 4q13.1 in oral squamous cell carcinomas. Journal of Oral Pathology and Medicine, 2005 , 34, 209-13	3.3	12
25	Targeting of miR-31/96/182 to the Numb gene during head and neck oncogenesis. <i>Head and Neck</i> , 2018 , 40, 808-817	4.2	11
24	The frequent co-expression of the oncogenes PIK3CA and PAK1 in oral carcinomas. <i>Oral Oncology</i> , 2011 , 47, 211-6	4.4	11
23	Establishing of mouse oral carcinoma cell lines derived from transgenic mice and their use as syngeneic tumorigenesis models. <i>BMC Cancer</i> , 2019 , 19, 281	4.8	10
22	Hinokitiol suppressed pan-histone expression and cell growth in oral squamous cell carcinoma cells. Journal of Functional Foods, 2015 , 15, 452-463	5.1	10
21	Regulatory Role of Hexokinase 2 in Modulating Head and Neck Tumorigenesis. <i>Frontiers in Oncology</i> , 2020 , 10, 176	5.3	10
20	The correlation between HIF-1 alpha and VEGF in oral squamous cell carcinomas: Expression patterns and quantitative immunohistochemical analysis. <i>Journal of the Chinese Medical Association</i> , 2018 , 81, 370-375	2.8	10
19	Up-regulation of HB-EGF by the COX-2/PGE2 signaling associates with the cisplatin resistance and tumor recurrence of advanced HNSCC. <i>Oral Oncology</i> , 2016 , 56, 54-61	4.4	10
18	Areca nut extract-treated gingival fibroblasts modulate the invasiveness of polymorphonuclear leukocytes via the production of MMP-2. <i>Journal of Oral Pathology and Medicine</i> , 2009 , 38, 79-86	3.3	10
17	MTS1 gene mutations in archival oral squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 1996 , 25, 541-6	3.3	10
16	Overexpression of Platelet-Derived Growth Factor and Its Receptor Are Correlated with Oral Tumorigenesis and Poor Prognosis in Oral Squamous Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	10
15	Eicosanoids and HB-EGF/EGFR in cancer. Cancer and Metastasis Reviews, 2018, 37, 385-395	9.6	10
14	Co-targeting of multiple microRNAs on factor-Inhibiting hypoxia-Inducible factor gene for the pathogenesis of head and neck carcinomas. <i>Head and Neck</i> , 2016 , 38, 522-8	4.2	8

LIST OF PUBLICATIONS

13	Establishment of syngeneic murine model for oral cancer therapy. Oral Oncology, 2019, 95, 194-201	4.4	8
12	Activation of the miRNA Cluster Enhances Oncogenicity and Drug Resistance in Oral Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
11	Association between areca-stimulated vimentin expression and the progression of head and neck cancers. <i>Head and Neck</i> , 2012 , 34, 245-53	4.2	7
10	Lysyl oxidase-like 3 mRNA expression indicates poor survival from oral squamous cell carcinoma. <i>Journal of Dental Sciences</i> , 2011 , 6, 205-209	2.5	7
9	Portland cement induces human periodontal ligament cells to differentiate by upregulating miR-146a. <i>Journal of the Formosan Medical Association</i> , 2018 , 117, 308-315	3.2	6
8	Detection of Oral Dysplastic and Early Cancerous Lesions by Polarization-Sensitive Optical Coherence Tomography. <i>Cancers</i> , 2020 , 12,	6.6	6
7	Establishment of a Null Murine Oral Carcinoma Cell Line and the Identification of Genetic Alterations Associated with This Carcinoma. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
6	Quantification of structural and microvascular changes for diagnosing early-stage oral cancer. <i>Biomedical Optics Express</i> , 2020 , 11, 1244-1256	3.5	4
5	LncRNA Drives Oncogenicity by Inhibiting the Limb-Bud and Heart Development Gene () during Oral Carcinoma. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
4	- Cascade Modulates Monocarboxylate Transporters to Increase Oncogenicity and Lactate Production of Oral Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
3	The upregulation of oncogenic miRNAs in swabbed samples obtained from oral premalignant and malignant lesions. <i>Clinical Oral Investigations</i> , 2021 , 1	4.2	O
2	Precise Identification of Recurrent Somatic Mutations in Oral Cancer Through Whole-Exome Sequencing Using Multiple Mutation Calling Pipelines <i>Frontiers in Oncology</i> , 2021 , 11, 741626	5.3	
1	A digital photograph study evaluating facial taperness and square face perception of Taiwanese females. <i>Journal of the Chinese Medical Association</i> , 2021 , 84, 314-319	2.8	