Hisako Hara

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2569366/publications.pdf

Version: 2024-02-01

331670 315739 1,632 71 21 38 citations h-index g-index papers 72 72 72 843 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Pathological Steps of Cancer-Related Lymphedema: Histological Changes in the Collecting Lymphatic Vessels after Lymphadenectomy. PLoS ONE, 2012, 7, e41126.	2.5	221
2	Indocyanine Green (ICG) Lymphography Is Superior to Lymphoscintigraphy for Diagnostic Imaging of Early Lymphedema of the Upper Limbs. PLoS ONE, 2012, 7, e38182.	2.5	205
3	Comparison of Indocyanine Green Lymphographic Findings with the Conditions of Collecting Lymphatic Vessels of Limbs in Patients with Lymphedema. Plastic and Reconstructive Surgery, 2013, 132, 1612-1618.	1.4	101
4	Multisite Lymphaticovenular Bypass Using Supermicrosurgery Technique for Lymphedema Management in Lower Lymphedema Cases. Plastic and Reconstructive Surgery, 2016, 138, 262-272.	1.4	84
5	Indication of Lymphaticovenous Anastomosis for Lower Limb Primary Lymphedema. Plastic and Reconstructive Surgery, 2015, 136, 883-893.	1.4	65
6	Indocyanine Green Lymphographic Evidence of Surgical Efficacy Following Microsurgical and Supermicrosurgical Lymphedema Reconstructions. Journal of Reconstructive Microsurgery, 2016, 32, 688-698.	1.8	53
7	Indocyanine green lymphography is superior to lymphoscintigraphy in imaging diagnosis of secondary lymphedema of the lower limbs. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2013, 1, 194-201.	1.6	51
8	Ultrasonography for classifying lymphatic sclerosis types and deciding optimal sites for lymphatic-venous anastomosis in patients with lymphoedema,. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2018, 71, 1274-1281.	1.0	51
9	Scarless lymphatic venous anastomosis for latent and early-stage lymphoedema using indocyanine green lymphography and non-invasive instruments for visualising subcutaneous vein. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2012, 65, 1551-1558.	1.0	45
10	Effective treatment of pelvic lymphocele by lymphaticovenular anastomosis. Gynecologic Oncology, 2013, 128, 209-214.	1.4	41
11	Multiâ€area lymphaticovenous anastomosis with multiâ€lymphosome injection in indocyanine green lymphography: A prospective study. Microsurgery, 2019, 39, 167-173.	1.3	35
12	Lower limb lymphedema treated with lymphaticoâ€venous anastomosis based on pre―and intraoperative icg lymphography and non ontact vein visualization: A case report. Microsurgery, 2012, 32, 227-230.	1.3	33
13	Lymphadiposal Flaps and Lymphaticovenular Anastomoses for Severe Leg Edema: Functional Reconstruction for Lymph Drainage System. Journal of Reconstructive Microsurgery, 2016, 32, 050-055.	1.8	33
14	A surgical technique using the ovarian vein in nonâ€human primate models of potential livingâ€donor surgery of uterus transplantation. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 942-948.	2.8	31
15	Lymphaticovenous anastomosis for facial lymphoedema after multiple courses of therapy for head-and-neck cancer. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2011, 64, 1221-1225.	1.0	29
16	High-accuracy Diagnosis and Regional Classification of Lymphedema Using Indocyanine Green Fluorescent Lymphography After Gynecologic Cancer Treatment. Annals of Plastic Surgery, 2014, 72, 204-208.	0.9	29
17	Predictive Lymphatic Mapping. Annals of Plastic Surgery, 2014, 72, 706-710.	0.9	28
18	Exclusive use of ultrasound for locating optimal LVA sitesâ€"A descriptive data analysis. Journal of Surgical Oncology, 2020, 121, 51-56.	1.7	28

#	Article	IF	CITATIONS
19	Evaluation of Lymphatic Dysplasia in Patients with Congenital Pleural Effusion and Ascites Using Indocyanine Green Lymphography. Journal of Pediatrics, 2014, 164, 1116-1120.e1.	1.8	26
20	Lymphaticovenous anastomosis for advancedâ€stage lower limb lymphedema. Microsurgery, 2021, 41, 140-145.	1.3	26
21	Pathological Investigation of Acquired Lymphangiectasia Accompanied by Lower Limb Lymphedema: Lymphocyte Infiltration in the Dermis and Epidermis. Lymphatic Research and Biology, 2016, 14, 172-180.	1.1	23
22	Indocyanine Green Lymphography andÂLymphaticovenous Anastomosis forÂGeneralized Lymphatic Dysplasia withÂPleural Effusion and Ascites in Neonates. Annals of Vascular Surgery, 2015, 29, 1111-1122.	0.9	22
23	Indocyanine Green Lymphographic and Lymphoscintigraphic Findings in Genital Lymphedema—Genital Pathway Score. Lymphatic Research and Biology, 2017, 15, 356-359.	1.1	22
24	Multi-site lymphatic venous anastomosis using echography to detect suitable subcutaneous vein in severe lymphedema patients. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2018, 71, e1-e7.	1.0	20
25	Multilymphosome injection indocyanine green lymphography can detect more lymphatic vessels than lymphoscintigraphy in lymphedematous limbs. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2020, 73, 1025-1030.	1.0	20
26	Combined Conservative Treatment and Lymphatic Venous Anastomosis for Severe Lower Limb Lymphedema with Recurrent Cellulitis. Annals of Vascular Surgery, 2015, 29, 1318.e11-1318.e15.	0.9	17
27	Local Anesthesia for Lymphaticovenular Anastomosis. Annals of Plastic Surgery, 2014, 72, 180-183.	0.9	16
28	Usefulness of preoperative echography for detection of lymphatic vessels for lymphaticovenous anastomosis. SAGE Open Medical Case Reports, 2017, 5, 2050313X1774520.	0.3	16
29	Lymphaticovenous Anastomosis Releases the Lower Extremity Lymphedema-associated Pain. Plastic and Reconstructive Surgery - Global Open, 2017, 5, e1205.	0.6	15
30	Diagnosis of Lymphatic Dysfunction by Evaluation of Lymphatic Degeneration with Lymphatic Ultrasound. Lymphatic Research and Biology, 2021, 19, 334-339.	1.1	15
31	Modified lymph vessel flap transplantation for the treatment of refractory lymphedema: A case report. Microsurgery, 2016, 36, 695-699.	1.3	14
32	Therapeutic lymphangiography for traumatic chylothorax. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2018, 6, 237-240.	1.6	14
33	Variability in compression pressure of multi-layer bandaging applied by lymphedema therapists. Supportive Care in Cancer, 2019, 27, 959-963.	2.2	14
34	Lymphatic-Venous Anastomosis for the Radical Cure of a Large Pelvic Lymphocyst. Journal of Minimally Invasive Gynecology, 2012, 19, 125-127.	0.6	13
35	Presence of thoracic duct abnormalities in patients with primary lymphoedema of the extremities. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2012, 65, e305-e310.	1.0	12
36	Supermicrosurgical free sensate intercostal artery perforator flap based on the lateral cutaneous branch for plantar reconstruction. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2014, 67, 995-997.	1.0	11

#	Article	lF	Citations
37	Lymphoedema caused by idiopathic lymphatic thrombus. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2013, 66, 1780-1783.	1.0	10
38	Lymphatic Vessel Thrombosis in a Patient with Secondary Lymphedema. Plastic and Reconstructive Surgery - Global Open, 2019, 7, e2268.	0.6	10
39	Compression Pressure Variability in Upper Limb Multilayer Bandaging Applied by Lymphedema Therapists. Lymphatic Research and Biology, 2021, 19, 378-382.	1.1	9
40	Assessment of Configuration of Thoracic Duct Using Magnetic Resonance Thoracic Ductography in Idiopathic Lymphedema. Annals of Plastic Surgery, 2012, 68, 300-302.	0.9	8
41	Change of the Lymphatic Diameter in Different Body Positions. Lymphatic Research and Biology, 2021, 19, 249-255.	1.1	8
42	Blocking of the Lymphatic Vessel in Lymphedema. Eplasty, 2017, 17, e11.	0.4	7
43	Reconstruction of a fullâ€thickness, complex nasal defect that includes the nasal septum using a free, thin superficial inferior epigastric artery flap. Microsurgery, 2016, 36, 66-69.	1.3	6
44	Blood reflux to the lymphatic vessels after lymphaticovenous anastomosis. Microsurgery, 2018, 38, 432-433.	1.3	6
45	Lymphaticovenous anastomosis and resection for genital acquired lymphangiectasia (GAL). Journal of Plastic, Reconstructive and Aesthetic Surgery, 2018, 71, 1625-1630.	1.0	6
46	Intranodal Lymphatic Embolization for Chylocolporrhea Caused by Chylous Reflux Syndrome in Noonan Syndrome. Journal of Vascular and Interventional Radiology, 2019, 30, 769-772.	0.5	6
47	Postoperative Changes in Lymphoscintigraphic Findings After Lymphaticovenous Anastomosis. Annals of Plastic Surgery, 2019, 83, 548-552.	0.9	6
48	Comparison of Various Kinds of Probes for Lymphedematous Limbs. Plastic and Reconstructive Surgery - Global Open, 2021, 9, e3490.	0.6	6
49	Classification of the lymphatic pathways in each lymphosome based on multi-lymphosome indocyanine green lymphography: Saphenous, calf, and thigh (SCaT) classification. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2021, 74, 2941-2946.	1.0	6
50	Case Report: A New Hybrid Surgical Approach for Treating Mosaic Pattern Secondary Lymphedema in the Lower Extremities. Annals of Vascular Surgery, 2014, 28, 1798.e1-1798.e6.	0.9	5
51	Comparison of Two Methods, the Sponge Method and Young's Modulus, for Evaluating Stiffness of Skin or Subcutaneous Tissues in the Extremities of Patients with Lymphedema: A Pilot Study. Lymphatic Research and Biology, 2018, 16, 464-470.	1.1	5
52	Bacterial Flora in the Genital Area of Patients with Lower Limb Lymphedema. Lymphatic Research and Biology, 2020, 18, 31-34.	1.1	5
53	Evaluation of lymphatic vessel diameters in healthy people using lymphatic ultrasound examination. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2022, 10, 758-764.	1.6	5
54	Treating and preventing recurrence of recurrent genital acquired lymphangiectasia using lymphaticovenous anastomosis at genital area: A case report. Microsurgery, 2020, 40, 399-403.	1.3	4

#	Article	IF	Citations
55	Genital lymphaticovenous anastomosis (LVA) and leg LVA to prevent the recurrence of genital acquired lymphangiectasia. Microsurgery, 2021, 41, 412-420.	1.3	4
56	Lymphatic Dysfunction Detected by Multi-lymphosome Indocyanine Green Lymphography and Lymphatic Ultrasound. Plastic and Reconstructive Surgery - Global Open, 2021, 9, e3859.	0.6	4
57	The accuracy of lymphatic ultrasound in measuring the lymphatic vessel size in lower limb lymphedema patients. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2022, 75, 1573-1578.	1.0	4
58	Lymphatic dysfunction after ligation surgery for varicose vein. SAGE Open Medical Case Reports, 2016, 4, 2050313X1667215.	0.3	3
59	Lymph node transfer for refractory infectious sites caused by trauma. SAGE Open Medical Case Reports, 2017, 5, 2050313X1771163.	0.3	3
60	Possibility of Application of Metabolomics Analysis for Supermicrosurgery on Children. Academic Collaborations for Sick Children, 2011, 4, 9-15.	0.2	3
61	Flap salvage following postoperative venous thrombosis diagnosed by blood glucose measurement in the flaps. Eplasty, 2011, 11, e28.	0.4	3
62	Early lymph-drainage massage using a cosmetic roller after lymphatico-venous anastomosis compared to manual lymph drainage: A case report. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2011, 64, 1709-1711.	1.0	2
63	A threader technique using an 11â€0 loop needle for supermicrosurgery. Microsurgery, 2015, 35, 672-673.	1.3	2
64	Lymphatic Venous Anastomosis Can Release the Lymphedema-Associated Pain of Upper Limb after Breast Cancer Treatment. Journal of Reconstructive Microsurgery Open, 2018, 03, e1-e7.	0.2	2
65	Effect of venous reflux on the surgical result of lymphaticovenous anastomosis. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2020, 73, 1174-1205.	1.0	2
66	Surgical Treatment and Pathological Findings of Venous Malformations Involving a Nerve. Journal of Reconstructive Microsurgery Open, 2016, 01, 122-124.	0.2	1
67	Free anterolateral thigh full-thickness skin flap with vascularized lateral femoral cutaneous nerve for the reconstruction of facial nerve and external auditory canal after the resection of facial nerve schwannoma. SAGE Open Medical Case Reports, 2017, 5, 2050313X1774182.	0.3	1
68	Low-Exposure and High-Speed Scanning of a Pediatric Cancer Patient Using 320-Row Area Detector CT. Academic Collaborations for Sick Children, 2011, 3, 8-11.	0.2	0
69	Response to "Lymphatic anatomy and injection sites for indocyanine green lymphography in the posterior thigh― Journal of Plastic, Reconstructive and Aesthetic Surgery, 2021, 74, 644-710.	1.0	0
70	Necrotizing Fasciitis Occurred in the Lymphedematous leg. International Journal of Lower Extremity Wounds, $2021, 153473462110230$.	1.1	0
71	Priority Claim to "Sentinel Lymph Node Transfer". Archives of Plastic Surgery, 2015, 42, 788.	0.9	0