

Hisako Hara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2569366/publications.pdf>

Version: 2024-02-01

71
papers

1,632
citations

331670

21
h-index

315739

38
g-index

72
all docs

72
docs citations

72
times ranked

843
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of lymphatic vessel diameters in healthy people using lymphatic ultrasound examination. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2022, 10, 758-764.	1.6	5
2	The accuracy of lymphatic ultrasound in measuring the lymphatic vessel size in lower limb lymphedema patients. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2022, 75, 1573-1578.	1.0	4
3	Change of the Lymphatic Diameter in Different Body Positions. <i>Lymphatic Research and Biology</i> , 2021, 19, 249-255.	1.1	8
4	Response to “Lymphatic anatomy and injection sites for indocyanine green lymphography in the posterior thigh”. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021, 74, 644-710.	1.0	0
5	Comparison of Various Kinds of Probes for Lymphedematous Limbs. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2021, 9, e3490.	0.6	6
6	Classification of the lymphatic pathways in each lymphosome based on multi-lymphosome indocyanine green lymphography: Saphenous, calf, and thigh (SCaT) classification. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021, 74, 2941-2946.	1.0	6
7	Necrotizing Fasciitis Occurred in the Lymphedematous leg. <i>International Journal of Lower Extremity Wounds</i> , 2021, , 153473462110230.	1.1	0
8	Genital lymphaticovenous anastomosis (LVA) and leg LVA to prevent the recurrence of genital acquired lymphangiectasia. <i>Microsurgery</i> , 2021, 41, 412-420.	1.3	4
9	Diagnosis of Lymphatic Dysfunction by Evaluation of Lymphatic Degeneration with Lymphatic Ultrasound. <i>Lymphatic Research and Biology</i> , 2021, 19, 334-339.	1.1	15
10	Compression Pressure Variability in Upper Limb Multilayer Bandaging Applied by Lymphedema Therapists. <i>Lymphatic Research and Biology</i> , 2021, 19, 378-382.	1.1	9
11	Lymphaticovenous anastomosis for advanced-stage lower limb lymphedema. <i>Microsurgery</i> , 2021, 41, 140-145.	1.3	26
12	Lymphatic Dysfunction Detected by Multi-lymphosome Indocyanine Green Lymphography and Lymphatic Ultrasound. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2021, 9, e3859.	0.6	4
13	Exclusive use of ultrasound for locating optimal LVA sites”A descriptive data analysis. <i>Journal of Surgical Oncology</i> , 2020, 121, 51-56.	1.7	28
14	Bacterial Flora in the Genital Area of Patients with Lower Limb Lymphedema. <i>Lymphatic Research and Biology</i> , 2020, 18, 31-34.	1.1	5
15	Treating and preventing recurrence of recurrent genital acquired lymphangiectasia using lymphaticovenous anastomosis at genital area: A case report. <i>Microsurgery</i> , 2020, 40, 399-403.	1.3	4
16	Effect of venous reflux on the surgical result of lymphaticovenous anastomosis. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2020, 73, 1174-1205.	1.0	2
17	Multilymphosome injection indocyanine green lymphography can detect more lymphatic vessels than lymphoscintigraphy in lymphedematous limbs. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2020, 73, 1025-1030.	1.0	20
18	Variability in compression pressure of multi-layer bandaging applied by lymphedema therapists. <i>Supportive Care in Cancer</i> , 2019, 27, 959-963.	2.2	14

#	ARTICLE	IF	CITATIONS
19	Intranodal Lymphatic Embolization for Chylolymphorrhea Caused by Chylous Reflux Syndrome in Noonan Syndrome. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 769-772.	0.5	6
20	Lymphatic Vessel Thrombosis in a Patient with Secondary Lymphedema. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2268.	0.6	10
21	Postoperative Changes in Lymphoscintigraphic Findings After Lymphaticovenous Anastomosis. <i>Annals of Plastic Surgery</i> , 2019, 83, 548-552.	0.9	6
22	Multi-area lymphaticovenous anastomosis with multi-lymphosome injection in indocyanine green lymphography: A prospective study. <i>Microsurgery</i> , 2019, 39, 167-173.	1.3	35
23	Therapeutic lymphangiography for traumatic chylothorax. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2018, 6, 237-240.	1.6	14
24	Blood reflux to the lymphatic vessels after lymphaticovenous anastomosis. <i>Microsurgery</i> , 2018, 38, 432-433.	1.3	6
25	Multi-site lymphatic venous anastomosis using echography to detect suitable subcutaneous vein in severe lymphedema patients. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2018, 71, e1-e7.	1.0	20
26	Comparison of Two Methods, the Sponge Method and Young's Modulus, for Evaluating Stiffness of Skin or Subcutaneous Tissues in the Extremities of Patients with Lymphedema: A Pilot Study. <i>Lymphatic Research and Biology</i> , 2018, 16, 464-470.	1.1	5
27	Lymphatic Venous Anastomosis Can Release the Lymphedema-Associated Pain of Upper Limb after Breast Cancer Treatment. <i>Journal of Reconstructive Microsurgery Open</i> , 2018, 03, e1-e7.	0.2	2
28	Lymphaticovenous anastomosis and resection for genital acquired lymphangiectasia (GAL). <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2018, 71, 1625-1630.	1.0	6
29	Ultrasonography for classifying lymphatic sclerosis types and deciding optimal sites for lymphatic-venous anastomosis in patients with lymphoedema. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2018, 71, 1274-1281.	1.0	51
30	Indocyanine Green Lymphographic and Lymphoscintigraphic Findings in Genital Lymphedema—Genital Pathway Score. <i>Lymphatic Research and Biology</i> , 2017, 15, 356-359.	1.1	22
31	Lymphaticovenous Anastomosis Releases the Lower Extremity Lymphedema-associated Pain. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2017, 5, e1205.	0.6	15
32	Free anterolateral thigh full-thickness skin flap with vascularized lateral femoral cutaneous nerve for the reconstruction of facial nerve and external auditory canal after the resection of facial nerve schwannoma. <i>SAGE Open Medical Case Reports</i> , 2017, 5, 2050313X1774182.	0.3	1
33	Usefulness of preoperative echography for detection of lymphatic vessels for lymphaticovenous anastomosis. <i>SAGE Open Medical Case Reports</i> , 2017, 5, 2050313X1774520.	0.3	16
34	Lymph node transfer for refractory infectious sites caused by trauma. <i>SAGE Open Medical Case Reports</i> , 2017, 5, 2050313X1771163.	0.3	3
35	Blocking of the Lymphatic Vessel in Lymphedema. <i>Eplasty</i> , 2017, 17, e11.	0.4	7
36	Surgical Treatment and Pathological Findings of Venous Malformations Involving a Nerve. <i>Journal of Reconstructive Microsurgery Open</i> , 2016, 01, 122-124.	0.2	1

#	ARTICLE	IF	CITATIONS
37	Modified lymph vessel flap transplantation for the treatment of refractory lymphedema: A case report. <i>Microsurgery</i> , 2016, 36, 695-699.	1.3	14
38	Multisite Lymphaticovenular Bypass Using Supermicrosurgery Technique for Lymphedema Management in Lower Lymphedema Cases. <i>Plastic and Reconstructive Surgery</i> , 2016, 138, 262-272.	1.4	84
39	Pathological Investigation of Acquired Lymphangiectasia Accompanied by Lower Limb Lymphedema: Lymphocyte Infiltration in the Dermis and Epidermis. <i>Lymphatic Research and Biology</i> , 2016, 14, 172-180.	1.1	23
40	Indocyanine Green Lymphographic Evidence of Surgical Efficacy Following Microsurgical and Supermicrosurgical Lymphedema Reconstructions. <i>Journal of Reconstructive Microsurgery</i> , 2016, 32, 688-698.	1.8	53
41	Lymphatic dysfunction after ligation surgery for varicose vein. <i>SAGE Open Medical Case Reports</i> , 2016, 4, 2050313X1667215.	0.3	3
42	Lymphadiposal Flaps and Lymphaticovenular Anastomoses for Severe Leg Edema: Functional Reconstruction for Lymph Drainage System. <i>Journal of Reconstructive Microsurgery</i> , 2016, 32, 050-055.	1.8	33
43	Reconstruction of a full-thickness, complex nasal defect that includes the nasal septum using a free, thin superficial inferior epigastric artery flap. <i>Microsurgery</i> , 2016, 36, 66-69.	1.3	6
44	A threader technique using an 11-loop needle for supermicrosurgery. <i>Microsurgery</i> , 2015, 35, 672-673.	1.3	2
45	A surgical technique using the ovarian vein in non-human primate models of potential living donor surgery of uterus transplantation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 942-948.	2.8	31
46	Indication of Lymphaticovenous Anastomosis for Lower Limb Primary Lymphedema. <i>Plastic and Reconstructive Surgery</i> , 2015, 136, 883-893.	1.4	65
47	Combined Conservative Treatment and Lymphatic Venous Anastomosis for Severe Lower Limb Lymphedema with Recurrent Cellulitis. <i>Annals of Vascular Surgery</i> , 2015, 29, 1318.e11-1318.e15.	0.9	17
48	Indocyanine Green Lymphography and Lymphaticovenous Anastomosis for Generalized Lymphatic Dysplasia with Pleural Effusion and Ascites in Neonates. <i>Annals of Vascular Surgery</i> , 2015, 29, 1111-1122.	0.9	22
49	Priority Claim to "Sentinel Lymph Node Transfer". <i>Archives of Plastic Surgery</i> , 2015, 42, 788.	0.9	0
50	High-accuracy Diagnosis and Regional Classification of Lymphedema Using Indocyanine Green Fluorescent Lymphography After Gynecologic Cancer Treatment. <i>Annals of Plastic Surgery</i> , 2014, 72, 204-208.	0.9	29
51	Local Anesthesia for Lymphaticovenular Anastomosis. <i>Annals of Plastic Surgery</i> , 2014, 72, 180-183.	0.9	16
52	Case Report: A New Hybrid Surgical Approach for Treating Mosaic Pattern Secondary Lymphedema in the Lower Extremities. <i>Annals of Vascular Surgery</i> , 2014, 28, 1798.e1-1798.e6.	0.9	5
53	Evaluation of Lymphatic Dysplasia in Patients with Congenital Pleural Effusion and Ascites Using Indocyanine Green Lymphography. <i>Journal of Pediatrics</i> , 2014, 164, 1116-1120.e1.	1.8	26
54	Supermicrosurgical free sensate intercostal artery perforator flap based on the lateral cutaneous branch for plantar reconstruction. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2014, 67, 995-997.	1.0	11

#	ARTICLE	IF	CITATIONS
55	Predictive Lymphatic Mapping. <i>Annals of Plastic Surgery</i> , 2014, 72, 706-710.	0.9	28
56	Indocyanine green lymphography is superior to lymphoscintigraphy in imaging diagnosis of secondary lymphedema of the lower limbs. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2013, 1, 194-201.	1.6	51
57	Lymphoedema caused by idiopathic lymphatic thrombus. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 1780-1783.	1.0	10
58	Effective treatment of pelvic lymphocele by lymphaticovenular anastomosis. <i>Gynecologic Oncology</i> , 2013, 128, 209-214.	1.4	41
59	Comparison of Indocyanine Green Lymphographic Findings with the Conditions of Collecting Lymphatic Vessels of Limbs in Patients with Lymphedema. <i>Plastic and Reconstructive Surgery</i> , 2013, 132, 1612-1618.	1.4	101
60	Assessment of Configuration of Thoracic Duct Using Magnetic Resonance Thoracic Ductography in Idiopathic Lymphedema. <i>Annals of Plastic Surgery</i> , 2012, 68, 300-302.	0.9	8
61	Presence of thoracic duct abnormalities in patients with primary lymphoedema of the extremities. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2012, 65, e305-e310.	1.0	12
62	Scarless lymphatic venous anastomosis for latent and early-stage lymphoedema using indocyanine green lymphography and non-invasive instruments for visualising subcutaneous vein. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2012, 65, 1551-1558.	1.0	45
63	Lymphatic-Venous Anastomosis for the Radical Cure of a Large Pelvic Lymphocyst. <i>Journal of Minimally Invasive Gynecology</i> , 2012, 19, 125-127.	0.6	13
64	Indocyanine Green (ICG) Lymphography Is Superior to Lymphoscintigraphy for Diagnostic Imaging of Early Lymphedema of the Upper Limbs. <i>PLoS ONE</i> , 2012, 7, e38182.	2.5	205
65	Pathological Steps of Cancer-Related Lymphedema: Histological Changes in the Collecting Lymphatic Vessels after Lymphadenectomy. <i>PLoS ONE</i> , 2012, 7, e41126.	2.5	221
66	Lower limb lymphedema treated with lymphaticovenous anastomosis based on pre- and intraoperative icg lymphography and non-contact vein visualization: A case report. <i>Microsurgery</i> , 2012, 32, 227-230.	1.3	33
67	Lymphaticovenous anastomosis for facial lymphoedema after multiple courses of therapy for head-and-neck cancer. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2011, 64, 1221-1225.	1.0	29
68	Early lymph-drainage massage using a cosmetic roller after lymphaticovenous anastomosis compared to manual lymph drainage: A case report. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2011, 64, 1709-1711.	1.0	2
69	Low-Exposure and High-Speed Scanning of a Pediatric Cancer Patient Using 320-Row Area Detector CT. <i>Academic Collaborations for Sick Children</i> , 2011, 3, 8-11.	0.2	0
70	Possibility of Application of Metabolomics Analysis for Supermicrosurgery on Children. <i>Academic Collaborations for Sick Children</i> , 2011, 4, 9-15.	0.2	3
71	Flap salvage following postoperative venous thrombosis diagnosed by blood glucose measurement in the flaps. <i>Eplasty</i> , 2011, 11, e28.	0.4	3