

Azad Teimori

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/257031/publications.pdf>

Version: 2024-02-01

71
papers

708
citations

687363

13
h-index

677142

22
g-index

72
all docs

72
docs citations

72
times ranked

257
citing authors

#	ARTICLE	IF	CITATIONS
1	Axial skeleton morphology of the Western Palearctic aphaniid fishes (Teleostei: Cyprinodontiformes; Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.8	4
2	COI gene sequences confirm the taxonomic validity of the tooth-carp <i>Aphaniops hormuzensis</i> (Teleostei: Aphaniidae) from southern Iran. <i>Zoology in the Middle East</i> , 2022, 68, 34-40.	0.6	2
3	Intrapopulation variation of otolith associated with ontogeny and morphological dimorphism in Hormuz toothâ€carp <i>Aphaniops hormuzensis</i> (Teleostei: Aphaniidae). <i>Acta Zoologica</i> , 2021, 102, 250-264.	0.8	9
4	Is the hybridization phenomenon traceable in the otolith and scale of extant <i>Aphaniops</i> species? â€“ A case study on hybrid offsprings of <i>Aphaniops farsicus</i> X <i>A. sophiae</i> (Teleostei: Aphaniidae). <i>Acta Zoologica</i> , 2021, 102, 182-191.	0.8	2
5	Microanalysis of scale morphology in killifish, <i>Aphaniops hormuzensis</i> inhabiting ecologically diverse environments (Cyprinodontiformes; Aphaniidae). <i>Micron</i> , 2021, 140, 102949.	2.2	3
6	A Contribution to the Understanding of Osmoregulation in Two Tooth-Carps Occupying Different Osmotic Niches. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2021, 45, 127-134.	1.5	2
7	Digital light microscopy to characterize the scales of two goatfishes (Perciformes; Mullidae). <i>Microscopy Research and Technique</i> , 2021, 84, 180-191.	2.2	11
8	Ontogenetic pattern, morphological sexual and side dimorphism in the saccular otolith of a scaleless killifish <i>Aphaniops furcatus</i> (Teleostei: Aphaniidae). <i>Acta Zoologica</i> , 2021, 102, 38-50.	0.8	11
9	Scanning electron microscopy and morphological analysis reveal sizeâ€dependent changes in the scale surface ornamentation of toothâ€carp <i>Aphaniops hormuzensis</i> (Teleostei; Aphaniidae). <i>Microscopy Research and Technique</i> , 2021, 84, 1710-1720.	2.2	5
10	Hidden morphological and structural characteristics in scales of mullid species (Teleostei: Mullidae) using light and scanning electron digital imaging. <i>Microscopy Research and Technique</i> , 2021, 84, 2749-2773.	2.2	7
11	Morphological and microstructural characteristics of scales in longnose goby <i>Awaous jayakari</i> (Teleostei: Gobiidae); Light and scanning electron microscopy approaches. <i>Microscopy Research and Technique</i> , 2021, 84, 3128-3149.	2.2	5
12	Comparative ultrastructure and ornamentation characteristics of scales in gobiid species (Teleostei: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1243-1256.	2.2	8
13	A comparative study on the caudal skeleton of goatfishes (Teleostei: Perciformes: Mullidae) from the Western Indo-Pacific region: An additional taxonomic tool. <i>Regional Studies in Marine Science</i> , 2021, 48, 102066.	0.7	0
14	Otolith Morphology: A Hidden Tool in the Taxonomic Study of Goatfishes (Teleostei: Perciformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.3	2
15	Characterization of age-dependent variability in the flank scales of two scorpaeniformes fishes by applying light and scanning electron microscopy imaging. <i>Micron</i> , 2020, 128, 102778.	2.2	15
16	New osteological and morphological data of four species of <i>Aphaniops</i> (Teleostei; Aphaniidae). <i>Journal of Applied Ichthyology</i> , 2020, 36, 724-736.	0.7	6
17	Adult neuronal regeneration in the telencephalon of the killifish <i>Aphaniops hormuzensis</i> . <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2020, 334, 350-361.	1.3	3
18	Withinâ€and amongâ€population differentiation of <i>Aphaniops hormuzensis</i> from ecologically diverse environments (Cyprinodontiformes; Aphaniidae). <i>Acta Zoologica</i> , 2020, 102, 420.	0.8	2

#	ARTICLE	IF	CITATIONS
19	Comparative otolith morphology of clupeids from the Iranian brackish and marine resources (Teleostei: Clupeiformes). <i>Acta Zoologica</i> , 2020, , .	0.8	5
20	Morphological Characteristics of Squaretail Mullet <i>Ellochelon vaigiensis</i> (Quoy and Gaimard 1825), a Rare Mugil Species Collected from the Iranian Waters of the Persian Gulf (Teleostei: Mugiliformes). <i>Thalassas</i> , 2020, 36, 405-413.	0.5	1
21	Comparative microscopic examination of scales in 21 clupeid species from the Caspian Sea and the Indo-Pacific regions. <i>Micron</i> , 2020, 137, 102911.	2.2	9
22	Shape variation and functional adaptation in a structure involved in the feeding system of gobiid fishes. <i>Journal of Zoology</i> , 2020, 312, 63.	1.7	0
23	Molecular biodiversity of Iranian shallow water sponges. <i>Systematics and Biodiversity</i> , 2020, 18, 192-202.	1.2	11
24	DNA barcoding and species delimitation of the Old World tooth-carps, family Aphaniidae Hoedeman, 1949 (Teleostei: Cyprinodontiformes). <i>PLoS ONE</i> , 2020, 15, e0231717.	2.5	29
25	Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2020, 20, .	0.9	0
26	Effects of Toxicity Induced by Gentamicin on the Kidney of Killifish <i>Aphaniops hormuzensis</i> and the Role of Wt1 and MMP9 Genes in Response to This Toxicity. <i>Jentashapir Journal of Cellular and Molecular Biology</i> , 2020, 11, .	0.2	1
27	Title is missing!. , 2020, 15, e0231717.		0
28	Title is missing!. , 2020, 15, e0231717.		0
29	Title is missing!. , 2020, 15, e0231717.		0
30	Title is missing!. , 2020, 15, e0231717.		0
31	Title is missing!. , 2020, 15, e0231717.		0
32	Title is missing!. , 2020, 15, e0231717.		0
33	Early embryonic development of brackish water Killifish <i>Aphaniops hormuzensis</i> (Teleostei). <i>Tj ETQq1</i> 1 0.784314 rgBT /Overlock 10 Tf 50 1260-1268.	0.7	10
34	The First Complete Mitochondrial Genome Sequence in the Genus <i>Aphaniops</i> (Teleostei). <i>Journal of Ichthyology</i> , 2019, 59, 754-765.	0.5	3
35	<i>Paraschistura kermanensis</i> , a new stone loach species from southeastern Iran (Teleostei). <i>Tj ETQq1</i> 1 0.784314 rgBT /Overlock 10 Tf 50 0.5	0.5	3
36	Characteristics of sagittae morphology in sixteen marine fish species collected from the Persian Gulf: Demonstration of the phylogenetic influence on otolith shape. <i>Regional Studies in Marine Science</i> , 2019, 29, 100661.	0.7	11

#	ARTICLE	IF	CITATIONS
37	Histomicroscopy and normal anatomy of the adult killifish <i>Aphanius hormuzensis</i> (Teleostei); Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 466-480.	2.2	12
38	A new fish based multi-metric assessment index for cold-water streams of the southern Caspian Sea Basin in Iran. <i>Environmental Biology of Fishes</i> , 2019, 102, 645-662.	1.0	5
39	Detection of <i>Contracaecum multipapillatum</i> (Nematoda: Anisakidae) in the indigenous killifish <i>Aphanius hormuzensis</i> (Teleostei; Aphaniidae) and its histopathological effects: A review of Iranian <i>Aphanius</i> species parasites. <i>Journal of Applied Ichthyology</i> , 2019, 35, 558-569.	0.7	8
40	<i>Pyura gangelion</i> (Savigny, 1816) (Tunicata: Pyuridae) from the Persian Gulf. <i>Current Science</i> , 2019, 117, 1207.	0.8	0
41	Systematics and historical biogeography of the <i>Aphanius dispar</i> species group (Teleostei); Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 and <i>Evolutionary Research</i> , 2018, 56, 579-598.	1.4	41
42	The scale characteristics of two <i>Aphanius</i> species from southern Iran (Teleostei: Aphaniidae). <i>Zoology in the Middle East</i> , 2018, 64, 219-227.	0.6	10
43	Abnormal otoliths in the marine fishes collected from the Persian Gulf and the Gulf of Oman. <i>Acta Ichthyologica Et Piscatoria</i> , 2018, 48, 143-151.	0.7	8
44	Comparative morphology of the urohyal bone of fishes collected from the Persian Gulf and Oman Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2017, 97, 1317-1333.	0.8	3
45	Morphological-Based Variation of the Fish Populations Using Groupwise Registration; Applied to Microscopic Images of Fish Otolith Using <i>Aphanius dispar</i> as a Model. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2017, 41, 1083-1091.	1.5	1
46	Phylogenetic relationships and taxonomy of <i>Luciobarbus barbulus</i> (Heckel, 1847) (Teleostei); Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 0.5	0.5	1
47	Translocation and new geographical distribution of the invasive Redbelly Tilapia, <i>Coptodon zillii</i> (Gervais, 1848) (Teleostei: Cichlidae) in southern Iran. <i>Check List</i> , 2017, 13, 2051.	0.4	1
48	Microstructural characterization of the body key scale morphology in six Iranian endemic <i>Aphanius</i> species (Cyprinodontidae): Their taxonomic and evolutionary significance. <i>Journal of Ichthyology</i> , 2017, 57, 533-546.	0.5	17
49	Combining morphology, scanning electron microscopy, and molecular phylogeny to evaluate the taxonomic power of scales in genus <i>Aphanius</i> Nardo, 1827 (Teleostei: Cyprinodontidae). <i>Archives of Polish Fisheries</i> , 2017, 25, 77-87.	0.6	12
50	An update note on diversity and conservation of the endemic fishes in Iranian inland waters. <i>Turkish Journal of Zoology</i> , 2016, 40, 87-102.	0.9	15
51	Sympatry and possible hybridization among species of the killifish genus <i>Aphanius</i> Nardo, 1827 (Teleostei: Cyprinodontidae) in Southwestern Iran. <i>Limnologica</i> , 2016, 59, 10-20.	1.5	13
52	Scanning Electron Microscopy of Scale and Body Morphology as Taxonomic Characteristics of Two Closely Related Cyprinid Species of Genus <i>Capoeta</i> Valenciennes, 1842 in Southern Iran. <i>Current Science</i> , 2016, 111, 1214.	0.8	8
53	Length-weight relationships for four <i>Aphanius</i> species of Iran (Teleostei: Cyprinodontidae). <i>Journal of Applied Ichthyology</i> , 2015, 31, 578-579.	0.7	1
54	Molecular systematics and distribution review of the endemic cyprinid species, Persian chub, (Coad,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 189-206.	0.3	1

#	ARTICLE	IF	CITATIONS
55	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2014, 14, .	0.9	2
56	Two new species of the tooth-carp Aphanius (Teleostei) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Aphanius species. Zootaxa, 2014, 3786, 246.	0.5	43
57	A new and unique species of the genus <i>Aphanius</i> Nardo, 1827 (Teleostei: Cyprinodontidae) from Southern Iran: A case of regressive evolution. Zoologischer Anzeiger, 2014, 253, 327-337.	0.9	37
58	Phylogenetic relationships of the tooth-carp <i>Aphanius</i> (Teleostei: Cyprinodontidae) in the river systems of southern and south-western Iran based on mtDNA sequences. Zoology in the Middle East, 2014, 60, 29-38.	0.6	20
59	Scale surface microstructure and scale size in the tooth-carp genus Aphanius (Teleostei, Cyprinodontidae) from endorheic basins in Southwest Iran. Zootaxa, 2013, 3619, 467-490.	0.5	39
60	<i>Aphanius arakensis</i> , a new species of tooth-carp (Actinopterygii, Cyprinodontidae) from the endorheic Namak Lake basin in Iran. ZooKeys, 2012, 215, 55-76.	1.1	39
61	A new framework for morphological and morphometric study of fish species based on groupwise registration of otolith images. , 2012, , .		1
62	Re-validation and re-description of an endemic and threatened species, <i>Aphanius pluristriatus</i> (Jenkins,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707	0.5	31
63	Geographical differentiation of <i>Aphanius dispar</i> (Teleostei: Cyprinodontidae) from Southern Iran. Journal of Zoological Systematics and Evolutionary Research, 2012, 50, 289-304.	1.4	46
64	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2011, 11, .	0.9	5
65	<i>Aphanius farsicus</i> , a replacement name for <i>A. persicus</i> (Jenkins, 1910) (Teleostei, Cyprinodontidae). Zootaxa, 2011, 3096, 53.	0.5	14
66	Late Pleistocene to Holocene diversification and historical zoogeography of the Arabian killifish (<i>Aphanius dispar</i>) inferred from otolith morphology. Scientia Marina, 2011, .	0.6	14
67	<i>Xiphophorus hellerii</i> Heckel, 1848 (Cyprinodontiformes, Poeciliidae), a newly introduced fish recorded from natural freshwaters of Iran. Journal of Applied Ichthyology, 2010, 26, 937-938.	0.7	12
68	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2010, 10, .	0.9	6
69	The endangered cyprinodont <i>Aphanius ginaonis</i> (Holly, 1929) from southern Iran is a valid species: evidence from otolith morphology. Environmental Biology of Fishes, 2009, 86, 507-521.	1.0	56
70	Macro- and microscopic morphology of the flank scales of families Lutjanidae and Serranidae from the Persian Gulf Coral Reefs (Teleosts: Perciformes). Acta Zoologica, 0, , .	0.8	2
71	Comparative morphology of urohyal bone in brackish water species of the genus <i>Aphanius</i> Nardo, 1827 in the Persian Gulf and Southeastern Mediterranean Sea basins (Teleostei: Aphaniidae). Mediterranean Marine Science, 0, , .	1.6	2