
Kohichiro Nakamura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2570322/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Normolipemic xanthomatized Sweet's syndrome: A variant of Sweet's syndrome with myelodysplastic syndrome. Journal of Dermatology, 2021, 48, 695-698.	1.2	6
2	Guidelines for the treatment of skin and mucosal lesions in Behçet's disease: A secondary publication. Journal of Dermatology, 2020, 47, 223-235.	1.2	19
3	A case of concurrent intercellular IgA dermatosis and linear IgA/IgG bullous dermatosis. Australasian Journal of Dermatology, 2020, 61, e368-e369.	0.7	0
4	Mucocutaneous Manifestations of Behçet's Disease. Frontiers in Medicine, 2020, 7, 613432.	2.6	15
5	Interleukinâ€17A gene polymorphism with the susceptibility of intestinal symptoms in patients with Behçet's disease. Journal of Dermatology, 2016, 43, 708-709.	1.2	2
6	Inhibitory effect of a histamine 4 receptor antagonist on CCL17 and CCL22 production by monocyteâ€derived Langerhans cells in patients with atopic dermatitis. Journal of Dermatology, 2016, 43, 1024-1029.	1.2	20
7	Eosinophilic pustular folliculitis with extensive distribution: correlation of serum <scp>TARC</scp> levels and peripheral blood eosinophil numbers. International Journal of Dermatology, 2015, 54, 1071-1074.	1.0	6
8	Japanese Guideline for Atopic Dermatitis 2014. Allergology International, 2014, 63, 377-398.	3.3	54
9	A New Diagnostic Way for Behcet's Disease: Skin Prick with Self-Saliva. Genetics Research International, 2014, 2014, 1-10.	2.0	17
10	Coenzyme A Contained in mothers' Milk Is Associated with the Potential to Induce Atopic Dermatitis. Blood, 2011, 118, 1097-1097.	1.4	0
11	Macrophage-derived chemokine (MDC)/CCL22 produced by monocyte derived dendritic cells reflects the disease activity in patients with atopic dermatitis. Journal of Dermatological Science, 2006, 44, 93-99.	1.9	55
12	Thymus and activation-regulated chemokine in atopic dermatitis: Serum thymus and activation-regulated chemokine level is closely related with disease activity. Journal of Allergy and Clinical Immunology, 2001, 107, 535-541.	2.9	504