

Jin-Feng Hu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2570378/jin-feng-hu-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

1,011
citations

17
h-index

28
g-index

69
ext. papers

1,222
ext. citations

5.2
avg, IF

4.22
L-index

#	Paper	IF	Citations
67	New anti-infective and human 5-HT ₂ receptor binding natural and semisynthetic compounds from the Jamaican sponge <i>Smenospongia aurea</i> . <i>Journal of Natural Products</i> , 2002 , 65, 476-80	4.9	101
66	Discorhabdins and pyrroloiminoquinone-related alkaloids. <i>Chemical Reviews</i> , 2011 , 111, 5465-91	68.1	92
65	The manzamine alkaloids. <i>The Alkaloids Chemistry and Biology</i> , 2003 , 60, 207-85	4.8	43
64	Tetracyclic triterpenoids and terpenylated coumarins from the bark of <i>Ailanthus altissima</i> ("Tree of Heaven"). <i>Phytochemistry</i> , 2013 , 86, 159-67	4	42
63	Lignans from the stems of <i>Clematis armandii</i> ("Chuan-Mu-Tong") and their anti-neuroinflammatory activities. <i>Journal of Ethnopharmacology</i> , 2014 , 153, 737-43	5	41
62	ent-Abietane-Type and Related Seco-/Nor-diterpenoids from the Rare Chloranthaceae Plant <i>Chloranthus sessilifolius</i> and Their Antineuroinflammatory Activities. <i>Journal of Natural Products</i> , 2015 , 78, 1635-46	4.9	40
61	Bigingkosides A-I, Unexpected Minor Dimeric Flavonol Diglycosidic Truxinate and Truxillate Esters from <i>Ginkgo biloba</i> Leaves and Their Antineuroinflammatory and Neuroprotective Activities. <i>Journal of Natural Products</i> , 2016 , 79, 1354-64	4.9	35
60	Rare Sesquiterpenoids from the Shed Trunk Barks of the Critically Endangered Plant <i>Abies beshanzuensis</i> and Their Bioactivities. <i>European Journal of Organic Chemistry</i> , 2016 , 2016, 1832-1835	3.2	30
59	Annotinolides A-C, Three Lycopodane-Derived 8,5-Lactones with Polycyclic Skeletons from <i>Lycopodium annotinum</i> . <i>Organic Letters</i> , 2016 , 18, 4376-9	6.2	27
58	Eucalyptals D and E, new cytotoxic phloroglucinols from the fruits of and assignment of absolute configuration. <i>Tetrahedron Letters</i> , 2012 , 53, 2654-2658	2	27
57	Chlorabietols A-C, Phloroglucinol-Diterpene Adducts from the Chloranthaceae Plant <i>Chloranthus oldhamii</i> . <i>Journal of Organic Chemistry</i> , 2015 , 80, 11080-5	4.2	25
56	Camellianols A-G, Barrigenol-like Triterpenoids with PTP1B Inhibitory Effects from the Endangered Ornamental Plant <i>Camellia crapnelliana</i> . <i>Journal of Natural Products</i> , 2017 , 80, 2874-2882	4.9	24
55	Matairesinol Suppresses Neuroinflammation and Migration Associated with Src and ERK1/2-NF- κ B Pathway in Activating BV2 Microglia. <i>Neurochemical Research</i> , 2017 , 42, 2850-2860	4.6	23
54	Diterpenoids from the shed trunk barks of the endangered plant <i>Pinus dabeshanensis</i> and their PTP1B inhibitory effects. <i>RSC Advances</i> , 2016 , 6, 60467-60478	3.7	20
53	Phenylpropanoid Derivatives Are Essential Components of Sporopollenin in Vascular Plants. <i>Molecular Plant</i> , 2020 , 13, 1644-1653	14.4	20
52	ent-Abietane diterpenoids with anti-neuroinflammatory activity from the rare Chloranthaceae plant <i>Chloranthus oldhamii</i> . <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 4678-89	3.9	19
51	Phenolic constituents from the leaves of <i>Cratoxylum formosum</i> ssp. <i>pruniflorum</i> . <i>Phytotherapy Research</i> , 2014 , 94, 114-9	3.2	17

50	Phytochemical and biological studies on rare and endangered plants endemic to China. Part XV. Structurally diverse diterpenoids and sesquiterpenoids from the vulnerable conifer <i>Pseudotsuga sinensis</i> . <i>Phytochemistry</i> , 2020 , 169, 112184	4	17
49	Chemical Constituents from the Fermented Mycelia of the Medicinal Fungus <i>Xylaria nigripes</i> . <i>Helvetica Chimica Acta</i> , 2016 , 99, 83-89	2	17
48	Structurally Diverse Sesquiterpenoids from the Endangered Ornamental Plant <i>Michelia shiluensis</i> . <i>Journal of Natural Products</i> , 2018 , 81, 2195-2204	4.9	17
47	A tetramethoxychalcone from <i>Chloranthus henryi</i> suppresses lipopolysaccharide-induced inflammatory responses in BV2 microglia. <i>European Journal of Pharmacology</i> , 2016 , 774, 135-43	5.3	16
46	Advanced natural products chemistry research in China between 2015 and 2017. <i>Chinese Journal of Natural Medicines</i> , 2018 , 16, 881-906	2.8	16
45	Shizukaol B, an active sesquiterpene from <i>Chloranthus henryi</i> , attenuates LPS-induced inflammatory responses in BV2 microglial cells. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 88, 878-884	7.5	15
44	Sesquiterpenoids and further diterpenoids from the rare Chloranthaceae plant <i>Chloranthus sessilifolius</i> . <i>Journal of Asian Natural Products Research</i> , 2015 , 17, 1220-30	1.5	15
43	(-)-7(S)-hydroxymatairesinol protects against tumor necrosis factor- α -mediated inflammation response in endothelial cells by blocking the MAPK/NF- κ B and activating Nrf2/HO-1. <i>Phytomedicine</i> , 2017 , 32, 15-23	6.5	14
42	Diterpenoids from the needles and twigs of the cultivated endangered pine <i>Pinus kwangtungensis</i> and their PTP1B inhibitory effects. <i>Phytochemistry Letters</i> , 2017 , 20, 239-245	1.9	14
41	26-Nor-25-isopropyl-ergosta-5,7,22E-trien-3 β -ol: a new C(29) sterol from the sponge <i>Agelas sceptrum</i> from Jamaica. <i>Steroids</i> , 2002 , 67, 743-7	2.8	14
40	(7R,8S)-Dehydrodiconiferyl Alcohol Suppresses Lipopolysaccharide-Induced Inflammatory Responses in BV2 Microglia by Inhibiting MAPK Signaling. <i>Neurochemical Research</i> , 2016 , 41, 1570-7	4.6	13
39	Boehmenan, a lignan from the Chinese medicinal plant <i>Clematis armandii</i> , induces apoptosis in lung cancer cells through modulation of EGF-dependent pathways. <i>Phytomedicine</i> , 2016 , 23, 468-76	6.5	12
38	Palhicerines A-F, Lycopodium alkaloids from the club moss <i>Palhinhaea cernua</i> . <i>Phytochemistry</i> , 2016 , 131, 130-139	4	12
37	Discovery, synthesis, biological evaluation and molecular docking study of (R)-5-methylmellein and its analogs as selective monoamine oxidase A inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2019 , 27, 2027-2040	3.4	11
36	(7R,8S)-9-acetyl-dehydrodiconiferyl alcohol inhibits inflammation and migration in lipopolysaccharide-stimulated macrophages. <i>Phytomedicine</i> , 2016 , 23, 541-9	6.5	11
35	Discovery, biosynthesis and antifungal mechanism of the polyene-polyol meijiemycin. <i>Chemical Communications</i> , 2020 , 56, 822-825	5.8	11
34	Chemical Constituents of the Rare Cliff Plant <i>Oresitrophe rupifraga</i> and Their Antineuroinflammatory Activity. <i>Chemistry and Biodiversity</i> , 2016 , 13, 1030-7	2.5	10
33	Sungeidines from a Non-canonical Ene-yne Biosynthetic Pathway. <i>Journal of the American Chemical Society</i> , 2020 , 142, 1673-1679	16.4	10

32	Cytotoxic secondary metabolites from the vulnerable conifer <i>Cephalotaxus oliveri</i> and its associated endophytic fungus <i>Alternaria alternate</i> Y-4-2. <i>Bioorganic Chemistry</i> , 2020 , 105, 104445	5.1	10
31	Phytochemical and biological studies on rare and endangered plants endemic to China. Part XIV. Structurally diverse terpenoids from the twigs and needles of the endangered plant <i>Picea brachytyla</i> . <i>Phytochemistry</i> , 2020 , 169, 112161	4	10
30	Anti-neuroinflammatory diterpenoids from the endangered conifer <i>Podocarpus imbricatus</i> . <i>Journal of Asian Natural Products Research</i> , 2018 , 20, 101-108	1.5	9
29	Spirobiflavonoid stereoisomers from the endangered conifer <i>Glyptostrobus pensilis</i> and their protein tyrosine phosphatase 1B inhibitory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020 , 30, 126943	2.9	9
28	Forrestiacids A and B, Pentaterpene Inhibitors of ACL and Lipogenesis: Extending the Limits of Computational NMR Methods in the Structure Assignment of Complex Natural Products. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 22270-22275	16.4	9
27	Lignans from the shed trunk barks of the critically endangered plant <i>Abies beshanzuensis</i> and their anti-neuroinflammatory activities. <i>Natural Product Research</i> , 2017 , 31, 1358-1364	2.3	8
26	Bromopyrrole Alkaloids from the Jamaican Sponge <i>Didiscus Oxeata</i> . <i>Journal of Chemical Research</i> , 2005 , 2005, 427-428	0.6	8
25	Lycofargesiines A-F, further Lycopodium alkaloids from the club moss <i>Huperzia fargesii</i> . <i>Phytochemistry</i> , 2019 , 162, 183-192	4	7
24	LC-MS guided isolation of sinodamines A and B: Chimonanthine-type alkaloids from the endangered ornamental plant <i>Sinocalycanthus chinensis</i> . <i>Phytochemistry</i> , 2018 , 151, 61-68	4	7
23	Annotinolide F and lycoannotines A-I, further Lycopodium alkaloids from <i>Lycopodium annotinum</i> . <i>Phytochemistry</i> , 2017 , 143, 1-11	4	7
22	Chromenopyridin A, a new -methoxy-1-pyridone alkaloid from the endophytic fungus P-6 isolated from the critically endangered conifer. <i>Natural Product Research</i> , 2020 , 1-7	2.3	7
21	Efficacy of bioactive compounds from <i>Curcuma longa</i> L. against mosquito larvae. <i>Journal of Applied Entomology</i> , 2018 , 142, 792-799	1.7	7
20	LC-MS guided isolation and dereplication of Lycopodium alkaloids from <i>Lycopodium cernuum</i> var. <i>sikkimense</i> of different geographical origins. <i>Phytochemistry</i> , 2019 , 160, 25-30	4	6
19	Sesquiterpenoids from the Chinese endangered plant <i>Manglietia aromatica</i> . <i>Phytochemistry Letters</i> , 2016 , 18, 202-207	1.9	6
18	Amentotaxins C-V, Structurally Diverse Diterpenoids from the Leaves and Twigs of the Vulnerable Conifer and Their Cytotoxic Effects. <i>Journal of Natural Products</i> , 2020 , 83, 2129-2144	4.9	5
17	Acylated iridoid diglycosides from the cultivated endangered ornamental tree <i>Gmelina hainanensis</i> . <i>Phytochemistry Letters</i> , 2018 , 25, 17-21	1.9	5
16	Stewartiacids A-N, C-23 carboxylated triterpenoids from Chinese <i>Stewartia</i> and their inhibitory effects against ATP-citrate lyase and NF- κ B. <i>RSC Advances</i> , 2020 , 10, 3343-3356	3.7	4
15	Aflatoxins from the endophytic fungus Y-2 isolated from the critically endangered conifer. <i>Natural Product Research</i> , 2021 , 35, 3248-3253	2.3	4

14	Forrestiacids C and D, unprecedented triterpene-diterpene adducts from <i>Pseudotsuga forrestii</i> . <i>Chinese Chemical Letters</i> , 2021 ,	8.1	3
13	Beshanzoides A-D, unprecedented cycloheptanone-containing polyketides from P-4-1, an endophytic fungus of the endangered conifer .. <i>RSC Advances</i> , 2021 , 11, 39781-39789	3.7	2
12	Highly Oxygenated Triterpenoids and Diterpenoids from Fructus Rubi (Hu) and Their NF-kappa B Inhibitory Effects. <i>Molecules</i> , 2021 , 26,	4.8	2
11	Contemporary Approaches to the Discovery and Development of Broad-Spectrum Natural Product Prototypes for the Control of Coronaviruses. <i>Journal of Natural Products</i> , 2021 , 84, 3001-3007	4.9	1
10	Macrocyclic Pyridone Pentamers for Highly Selective High-Capacity Removal of Caesium Ions from Radioactive High-Salinity Waste. <i>Chemistry - an Asian Journal</i> , 2020 , 15, 4286-4290	4.5	1
9	Beshanzuamide A, an unprecedented prenylated indole alkaloid produced by sp. Y-2 from the critically endangered conifer .. <i>RSC Advances</i> , 2022 , 12, 10534-10539	3.7	1
8	Phytochemical and biological studies on rare and endangered plants endemic to China. Part XXII. Structurally diverse diterpenoids from the leaves and twigs of the endangered conifer <i>Torreya jackii</i> and their bioactivities.. <i>Phytochemistry</i> , 2022 , 198, 113161	4	1
7	Structurally diverse mono-/dimeric triterpenoids from the vulnerable conifer <i>Pseudotsuga gausseii</i> and their PTP1B inhibitory effects. The role of protecting species diversity in support of chemical diversity.. <i>Bioorganic Chemistry</i> , 2022 , 124, 105825	5.1	1
6	A new coumarin derivative from the stems of the endangered plant. <i>Natural Product Research</i> , 2021 , 35, 3562-3568	2.3	0
5	Structurally diverse glycosides of secoiridoid, bisiridoid, and triterpene-bisiridoid conjugates from the flower buds of two Caprifoliaceae plants and their ATP-citrate lyase inhibitory activities.. <i>Bioorganic Chemistry</i> , 2022 , 120, 105630	5.1	0
4	Further terpenoids from the Chloranthaceae plant <i>Chloranthus multistachys</i> and their anti-neuroinflammatory activities. <i>Phytotherapy</i> , 2021 , 156, 105068	3.2	0
3	Lirigerophines A-D, a Class of Sesquiterpene-Alkaloid Hybrids from the Rare Chinese Tulip Tree Plant.. <i>Journal of Organic Chemistry</i> , 2022 , 87, 6927-6933	4.2	0
2	Forrestiacids A and B, Pentaterpene Inhibitors of ACL and Lipogenesis: Extending the Limits of Computational NMR Methods in the Structure Assignment of Complex Natural Products. <i>Angewandte Chemie</i> , 2021 , 133, 22444-22449	3.6	
1	Three new eremophilane sesquiterpenes and one new related derivative from <i>Nemania</i> sp. HDF-Br-5, an endophytic fungus of the endangered conifer <i>Pseudotsuga gausseii</i> Flous. <i>Phytochemistry Letters</i> , 2022 , 49, 5-11	1.9	