## Lee Rogers Berger

## List of Publications by Citations

Source: https://exaly.com/author-pdf/2570669/lee-rogers-berger-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112<br/>papers4,309<br/>citations36<br/>h-index63<br/>g-index124<br/>ext. papers5,134<br/>ext. citations8.8<br/>avg, IF5.33<br/>L-index

#	Paper	IF	Citations
112	Australopithecus sediba: a new species of Homo-like australopith from South Africa. <i>Science</i> , <b>2010</b> , 328, 195-204	33.3	407
111	Homo naledi, a new species of the genus Homo from the Dinaledi Chamber, South Africa. <i>ELife</i> , <b>2015</b> , 4,	8.9	265
110	Australopithecus sediba hand demonstrates mosaic evolution of locomotor and manipulative abilities. <i>Science</i> , <b>2011</b> , 333, 1411-7	33.3	170
109	Body proportions of Australopithecus afarensis and A. africanus and the origin of the genus Homo. <i>Journal of Human Evolution</i> , <b>1998</b> , 35, 1-22	3.1	156
108	The age of and associated sediments in the Rising Star Cave, South Africa. <i>ELife</i> , <b>2017</b> , 6,	8.9	142
107	The endocast of MH1, Australopithecus sediba. <i>Science</i> , <b>2011</b> , 333, 1402-7	33.3	140
106	Australopithecus sediba at 1.977 Ma and implications for the origins of the genus Homo. <i>Science</i> , <b>2011</b> , 333, 1421-3	33.3	139
105	The foot and ankle of Australopithecus sediba. <i>Science</i> , <b>2011</b> , 333, 1417-20	33.3	132
104	Geological setting and age of Australopithecus sediba from southern Africa. <i>Science</i> , <b>2010</b> , 328, 205-8	33.3	132
103	The diet of Australopithecus sediba. <i>Nature</i> , <b>2012</b> , 487, 90-3	50.4	131
102	A partial pelvis of Australopithecus sediba. <i>Science</i> , <b>2011</b> , 333, 1407-11	33.3	120
101	The lower limb and mechanics of walking in Australopithecus sediba. <i>Science</i> , <b>2013</b> , 340, 1232999	33.3	111
100	Leopards as Taphonomic Agents in Dolomitic CavesImplications for Bone Accumulations in the Hominid-bearing Deposits of South Africa. <i>Journal of Archaeological Science</i> , <b>2000</b> , 27, 665-684	2.9	95
99	Geological and taphonomic context for the new hominin species Homo naledi from the Dinaledi Chamber, South Africa. <i>ELife</i> , <b>2015</b> , 4,	8.9	91
98	The upper limb of Australopithecus sediba. <i>Science</i> , <b>2013</b> , 340, 1233477	33.3	81
97	New Australopithecus robustus fossils and associated U-Pb dates from Cooper's Cave (Gauteng, South Africa). <i>Journal of Human Evolution</i> , <b>2009</b> , 56, 497-513	3.1	78
96	Eagle involvement in accumulation of the Taung child fauna. <i>Journal of Human Evolution</i> , <b>1995</b> , 29, 275	-299	76

95	The hand of Homo naledi. <i>Nature Communications</i> , <b>2015</b> , 6, 8431	17.4	73
94	New fossil remains of from the Lesedi Chamber, South Africa. <i>ELife</i> , <b>2017</b> , 6,	8.9	72
93	Revised age estimates of Australopithecus-bearing deposits at Sterkfontein, South Africa. <i>American Journal of Physical Anthropology</i> , <b>2002</b> , 119, 192-7	2.5	71
92	Faunal assemblage seriation of southern African Pliocene and Pleistocene fossil deposits. <i>American Journal of Physical Anthropology</i> , <b>1995</b> , 96, 235-50	2.5	69
91	Stratigraphy, U-Th chronology, and paleoenvironments at Gladysvale Cave: insights into the climatic control of South African hominin-bearing cave deposits. <i>Journal of Human Evolution</i> , <b>2007</b> , 53, 602-19	3.1	68
90	The vertebral column of Australopithecus sediba. <i>Science</i> , <b>2013</b> , 340, 1232996	33.3	62
89	Dental morphology and the phylogenetic "place" of Australopithecus sediba. <i>Science</i> , <b>2013</b> , 340, 123306	6 <b>3</b> 3.3	57
88	and Pleistocene hominin evolution in subequatorial Africa. ELife, 2017, 6,	8.9	54
87	Mosaic morphology in the thorax of Australopithecus sediba. <i>Science</i> , <b>2013</b> , 340, 1234598	33.3	46
86	A chimpanzee-like tibia from Sterkfontein, South Africa and its implications for the interpretation of bipedalism in Australopithecus africanus. <i>Journal of Human Evolution</i> , <b>1996</b> , 30, 343-348	3.1	45
85	Brief communication: a new Pleistocene hominid-bearing locality at Hoedjiespunt, South Africa. <i>American Journal of Physical Anthropology</i> , <b>1995</b> , 98, 601-9	2.5	44
84	Faunal assemblage composition and paleoenvironment of Plovers Lake, a Middle Stone Age locality in Gauteng Province, South Africa. <i>Journal of Human Evolution</i> , <b>2008</b> , 55, 1102-17	3.1	42
83	Endocast morphology of from the Dinaledi Chamber, South Africa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 5738-5743	11.5	41
82	Brief communication: Gladysvale: first early hominid site discovered in South Africa since 1948. <i>American Journal of Physical Anthropology</i> , <b>1993</b> , 92, 107-11	2.5	39
81	The Plio-Pleistocene ancestor of wild dogs, Lycaon sekowei n. sp Journal of Paleontology, <b>2010</b> , 84, 299	9=13:08	38
80	Mandibular remains support taxonomic validity of Australopithecus sediba. <i>Science</i> , <b>2013</b> , 340, 1232997	'33·3	37
79	Shod versus unshod: The emergence of forefoot pathology in modern humans?. <i>Foot</i> , <b>2007</b> , 17, 205-213	31.3	37
78	The vertebrae and ribs of Homo naledi. <i>Journal of Human Evolution</i> , <b>2017</b> , 104, 136-154	3.1	36

77	Hominin-bearing caves and landscape dynamics in the Cradle of Humankind, South Africa. <i>Journal of African Earth Sciences</i> , <b>2013</b> , 78, 109-131	2.2	36
76	The upper limb of Homo naledi. <i>Journal of Human Evolution</i> , <b>2017</b> , 104, 155-173	3.1	36
75	Human mandibular incisors from the late Middle Pleistocene locality of Hoedjiespunt 1, South Africa. <i>Journal of Human Evolution</i> , <b>2001</b> , 41, 369-83	3.1	36
74	Mechanical evidence that Australopithecus sediba was limited in its ability to eat hard foods.  Nature Communications, 2016, 7, 10596	17.4	36
73	Stw 441/465: a new fragmentary ilium of a small-bodied Australopithecus africanus from Sterkfontein, South Africa. <i>Journal of Human Evolution</i> , <b>2001</b> , 40, 411-7	3.1	34
72	The thigh and leg of Homo naledi. <i>Journal of Human Evolution</i> , <b>2017</b> , 104, 174-204	3.1	32
71	Probable human hair found in a fossil hyaena coprolite from Gladysvale cave, South Africa. <i>Journal of Archaeological Science</i> , <b>2009</b> , 36, 1269-1276	2.9	31
70	Developing a Geographic Information System (GIS) for Mapping and Analysing Fossil Deposits at Swartkrans, Gauteng Province, South Africa. <i>Journal of Archaeological Science</i> , <b>2003</b> , 30, 317-324	2.9	29
69	The skull of Homo naledi. <i>Journal of Human Evolution</i> , <b>2017</b> , 104, 100-123	3.1	28
68	Skull diversity in the Homo lineage and the relative position of Homo naledi. <i>Journal of Human Evolution</i> , <b>2017</b> , 104, 124-135	3.1	27
67	Earliest hominin cancer: 1.7-million-year-old osteosarcoma from Swartkrans Cave, South Africa. <i>South African Journal of Science</i> , <b>2016</b> , Volume 112,	1.3	26
66	Papio Cranium from the Hominin-Bearing Site of Malapa: Implications for the Evolution of Modern Baboon Cranial Morphology and South African Plio-Pleistocene Biochronology. <i>PLoS ONE</i> , <b>2015</b> , 10, e01	<i>3</i> 37361	25
65	Body size, brain size, and sexual dimorphism in Homo naledi from the Dinaledi Chamber. <i>Journal of Human Evolution</i> , <b>2017</b> , 111, 119-138	3.1	24
64	Carnivoran remains from the Malapa hominin site, South Africa. <i>PLoS ONE</i> , <b>2011</b> , 6, e26940	3.7	22
63	The mosaic nature of Australopithecus sediba. Introduction. <i>Science</i> , <b>2013</b> , 340, 163-5	33.3	20
62	Brief communication: predatory bird damage to the Taung type-skull of Australopithecus africanus Dart 1925. <i>American Journal of Physical Anthropology</i> , <b>2006</b> , 131, 166-8	2.5	20
61	Taphonomic Analysis of the Faunal Assemblage Associated with the Hominins (Australopithecus sediba) from the Early Pleistocene Cave Deposits of Malapa, South Africa. <i>PLoS ONE</i> , <b>2015</b> , 10, e012690	<b>3</b> ·7	20
60	Leopard (Panthera pardus Linneaus) cave caching related to anti-theft behaviour in the John Nash Nature Reserve, South Africa. <i>African Journal of Ecology</i> , <b>2001</b> , 39, 396-398	0.8	19

## (2012-2006)

59	A cranial base of Australopithecus robustus from the hanging remnant of Swartkrans, South Africa. <i>American Journal of Physical Anthropology</i> , <b>2006</b> , 130, 435-44	2.5	18	
58	Homo naledi pelvic remains from the Dinaledi Chamber, South Africa. <i>Journal of Human Evolution</i> , <b>2018</b> , 125, 122-136	3.1	18	
57	Ancient teeth, phenetic affinities, and African hominins: Another look at where Homo naledi fits in. <i>Journal of Human Evolution</i> , <b>2018</b> , 122, 108-123	3.1	16	
56	A new species of fox from the Australopithecus sediba type locality, Malapa, South Africa. <i>Transactions of the Royal Society of South Africa</i> , <b>2013</b> , 68, 1-9	1	16	
55	Raptors and primate evolution. <i>Evolutionary Anthropology</i> , <b>2013</b> , 22, 280-93	4.7	15	
54	Evidence of fatal skeletal injuries on Malapa Hominins 1 and 2. <i>Scientific Reports</i> , <b>2015</b> , 5, 15120	4.9	15	
53	Variation in tooth mark frequencies on long bones from the assemblages of all three extant bone-collecting hyaenids. <i>Journal of Archaeological Science</i> , <b>2009</b> , 36, 297-307	2.9	14	
52	Small-bodied humans from Palau, Micronesia. <i>PLoS ONE</i> , <b>2008</b> , 3, e1780	3.7	14	
51	News and views: response to 'non-metric dental traits and hominin phylogeny' by Carter et al., with additional information on the Arizona State University Dental Anthropology System and phylogenetic 'place' of Australopithecus sediba. <i>Journal of Human Evolution</i> , <b>2014</b> , 69, 129-34	3.1	12	
50	Examining criteria for identifying and differentiating fossil faunal assemblages accumulated by hyenas and hominins using extant hyenid accumulations. <i>International Journal of Osteoarchaeology</i> , <b>2008</b> , 20, n/a-n/a	1.1	12	
49	The cervical spine of Australopithecus sediba. <i>Journal of Human Evolution</i> , <b>2017</b> , 104, 32-49	3.1	11	
48	PALEOANTHROPOLOGY. Comment on "Early Homo at 2.8 Ma from Ledi-Geraru, Afar, Ethiopia". <i>Science</i> , <b>2015</b> , 348, 1326	33.3	11	
47	Brief communication: Dental microwear and diet of Homo naledi. <i>American Journal of Physical Anthropology</i> , <b>2018</b> , 166, 228-235	2.5	11	
46	The postcranial skeletal maturation of Australopithecus sediba. <i>American Journal of Physical Anthropology</i> , <b>2017</b> , 163, 633-640	2.5	10	
45	Patterns of lateral enamel growth in Homo naledi as assessed through perikymata distribution and number. <i>Journal of Human Evolution</i> , <b>2018</b> , 121, 40-54	3.1	10	
44	Late Australopiths and the Emergence ofHomo. Annual Review of Anthropology, 2017, 46, 99-115	3.6	10	
43	The position of Australopithecus sediba within fossil hominin hand use diversity. <i>Nature Ecology and Evolution</i> , <b>2020</b> , 4, 911-918	12.3	9	
42	An investigation of Laser Induced Breakdown Spectroscopy for use as a control in the laser removal of rock from fossils found at the Malapa hominin site, South Africa. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , <b>2012</b> , 73, 48-54	3.1	9	

41	The load of the Taung child. <i>Nature</i> , <b>1996</b> , 379, 778-779	50.4	9
40	Osteogenic tumour in Australopithecus sediba: Earliest hominin evidence for neoplastic disease. <i>South African Journal of Science</i> , <b>2016</b> , Volume 112,	1.3	9
39	Developmental simulation of the adult cranial morphology of Australopithecus sediba. <i>South African Journal of Science</i> , <b>2016</b> , Volume 112,	1.3	9
38	The impact of a date for understanding the importance of Homo naledi. <i>Transactions of the Royal Society of South Africa</i> , <b>2016</b> , 71, 125-128	1	9
37	Distinct growth of the nasomaxillary complex in Au. sediba. <i>Scientific Reports</i> , <b>2015</b> , 5, 15175	4.9	8
36	3D techniques and fossil identification: An elephant shrew hemi-mandible from the Malapa site. <i>South African Journal of Science</i> , <b>2011</b> , 107,	1.3	8
35	Body size in African Middle Pleistocene Homo319-346		8
34	A Mid-Pleistocene in situ fossil brown hyaena (Parahyaena brunnea) latrine from Gladysvale Cave, South Africa. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2009</b> , 279, 131-136	2.9	8
33	Australopithecus sediba and the earliest origins of the genus Homo. <i>Journal of Anthropological Sciences</i> , <b>2012</b> , 90, 117-31	0.6	8
32	Osteopathology and insect traces in the Australopithecus africanus skeleton StW 431. <i>South African Journal of Science</i> , <b>2017</b> , Volume 113,	1.3	7
31	The apportionment of tooth size and its implications in Australopithecus sediba versus other Plio-pleistocene and recent African hominins. <i>American Journal of Physical Anthropology</i> , <b>2016</b> , 161, 398	3- <del>2</del> :∮3	7
30	A proof of concept demonstration of the automated laser removal of rock from a fossil using 3D X-ray tomography data. <i>Journal of Archaeological Science</i> , <b>2013</b> , 40, 4607-4611	2.9	7
29	Australopithecus prometheus is a nomen nudum. <i>American Journal of Physical Anthropology</i> , <b>2019</b> , 168, 383-387	2.5	7
28	Comparative biomechanics of Australopithecus sediba mandibles. <i>Journal of Human Evolution</i> , <b>2016</b> , 100, 73-86	3.1	6
27	Distinct mandibular premolar crown morphology in Homo naledi and its implications for the evolution of Homo species in southern Africa. <i>Scientific Reports</i> , <b>2020</b> , 10, 13196	4.9	6
26	The carnivore guild circa 1.98 million years: biodiversity and implications for the palaeoenvironment at Malapa, South Africa. <i>Palaeobiodiversity and Palaeoenvironments</i> , <b>2016</b> , 96, 611-6	516 <sup>9</sup>	5
25	Immature remains and the first partial skeleton of a juvenile Homo naledi, a late Middle Pleistocene hominin from South Africa. <i>PLoS ONE</i> , <b>2020</b> , 15, e0230440	3.7	5
24	Response to Thackeray (2016) IThe possibility of lichen growth on bones of Homo naledi: Were they exposed to light?. <i>South African Journal of Science</i> , <b>2016</b> , Volume 112,	1.3	4

23	A case of benign osteogenic tumour in Homo naledi: Evidence for peripheral osteoma in the U.W. 101-1142 mandible. <i>International Journal of Paleopathology</i> , <b>2018</b> , 21, 47-55	1.5	4
22	Australopithecussediba from Malapa, South Africa. <i>Vertebrate Paleobiology and Paleoanthropology</i> , <b>2013</b> , 147-160	0.8	4
21	Femoral neck and shaft structure in Homo naledi from the Dinaledi Chamber (Rising Star System, South Africa). <i>Journal of Human Evolution</i> , <b>2019</b> , 133, 61-77	3.1	3
20	Reply to Clarke, "Australopithecus prometheus was validly named on MLD 1". <i>American Journal of Physical Anthropology</i> , <b>2019</b> , 170, 482-483	2.5	3
19	Discovering Hominins - Application of Medical Computed Tomography (CT) to Fossil-Bearing Rocks from the Site of Malapa, South Africa. <i>PLoS ONE</i> , <b>2015</b> , 10, e0145340	3.7	3
18	Author response: The age of Homo naledi and associated sediments in the Rising Star Cave, South Africa 2017,		3
17	Termites and necrophagous insects associated with early Pleistocene (Gelasian) Australopithecus sediba at Malapa, South Africa. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2020</b> , 560, 109989	2.9	3
16	The stable isotope setting of Australopithecus sediba at Malapa, South Africa. <i>South African Journal of Science</i> , <b>2016</b> , Volume 112,	1.3	3
15	A new partial cranium of Metridiochoerus (Suidae, Mammalia) from Malapa, South Africa. <i>Journal of African Earth Sciences</i> , <b>2018</b> , 145, 49-52	2.2	3
14	Morphology of the Homo naledi femora from Lesedi. <i>American Journal of Physical Anthropology</i> , <b>2019</b> , 170, 5-23	2.5	2
13	Homo naledi cranial remains from the Lesedi chamber of the rising star cave system, South Africa. <i>Journal of Human Evolution</i> , <b>2019</b> , 132, 1-14	3.1	2
12	Reconstruction of the burial position of two hominin skeletons (Australopithecus sediba) from the early Pleistocene Malapa cave site, South Africa. <i>Geoarchaeology - an International Journal</i> , <b>2018</b> , 33, 291-306	1.4	2
11	Author response: Homo naledi and Pleistocene hominin evolution in subequatorial Africa 2017,		2
10	Providing context to the Homo naledi fossils: Constraints from flowstones on the age of sediment deposits in Rising Star Cave, South Africa. <i>Chemical Geology</i> , <b>2021</b> , 567, 120108	4.2	2
9	La ceinture scapulaire Homo naledi\(\text{I}\) une adaptation \(\text{IlB}\) scalade de bloc. \(Anthropologie\), 2020, 124, 1027	<b>83</b> .5	1
8	Comments on Dobson (2005), body proportions in early hominins, and the joint and limb proportion differences between Stw 431 (A. africanus) and A.L. 288-1 (A. afarensis). <i>Journal of Human Evolution</i> , <b>2006</b> , 51, 109-10	3.1	1
7	3-D digital mapping of the early hominid site of gladysvale cave, South Africa. <i>Human Evolution</i> , <b>2004</b> , 19, 45-52		1
6	Training for Africans in Africa. <i>Nature</i> , <b>1994</b> , 372, 589	50.4	1

5	A hominin first rib discovered at the Sterkfontein Caves, South Africa. <i>South African Journal of Science</i> , <b>2016</b> , Volume 112,	1.3	1
4	Early hominid body proportions and emerging complexities in human evolution. <i>Evolutionary Anthropology</i> , <b>2003</b> , 11, 42-44	4.7	O
3	World Heritage Site: Many ways to access hominin fossil finds. <i>Nature</i> , <b>2015</b> , 523, 531	50.4	
2	Description and analysis of three Homo naledi incudes from the Dinaledi Chamber, Rising Star cave (South Africa). <i>Journal of Human Evolution</i> , <b>2018</b> , 122, 146-155	3.1	

1 Malapa **2018**, 1-2