

Jorge Otubo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2571480/publications.pdf>

Version: 2024-02-01

53
papers

690
citations

759233

12
h-index

610901

24
g-index

53
all docs

53
docs citations

53
times ranked

645
citing authors

#	ARTICLE	IF	CITATIONS
1	Processing-induced residual stresses in TWIP steel weld spots. <i>Materials and Manufacturing Processes</i> , 2020, 35, 572-578.	4.7	4
2	Characterization and Corrosion Resistance Behavior of Shape Memory Stainless Steel Developed by Alternate Routes. <i>Metals</i> , 2020, 10, 13.	2.3	10
3	Mechanical reliability of TWIP steel spot weldings. <i>Journal of Materials Processing Technology</i> , 2019, 266, 662-674.	6.3	13
4	Recovery Mechanisms in a Compressed Ni-Ti Superelastic Alloy. <i>Materials Research</i> , 2018, 21, .	1.3	1
5	The Influence of Microstructure and Mechanical Resistance on the Shape Memory of Ecae Processed Stainless Fe-Mn-Si-Cr-Ni-Co Steel. <i>Materials Research</i> , 2018, 21, .	1.3	2
6	Microstructure Evolution and Failure Modes of a Resistance Spot Welded TWIP Steel. <i>Soldagem E Inspecao</i> , 2018, 23, 460-473.	0.6	2
7	The Wire Drawing Mechanics of Near-Equiatomic NiTi SMA. <i>Materials Research</i> , 2018, 21, .	1.3	2
8	Designing NiTiAg Shape Memory Alloys by Vacuum Arc Remelting: First Practical Insights on Melting and Casting. <i>Shape Memory and Superelasticity</i> , 2018, 4, 402-410.	2.2	10
9	Short-term Creep Properties and Fracture Surface of 18 Ni (300) Maraging Steel Plasma Nitrided. <i>Materials Research</i> , 2017, 20, 2-9.	1.3	14
10	Effect of Spun Velocities and Composition on the ϵ' phase and Thermomechanical Behavior in Ti ϵ' Ni Ribbons Electrically Heated. <i>Materials Research</i> , 2016, 19, 580-587.	1.3	0
11	Effect of Spun Velocities and Composition on the Microstructure and Transformation Temperatures of TiNi Shape Memory Ribbons. <i>Materials Research</i> , 2016, 19, 1132-1137.	1.3	4
12	Ferrite Quantification Methodologies for Duplex Stainless Steel. <i>Journal of Aerospace Technology and Management</i> , 2016, 8, 357-362.	0.3	26
13	Characterization of a NiTi SMA wire treated by nitrogen plasma based ion implantation (PBII). <i>Procedia Structural Integrity</i> , 2016, 2, 1443-1450.	0.8	2
14	Reverse strain-induced martensitic transformation of the ferrite to austenite in duplex stainless steels. <i>Journal of Materials Science</i> , 2016, 51, 10452-10463.	3.7	6
15	Investigation of Ni-and Ti-content influence on microstructure and phase transformation behavior of NiTi SMA alloyed with Ag. <i>MATEC Web of Conferences</i> , 2015, 33, 03009.	0.2	4
16	Construction of a Morphing Wing Rib Actuated by a NiTi Wire. <i>Journal of Aerospace Technology and Management</i> , 2015, 7, 454-464.	0.3	13
17	High-temperature creep resistance and effects on the austenite reversion and precipitation of 18 Ni (300) maraging steel. <i>Materials Characterization</i> , 2015, 107, 350-357.	4.4	41
18	Effect of Simultaneous Plasma Nitriding and Aging Treatment on the Microstructure and Hardness of Maraging 300 Steel. <i>Advanced Structured Materials</i> , 2015, , 277-284.	0.5	3

#	ARTICLE	IF	CITATIONS
19	ECAE processed NiTi shape memory alloy. <i>Materials Research</i> , 2014, 17, 186-190.	1.3	5
20	Microstructural Analysis of Co-Free Maraging Steel Aged. <i>Journal of Aerospace Technology and Management</i> , 2014, 6, 389-394.	0.3	10
21	Effect of Plasma Nitriding on Creep Behavior at 550 °C of a Maraging Steel (300 Grade) Solution Annealed. <i>Materials Science Forum</i> , 2014, 802, 452-456.	0.3	3
22	Microstructural evaluation on shape recovery in stainless Fe-Mn-Si-Cr-Ni-Co SMA processed by wire drawing. <i>Materials Research</i> , 2014, 17, 583-587.	1.3	5
23	PROJETO, FABRICAÇÃO E QUALIFICAÇÃO DE EQUIPAMENTO PARA FLEXÃO ROTATIVA DE FIOS SUPERELÁSTICOS DE NITI EM ENSAIOS DE FADIGA. <i>Tecnologia Em Metalurgia, Materiais E Mineracao</i> , 2014, 11, 14-21.	0.2	0
24	AValiação DAS PROPRIEDADES DE FLUÊNCIA A 600 °C DO AÇO MARAGING 300 SOLUBILIZADO. <i>Tecnologia Em Metalurgia, Materiais E Mineracao</i> , 2014, 11, 22-26.	0.2	2
25	High shape recovery Ni-Ti SMA wire produced from electron beam melted ingot. <i>Journal of Alloys and Compounds</i> , 2013, 577, S265-S267.	5.5	5
26	Characterization of passive films on shape memory stainless steels. <i>Corrosion Science</i> , 2012, 57, 154-161.	6.6	157
27	Surface modification of NiTi by plasma based ion implantation for application in harsh environments. <i>Applied Surface Science</i> , 2012, 263, 763-768.	6.1	17
28	Roughness studies of NiTi shape memory alloy treated by nitrogen plasma based ion implantation at high temperatures. <i>Surface and Coatings Technology</i> , 2012, 211, 209-212.	4.8	8
29	Influence of alloying elements on the corrosion properties of shape memory stainless steels. <i>Materials Chemistry and Physics</i> , 2012, 133, 668-673.	4.0	35
30	Corrosion behavior of shape memory stainless steel in acid media. <i>Journal of Alloys and Compounds</i> , 2011, 509, 5376-5380.	5.5	29
31	The influence of carbon content on cyclic fatigue of NiTi SMA wires. <i>International Endodontic Journal</i> , 2011, 44, 567-573.	5.0	4
32	Rapid Obtaining of Nano-Hydroxyapatite Bioactive Films on NiTi Shape Memory Alloy by Electrodeposition Process. <i>Journal of Materials Engineering and Performance</i> , 2011, 20, 793-797.	2.5	23
33	Abrasive Wear of Fe-Mn-Si-Cr-Ni Shape Memory Stainless Steel: Preliminary Results. <i>Journal of Materials Engineering and Performance</i> , 2011, 20, 679-683.	2.5	0
34	Determination of Ni Release in NiTi SMA with Surface Modification by Nitrogen Plasma Immersion Ion Implantation. <i>Journal of Materials Engineering and Performance</i> , 2011, 20, 798-801.	2.5	11
35	A influência da ferrita delta em aços inoxidáveis austeníticos forjados. <i>Revista Escola De Minas</i> , 2010, 63, 57-63.	0.1	2
36	A influência do tempo e da temperatura de austenitização e da composição química na microestrutura de ligas inoxidáveis com efeito de memória de forma. <i>Revista Escola De Minas</i> , 2010, 63, 33-37.	0.1	0

#	ARTICLE	IF	CITATIONS
37	Determinação das propriedades mecânicas da martensita- β por indentação instrumentada em ligas inoxidáveis com memória de forma. Revista Escola De Minas, 2010, 63, 39-44.	0.1	1
38	Preliminary Results of Stress Recovery of Constrained NiTi SMA Wire for Aerospace Applications. Materials Science Forum, 2010, 643, 15-18.	0.3	0
39	Characterization of 150mm in Diameter NiTi SMA Ingot Produced by Electron Beam Melting. Materials Science Forum, 2010, 643, 55-59.	0.3	5
40	Influence of Thermomechanical Processing on the Martensitic Transformation Temperatures of NiTi SMA Wire. Materials Science Forum, 2010, 643, 43-48.	0.3	5
41	Estudo do efeito de memória de forma em ligas inoxidáveis usando ensaio de compressão. Revista Escola De Minas, 2010, 63, 493-499.	0.1	1
42	Grain size effect on the structural parameters of the stress induced epsilonhcp: martensite in iron-based shape memory alloy. Materials Research, 2008, 11, 63-67.	1.3	9
43	O efeito do tamanho de grão austenítico no número de orientações das variantes de martensita em ligas inoxidáveis com efeito de memória de forma. Revista Escola De Minas, 2007, 60, 129-134.	0.1	6
44	The fracture evaluation of NiTi SMA endodontics files. Materials Research, 2007, 10, 395-398.	1.3	3
45	Hybrid processing of Ti-6Al-4V using plasma immersion ion implantation combined with plasma nitriding. Materials Research, 2006, 9, 97-100.	1.3	7
46	The purification of metallurgical grade silicon by electron beam melting. Journal of Materials Processing Technology, 2005, 169, 16-20.	6.3	103
47	Low carbon content NiTi shape memory alloy produced by electron beam melting. Materials Research, 2004, 7, 263-267.	1.3	28
48	Influence of Austenite Grain Size on Mechanical Properties of Stainless SMA. Materials Transactions, 2002, 43, 916-919.	1.2	25
49	Shape Memory Properties of Ultrafine-Grained Austenitic Stainless Steel. Materials Science Forum, 0, 738-739, 496-500.	0.3	10
50	Shape Recovery in Stainless FeMnSiCrNi(-Co) SMA Processed by ECAE. Materials Science Forum, 0, 738-739, 252-256.	0.3	7
51	Corrosion Behavior of Fe-Mn-Si-Cr-Ni-Co Shape Memory Stainless Steel in Highly Oxidizing Medium. Materials Science Forum, 0, 869, 669-674.	0.3	2
52	Hot Tensile Behavior and Fracture Characteristics of a Plasma Nitrided Maraging 300 Steel. Materials Science Forum, 0, 899, 436-441.	0.3	4
53	HYBRID NiTi SMA/400 GRADE MARAGING SPRING ACTUATOR "CONCEPT DESIGN. , 0, , .		1