Takatoshi Shimauchi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2571693/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Innate immunity mediated by epidermal keratinocytes promotes acquired immunity involving Langerhans cells and T cells in the skin. Clinical and Experimental Immunology, 2006, 147, 061120065600003-???.	2.6	134
2	Type of skin eruption is an independent prognostic indicator for adult T-cell leukemia/lymphoma. Blood, 2011, 117, 3961-3967.	1.4	111
3	Augmented expression of programmed deathâ€l in both neoplastic and nonâ€neoplastic CD4 ⁺ Tâ€cells in adult Tâ€cell leukemia/lymphoma. International Journal of Cancer, 2007, 121, 2585-2590.	5.1	82
4	Clinical and histopathological characteristics and survival analysis of 4594 Japanese patients with melanoma. Cancer Medicine, 2019, 8, 2146-2156.	2.8	74
5	CXCL10 produced from hair follicles induces Th1 and Tc1 cell infiltration in the acute phase of alopecia areata followed by sustained Tc1 accumulation in the chronic phase. Journal of Dermatological Science, 2013, 69, 140-147.	1.9	70
6	Aberrant aquaporin 5 expression in the sweat gland in aquagenic wrinkling of the palms. Journal of the American Academy of Dermatology, 2008, 59, S28-S32.	1.2	65
7	IL-10-Producing Langerhans Cells and Regulatory T Cells Are Responsible for Depressed Contact Hypersensitivity in Grafted Skin. Journal of Investigative Dermatology, 2009, 129, 705-713.	0.7	51
8	Skin manifestations of adult T ell leukemia/lymphoma: Clinical, cytological and immunological features. Journal of Dermatology, 2014, 41, 19-25.	1.2	50
9	Adult T-cell leukemia/lymphoma cells from blood and skin tumors express cytotoxic T lymphocyte-associated antigen-4 and Foxp3 but lack suppressor activity toward autologous CD8+T cells. Cancer Science, 2007, 99, 071027184531001-???.	3.9	43
10	<scp>HTLV</scp> â€lâ€associated infective dermatitis: updates on the pathogenesis. Experimental Dermatology, 2012, 21, 815-821.	2.9	39
11	Roxithromycin downmodulates Th2 chemokine production by keratinocytes and chemokine receptor expression on Th2 cells: its dual inhibitory effects on the ligands and the receptors. Cellular Immunology, 2004, 228, 27-33.	3.0	38
12	Production of Thymus and Activation-Regulated Chemokine and Macrophage-Derived Chemokine by CCR4+ Adult T-Cell Leukemia Cells. Clinical Cancer Research, 2005, 11, 2427-2435.	7.0	38
13	High frequencies of positive nickel/cobalt patch tests and high sweat nickel concentration in patients with intrinsic atopic dermatitis. Journal of Dermatological Science, 2013, 72, 240-245.	1.9	36
14	Serum interleukinâ€22 and vascular endothelial growth factor serve as sensitive biomarkers but not as predictors of therapeutic response to biologics in patients with psoriasis. Journal of Dermatology, 2013, 40, 805-812.	1.2	36
15	Guidelines for the management of cutaneous lymphomas (2011): A consensus statement by the <scp>J</scp> apanese <scp>S</scp> kin <scp>C</scp> ancer <scp>S</scp> ociety – <scp>L</scp> ymphoma <scp>S</scp> tudy <scp>G</scp> roup. Journal of Dermatology, 2013, 40, 2-14.	1.2	36
16	Clinical categories of exaggerated skin reactions to mosquito bites and their pathophysiology. Journal of Dermatological Science, 2016, 82, 145-152.	1.9	34
17	VEGF-A promotes IL-17A-producing Î ³ δT cell accumulation in mouse skin and serves as a chemotactic factor for plasmacytoid dendritic cells. Journal of Dermatological Science, 2014, 74, 116-124.	1.9	30
18	Induction of keratinocyte apoptosis by photosensitizing chemicals plus UVA. Journal of Dermatological Science, 2007, 45, 105-112.	1.9	29

Такатозні Ѕнімаисні

#	Article	IF	CITATIONS
19	Defective Epidermal Innate Immunity and Resultant Superficial Dermatophytosis in Adult T-cell Leukemia/Lymphoma. Clinical Cancer Research, 2012, 18, 3772-3779.	7.0	29
20	Sensitive skin is highly frequent in extrinsic atopic dermatitis and correlates with disease severity markers but not necessarily with skin barrier impairment. Journal of Dermatological Science, 2018, 89, 33-39.	1.9	28
21	Chronic actinic dermatitis associated with adult T-cell leukemia. Journal of the American Academy of Dermatology, 2005, 52, S38-S40.	1.2	24
22	Treatment with IFN-Î ³ increases serum levels of Th1 chemokines and decreases those of Th2 chemokines in patients with mycosis fungoides. Journal of Dermatological Science, 2005, 38, 189-195.	1.9	23
23	Purpuric adult T-cell leukaemia/lymphoma: expansion of unusual CD4/CD8 double-negative malignant T cells expressing CCR4 but bearing the cytotoxic molecule granzyme B. British Journal of Dermatology, 2005, 152, 350-352.	1.5	22
24	Inhibition of T helper 2 chemokine production by narrowband ultraviolet B in cultured keratinocytes. British Journal of Dermatology, 2007, 156, 830-837.	1.5	22
25	Calcipotriol Increases hCAP18 mRNA Expression but Inhibits Extracellular LL37 Peptide Production in IL-17/IL-22-stimulated Normal Human Epidermal Keratinocytes. Acta Dermato-Venereologica, 2014, 94, 512-516.	1.3	22
26	Alterations of serum Th1 and Th2 chemokines by combination therapy of interferon-γ and narrowband UVB in patients with mycosis fungoides. Journal of Dermatological Science, 2008, 50, 217-225.	1.9	21
27	Mogamulizumabâ€induced photosensitivity in patients with mycosis fungoides and other Tâ€cell neoplasms. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 1456-1460.	2.4	19
28	TGFβ Induces a SAMHD1-Independent Post-Entry Restriction to HIV-1 Infection ofÂHuman Epithelial Langerhans Cells. Journal of Investigative Dermatology, 2016, 136, 1981-1989.	0.7	17
29	Decreased expression of suprabasin induces aberrant differentiation and apoptosis of epidermal keratinocytes: Possible role for atopic dermatitis. Journal of Dermatological Science, 2019, 95, 107-112.	1.9	17
30	Primary cutaneous anaplastic large cell lymphoma with fatal leukemic outcome in association with CLA and CCR4-negative conversion. Journal of the American Academy of Dermatology, 2007, 57, S92-S96.	1.2	16
31	Erosive Pustular Dermatosis of the Scalp and Leg Associated with Myasthenia Gravis: A Possible Pathogenetic Role for Neutrophil-stimulating Cytokines and Chemokines. Acta Dermato-Venereologica, 2010, 90, 652-653.	1.3	16
32	Increased frequencies of Th17 cells in drug eruptions. Journal of Dermatological Science, 2014, 73, 85-88.	1.9	16
33	Cutaneous lymphoma in Japan, 2012–2017: A nationwide study. Journal of Dermatological Science, 2020, 97, 187-193.	1.9	16
34	Primary cutaneous amyloidosis of the auricular concha: Case report and review of published work. Journal of Dermatology, 2006, 33, 128-131.	1.2	15
35	Solar urticaria as a manifestation of Churg?Strauss syndrome. Clinical and Experimental Dermatology, 2007, 32, 209-210.	1.3	15
36	Combination of skin-directed therapy and oral etoposide for smoldering adult T-cell leukemia/lymphoma with skin involvement. Leukemia and Lymphoma, 2013, 54, 520-527.	1.3	15

Такатозні Ѕнімаисні

#	Article	IF	CITATIONS
37	Leukaemic Cutaneous T-cell Lymphoma-Manifesting Papuloerythroderma with CD3– CD4+ Phenotype. Acta Dermato-Venereologica, 2010, 90, 68-72.	1.3	14
38	Isolated Adrenocorticotropic Hormone Deficiency in Melanoma Patients Treated with Nivolumab. Acta Dermato-Venereologica, 2018, 98, 704-705.	1.3	14
39	Skin Infiltration of Pathogenic Migratory and Resident T Cells Is Decreased by Secukinumab Treatment in Psoriasis. Journal of Investigative Dermatology, 2020, 140, 2073-2076.e6.	0.7	14
40	Outlines of the Japanese guidelines for the management of primary cutaneous lymphomas 2020. Journal of Dermatology, 2021, 48, e49-e71.	1.2	14
41	Classification of 3097 patients from the Japanese melanoma study database using the American joint committee on cancer eighth edition cancer staging system. Journal of Dermatological Science, 2019, 94, 284-289.	1.9	13
42	CXCR3 and CCR4 double positive tumor cells in granulomatous mycosis fungoides. Journal of the American Academy of Dermatology, 2006, 54, 1109-1111.	1.2	11
43	Defective epidermal induction of S100A7/psoriasin associated with low frequencies of skin-infiltrating Th17 cells in dermatophytosis-prone adult T cell leukemia/lymphoma. Clinical Immunology, 2013, 148, 1-3.	3.2	11
44	Nation-wide survey of advanced non-melanoma skin cancers treated at dermatology departments in Japan. Journal of Dermatological Science, 2018, 92, 230-236.	1.9	11
45	Suprabasin-null mice retain skin barrier function and show high contact hypersensitivity to nickel upon oral nickel loading. Scientific Reports, 2020, 10, 14559.	3.3	11
46	Folliculotropic mycosis fungoides presenting as papuloerythroderma. Journal of Dermatology, 2006, 33, 498-500.	1.2	10
47	CD8 ⁺ Sézary syndrome with interleukin-22 production modulated by bacterial sepsis. British Journal of Dermatology, 2013, 168, 881-883.	1.5	10
48	Acicular, but not globular, titanium dioxide nanoparticles stimulate keratinocytes to produce proâ€inflammatory cytokines. Journal of Dermatology, 2013, 40, 357-362.	1.2	10
49	Cholecystokinin Downregulates Psoriatic Inflammation by Its Possible Self-Regulatory Effect on Epidermal Keratinocytes. Journal of Immunology, 2019, 202, 2609-2615.	0.8	10
50	DC–T cell virological synapses and the skin: novel perspectives in dermatology. Experimental Dermatology, 2015, 24, 1-4.	2.9	9
51	Dendritic Cells Promote the Spread of Human T-Cell Leukemia Virus Type 1 via Bidirectional Interactions with CD4+ T Cells. Journal of Investigative Dermatology, 2019, 139, 157-166.	0.7	9
52	Protective role of Galectinâ€7 for skin barrier impairment in atopic dermatitis. Clinical and Experimental Allergy, 2020, 50, 922-931.	2.9	9
53	Case series of cutaneous Tâ€cell lymphomas treated with bexaroteneâ€based therapy. Journal of Dermatology, 2020, 47, 636-640.	1.2	9
54	Contact urticaria caused by a fishâ€derived elastin ontaining cosmetic cream. Contact Dermatitis, 2012, 67, 171-172.	1.4	8

4

#	Article	IF	CITATIONS
55	Photosensitive drug eruption induced by bicalutamide within the UVB action spectrum. European Journal of Dermatology, 2012, 22, 402-404.	0.6	8
56	Therapeutic Effectiveness of Immunoradiotherapy on Brain-metastatic BRAF/MEK Inhibitor-resistant Melanoma with Balloon Cell Change. Acta Dermato-Venereologica, 2019, 99, 612-613.	1.3	7
57	Scabies superimposed on skin lesions of adult Tâ€cell leukemia/lymphoma: case report and literature review. International Journal of Dermatology, 2008, 47, 1168-1171.	1.0	6
58	Loss of tumor cell CCR4 expression upon leukemic change in adult T-cell leukemia/lymphoma. Journal of the American Academy of Dermatology, 2009, 61, 163-164.	1.2	6
59	An intuitive explanation of dermoscopic structures by digitally reconstructed pathological horizontal top-down view images. Scientific Reports, 2019, 9, 19875.	3.3	6
60	Evidence for polyclonal infection of Epstein-Barr virus in a patient with primary cutaneous anaplastic large cell lymphoma. Clinical and Experimental Dermatology, 2004, 29, 383-386.	1.3	4
61	Epstein-Barr virus-associated T-cell lymphoproliferative disorder affecting skin and lung in an elderly patient. Journal of Dermatology, 2014, 41, 837-840.	1.2	4
62	Human Tâ€lymphotropic virus 1 (HTLVâ€1)â€associated lichenoid dermatitis induced by CD8 ⁺ T cells in HTLVâ€1 carrier, HTLVâ€1â€associated myelopathy/tropical spastic paraparesis and adult Tâ€cell leukemia/lymphoma. Journal of Dermatology, 2015, 42, 967-974.	1.2	4
63	Digitally reconstructed topâ€down view images provide intuitive understanding of the correlation between dermoscopy and histopathology: a good educational tool. British Journal of Dermatology, 2019, 181, 606-607.	1.5	4
64	Paediatric Acute Generalized Exanthematous Pustulosis Induced by Paracetamol with High Serum Levels of Interleukin-8 and -22: A Case Report. Acta Dermato-Venereologica, 2013, 93, 362-363.	1.3	3
65	Subcutaneous granuloma annulare following influenza vaccination in a patient with diabetes mellitus. Dermatologica Sinica, 2014, 32, 55-57.	0.5	3
66	Coincident Two Mutations and One Single Nucleotide Polymorphism of the PTCH1 Gene in a Family with Naevoid Basal Cell Carcinoma Syndrome. Acta Dermato-Venereologica, 2008, 88, 635-636.	1.3	3
67	Safety and efficacy of bexarotene for Japanese patients with cutaneous Tâ€cell lymphoma: Realâ€world experience from postâ€marketing surveillance. Journal of Dermatology, 2022, 49, 253-262.	1.2	3
68	Lymphatic transit rate as a predictive parameter for nodal metastasis in primary limb malignant melanoma. Journal of Dermatological Science, 2018, 90, 27-34.	1.9	2
69	Acute generalized exanthematous pustulosis caused by fexofenadine. Journal of Cutaneous Immunology and Allergy, 2018, 1, 117-118.	0.3	2
70	Intractable disseminated maculopapular eruption in a patient with granulocyte macrophage colonyâ€stimulating factorâ€producing anaplastic thyroid carcinoma. Journal of Dermatology, 2019, 46, e432-e433.	1.2	2
71	Enhanced PDâ€L1 expression on tumor cells in primary cutaneous large Tâ€cell lymphoma with CD30 expression as classic Hodgkin lymphoma mimics: A report of lymph node lesions of two cases. Pathology International, 2020, 70, 804-811.	1.3	2
72	Secukinumab promotes engagement of cholecystokinin and its receptor in epidermal keratinocytes of psoriasis patients. Journal of Dermatology, 2020, 47, 1454-1456.	1.2	2

Такатозні Ѕнімаисні

#	Article	lF	CITATIONS
73	Indolent multipapular adult Tâ€cell leukemia/lymphoma with phenotype of resident memory T cells. Journal of Dermatology, 2020, 47, e280-e281.	1.2	2
74	Multiple facial plaques of diffuse plane xanthoma arising from regressed tumours of folliculotropic mycosis fungoides. Clinical and Experimental Dermatology, 2021, 46, 358-360.	1.3	2
75	Elevation of circulating neutrophil extracellular traps, interleukin (IL)â€8, ILâ€22, and vascular endothelial growth factor in patients with venomous snake mamushi (<i>Gloydius blomhoffii</i>) bites. Journal of Dermatology, 2022, 49, 124-132.	1.2	2
76	Leukaemic mycosis fungoides in an atomic bomb survivor with lung and renal cancers. Clinical and Experimental Dermatology, 2009, 34, e322-e324.	1.3	1
77	Manipulated Microenvironment in Human Papilloma Virus–Infected Epithelial Cells: Is the CD40–CD154 Pathway Beneficial for Host or Virus?. Journal of Investigative Dermatology, 2014, 134, 2866-2868.	0.7	1
78	Voriconazoleâ€photoinduced polyomavirusâ€negative Merkel cell carcinoma. Journal of Dermatology, 2019, 46, e287-e288.	1.2	1
79	Unknown primary Merkel cell carcinoma responding well to firstâ€line treatment with avelumab. Journal of Dermatology, 2019, 46, e273-e275.	1.2	1
80	Decreased serum level of suprabasin in patients with nickel allergy. Journal of Dermatology, 2022, 49, .	1.2	1
81	Stasis ulcer and dermatitis caused by artificial arteriovenous fistula created 33 years previously for the treatment of poliomyelitis. Clinical and Experimental Dermatology, 2006, 31, 470-472.	1.3	0
82	Characterization of a malignant T-cell line established from a rare case of CD8+CD56+Sézary syndrome. British Journal of Dermatology, 2013, 168, 885-887.	1.5	0
83	IL-10 producing plasma blasts that increase at an acute phase of herpes zoster. Journal of Dermatological Science, 2017, 86, e67.	1.9	0
84	Induction of plasmablasts by follicular helper T cell-CXCL13 axis upon occurrence of herpes zoster. Clinical Immunology, 2018, 195, 93-100.	3.2	0
85	CD8 ⁺ mycosis fungoides with optic nerve and central nervous system involvement. Journal of Dermatology, 2021, 48, e286-e287.	1.2	0
86	å¨å\$å°–åœã,³ãƒ³ã,¸ãƒãƒ¼ãƒž. Nishinihon Journal of Dermatology, 2002, 64, 673-674.	0.0	0
87	Two Cases of Pemphigoid Nodularis. Nishinihon Journal of Dermatology, 2003, 65, 227-233.	0.0	0
88	Acquired Reactive Perforating Collagenosis. Nishinihon Journal of Dermatology, 2003, 65, 115-116.	0.0	0
89	A Case of Eccrine Porocarcinoma. Nishinihon Journal of Dermatology, 2005, 67, 229-232.	0.0	0
90	Calcipotriol Versus Steroid Ointment in Combination with Narrowband Ultraviolet B in the Treatment of Psoriasis Vulgaris. Nishinihon Journal of Dermatology, 2005, 67, 634-637.	0.0	0