

# Takatoshi Shimauchi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2571693/publications.pdf>

Version: 2024-02-01

90  
papers

1,631  
citations

304602

22  
h-index

345118

36  
g-index

91  
all docs

91  
docs citations

91  
times ranked

1992  
citing authors

#	ARTICLE	IF	CITATIONS
1	Elevation of circulating neutrophil extracellular traps, interleukin (IL)â€8, ILâ€22, and vascular endothelial growth factor in patients with venomous snake mamushi (<i>Gloydius blomhoffii</i>) bites. <i>Journal of Dermatology</i> , 2022, 49, 124-132.	0.6	2
2	Safety and efficacy of bexarotene for Japanese patients with cutaneous Tâ€cell lymphoma: Realâ€world experience from postâ€marketing surveillance. <i>Journal of Dermatology</i> , 2022, 49, 253-262.	0.6	3
3	Decreased serum level of suprabasin in patients with nickel allergy. <i>Journal of Dermatology</i> , 2022, 49, .	0.6	1
4	Multiple facial plaques of diffuse plane xanthoma arising from regressed tumours of folliculotropic mycosis fungoides. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 358-360.	0.6	2
5	Outlines of the Japanese guidelines for the management of primary cutaneous lymphomas 2020. <i>Journal of Dermatology</i> , 2021, 48, e49-e71.	0.6	14
6	CD8<sup>+</sup> mycosis fungoides with optic nerve and central nervous system involvement. <i>Journal of Dermatology</i> , 2021, 48, e286-e287.	0.6	0
7	Enhanced PDâ€1 expression on tumor cells in primary cutaneous large Tâ€cell lymphoma with CD30 expression as classic Hodgkin lymphoma mimics: A report of lymph node lesions of two cases. <i>Pathology International</i> , 2020, 70, 804-811.	0.6	2
8	Suprabasin-null mice retain skin barrier function and show high contact hypersensitivity to nickel upon oral nickel loading. <i>Scientific Reports</i> , 2020, 10, 14559.	1.6	11
9	Secukinumab promotes engagement of cholecystokinin and its receptor in epidermal keratinocytes of psoriasis patients. <i>Journal of Dermatology</i> , 2020, 47, 1454-1456.	0.6	2
10	Protective role of Galectinâ€7 for skin barrier impairment in atopic dermatitis. <i>Clinical and Experimental Allergy</i> , 2020, 50, 922-931.	1.4	9
11	Indolent multipapular adult Tâ€cell leukemia/lymphoma with phenotype of resident memory T cells. <i>Journal of Dermatology</i> , 2020, 47, e280-e281.	0.6	2
12	Case series of cutaneous Tâ€cell lymphomas treated with bexaroteneâ€based therapy. <i>Journal of Dermatology</i> , 2020, 47, 636-640.	0.6	9
13	Cutaneous lymphoma in Japan, 2012â€2017: A nationwide study. <i>Journal of Dermatological Science</i> , 2020, 97, 187-193.	1.0	16
14	Skin Infiltration of Pathogenic Migratory and Resident T Cells Is Decreased by Secukinumab Treatment in Psoriasis. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2073-2076.e6.	0.3	14
15	Decreased expression of suprabasin induces aberrant differentiation and apoptosis of epidermal keratinocytes: Possible role for atopic dermatitis. <i>Journal of Dermatological Science</i> , 2019, 95, 107-112.	1.0	17
16	Classification of 3097 patients from the Japanese melanoma study database using the American joint committee on cancer eighth edition cancer staging system. <i>Journal of Dermatological Science</i> , 2019, 94, 284-289.	1.0	13
17	Cholecystokinin Downregulates Psoriatic Inflammation by Its Possible Self-Regulatory Effect on Epidermal Keratinocytes. <i>Journal of Immunology</i> , 2019, 202, 2609-2615.	0.4	10
18	Therapeutic Effectiveness of Immunoradiotherapy on Brain-metastatic BRAF/MEK Inhibitor-resistant Melanoma with Balloon Cell Change. <i>Acta Dermato-Venereologica</i> , 2019, 99, 612-613.	0.6	7

#	ARTICLE	IF	CITATIONS
19	Voriconazoleâ€photoinduced polyomavirusâ€negative Merkel cell carcinoma. <i>Journal of Dermatology</i> , 2019, 46, e287-e288.	0.6	1
20	Clinical and histopathological characteristics and survival analysis of 4594 Japanese patients with melanoma. <i>Cancer Medicine</i> , 2019, 8, 2146-2156.	1.3	74
21	Unknown primary Merkel cell carcinoma responding well to firstâ€line treatment with avelumab. <i>Journal of Dermatology</i> , 2019, 46, e273-e275.	0.6	1
22	Digitally reconstructed topâ€down view images provide intuitive understanding of the correlation between dermoscopy and histopathology: a good educational tool. <i>British Journal of Dermatology</i> , 2019, 181, 606-607.	1.4	4
23	An intuitive explanation of dermoscopic structures by digitally reconstructed pathological horizontal top-down view images. <i>Scientific Reports</i> , 2019, 9, 19875.	1.6	6
24	Intractable disseminated maculopapular eruption in a patient with granulocyte macrophage colonyâ€stimulating factorâ€producing anaplastic thyroid carcinoma. <i>Journal of Dermatology</i> , 2019, 46, e432-e433.	0.6	2
25	Dendritic Cells Promote the Spread of Human T-Cell Leukemia Virus Type 1 via Bidirectional Interactions with CD4+ T Cells. <i>Journal of Investigative Dermatology</i> , 2019, 139, 157-166.	0.3	9
26	Mogamulizumabâ€induced photosensitivity in patients with mycosis fungoides and other Tâ€cell neoplasms. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1456-1460.	1.3	19
27	Lymphatic transit rate as a predictive parameter for nodal metastasis in primary limb malignant melanoma. <i>Journal of Dermatological Science</i> , 2018, 90, 27-34.	1.0	2
28	Sensitive skin is highly frequent in extrinsic atopic dermatitis and correlates with disease severity markers but not necessarily with skin barrier impairment. <i>Journal of Dermatological Science</i> , 2018, 89, 33-39.	1.0	28
29	Nation-wide survey of advanced non-melanoma skin cancers treated at dermatology departments in Japan. <i>Journal of Dermatological Science</i> , 2018, 92, 230-236.	1.0	11
30	Isolated Adrenocorticotrophic Hormone Deficiency in Melanoma Patients Treated with Nivolumab. <i>Acta Dermato-Venereologica</i> , 2018, 98, 704-705.	0.6	14
31	Induction of plasmablasts by follicular helper T cell-CXCL13 axis upon occurrence of herpes zoster. <i>Clinical Immunology</i> , 2018, 195, 93-100.	1.4	0
32	Acute generalized exanthematous pustulosis caused by fexofenadine. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 117-118.	0.2	2
33	IL-10 producing plasma blasts that increase at an acute phase of herpes zoster. <i>Journal of Dermatological Science</i> , 2017, 86, e67.	1.0	0
34	TGFÎ² Induces a SAMHD1-Independent Post-Entry Restriction to HIV-1 Infection of Human Epithelial Langerhans Cells. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1981-1989.	0.3	17
35	Clinical categories of exaggerated skin reactions to mosquito bites and their pathophysiology. <i>Journal of Dermatological Science</i> , 2016, 82, 145-152.	1.0	34
36	DCâ€T cell virological synapses and the skin: novel perspectives in dermatology. <i>Experimental Dermatology</i> , 2015, 24, 1-4.	1.4	9

#	ARTICLE	IF	CITATIONS
37	Human T-cell lymphotropic virus 1 (HTLV-1)-associated lichenoid dermatitis induced by CD8 <sup>+</sup> T cells in HTLV-1 carrier, HTLV-1-associated myelopathy/tropical spastic paraparesis and adult T-cell leukemia/lymphoma. <i>Journal of Dermatology</i> , 2015, 42, 967-974.	0.6	4
38	Manipulated Microenvironment in Human Papilloma Virus-Infected Epithelial Cells: Is the CD40-CD154 Pathway Beneficial for Host or Virus?. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2866-2868.	0.3	1
39	Calcipotriol Increases hCAP18 mRNA Expression but Inhibits Extracellular LL37 Peptide Production in IL-17/IL-22-stimulated Normal Human Epidermal Keratinocytes. <i>Acta Dermato-Venereologica</i> , 2014, 94, 512-516.	0.6	22
40	Epstein-Barr virus-associated T-cell lymphoproliferative disorder affecting skin and lung in an elderly patient. <i>Journal of Dermatology</i> , 2014, 41, 837-840.	0.6	4
41	Subcutaneous granuloma annulare following influenza vaccination in a patient with diabetes mellitus. <i>Dermatologica Sinica</i> , 2014, 32, 55-57.	0.2	3
42	Skin manifestations of adult T-cell leukemia/lymphoma: Clinical, cytological and immunological features. <i>Journal of Dermatology</i> , 2014, 41, 19-25.	0.6	50
43	VEGF-A promotes IL-17A-producing $\gamma\delta$ T cell accumulation in mouse skin and serves as a chemotactic factor for plasmacytoid dendritic cells. <i>Journal of Dermatological Science</i> , 2014, 74, 116-124.	1.0	30
44	Increased frequencies of Th17 cells in drug eruptions. <i>Journal of Dermatological Science</i> , 2014, 73, 85-88.	1.0	16
45	High frequencies of positive nickel/cobalt patch tests and high sweat nickel concentration in patients with intrinsic atopic dermatitis. <i>Journal of Dermatological Science</i> , 2013, 72, 240-245.	1.0	36
46	CXCL10 produced from hair follicles induces Th1 and Tc1 cell infiltration in the acute phase of alopecia areata followed by sustained Tc1 accumulation in the chronic phase. <i>Journal of Dermatological Science</i> , 2013, 69, 140-147.	1.0	70
47	Serum interleukin-22 and vascular endothelial growth factor serve as sensitive biomarkers but not as predictors of therapeutic response to biologics in patients with psoriasis. <i>Journal of Dermatology</i> , 2013, 40, 805-812.	0.6	36
48	Guidelines for the management of cutaneous lymphomas (2011): A consensus statement by the Japanese Skin Cancer Society - Lymphoma Study Group. <i>Journal of Dermatology</i> , 2013, 40, 2-14.	0.6	36
49	Defective epidermal induction of S100A7/psoriasin associated with low frequencies of skin-infiltrating Th17 cells in dermatophytosis-prone adult T cell leukemia/lymphoma. <i>Clinical Immunology</i> , 2013, 148, 1-3.	1.4	11
50	Combination of skin-directed therapy and oral etoposide for smoldering adult T-cell leukemia/lymphoma with skin involvement. <i>Leukemia and Lymphoma</i> , 2013, 54, 520-527.	0.6	15
51	Paediatric Acute Generalized Exanthematous Pustulosis Induced by Paracetamol with High Serum Levels of Interleukin-8 and -22: A Case Report. <i>Acta Dermato-Venereologica</i> , 2013, 93, 362-363.	0.6	3
52	Characterization of a malignant T-cell line established from a rare case of CD8 <sup>+</sup> CD56 <sup>+</sup> Sézary syndrome. <i>British Journal of Dermatology</i> , 2013, 168, 885-887.	1.4	0
53	CD8 <sup>+</sup> Sézary syndrome with interleukin-22 production modulated by bacterial sepsis. <i>British Journal of Dermatology</i> , 2013, 168, 881-883.	1.4	10
54	Acicular, but not globular, titanium dioxide nanoparticles stimulate keratinocytes to produce pro-inflammatory cytokines. <i>Journal of Dermatology</i> , 2013, 40, 357-362.	0.6	10

#	ARTICLE	IF	CITATIONS
55	Defective Epidermal Innate Immunity and Resultant Superficial Dermatophytosis in Adult T-cell Leukemia/Lymphoma. <i>Clinical Cancer Research</i> , 2012, 18, 3772-3779.	3.2	29
56	Contact urticaria caused by a fish-derived elastin-containing cosmetic cream. <i>Contact Dermatitis</i> , 2012, 67, 171-172.	0.8	8
57	<scp>HTLV</scp>-associated infective dermatitis: updates on the pathogenesis. <i>Experimental Dermatology</i> , 2012, 21, 815-821.	1.4	39
58	Photosensitive drug eruption induced by bicalutamide within the UVB action spectrum. <i>European Journal of Dermatology</i> , 2012, 22, 402-404.	0.3	8
59	Type of skin eruption is an independent prognostic indicator for adult T-cell leukemia/lymphoma. <i>Blood</i> , 2011, 117, 3961-3967.	0.6	111
60	Erosive Pustular Dermatitis of the Scalp and Leg Associated with Myasthenia Gravis: A Possible Pathogenetic Role for Neutrophil-stimulating Cytokines and Chemokines. <i>Acta Dermato-Venereologica</i> , 2010, 90, 652-653.	0.6	16
61	Leukaemic Cutaneous T-cell Lymphoma-Manifesting Papuloerythroderma with CD3 <sup>+</sup> CD4 <sup>+</sup> Phenotype. <i>Acta Dermato-Venereologica</i> , 2010, 90, 68-72.	0.6	14
62	Leukaemic mycosis fungoides in an atomic bomb survivor with lung and renal cancers. <i>Clinical and Experimental Dermatology</i> , 2009, 34, e322-e324.	0.6	1
63	IL-10-Producing Langerhans Cells and Regulatory T Cells Are Responsible for Depressed Contact Hypersensitivity in Grafted Skin. <i>Journal of Investigative Dermatology</i> , 2009, 129, 705-713.	0.3	51
64	Loss of tumor cell CCR4 expression upon leukemic change in adult T-cell leukemia/lymphoma. <i>Journal of the American Academy of Dermatology</i> , 2009, 61, 163-164.	0.6	6
65	Scabies superimposed on skin lesions of adult T-cell leukemia/lymphoma: case report and literature review. <i>International Journal of Dermatology</i> , 2008, 47, 1168-1171.	0.5	6
66	Alterations of serum Th1 and Th2 chemokines by combination therapy of interferon- $\gamma$ and narrowband UVB in patients with mycosis fungoides. <i>Journal of Dermatological Science</i> , 2008, 50, 217-225.	1.0	21
67	Aberrant aquaporin 5 expression in the sweat gland in aquagenic wrinkling of the palms. <i>Journal of the American Academy of Dermatology</i> , 2008, 59, S28-S32.	0.6	65
68	Coincident Two Mutations and One Single Nucleotide Polymorphism of the PTCH1 Gene in a Family with Naevoid Basal Cell Carcinoma Syndrome. <i>Acta Dermato-Venereologica</i> , 2008, 88, 635-636.	0.6	3
69	Primary cutaneous anaplastic large cell lymphoma with fatal leukemic outcome in association with CLA and CCR4-negative conversion. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, S92-S96.	0.6	16
70	Induction of keratinocyte apoptosis by photosensitizing chemicals plus UVA. <i>Journal of Dermatological Science</i> , 2007, 45, 105-112.	1.0	29
71	Augmented expression of programmed death-1 in both neoplastic and non-neoplastic CD4 <sup>+</sup> T-cells in adult T-cell leukemia/lymphoma. <i>International Journal of Cancer</i> , 2007, 121, 2585-2590.	2.3	82
72	Inhibition of T helper 2 chemokine production by narrowband ultraviolet B in cultured keratinocytes. <i>British Journal of Dermatology</i> , 2007, 156, 830-837.	1.4	22

#	ARTICLE	IF	CITATIONS
73	Solar urticaria as a manifestation of Churg?Strauss syndrome. <i>Clinical and Experimental Dermatology</i> , 2007, 32, 209-210.	0.6	15
74	Adult T-cell leukemia/lymphoma cells from blood and skin tumors express cytotoxic T lymphocyte-associated antigen-4 and Foxp3 but lack suppressor activity toward autologous CD8+T cells. <i>Cancer Science</i> , 2007, 99, 071027184531001-???	1.7	43
75	CXCR3 and CCR4 double positive tumor cells in granulomatous mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , 2006, 54, 1109-1111.	0.6	11
76	Stasis ulcer and dermatitis caused by artificial arteriovenous fistula created 33 years previously for the treatment of poliomyelitis. <i>Clinical and Experimental Dermatology</i> , 2006, 31, 470-472.	0.6	0
77	Innate immunity mediated by epidermal keratinocytes promotes acquired immunity involving Langerhans cells and T cells in the skin. <i>Clinical and Experimental Immunology</i> , 2006, 147, 061120065600003-???	1.1	134
78	Primary cutaneous amyloidosis of the auricular concha: Case report and review of published work. <i>Journal of Dermatology</i> , 2006, 33, 128-131.	0.6	15
79	Folliculotropic mycosis fungoides presenting as papuloerythroderma. <i>Journal of Dermatology</i> , 2006, 33, 498-500.	0.6	10
80	Purpuric adult T-cell leukaemia/lymphoma: expansion of unusual CD4/CD8 double-negative malignant T cells expressing CCR4 but bearing the cytotoxic molecule granzyme B. <i>British Journal of Dermatology</i> , 2005, 152, 350-352.	1.4	22
81	Production of Thymus and Activation-Regulated Chemokine and Macrophage-Derived Chemokine by CCR4+ Adult T-Cell Leukemia Cells. <i>Clinical Cancer Research</i> , 2005, 11, 2427-2435.	3.2	38
82	Chronic actinic dermatitis associated with adult T-cell leukemia. <i>Journal of the American Academy of Dermatology</i> , 2005, 52, S38-S40.	0.6	24
83	Treatment with IFN- $\gamma$ increases serum levels of Th1 chemokines and decreases those of Th2 chemokines in patients with mycosis fungoides. <i>Journal of Dermatological Science</i> , 2005, 38, 189-195.	1.0	23
84	A Case of Eccrine Porocarcinoma. <i>Nishinon Journal of Dermatology</i> , 2005, 67, 229-232.	0.0	0
85	Calcipotriol Versus Steroid Ointment in Combination with Narrowband Ultraviolet B in the Treatment of Psoriasis Vulgaris. <i>Nishinon Journal of Dermatology</i> , 2005, 67, 634-637.	0.0	0
86	Evidence for polyclonal infection of Epstein-Barr virus in a patient with primary cutaneous anaplastic large cell lymphoma. <i>Clinical and Experimental Dermatology</i> , 2004, 29, 383-386.	0.6	4
87	Roxithromycin downmodulates Th2 chemokine production by keratinocytes and chemokine receptor expression on Th2 cells: its dual inhibitory effects on the ligands and the receptors. <i>Cellular Immunology</i> , 2004, 228, 27-33.	1.4	38
88	Two Cases of Pemphigoid Nodularis. <i>Nishinon Journal of Dermatology</i> , 2003, 65, 227-233.	0.0	0
89	Acquired Reactive Perforating Collagenosis. <i>Nishinon Journal of Dermatology</i> , 2003, 65, 115-116.	0.0	0
90	å·åšã°-åœã, 3åf 3ã, åf åf ¼åf ž. <i>Nishinon Journal of Dermatology</i> , 2002, 64, 673-674.	0.0	0