

Manuel Ortuo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/257423/manuel-ortuno-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

1,354
citations

21
h-index

32
g-index

114
ext. papers

1,628
ext. citations

2.5
avg, IF

3.82
L-index

#	Paper	IF	Citations
86	Application of a modified He's homotopy perturbation method to obtain higher-order approximations of an $x^{1/3}$ force nonlinear oscillator. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2007 , 371, 421-426	2.3	78
85	Application of the harmonic balance method to a nonlinear oscillator typified by a mass attached to a stretched wire. <i>Journal of Sound and Vibration</i> , 2007 , 302, 1018-1029	3.9	75
84	Holographic photopolymer materials: nonlocal polymerization-driven diffusion under nonideal kinetic conditions. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2005 , 22, 407	1.7	69
83	Optimization of a 1 mm thick PVA/acrylamide recording material to obtain holographic memories: method of preparation and holographic properties. <i>Applied Physics B: Lasers and Optics</i> , 2003 , 76, 851-857 ^{1.9}	1.9	64
82	Optimization of a thick polyvinyl alcohol-acrylamide photopolymer for data storage using a combination of angular and peristrophic holographic multiplexing. <i>Applied Optics</i> , 2006 , 45, 7661-6	1.7	52
81	Physical and effective optical thickness of holographic diffraction gratings recorded in photopolymers. <i>Optics Express</i> , 2005 , 13, 1939-47	3.3	51
80	Application of a modified He's homotopy perturbation method to obtain higher-order approximations to a nonlinear oscillator with discontinuities. <i>Nonlinear Analysis: Real World Applications</i> , 2009 , 10, 601-610	2.1	48
79	In dark analysis of PVA/AA materials at very low spatial frequencies: phase modulation evolution and diffusion estimation. <i>Optics Express</i> , 2009 , 17, 18279-91	3.3	44
78	New photopolymer holographic recording material with sustainable design. <i>Optics Express</i> , 2007 , 15, 12425-35	3.3	41
77	3 Dimensional analysis of holographic photopolymers based memories. <i>Optics Express</i> , 2005 , 13, 3543-57 ³	3.3	36
76	First-harmonic diffusion-based model applied to a polyvinyl-alcohol/acrylamide-based photopolymer. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2003 , 20, 2052	1.7	36
75	Averaged Stokes polarimetry applied to evaluate retardance and flicker in PA-LCoS devices. <i>Optics Express</i> , 2014 , 22, 15064-74	3.3	35
74	Overmodulation effects in volume holograms recorded on photopolymers. <i>Optics Communications</i> , 2003 , 215, 263-269	2	31
73	Holographic characteristics of a 1-mm-thick photopolymer to be used in holographic memories. <i>Applied Optics</i> , 2003 , 42, 7008-12	1.7	31
72	Characterization of a PVA/acrylamide photopolymer. Influence of a cross-linking monomer in the final characteristics of the hologram. <i>Optics Communications</i> , 2003 , 224, 27-34	2	29
71	Comparison of peristrophic multiplexing and a combination of angular and peristrophic holographic multiplexing in a thick PVA/acrylamide photopolymer for data storage. <i>Applied Optics</i> , 2007 , 46, 5368-73 ^{1.7}	1.7	26
70	Edge-enhanced imaging with polyvinyl alcohol/acrylamide photopolymer gratings. <i>Optics Letters</i> , 2003 , 28, 1510-2	3	26

69	3-dimensional characterization of thick grating formation in PVA/AA based photopolymer. <i>Optics Express</i> , 2006 , 14, 5121-8	3.3	25
68	Direct analysis of monomer diffusion times in polyvinyl/acrylamide materials. <i>Applied Physics Letters</i> , 2008 , 92, 073306	3.4	24
67	Effect of a depth attenuated refractive index profile in the angular responses of the efficiency of higher orders in volume gratings recorded in a PVA/acrylamide photopolymer. <i>Optics Communications</i> , 2004 , 233, 311-322	2	23
66	High environmental compatibility photopolymers compared to PVA/AA based materials at zero spatial frequency limit. <i>Optical Materials</i> , 2011 , 33, 531-537	3.3	22
65	Improving the performance of PVA/AA photopolymers for holographic recording. <i>Optical Materials</i> , 2013 , 35, 668-673	3.3	21
64	Approximate expressions for the period of a simple pendulum using a Taylor series expansion. <i>European Journal of Physics</i> , 2011 , 32, 1303-1310	0.8	21
63	Temporal evolution of the angular response of a holographic diffraction grating in PVA/acrylamide photopolymer. <i>Optics Express</i> , 2003 , 11, 181-90	3.3	21
62	Electrical dependencies of optical modulation capabilities in digitally addressed parallel aligned liquid crystal on silicon devices. <i>Optical Engineering</i> , 2014 , 53, 067104	1.1	18
61	Biophotopol: A Sustainable Photopolymer for Holographic Data Storage Applications. <i>Materials</i> , 2012 , 5, 772-783	3.5	17
60	Predictive capability of average Stokes polarimetry for simulation of phase multilevel elements onto LCoS devices. <i>Applied Optics</i> , 2015 , 54, 1379-86	1.7	16
59	Approximate solutions for the nonlinear pendulum equation using a rational harmonic representation. <i>Computers and Mathematics With Applications</i> , 2012 , 64, 1602-1611	2.7	16
58	Real-time interferometric characterization of a polyvinyl alcohol based photopolymer at the zero spatial frequency limit. <i>Applied Optics</i> , 2007 , 46, 7506-12	1.7	16
57	High-efficiency volume holograms recording on acrylamide and N,N?methylene-bis-acrylamide photopolymer with pulsed laser. <i>Journal of Modern Optics</i> , 2005 , 52, 1575-1584	1.1	16
56	Multiplexed holographic data page storage on a polyvinyl alcohol/acrylamide photopolymer memory. <i>Applied Optics</i> , 2008 , 47, 4448-56	0.2	15
55	Analysis of monomer diffusion in depth in photopolymer materials. <i>Optics Communications</i> , 2007 , 274, 43-49	2	15
54	Hologram multiplexing in acrylamide hydrophilic photopolymers. <i>Optics Communications</i> , 2008 , 281, 1354-1357	2	14
53	Characterization of polyvinyl alcohol/acrylamide holographic memories with a first-harmonic diffusion model. <i>Applied Optics</i> , 2005 , 44, 6205-10	1.7	14
52	Analysis of PVA/AA based photopolymers at the zero spatial frequency limit using interferometric methods. <i>Applied Optics</i> , 2008 , 47, 2557-63	1.7	13

51	Comments on Investigation of the properties of the period for the nonlinear oscillator $x''+(1+x^2)x=0$. <i>Journal of Sound and Vibration</i> , 2007 , 303, 925-930	3.9	13
50	Higher accurate approximate solutions for the simple pendulum in terms of elementary functions. <i>European Journal of Physics</i> , 2010 , 31, L65-L70	0.8	12
49	Stabilization of volume gratings recorded in polyvinyl alcohol-acrylamide photopolymers with diffraction efficiencies higher than 90%. <i>Journal of Modern Optics</i> , 2004 , 51, 491-503	1.1	12
48	Holographic Characteristics of an Acrylamide/Bisacrylamide Photopolymer in 40 μ m Thick Layers. <i>Physica Scripta</i> , 2005 , 66	2.6	12
47	Holographic Lenses in an Environment-Friendly Photopolymer. <i>Polymers</i> , 2018 , 10,	4.5	11
46	A Novel Rational Harmonic Balance Approach for Periodic Solutions of Conservative Nonlinear Oscillators. <i>International Journal of Nonlinear Sciences and Numerical Simulation</i> , 2009 , 10, 13-26	1.8	11
45	Volume Holograms in Photopolymers: Comparison between Analytical and Rigorous Theories. <i>Materials</i> , 2012 , 5, 1373-1388	3.5	11
44	Optimization of Photopolymer Materials for the Fabrication of a Holographic Waveguide. <i>Polymers</i> , 2017 , 9,	4.5	10
43	Overmodulation Control in the Optimization of a H-PDLC Device with Ethyl Eosin as Dye. <i>International Journal of Polymer Science</i> , 2013 , 2013, 1-8	2.4	10
42	Accurate control of a liquid-crystal display to produce a homogenized Fourier transform for holographic memories. <i>Optics Letters</i> , 2007 , 32, 2511-3	3	10
41	Peristrophic multiplexed holograms recorded in a low toxicity photopolymer. <i>Optical Materials Express</i> , 2017 , 7, 133	2.6	9
40	Diffusion-based model to predict the conservation of gratings recorded in poly(vinyl alcohol)-acrylamide photopolymer. <i>Applied Optics</i> , 2003 , 42, 5839-45	1.7	9
39	Monomer diffusion in sustainable photopolymers for diffractive optics applications. <i>Optical Materials</i> , 2011 , 33, 1626-1629	3.3	8
38	Linear response deviations during recording of diffraction gratings in photopolymers. <i>Optics Express</i> , 2009 , 17, 13193-201	3.3	8
37	Analysis of multiplexed holograms stored in a thick PVA/AA photopolymer. <i>Optics Communications</i> , 2008 , 281, 1480-1485	2	8
36	Holographic Characteristics of Photopolymers Containing Different Mixtures of Nematic Liquid Crystals. <i>Polymers</i> , 2019 , 11,	4.5	7
35	Biophotopolymer energetic sensitivity improved in 300 μ m layers by tuning the recording wavelength. <i>Optical Materials</i> , 2016 , 52, 111-115	3.3	7
34	Holographic photopolymer materials with nonlocal and nonlinear response 2003 , 5216, 127		7

33	Pyromethene dye and non-redox initiator system in a hydrophilic binder photopolymer. <i>Optical Materials</i> , 2007 , 30, 227-230	3.3	6
32	Analysis of Second and Third Diffracted Orders in Volume Diffraction Gratings Recorded on Photopolymers. <i>Physica Scripta</i> , 2005 , 58	2.6	6
31	Additives Type Schiff's Base as Modifiers of the Optical Response in Holographic Polymer-Dispersed Liquid Crystals. <i>Polymers</i> , 2017 , 9,	4.5	5
30	Diffractive and interferometric methods to characterize photopolymers with liquid crystal molecules as holographic recording material. <i>Journal of the European Optical Society-Rapid Publications</i> , 2012 , 7,	2.5	5
29	An experiment in heat conduction using hollow cylinders. <i>European Journal of Physics</i> , 2011 , 32, 1065-1075	3.5	5
28	Effect of the incorporation of N,N'-methylene-bis-acrylamide on the multiplexing of holograms in a hydrophilic acrylamide photopolymer. <i>Optics Communications</i> , 2006 , 268, 133-137	2	5
27	Experimental Conditions to Obtain Photopolymerization Induced Phase Separation Process in Liquid Crystal-Photopolymer Composite Materials under Laser Exposure. <i>International Journal of Polymer Science</i> , 2014 , 2014, 1-5	2.4	4
26	Analysis of holographic reflection gratings recorded in polyvinyl alcohol/acrylamide photopolymer. <i>Applied Optics</i> , 2013 , 52, 1581-90	1.7	4
25	Optimization of a holographic memory setup using an LCD and a PVA-based photopolymer. <i>Optik</i> , 2010 , 121, 151-158	2.5	4
24	Influence of the fringe visibility on the characteristics of holograms recorded in photopolymer material. <i>Optik</i> , 2003 , 114, 401-406	2.5	4
23	Influence of Tert-Butylthiol and Tetrahydrofuran on the Holographic Characteristics of a Polymer Dispersed Liquid Crystal: A Research Line Toward a Specific Sensor for Natural Gas and Liquefied Petroleum Gas. <i>Polymers</i> , 2019 , 11,	4.5	3
22	Clarifications to the paper "Holographic characteristics of a 1-mm-thick photopolymer to be used in holographic memories". <i>Applied Optics</i> , 2005 , 44, 1448	1.7	3
21	LED-Cured Reflection Gratings Stored in an Acrylate-Based Photopolymer. <i>Polymers</i> , 2019 , 11,	4.5	2
20	Diffraction efficiency improvement in high spatial frequency holographic gratings stored in PVA/AA photopolymers: several ACPA concentrations. <i>Journal of Optics (United Kingdom)</i> , 2015 , 17, 015401	1.7	2
19	A dynamic beam splitter using polymer dispersed liquid crystal materials 2012 ,		2
18	Zero Spatial Frequency Limit: Method to Characterize Photopolymers as Optical Recording Material. <i>Research Letters in Physics</i> , 2012 , 2012, 1-9		2
17	Multiplexing holograms for data page storage as a holographic memory in a PVA/AA photopolymer 2008 ,		2
16	Characterization and optimization of liquid crystal displays for data storage applications 2007 ,		2

15	Comparison between a thin matrix decomposition method and the rigorous coupled wave theory applied to volume diffraction gratings. <i>Optik</i> , 2003 , 114, 529-534	2.5	2
14	Maximum effective optical thickness of the gratings recorded in photopolymers 2005 ,		2
13	Study of the index matching for different photopolymers 2015 ,		1
12	Comparison of photopolymers for optical data storage applications and relief diffractive optical elements recorded onto photopolymers 2011 ,		1
11	Performance improvement of high-thickness photopolymers for holographic data storage applications 2011 ,		1
10	Multiplexing holograms for data page storage using a LCD as hybrid ternary modulation 2009 ,		1
9	Analysis of the geometry of a holographic memory setup 2012 ,		1
8	Optimization of a holographic memory setup using a LCD and a PVA based photopolymer 2007 ,		1
7	Multiplexing holograms in an acrylamide photopolymer 2006 ,		1
6	Optimization of a PVA/acrylamide material for the recording of multiple diffraction gratings 2004 ,		1
5	High-efficiency volume holograms recording on acrylamide and N,N'methylene-bis-acrylamide photopolymer with pulsed laser 2004 ,		1
4	Analysis of amplitude and phase coupling in volume holography 2006 , 6252, 338		
3	3-dimensional analysis of holographic memories based on photopolymers using finite differences method 2006 , 6187, 307		
2	Depth attenuated refractive index profiles in holographic gratings recorded in photopolymer materials 2004 , 5456, 449		
1	Space-variant image processing with volume holography 2004 , 5456, 315		