

# Augusto Caraceni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2574453/publications.pdf>

Version: 2024-02-01

157  
papers

13,236  
citations

34105

52  
h-index

23533

111  
g-index

161  
all docs

161  
docs citations

161  
times ranked

10529  
citing authors

#	ARTICLE	IF	CITATIONS
1	Knowledge, use and attitudes of healthcare professionals towards patient-reported outcome measures (PROMs) at a comprehensive cancer center. BMC Cancer, 2022, 22, 161.	2.6	8
2	Nonopioid drug combinations for cancer pain: a systematic review. Pain Reports, 2022, 7, e995.	2.7	6
3	Clown therapy for procedural pain in children: a systematic review and meta-analysis. European Journal of Pediatrics, 2022, 181, 2215-2225.	2.7	9
4	Treatment of Neuropathic Pain Directly Due to Cancer: An Update. Cancers, 2022, 14, 1992.	3.7	10
5	A Prospective Observational Study of Multivisceral Resection for Retroperitoneal Sarcoma: Clinical and Patient-Reported Outcomes 1 Year After Surgery. Annals of Surgical Oncology, 2021, 28, 3904-3916.	1.5	14
6	Oxycodone/Acetaminophen: The Tailoring Combination Treatment for Specific Clinical Profile of Opioid Well-Responsive Cancer Pain. Cancer Management and Research, 2021, Volume 13, 1747-1756.	1.9	2
7	Conquer cancer for everyone. Lancet Oncology, The, 2021, 22, 583-584.	10.7	1
8	A Longitudinal Study of Breakthrough Cancer Pain: An Extension of IOPS-MS Study. Journal of Clinical Medicine, 2021, 10, 2273.	2.4	2
9	Management of Opioid-Induced Constipation and Bowel Dysfunction: Expert Opinion of an Italian Multidisciplinary Panel. Advances in Therapy, 2021, 38, 3589-3621.	2.9	19
10	Common Clinical Practice for Opioid-Induced Constipation: A Physician Survey. Journal of Pain Research, 2021, Volume 14, 2255-2264.	2.0	9
11	Multidimensional Statistical Technique for Interpreting the Spontaneous Breakthrough Cancer Pain Phenomenon. A Secondary Analysis from the IOPS-MS Study. Cancers, 2021, 13, 4018.	3.7	12
12	Neuropathic pain: clinical classification and assessment in patients with pain due to cancer. Pain, 2021, 162, 866-874.	4.2	17
13	ASO Author Reflections: Understanding the Impact of Primary Retroperitoneal Sarcoma Resection on Patient Well-being: One Step Forward in Learning How Caring for Patients is as Important as Curing Their Cancers. Annals of Surgical Oncology, 2021, 28, 3917-3918.	1.5	1
14	The Path of Cicely Saunders: The "Peculiar Beauty" of Palliative Care. Journal of Palliative Care, 2020, 35, 3-7.	1.0	17
15	Outpatient palliative care and thoracic medical oncology: Referral criteria and clinical care pathways. Lung Cancer, 2020, 139, 13-17.	2.0	4
16	Breakthrough Cancer Pain in Patients Receiving Low Doses of Opioids for Background Pain. Oncologist, 2020, 25, 156-160.	3.7	12
17	PATIENT VOICES, a project for the integration of the systematic assessment of patient reported outcomes and experiences within a comprehensive cancer center: a protocol for a mixed method feasibility study. Health and Quality of Life Outcomes, 2020, 18, 252.	2.4	10
18	Breakthrough Cancer Pain Clinical Features and Differential Opioids Response: A Machine Learning Approach in Patients With Cancer From the IOPS-MS Study. JCO Precision Oncology, 2020, 4, 1339-1349.	3.0	10

#	ARTICLE	IF	CITATIONS
19	Nonopioid drug combinations for cancer pain: protocol for a systematic review. <i>Pain Reports</i> , 2020, 5, e856.	2.7	2
20	Identification of genetic polymorphisms modulating nausea and vomiting in two series of opioid-treated cancer patients. <i>Scientific Reports</i> , 2020, 10, 542.	3.3	4
21	The implicit soul: Factors between the representation of death and dehumanization of patients. <i>Health Psychology Open</i> , 2019, 6, 205510291985466.	1.4	5
22	Effect of Opioid Exposure on Efficacy and Tolerability of Sublingual Fentanyl and Subcutaneous Morphine for Severe Cancer Pain Episodes. Secondary Analysis From a Double-Blind Double-Dummy, Randomized Trial. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 587-595.	1.2	2
23	Cancer Pain Assessment and Classification. <i>Cancers</i> , 2019, 11, 510.	3.7	125
24	Neuropathic Pain in Nervous System Tumours. , 2019, , 167-178.		0
25	Quantitative comparison between the laser scanner three-dimensional method and the circumferential method for evaluation of arm volume in patients with lymphedema. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2018, 6, 96-103.	1.6	18
26	Palliative Sedation in Terminal Cancer Patients Admitted to Hospice or Home Care Programs: Does the Setting Matter? Results From a National Multicenter Observational Study. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 33-43.	1.2	29
27	Automatic referral to standardize palliative care access: an international Delphi survey. <i>Supportive Care in Cancer</i> , 2018, 26, 175-180.	2.2	51
28	Best practices for the management of thymic epithelial tumors: A position paper by the Italian collaborative group for ThYmic MalignanciEs (TYME). <i>Cancer Treatment Reviews</i> , 2018, 71, 76-87.	7.7	38
29	The Palliative Radiotherapy and Inflammation Study (PRAIS) - protocol for a longitudinal observational multicenter study on patients with cancer induced bone pain. <i>BMC Palliative Care</i> , 2018, 17, 110.	1.8	10
30	Integration of oncology and palliative care: a Lancet Oncology Commission. <i>Lancet Oncology</i> , The, 2018, 19, e588-e653.	10.7	452
31	Do laws impact opioids consumption? A breakpoint analysis based on Italian sales data. <i>Journal of Pain Research</i> , 2018, Volume 11, 1665-1672.	2.0	6
32	Factors Influencing the Clinical Presentation of Breakthrough Pain in Cancer Patients. <i>Cancers</i> , 2018, 10, 175.	3.7	44
33	Evidence on the analgesic role of bisphosphonates and denosumab in the treatment of pain due to bone metastases: A systematic review within the European Association for Palliative Care guidelines project. <i>Palliative Medicine</i> , 2017, 31, 5-25.	3.1	62
34	Fentanyl Sublingual Tablets Versus Subcutaneous Morphine for the Management of Severe Cancer Pain Episodes in Patients Receiving Opioid Treatment: A Double-Blind, Randomized, Noninferiority Trial. <i>Journal of Clinical Oncology</i> , 2017, 35, 759-765.	1.6	26
35	International variations in clinical practice guidelines for palliative sedation: a systematic review. <i>BMJ Supportive and Palliative Care</i> , 2017, 7, bmjpscare-2016-001159.	1.6	79
36	An observational time and motion study of denosumab subcutaneous injection and zoledronic acid intravenous infusion in patients with metastatic bone disease: results from three European countries. <i>Supportive Care in Cancer</i> , 2017, 25, 2823-2832.	2.2	7

#	ARTICLE	IF	CITATIONS
37	Bone Metastases from Prostate Cancer: From Symptom Control to Pain Palliation. , 2017, , 251-270.		1
38	Breakthrough Cancer Pain: Preliminary Data of The Italian Oncologic Pain Multisetting Multicentric Survey (IOPS-MS). <i>Advances in Therapy</i> , 2017, 34, 120-135.	2.9	19
39	Palliative sedation: ethical aspects. <i>Minerva Anestesiologica</i> , 2017, 83, 1317-1323.	1.0	19
40	Referral criteria for outpatient specialty palliative cancer care: an international consensus. <i>Lancet Oncology</i> , The, 2016, 17, e552-e559.	10.7	204
41	Characteristics of breakthrough cancer pain and its influence on quality of life in an international cohort of patients with cancer. <i>BMJ Supportive and Palliative Care</i> , 2016, 6, 344-352.	1.6	49
42	Authors' Reply to Davies etÂal.. <i>Journal of Pain and Symptom Management</i> , 2016, 52, e1-e2.	1.2	2
43	Systematic versus on-demand early palliative care: results from a multicentre, randomised clinical trial. <i>European Journal of Cancer</i> , 2016, 65, 61-68.	2.8	130
44	Comparison of the Tolerability Profile of Controlled-Release Oral Morphine and Oxycodone for Cancer Pain Treatment. An Open-Label Randomized Controlled Trial. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 783-794.e6.	1.2	19
45	Systematic versus on-demand early palliative care: A randomised clinical trial assessing quality of care and treatment aggressiveness near the end of life. <i>European Journal of Cancer</i> , 2016, 69, 110-118.	2.8	121
46	Minimally invasive procedures for the management of vertebral bone pain due to cancer: The EAPC recommendations. <i>Acta OncolÃ³gica</i> , 2016, 55, 129-133.	1.8	10
47	Palliative sedation: more data and fewer opinions. <i>Lancet Oncology</i> , The, 2016, 17, 15-17.	10.7	9
48	Comparative study between circumferential method and laser scanner 3D method for the evaluation of arm volume in healthy subjects. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2016, 4, 64-72.	1.6	22
49	From â€œBreakthroughâ€ to â€œEpisodicâ€ Cancer Pain? A European Association for Palliative Care Research Network Expert Delphi Survey Toward a Common Terminology and Classification of Transient Cancer Pain Exacerbations. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 1013-1019.	1.2	65
50	Breakthrough pain and its treatment: critical review and recommendations of IOPS (Italian Oncologic) Tj ETQq0 0 0,rgBT /Overlock 10 T	2.2	42
51	Assessing and treating pain in movement disorders, amyotrophic lateral sclerosis, severe acquired brain injury, disorders of consciousness, dementia, oncology and neuroinfectivology. Evidence and recommendations from the Italian Consensus Conference on Pain in Neurorehabilitation. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2016, 52, 841-854.	2.2	14
52	Pharmacokinetic study between a bilayer matrix fentanyl patch and a monolayer matrix fentanyl patch: single dose administration in healthy volunteers. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 110-115.	2.4	6
53	Awareness of dementia by family carers of nursing home residents dying with dementia: A post-death study. <i>Palliative Medicine</i> , 2015, 29, 38-47.	3.1	12
54	Physical and Psychological Distress Are Related to Dying Peacefully in Residents With Dementia in Long-Term Care Facilities. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 1-8.	1.2	13

#	ARTICLE	IF	CITATIONS
55	Italian Oncological Pain Survey (IOPS). <i>Clinical Journal of Pain</i> , 2015, 31, 214-221.	1.9	53
56	Management of Delirium in Palliative Care: a Review. <i>Current Psychiatry Reports</i> , 2015, 17, 550.	4.5	74
57	End-of-life care in general practice: A cross-sectional, retrospective survey of "cancer", "organ failure" and "old-age/dementia" patients. <i>Palliative Medicine</i> , 2014, 28, 965-975.	3.1	53
58	How do general end-of-life treatment goals and values relate to specific treatment preferences? A population-based study. <i>Palliative Medicine</i> , 2014, 28, 1206-1212.	3.1	16
59	Classification of neuropathic pain in cancer patients: A Delphi expert survey report and EAPC/IASP proposal of an algorithm for diagnostic criteria. <i>Pain</i> , 2014, 155, 2707-2713.	4.2	32
60	How Are Patient Populations Characterized in Studies Investigating Depression in Advanced Cancer? Results From a Systematic Literature Review. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 678-698.	1.2	15
61	Confirming neuropathic pain in cancer patients: Applying the NeuPSIG grading system in clinical practice and clinical research. <i>Pain</i> , 2014, 155, 859-863.	4.2	39
62	Comparisons of Patient and Physician Assessment of Pain-Related Domains in Cancer Pain Classification: Results From a Large International Multicenter Study. <i>Journal of Pain</i> , 2014, 15, 59-67.	1.4	23
63	Towards a standardised approach for evaluating guidelines and guidance documents on palliative sedation: study protocol. <i>BMC Palliative Care</i> , 2014, 13, 34.	1.8	15
64	Are There Differences in the Prevalence of Palliative Care-Related Problems in People Living With Advanced Cancer and Eight Non-Cancer Conditions? A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 660-677.	1.2	322
65	An Analytical Framework for Delirium Research in Palliative Care Settings: Integrated Epidemiologic, Clinician-Researcher, and Knowledge User Perspectives. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 159-175.	1.2	43
66	Sedation for Psychological Distress at the End of Life. , 2014, , 369-380.		0
67	Drug-associated delirium in cancer patients. <i>European Journal of Cancer, Supplement</i> , 2013, 11, 233-240.	2.2	19
68	Breakthrough Cancer Pain: An Observational Study of 1000 European Oncology Patients. <i>Journal of Pain and Symptom Management</i> , 2013, 46, 619-628.	1.2	171
69	Neuropathic cancer pain: Prevalence, severity, analgesics and impact from the European Palliative Care Research Collaborative "Computerised Symptom Assessment" study. <i>Palliative Medicine</i> , 2013, 27, 714-721.	3.1	111
70	Professor Geoffrey Warren Hanks (1946-2013): An appreciation of his contribution to Palliative Medicine. <i>Palliative Medicine</i> , 2013, 27, 703-704.	3.1	0
71	Secondary chronic cluster headache treated by posterior hypothalamic deep brain stimulation: First reported case. <i>Cephalalgia</i> , 2013, 33, 136-138.	3.9	19
72	Guidelines for the Management of Breakthrough Pain in Patients With Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013, 11, S-29-S-36.	4.9	48

#	ARTICLE	IF	CITATIONS
73	Variability in UDP-glucuronosyltransferase genes and morphine metabolism. <i>Pharmacogenetics and Genomics</i> , 2013, 23, 117-126.	1.5	19
74	Modern insights in the nature and treatment of cancer pain: focus on opioids. <i>European Journal of Hospital Pharmacy</i> , 2012, 19, 29-30.	1.1	0
75	Issues and needs in end-of-life decision making: An international modified Delphi study. <i>Palliative Medicine</i> , 2012, 26, 947-953.	3.1	38
76	Use of opioid analgesics in the treatment of cancer pain: evidence-based recommendations from the EAPC. <i>Lancet Oncology</i> , The, 2012, 13, e58-e68.	10.7	1,017
77	Computer-Based Symptom Assessment Is Feasible in Patients With Advanced Cancer: Results From an International Multicenter Study, the EPCRC-CSA. <i>Journal of Pain and Symptom Management</i> , 2012, 44, 639-654.	1.2	54
78	Cancer pain management and palliative care. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2012, 104, 391-415.	1.8	5
79	The role of paracetamol and nonsteroidal anti-inflammatory drugs in addition to WHO Step III opioids in the control of pain in advanced cancer. A systematic review of the literature. <i>Palliative Medicine</i> , 2012, 26, 305-312.	3.1	93
80	Response to letter by Mercadante. <i>Pain</i> , 2012, 153, 1771-1772.	4.2	0
81	Palliative sedation at the end of life at a tertiary cancer center. <i>Supportive Care in Cancer</i> , 2012, 20, 1299-1307.	2.2	53
82	Episodic (Breakthrough) Pain Prevalence in a Population of Cancer Pain Patients. Comparison of Clinical Diagnoses With the QUDEI™ Italian Questionnaire for Intense Episodic Pain. <i>Journal of Pain and Symptom Management</i> , 2012, 43, 833-841.	1.2	62
83	Prevalence and aetiology of neuropathic pain in cancer patients: A systematic review. <i>Pain</i> , 2012, 153, 359-365.	4.2	291
84	Which domains should be included in a cancer pain classification system? Analyses of longitudinal data. <i>Pain</i> , 2012, 153, 696-703.	4.2	54
85	Expert conference on cancer pain assessment and classification—the need for international consensus: working proposals on international standards. <i>BMJ Supportive and Palliative Care</i> , 2011, 1, 281-287.	1.6	56
86	Conversion ratios for opioid switching in the treatment of cancer pain: a systematic review. <i>Palliative Medicine</i> , 2011, 25, 504-515.	3.1	157
87	Systematic review of the role of alternative application routes for opioid treatment for moderate to severe cancer pain: An EPCRC opioid guidelines project. <i>Palliative Medicine</i> , 2011, 25, 578-596.	3.1	57
88	Studies Comparing Numerical Rating Scales, Verbal Rating Scales, and Visual Analogue Scales for Assessment of Pain Intensity in Adults: A Systematic Literature Review. <i>Journal of Pain and Symptom Management</i> , 2011, 41, 1073-1093.	1.2	1,812
89	The dimensionality of pain: Palliative care and chronic pain patients differ in their reports of pain intensity and pain interference. <i>Pain</i> , 2011, 152, 1608-1620.	4.2	19
90	Which variables are associated with pain intensity and treatment response in advanced cancer patients? Implications for a future classification system for cancer pain. <i>European Journal of Pain</i> , 2011, 15, 320-327.	2.8	63

#	ARTICLE	IF	CITATIONS
91	Multiple Loci Modulate Opioid Therapy Response for Cancer Pain. <i>Clinical Cancer Research</i> , 2011, 17, 4581-4587.	7.0	37
92	The EPCRC project to revise the European Association for Palliative Care (EAPC) guidelines on the use of opioids for cancer pain. <i>Palliative Medicine</i> , 2011, 25, 389-390.	3.1	11
93	The role of hydromorphone in cancer pain treatment: a systematic review. <i>Palliative Medicine</i> , 2011, 25, 471-477.	3.1	39
94	Survival Prediction for Terminally Ill Cancer Patients: Revision of the Palliative Prognostic Score with Incorporation of Delirium. <i>Oncologist</i> , 2011, 16, 1793-1799.	3.7	93
95	Is oral morphine still the first choice opioid for moderate to severe cancer pain? A systematic review within the European Palliative Care Research Collaborative guidelines project. <i>Palliative Medicine</i> , 2011, 25, 402-409.	3.1	77
96	End-of-Life Care in Italian Hospitals: Quality of and Satisfaction With Care From the Caregivers' Point of View—Results from the Italian Survey of the Dying of Cancer. <i>Journal of Pain and Symptom Management</i> , 2010, 39, 1003-1015.	1.2	50
97	Assessment and classification of cancer breakthrough pain: A systematic literature review. <i>Pain</i> , 2010, 149, 476-482.	4.2	134
98	Comparison of numerical and verbal rating scales to measure pain exacerbations in patients with chronic cancer pain. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 42.	2.4	117
99	The validity of average 8-h pain intensity assessment in cancer patients. <i>European Journal of Pain</i> , 2010, 14, 441-445.	2.8	10
100	Palliative Cancer Care Research. <i>Palliative Medicine</i> , 2010, 24, 259-260.	3.1	13
101	Update on Cancer Pain Guidelines. <i>Journal of Pain and Symptom Management</i> , 2009, 38, e1-e3.	1.2	15
102	Palliating delirium in patients with cancer. <i>Lancet Oncology</i> , The, 2009, 10, 164-172.	10.7	77
103	Effects of Transdermal Buprenorphine on Patients-reported Outcomes in Cancer Patients. <i>Clinical Journal of Pain</i> , 2009, 25, 671-682.	1.9	8
104	Dolore neuropatico. , 2009, , 463-475.		0
105	Prognostic indicators of survival. , 2009, , 965-975.		0
106	Cancer pain--progress and ongoing issues in Europe. <i>Pain Research and Management</i> , 2009, 14, 353-5.	1.8	0
107	The palliative prognostic score and survival in patients with advanced solid tumors receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2008, 16, 359-370.	2.2	46
108	Symptom Assessment in Palliative Care: A Need for International Collaboration. <i>Journal of Clinical Oncology</i> , 2008, 26, 3867-3873.	1.6	102

#	ARTICLE	IF	CITATIONS
109	Confusion and Delirium. , 2008, , 65-90.		0
110	The Total Neuropathy Score as an assessment tool for grading the course of chemotherapy-induced peripheral neurotoxicity: comparison with the National Cancer Institute's Common Toxicity Scale. Journal of the Peripheral Nervous System, 2007, 12, 210-215.	3.1	204
111	Phenomenology of Delirium in Cancer Patients, as Described by The Memorial Delirium Assessment Scale (MDAS) and The Delirium Rating Scale (DRS). Psychosomatics, 2006, 47, 471-478.	2.5	16
112	Pain in cancer. An outcome research project to evaluate the epidemiology, the quality and the effects of pain treatment in cancer patients. Health and Quality of Life Outcomes, 2006, 4, 7.	2.4	23
113	Pain Assessment Tools: Is the Content Appropriate for Use in Palliative Care?. Journal of Pain and Symptom Management, 2006, 32, 567-580.	1.2	87
114	Epidural spinal cord compression. Critical Reviews in Oncology/Hematology, 2005, 56, 397-406.	4.4	57
115	Cancer Pain Assessment in Clinical Trials. A Review of the Literature (1999-2002). Journal of Pain and Symptom Management, 2005, 29, 507-519.	1.2	57
116	Prognostic Factors in Advanced Cancer Patients: Evidence-Based Clinical Recommendations: A Study by the Steering Committee of the European Association for Palliative Care. Journal of Clinical Oncology, 2005, 23, 6240-6248.	1.6	581
117	Symptomatic and neurophysiological responses of paclitaxel- or cisplatin-induced neuropathy to oral acetyl-L-carnitine. European Journal of Cancer, 2005, 41, 1746-1750.	2.8	138
118	Breakthrough pain characteristics and syndromes in patients with cancer pain. An international survey. Palliative Medicine, 2004, 18, 177-183.	3.1	282
119	Cancer patient compliance in the self-administration of a pain assessment tool. Journal of Pain and Symptom Management, 2004, 27, 417-424.	1.2	18
120	Psychostimulants: new concepts for palliative care from the modafinil experience?. Journal of Pain and Symptom Management, 2004, 28, 97-99.	1.2	8
121	Gabapentin for Neuropathic Cancer Pain: A Randomized Controlled Trial From the Gabapentin Cancer Pain Study Group. Journal of Clinical Oncology, 2004, 22, 2909-2917.	1.6	275
122	Confusion and Delirium. , 2003, , 41-55.		0
123	Pain Measurement Tools and Methods in Clinical Research in Palliative Care. Journal of Pain and Symptom Management, 2002, 23, 239-255.	1.2	383
124	Episodic (breakthrough) pain. Cancer, 2002, 94, 832-839.	4.1	313
125	Palliative care at the National Cancer Institute of Milan. Supportive Care in Cancer, 2001, 9, 141-147.	2.2	9
126	Assessing Delirium in Cancer Patients. The Italian Versions of the Delirium Rating Scale and the Memorial Delirium Assessment Scale. Journal of Pain and Symptom Management, 2001, 21, 59-68.	1.2	70



#	ARTICLE	IF	CITATIONS
127	Differences in Gabapentin Efficacy for Cancer Pain More Apparent Than Real?. Journal of Pain and Symptom Management, 2001, 21, 93-94.	1.2	5
128	More on the Use of Nonsteroidal Anti-Inflammatories in the Management of Cancer Pain. Journal of Pain and Symptom Management, 2001, 21, 89-91.	1.2	9
129	Impact of delirium on the short term prognosis of advanced cancer patients. Cancer, 2000, 89, 1145-1149.	4.1	181
130	Pain Experienced by Patients Hospitalized at the National Cancer Institute of Milan: Research Project "Towards a Pain-Free Hospital". Tumori, 2000, 86, 412-418.	1.1	42
131	Gabapentin as an Adjuvant to Opioid Analgesia for Neuropathic Cancer Pain. Journal of Pain and Symptom Management, 1999, 17, 441-445.	1.2	181
132	An international survey of cancer pain characteristics and syndromes. Pain, 1999, 82, 263-274.	4.2	538
133	Dynorphin A(1-13) Analgesia in Opioid-Treated Patients with Chronic Pain. Clinical Drug Investigation, 1999, 17, 33-42.	2.2	10
134	Dose Intensification of Platinum Compounds with Glutathione Protection as Induction Chemotherapy for Advanced Ovarian Carcinoma. Oncology, 1999, 57, 115-120.	1.9	35
135	Neurotoxicity of interferon- $\gamma$ in melanoma therapy. , 1998, 83, 482-489.		77
136	Biological indices predictive of survival in 519 Italian terminally ill cancer patients. Journal of Pain and Symptom Management, 1997, 13, 1-9.	1.2	100
137	A validation study of an Italian version of the brief pain inventory (Breve questionario per la Tj ETQq1 1 0.784314 r <sub>BT</sub> /Overlock 10 T <sub>ES</sub>	4.2	159
138	CLINICOPATHOLOGIC CORRELATES OF COMMON CANCER PAIN SYNDROMES. Hematology/Oncology Clinics of North America, 1996, 10, 57-78.	2.2	25
139	Vinorelbine: An active, non cross-resistant drug in advanced breast cancer. Results from a phase II study. Breast Cancer Research and Treatment, 1996, 39, 285-291.	2.5	53
140	Pain management in patients with pancreatic carcinoma. Cancer, 1996, 78, 639-653.	4.1	7
141	Pain management in patients with pancreatic carcinoma. , 1996, 78, 639-653.		100
142	Pain management in patients with pancreatic carcinoma. Cancer, 1996, 78, 639-653.	4.1	83
143	Pain management in patients with pancreatic carcinoma. Cancer, 1996, 78, 639-653.	4.1	6
144	Visual evoked potentials findings in course of paclitaxel doxorubicin combination chemotherapy. Journal of Neuro-Oncology, 1995, 25, 221-225.	2.9	10

#	ARTICLE	IF	CITATIONS
145	Reply to the letter by Dr R.B. Traycoff et al.. Pain, 1995, 60, 234-235.	4.2	0
146	Organic brain syndromes and opioid administration for cancer pain. Journal of Pain and Symptom Management, 1994, 9, 527-533.	1.2	33
147	Tolerability of ketorolac administered via continuous subcutaneous infusion for cancer pain: A preliminary report. Journal of Pain and Symptom Management, 1994, 9, 119-121.	1.2	14
148	Pain measurement in cancer patients: a comparison of six methods. Pain, 1994, 57, 161-166.	4.2	136
149	Paraplegia following coeliac plexus block. Pain, 1993, 55, 383-385.	4.2	66
150	Octreotide in relieving gastrointestinal symptoms due to bowel obstruction. Palliative Medicine, 1993, 7, 295-299.	3.1	115
151	Cancer pain classification: a controversial issue. Pain, 1991, 46, 1-2.	4.2	39
152	Hyperalgesia and myoclonus with intrathecal infusion of high-dose morphine. Pain, 1991, 47, 337-339.	4.2	161
153	Continuous subcutaneous infusion of hyoscine butylbromide reduces secretions in patients with gastrointestinal obstruction. Journal of Pain and Symptom Management, 1991, 6, 484-486.	1.2	84
154	On the significance of Lhermitte's sign in oncology. Journal of Neuro-Oncology, 1991, 10, 133-137.	2.9	15
155	The Management of Inoperable Gastrointestinal Obstruction in Terminal Cancer Patients. Tumori, 1990, 76, 389-393.	1.1	97
156	A validation study of the WHO method for cancer pain relief. Cancer, 1987, 59, 850-856.	4.1	720
157	Confusion and Delirium. , 0, , 41-56.		1