

Melvin G Mcinnis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2574454/publications.pdf>

Version: 2024-02-01

314
papers

25,610
citations

12597

71
h-index

10679

143
g-index

327
all docs

327
docs citations

327
times ranked

32598
citing authors

#	ARTICLE	IF	CITATIONS
1	Lithium plus antipsychotics or anticonvulsants for bipolar disorder: Comparing clinical response and metabolic changes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 93-103.	1.3	3
2	Low rate of performance validity failures among individuals with bipolar disorder. <i>Journal of the International Neuropsychological Society</i> , 2023, 29, 298-305.	1.2	0
3	Exploration of baseline and early changes in neurocognitive characteristics as predictors of treatment response to bupropion, sertraline, and placebo in the EMBARC clinical trial. <i>Psychological Medicine</i> , 2022, 52, 2441-2449.	2.7	6
4	Correction of depression-associated circadian rhythm abnormalities is associated with lithium response in bipolar disorder. <i>Bipolar Disorders</i> , 2022, 24, 521-529.	1.1	8
5	Cardiometabolic risk markers during mood-stabilizing treatment: Correlation with drug-specific effects, depressive symptoms and treatment response. <i>Journal of Affective Disorders</i> , 2022, 300, 41-49.	2.0	6
6	Childhood trauma and treatment outcomes during mood-stabilising treatment with lithium or quetiapine among outpatients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 615-627.	2.2	9
7	Predictors of functional impairment in bipolar disorder: Results from 13 cohorts from seven countries by the global bipolar cohort collaborative. <i>Bipolar Disorders</i> , 2022, 24, 709-719.	1.1	16
8	Strategies and foundations for scientific discovery in longitudinal studies of bipolar disorder. <i>Bipolar Disorders</i> , 2022, 24, 499-508.	1.1	15
9	Attachment insecurity partially mediates the relationship between childhood trauma and depression severity in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 591-603.	2.2	9
10	Neural substrates of emotional conflict with anxiety in major depressive disorder: Findings from the Establishing Moderators and biosignatures of Antidepressant Response in Clinical Care (EMBARC) randomized controlled trial. <i>Journal of Psychiatric Research</i> , 2022, 149, 243-251.	1.5	4
11	Limited time-specific and longitudinal effects of depressive and manic symptoms on cognition in bipolar spectrum disorders. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 430-441.	2.2	3
12	Lithium use associated with symptom severity in comorbid bipolar disorder I and migraine. <i>Brain and Behavior</i> , 2022, 12, e32585.	1.0	2
13	A Mixed-Methods Analysis of Mobile ACT Responses From Two Cohorts. <i>Frontiers in Digital Health</i> , 2022, 4, .	1.5	6
14	Event-related potential correlates of affective response inhibition in bipolar I disorder: Comparison with schizophrenia. <i>Journal of Affective Disorders</i> , 2022, 309, 131-140.	2.0	3
15	Mathematical Modeling of Risk-Taking in Bipolar Disorder: Evidence of Reduced Behavioral Consistency, With Altered Loss Aversion Specific to Those With History of Substance Use Disorder. <i>Computational Psychiatry</i> , 2022, 6, 96.	1.1	3
16	Jointly Aligning and Predicting Continuous Emotion Annotations. <i>IEEE Transactions on Affective Computing</i> , 2021, 12, 1069-1083.	5.7	12
17	Improving Cross-Corpus Speech Emotion Recognition with Adversarial Discriminative Domain Generalization (ADDoG). <i>IEEE Transactions on Affective Computing</i> , 2021, 12, 1055-1068.	5.7	61
18	Adjunctive antidepressant treatment among 763 outpatients with bipolar disorder: Findings from the Bipolar CHOICE and LiTMUS trials. <i>Depression and Anxiety</i> , 2021, 38, 114-123.	2.0	5

#	ARTICLE	IF	CITATIONS
19	A digital self-report survey of mood for bipolar disorder. <i>Bipolar Disorders</i> , 2021, 23, 810-820.	1.1	7
20	Covid-19 pandemic and lockdown impacts: A description in a longitudinal study of bipolar disorder. <i>Journal of Affective Disorders</i> , 2021, 282, 1226-1233.	2.0	39
21	Circadian rhythms in bipolar disorder patient-derived neurons predict lithium response: preliminary studies. <i>Molecular Psychiatry</i> , 2021, 26, 3383-3394.	4.1	29
22	Suicide prevention and mood disorders: Self-exclusion agreements for firearms as a suicide prevention strategy. <i>Asia-Pacific Psychiatry</i> , 2021, 13, e12455.	1.2	3
23	Stability of personality traits in bipolar disorder: Findings from a longitudinal cohort. <i>Journal of Affective Disorders</i> , 2021, 283, 1-10.	2.0	3
24	Differential response to SSRI versus Placebo and distinct neural signatures among data-driven subgroups of patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2021, 282, 602-610.	2.0	3
25	Daily ratings of mood and sleep duration over 3.3 years are associated with the lunar illumination cycle in a rapid cycling bipolar patient. <i>Bipolar Disorders</i> , 2021, 23, 640-643.	1.1	1
26	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	1.7	20
27	Illness stage and predominant polarity in bipolar disorder: Correlation with burden of illness and moderation of treatment outcome. <i>Journal of Psychiatric Research</i> , 2021, 140, 205-213.	1.5	5
28	Dynamics of data-driven microstates in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2021, 141, 370-377.	1.5	2
29	Late chronotype predicts more depressive symptoms in bipolar disorder over a 5 year follow-up period. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 28.	0.8	16
30	Aberrant activation of the mentalizing brain system during eye gaze discrimination in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2021, 315, 111340.	0.9	2
31	Sleep quality and neuropsychological functioning in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2021, 293, 133-140.	2.0	4
32	Response and remission rates during 24 weeks of mood-stabilizing treatment for bipolar depression depending on early non-response. <i>Psychiatry Research</i> , 2021, 305, 114194.	1.7	1
33	Naturalistic smartphone keyboard typing reflects processing speed and executive function. <i>Brain and Behavior</i> , 2021, 11, e2363.	1.0	12
34	The Life Goals Self-Management Mobile App for Bipolar Disorder: Consumer Feasibility, Usability, and Acceptability Study. <i>JMIR Formative Research</i> , 2021, 5, e32450.	0.7	3
35	The Effects of Bipolar Disorder Risk on a Mobile Phone Keystroke Dynamics Based Biomarker of Brain Age. <i>Frontiers in Psychiatry</i> , 2021, 12, 739022.	1.3	8
36	Developing Dimensional, Pandiagnostic Inhibitory Control Constructs With Self-Report and Neuropsychological Data. <i>Assessment</i> , 2020, 27, 787-802.	1.9	9

#	ARTICLE	IF	CITATIONS
37	The impact of binge eating behavior on lithium- and quetiapine-associated changes in body weight, body mass index, and waist circumference during 6 months of treatment: Findings from the bipolar CHOICE study. <i>Journal of Affective Disorders</i> , 2020, 266, 772-781.	2.0	13
38	Ankyrin-G regulates forebrain connectivity and network synchronization via interaction with GABARAP. <i>Molecular Psychiatry</i> , 2020, 25, 2800-2817.	4.1	40
39	Effect of Intrinsic Patterns of Functional Brain Connectivity in Moderating Antidepressant Treatment Response in Major Depression. <i>American Journal of Psychiatry</i> , 2020, 177, 143-154.	4.0	76
40	Discovery and replication of cerebral blood flow differences in major depressive disorder. <i>Molecular Psychiatry</i> , 2020, 25, 1500-1510.	4.1	28
41	Reward related ventral striatal activity and differential response to sertraline versus placebo in depressed individuals. <i>Molecular Psychiatry</i> , 2020, 25, 1526-1536.	4.1	29
42	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.	0.7	137
43	A comparative study of engagement in mobile and wearable health monitoring for bipolar disorder. <i>Bipolar Disorders</i> , 2020, 22, 182-190.	1.1	36
44	Decreased working memory capacity among individuals with a mood disorder who have increased metabolic burden. <i>Journal of Affective Disorders</i> , 2020, 266, 387-393.	2.0	1
45	Polygenic risk for anxiety influences anxiety comorbidity and suicidal behavior in bipolar disorder. <i>Translational Psychiatry</i> , 2020, 10, 298.	2.4	16
46	The association between lithium use and neurocognitive performance in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , 2020, 45, 1743-1749.	2.8	28
47	Pretreatment Reward Sensitivity and Frontostriatal Resting-State Functional Connectivity Are Associated With Response to Bupropion After Sertraline Nonresponse. <i>Biological Psychiatry</i> , 2020, 88, 657-667.	0.7	23
48	Familial severe psychiatric history in bipolar disorder and correlation with disease severity and treatment response. <i>Journal of Affective Disorders</i> , 2020, 273, 131-137.	2.0	7
49	MicroRNA Alterations in Induced Pluripotent Stem Cell-Derived Neurons from Bipolar Disorder Patients: Pathways Involved in Neuronal Differentiation, Axon Guidance, and Plasticity. <i>Stem Cells and Development</i> , 2020, 29, 1145-1159.	1.1	12
50	Optimizing an Acceptance and Commitment Therapy Microintervention Via a Mobile App With Two Cohorts: Protocol for Micro-Randomized Trials. <i>JMIR Research Protocols</i> , 2020, 9, e17086.	0.5	13
51	A Smartphone App to Monitor Mood Symptoms in Bipolar Disorder: Development and Usability Study. <i>JMIR Mental Health</i> , 2020, 7, e19476.	1.7	10
52	Gene-set Enrichment with Mathematical Biology (GEMB). <i>GigaScience</i> , 2020, 9, .	3.3	2
53	Personalized prediction of antidepressant v. placebo response: evidence from the EMBARC study. <i>Psychological Medicine</i> , 2019, 49, 1118-1127.	2.7	109
54	Trainable Time Warping: Aligning Time-series in the Continuous-time Domain. , 2019, , .		6

#	ARTICLE	IF	CITATIONS
55	Phenomenology 2.0. <i>Bipolar Disorders</i> , 2019, 21, 660-661.	1.1	0
56	Bipolar depression and suicidal ideation: Moderators and mediators of a complex relationship. <i>Journal of Affective Disorders</i> , 2019, 259, 164-172.	2.0	13
57	Sex differences in the incidence of antidepressant-induced mania (AIM) in bipolar disorders. <i>Neuropsychopharmacology</i> , 2019, 44, 224-225.	2.8	5
58	Brain regulation of emotional conflict predicts antidepressant treatment response for depression. <i>Nature Human Behaviour</i> , 2019, 3, 1319-1331.	6.2	29
59	The Concise Health Risk Tracking-Self Report: Psychometrics within a placebo-controlled antidepressant trial among depressed outpatients. <i>Journal of Psychopharmacology</i> , 2019, 33, 185-193.	2.0	14
60	Cerebral Blood Perfusion Predicts Response to Sertraline versus Placebo for Major Depressive Disorder in the EMBARC Trial. <i>EClinicalMedicine</i> , 2019, 10, 32-41.	3.2	19
61	Correlation between white blood cell count and mood-stabilising treatment response in two bipolar disorder trials. <i>Acta Neuropsychiatrica</i> , 2019, 31, 230-234.	1.0	2
62	Examining raphe-amygdala structural connectivity as a biological predictor of SSRI response. <i>Journal of Affective Disorders</i> , 2019, 256, 8-16.	2.0	12
63	Patterns and predictors of family environment among adolescents at high and low risk for familial bipolar disorder. <i>Journal of Psychiatric Research</i> , 2019, 114, 153-160.	1.5	10
64	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	9.4	1,191
65	Childhood trauma history is linked to abnormal brain connectivity in major depression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 8582-8590.	3.3	151
66	Entrainment of Circadian Rhythms to Temperature Reveals Amplitude Deficits in Fibroblasts from Patients with Bipolar Disorder and Possible Links to Calcium Channels. <i>Molecular Neuropsychiatry</i> , 2019, 5, 115-124.	3.0	9
67	Salivary melatonin onset in youth at familial risk for bipolar disorder. <i>Psychiatry Research</i> , 2019, 274, 49-57.	1.7	8
68	Comorbid anxiety in bipolar CHOICE: Insights from the bipolar inventory of symptoms scale. <i>Journal of Affective Disorders</i> , 2019, 246, 126-131.	2.0	11
69	Pretreatment Rostral Anterior Cingulate Cortex Connectivity With Salience Network Predicts Depression Recovery: Findings From the EMBARC Randomized Clinical Trial. <i>Biological Psychiatry</i> , 2019, 85, 872-880.	0.7	48
70	Anxiety and anhedonia in depression: Associations with neuroticism and cognitive control. <i>Journal of Affective Disorders</i> , 2019, 245, 1070-1078.	2.0	17
71	The effect of mood phases on balance control in bipolar disorder. <i>Journal of Biomechanics</i> , 2019, 82, 266-270.	0.9	5
72	Mood, Dimensional Personality, and Suicidality in a Longitudinal Sample of Patients with Bipolar Disorder and Controls. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 1360-1378.	0.9	4

#	ARTICLE	IF	CITATIONS
73	Effects of Atypical Antipsychotic Treatment and Resistant Starch Supplementation on Gut Microbiome Composition in a Cohort of Patients with Bipolar Disorder or Schizophrenia. <i>Pharmacotherapy</i> , 2019, 39, 161-170.	1.2	81
74	Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 156-170.	0.3	7
75	Chronotype and cellular circadian rhythms predict the clinical response to lithium maintenance treatment in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , 2019, 44, 620-628.	2.8	80
76	Let your fingers do the talking: Passive typing instability predicts future mood outcomes. <i>Bipolar Disorders</i> , 2018, 20, 285-288.	1.1	33
77	Pretreatment Rostral Anterior Cingulate Cortex Theta Activity in Relation to Symptom Improvement in Depression. <i>JAMA Psychiatry</i> , 2018, 75, 547.	6.0	125
78	Functional TSPO polymorphism predicts variance in the diurnal cortisol rhythm in bipolar disorder. <i>Psychoneuroendocrinology</i> , 2018, 89, 194-202.	1.3	20
79	Testing frameworks for personalizing bipolar disorder. <i>Translational Psychiatry</i> , 2018, 8, 36.	2.4	17
80	Cohort Profile: The Heinz C. Prechter Longitudinal Study of Bipolar Disorder. <i>International Journal of Epidemiology</i> , 2018, 47, 28-28n.	0.9	58
81	Characterizing anxiety subtypes and the relationship to behavioral phenotyping in major depression: Results from the EMBARC study. <i>Journal of Psychiatric Research</i> , 2018, 102, 207-215.	1.5	12
82	Racial disparities in bipolar disorder treatment and research: a call to action. <i>Bipolar Disorders</i> , 2018, 20, 506-514.	1.1	64
83	Sleep disturbance may impact treatment outcome in bipolar disorder: A preliminary investigation in the context of a large comparative effectiveness trial. <i>Journal of Affective Disorders</i> , 2018, 225, 563-568.	2.0	18
84	Psychosis in bipolar disorder: Does it represent a more "severe" illness?. <i>Bipolar Disorders</i> , 2018, 20, 18-26.	1.1	32
85	Test-retest reliability of cerebral blood flow in healthy individuals using arterial spin labeling: Findings from the EMBARC study. <i>Magnetic Resonance Imaging</i> , 2018, 45, 26-33.	1.0	28
86	Eye gaze perception in bipolar disorder: Self-referential bias but intact perceptual sensitivity. <i>Bipolar Disorders</i> , 2018, 20, 60-69.	1.1	17
87	Clinically relevant and simple immune system measure is related to symptom burden in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2018, 30, 297-305.	1.0	10
88	Harmonization of cortical thickness measurements across scanners and sites. <i>NeuroImage</i> , 2018, 167, 104-120.	2.1	790
89	Altered N170 and mood symptoms in bipolar disorder: An electrophysiological study of configural face processing. <i>Bipolar Disorders</i> , 2018, 20, 477-487.	1.1	2
90	Detecting significant genotype-phenotype association rules in bipolar disorder: market research meets complex genetics. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 24.	0.8	8

#	ARTICLE	IF	CITATIONS
91	Cluster analysis with MOODSâ€SR illustrates a potential bipolar disorder risk phenotype in young adults with remitted major depressive disorder. <i>Bipolar Disorders</i> , 2018, 20, 697-707.	1.1	7
92	Patterns of changes in bipolar depressive symptoms revealed by trajectory analysis among 482 patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018, 21, 350-360.	1.1	5
93	A Bayesian model comparison approach to test the specificity of visual integration impairment in schizophrenia or psychosis. <i>Psychiatry Research</i> , 2018, 265, 271-278.	1.7	8
94	Statistical harmonization corrects site effects in functional connectivity measurements from multi-site fMRI data. <i>Human Brain Mapping</i> , 2018, 39, 4213-4227.	1.9	295
95	A Preliminary Study of Central Nervous System Arousal and Sleep Quality in Bipolar Disorder. <i>Psychopathology</i> , 2018, 51, 269-275.	1.1	1
96	Pretreatment and early-treatment cortical thickness is associated with SSRI treatment response in major depressive disorder. <i>Neuropsychopharmacology</i> , 2018, 43, 2221-2230.	2.8	61
97	Reliability, Convergent Validity and Time Invariance of Default Mode Network Deviations in Early Adult Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 244.	1.3	26
98	Development and evaluation of a multimodal marker of major depressive disorder. <i>Human Brain Mapping</i> , 2018, 39, 4420-4439.	1.9	35
99	Motor behavior characteristics in various phases of bipolar disorder revealed through biomechanical analysis: Quantitative measures of activity and energy variables during gait and sit-to-walk. <i>Psychiatry Research</i> , 2018, 269, 93-101.	1.7	9
100	Predicting Mood Disturbance Severity with Mobile Phone Keystroke Metadata: A BiAffect Digital Phenotyping Study. <i>Journal of Medical Internet Research</i> , 2018, 20, e241.	2.1	179
101	Engagement Strategies for Self-Monitoring Symptoms of Bipolar Disorder With Mobile and Wearable Technology: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2018, 7, e130.	0.5	14
102	Risk Factors Associated With Antidepressant Exposure and History of Antidepressant-Induced Mania in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	15
103	White blood cell count correlates with mood symptom severity and specific mood symptoms in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 355-365.	1.3	22
104	Neuroticism and Individual Differences in Neural Function in Unmedicated Major Depression: Findings From the EMBARC Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 138-148.	1.1	17
105	Nonsteroidal anti-inflammatory drugs (NSAIDs) and paracetamol do not affect 6-month mood-stabilizing treatment outcome among 482 patients with bipolar disorder. <i>Depression and Anxiety</i> , 2017, 34, 281-290.	2.0	12
106	A comparison of structural connectivity in anxious depression versus non-anxious depression. <i>Journal of Psychiatric Research</i> , 2017, 89, 38-47.	1.5	30
107	Bipolar mixed features â€œ Results from the comparative effectiveness for bipolar disorder (Bipolar) Tj ETQq1 1 0.784314 rgBT /Overlo	2.0	10
108	Cortical thickness is not associated with current depression in a clinical treatment study. <i>Human Brain Mapping</i> , 2017, 38, 4370-4385.	1.9	17

#	ARTICLE	IF	CITATIONS
109	Clinical correlates of acute bipolar depressive episode with psychosis. <i>Journal of Affective Disorders</i> , 2017, 217, 29-33.	2.0	19
110	Poor quality of life and functioning in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 10.	0.8	63
111	Influence of cognitive reserve on neuropsychological functioning in bipolar disorder: Findings from a 5-year longitudinal study. <i>Bipolar Disorders</i> , 2017, 19, 50-59.	1.1	29
112	Cognitive flexibility: A trait of bipolar disorder that worsens with length of illness. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2017, 39, 979-987.	0.8	25
113	Depression and executive functioning deficits predict poor occupational functioning in a large longitudinal sample with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 215, 135-142.	2.0	33
114	Demonstrating test-retest reliability of electrophysiological measures for healthy adults in a multisite study of biomarkers of antidepressant treatment response. <i>Psychophysiology</i> , 2017, 54, 34-50.	1.2	46
115	Interaction Between Atypical Antipsychotics and the Gut Microbiome in a Bipolar Disease Cohort. <i>Pharmacotherapy</i> , 2017, 37, 261-267.	1.2	207
116	The gut microbiome composition associates with bipolar disorder and illness severity. <i>Journal of Psychiatric Research</i> , 2017, 87, 23-29.	1.5	222
117	Traumatic Stress Interacts With Bipolar Disorder Genetic Risk to Increase Risk for Suicide Attempts. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 1073-1080.	0.3	31
118	Equivalent linear change in cognition between individuals with bipolar disorder and healthy controls over 5 years. <i>Bipolar Disorders</i> , 2017, 19, 689-697.	1.1	8
119	Trajectories of suicidal ideation over 6 months among 482 outpatients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 223, 146-152.	2.0	18
120	Social Aspects of the Workplace Among Individuals With Bipolar Disorder. <i>Journal of the Society for Social Work and Research</i> , 2017, 8, 379-398.	0.9	8
121	Substance use disorders in adolescent and young adult relatives of probands with bipolar disorder: What drives the increased risk?. <i>Comprehensive Psychiatry</i> , 2017, 78, 130-139.	1.5	6
122	Bipolar disorder moderates associations between linoleic acid and markers of inflammation. <i>Journal of Psychiatric Research</i> , 2017, 85, 29-36.	1.5	6
123	A Comparison of Mathematical Models of Mood in Bipolar Disorder. <i>Springer Series in Bio-/neuroinformatics</i> , 2017, , 315-341.	0.1	8
124	Obesity, but not metabolic syndrome, negatively affects outcome in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 144-153.	2.2	44
125	Data-driven classification of bipolar I disorder from longitudinal course of mood. <i>Translational Psychiatry</i> , 2016, 6, e912-e912.	2.4	26
126	Establishing moderators and biosignatures of antidepressant response in clinical care (EMBARC): Rationale and design. <i>Journal of Psychiatric Research</i> , 2016, 78, 11-23.	1.5	216

#	ARTICLE	IF	CITATIONS
127	The Pharmacogenomics of Bipolar Disorder study (PGBD): identification of genes for lithium response in a prospective sample. <i>BMC Psychiatry</i> , 2016, 16, 129.	1.1	61
128	Tracking medication changes to assess outcomes in comparative effectiveness research: A bipolar CHOICE study. <i>Journal of Affective Disorders</i> , 2016, 205, 159-164.	2.0	7
129	Acute cortisol reactivity attenuates engagement of fronto-parietal and striatal regions during emotion processing in negative mood disorders. <i>Psychoneuroendocrinology</i> , 2016, 73, 67-78.	1.3	22
130	A reference panel of 64,976 haplotypes for genotype imputation. <i>Nature Genetics</i> , 2016, 48, 1279-1283.	9.4	2,421
131	Identification of non-reported bupropion metabolites in human plasma. <i>Biopharmaceutics and Drug Disposition</i> , 2016, 37, 550-560.	1.1	10
132	Mood state prediction from speech of varying acoustic quality for individuals with bipolar disorder. , 2016, 2016, 2359-2363.		56
133	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	1.4	182
134	Similar Trajectory of Executive Functioning Performance over 5 years among individuals with Bipolar Disorder and Unaffected Controls using Latent Growth Modeling. <i>Journal of Affective Disorders</i> , 2016, 199, 87-94.	2.0	16
135	Interaction between COMT rs5993883 and second generation antipsychotics is linked to decreases in verbal cognition and cognitive control in bipolar disorder. <i>BMC Psychology</i> , 2016, 4, 14.	0.9	13
136	Neurodevelopmental origins of bipolar disorder: iPSC models. <i>Molecular and Cellular Neurosciences</i> , 2016, 73, 63-83.	1.0	90
137	A COMPREHENSIVE EXAMINATION OF WHITE MATTER TRACTS AND CONNECTOMETRY IN MAJOR DEPRESSIVE DISORDER. <i>Depression and Anxiety</i> , 2016, 33, 56-65.	2.0	43
138	Deficient inhibitory control as an outcome of childhood trauma. <i>Psychiatry Research</i> , 2016, 235, 7-12.	1.7	54
139	A tool to predict suicidal ideation and behavior in bipolar disorder: The Concise Health Risk Tracking Self-Report. <i>Journal of Affective Disorders</i> , 2016, 192, 212-218.	2.0	22
140	The rapid suicide protection of mood stabilizers on patients with bipolar disorder: A nationwide observational cohort study in Taiwan. <i>Journal of Affective Disorders</i> , 2016, 196, 71-77.	2.0	16
141	Longitudinal studies: An essential component for complex psychiatric disorders. <i>Neuroscience Research</i> , 2016, 102, 4-12.	1.0	9
142	Assessment of first and second degree relatives of individuals with bipolar disorder shows increased genetic risk scores in both affected relatives and young At-Risk Individuals. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 617-629.	1.1	49
143	Bipolar disorders in the Arab world: a critical review. <i>Annals of the New York Academy of Sciences</i> , 2015, 1345, 59-66.	1.8	5
144	A reduced risk of stroke with lithium exposure in bipolar disorder: a population-based retrospective cohort study. <i>Bipolar Disorders</i> , 2015, 17, 705-714.	1.1	42

#	ARTICLE	IF	CITATIONS
145	Test-retest reliability of freesurfer measurements within and between sites: Effects of visual approval process. <i>Human Brain Mapping</i> , 2015, 36, 3472-3485.	1.9	136
146	Cytomegalovirus Antibody Elevation in Bipolar Disorder: Relation to Elevated Mood States. <i>Neural Plasticity</i> , 2015, 2015, 1-6.	1.0	28
147	Medical burden in bipolar disorder: findings from the Clinical and Health Outcomes Initiative in Comparative Effectiveness for Bipolar Disorder study (Bipolar CHOICE). <i>Bipolar Disorders</i> , 2015, 17, 212-223.	1.1	77
148	Genome wide association study identifies variants in NBEA associated with migraine in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 172, 453-461.	2.0	15
149	Moderation of the Relationship Between Reward Expectancy and Prediction Error-Related Ventral Striatal Reactivity by Anhedonia in Unmedicated Major Depressive Disorder: Findings From the EMBARC Study. <i>American Journal of Psychiatry</i> , 2015, 172, 881-891.	4.0	87
150	Plasma linoleic acid partially mediates the association of bipolar disorder on self-reported mental health scales. <i>Journal of Psychiatric Research</i> , 2015, 68, 61-67.	1.5	8
151	The effect of poor sleep quality on mood outcome differs between men and women: A longitudinal study of bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 180, 90-96.	2.0	44
152	Rare variants in neuronal excitability genes influence risk for bipolar disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3576-3581.	3.3	152
153	Shared dimensions of performance and activation dysfunction in cognitive control in females with mood disorders. <i>Brain</i> , 2015, 138, 1424-1434.	3.7	14
154	Longitudinal impact of a collaborative care model on employment outcomes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 188, 239-242.	2.0	5
155	Induced Pluripotent Stem Cell (iPSC) Models of Bipolar Disorder. <i>Neuropsychopharmacology</i> , 2015, 40, 248-249.	2.8	19
156	Accounting for Dynamic Fluctuations across Time when Examining fMRI Test-Retest Reliability: Analysis of a Reward Paradigm in the EMBARC Study. <i>PLoS ONE</i> , 2015, 10, e0126326.	1.1	20
157	Ecologically valid long-term mood monitoring of individuals with bipolar disorder using speech. , 2014, 2014, 4858-4862.		87
158	The double burden of age and disease on cognition and quality of life in bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 952-961.	1.3	31
159	Reduced emotion processing efficiency in healthy males relative to females. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 316-325.	1.5	45
160	Effect of adjunctive benzodiazepines on clinical outcomes in lithium- or quetiapine-treated outpatients with bipolar I or II disorder: Results from the Bipolar CHOICE trial. <i>Journal of Affective Disorders</i> , 2014, 161, 30-35.	2.0	18
161	Regulating the High. <i>Clinical Psychological Science</i> , 2014, 2, 661-674.	2.4	13
162	Openness predicts cognitive functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 168, 51-57.	2.0	9

#	ARTICLE	IF	CITATIONS
163	Dietary intake and plasma metabolomic analysis of polyunsaturated fatty acids in bipolar subjects reveal dysregulation of linoleic acid metabolism. <i>Journal of Psychiatric Research</i> , 2014, 57, 58-64.	1.5	46
164	Transcripts involved in calcium signaling and telencephalic neuronal fate are altered in induced pluripotent stem cells from bipolar disorder patients. <i>Translational Psychiatry</i> , 2014, 4, e375-e375.	2.4	140
165	The role of social relationships in bipolar disorder: A review. <i>Psychiatry Research</i> , 2014, 219, 248-254.	1.7	39
166	Gender Differences, Clinical Correlates, and Longitudinal Outcome of Bipolar Disorder With Comorbid Migraine. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 512-519.	1.1	56
167	Emotion perception and executive functioning predict work status in euthymic bipolar disorder. <i>Psychiatry Research</i> , 2013, 210, 472-478.	1.7	39
168	Association of exercise with quality of life and mood symptoms in a comparative effectiveness study of bipolar disorder. <i>Journal of Affective Disorders</i> , 2013, 151, 722-727.	2.0	76
169	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013, 45, 984-994.	9.4	2,067
170	Sleep quality during euthymia in bipolar disorder: the role of clinical features, personality traits, and stressful life events. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 16.	0.8	33
171	Impulsivity, anxiety, and alcohol misuse in bipolar disorder comorbid with eating disorders. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 13.	0.8	28
172	Enrichment of cis-regulatory gene expression SNPs and methylation quantitative trait loci among bipolar disorder susceptibility variants. <i>Molecular Psychiatry</i> , 2013, 18, 340-346.	4.1	153
173	C9<scp>ORF</scp>72 expansion in a family with bipolar disorder. <i>Bipolar Disorders</i> , 2013, 15, 326-332.	1.1	58
174	Genome-wide significant association between a "negative mood delusions"™ dimension in bipolar disorder and genetic variation on chromosome 3q26.1. <i>Translational Psychiatry</i> , 2012, 2, e165-e165.	2.4	14
175	Evidence for association of bipolar disorder to haplotypes in the 22q12.3 region near the genes stargazin, ift27 and parvalbumin. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 941-950.	1.1	10
176	Association of plasma omega-3 and omega-6 lipids with burden of disease measures in bipolar subjects. <i>Journal of Psychiatric Research</i> , 2012, 46, 1435-1441.	1.5	25
177	Greater executive and visual memory dysfunction in comorbid bipolar disorder and substance use disorder. <i>Psychiatry Research</i> , 2012, 200, 252-257.	1.7	33
178	Modality-specific alterations in the perception of emotional stimuli in Bipolar Disorder compared to Healthy Controls and Major Depressive Disorder. <i>Cortex</i> , 2012, 48, 1027-1034.	1.1	43
179	Fats and Factors: Lipid Profiles Associate with Personality Factors and Suicidal History in Bipolar Subjects. <i>PLoS ONE</i> , 2012, 7, e29297.	1.1	31
180	CLINICAL FEATURES OF BIPOLAR DISORDER COMORBID WITH ANXIETY DISORDERS DIFFER BETWEEN MEN AND WOMEN. <i>Depression and Anxiety</i> , 2012, 29, 739-746.	2.0	47

#	ARTICLE	IF	CITATIONS
181	Associations between suicide attempts and elevated bedtime salivary cortisol levels in bipolar disorder. <i>Journal of Affective Disorders</i> , 2012, 136, 350-358.	2.0	54
182	Differential executive functioning performance by phase of bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 527-536.	1.1	63
183	Global mental health: Global strengths and strategies. <i>Asian Journal of Psychiatry</i> , 2011, 4, 165-171.	0.9	36
184	Association of Plasma Interleukin-18 Levels with Emotion Regulation and μ -Opioid Neurotransmitter Function in Major Depression and Healthy Volunteers. <i>Biological Psychiatry</i> , 2011, 69, 808-812.	0.7	71
185	A High-Risk Study of Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2011, 68, 1012.	13.8	163
186	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , 2011, 43, 977-983.	9.4	1,283
187	Genome-Wide Association of Bipolar Disorder Suggests an Enrichment of Replicable Associations in Regions near Genes. <i>PLoS Genetics</i> , 2011, 7, e1002134.	1.5	59
188	A genetic network model of cellular responses to lithium treatment and cocaine abuse in bipolar disorder. <i>BMC Systems Biology</i> , 2010, 4, 158.	3.0	19
189	Intermediate: Cognitive phenotypes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010, 122, 285-293.	2.0	97
190	Modeling complex genetic and environmental influences on comorbid bipolar disorder with tobacco use disorder. <i>BMC Medical Genetics</i> , 2010, 11, 14.	2.1	26
191	Family-based association analysis to finemap bipolar linkage peak on chromosome 8q24 using 2,500 genotyped SNPs and 15,000 imputed SNPs. <i>Bipolar Disorders</i> , 2010, 12, 786-792.	1.1	34
192	Tackling the Kraepelinian Dichotomy: A Neuroimaging Review. <i>Psychiatric Annals</i> , 2010, 40, 154-159.	0.1	2
193	MicroRNA expression changes in lymphoblastoid cell lines in response to lithium treatment. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 975.	1.0	97
194	Bayesian EM algorithm for scoring polymorphic deletions from SNP data and application to a common CNV on 8q24. <i>Genetic Epidemiology</i> , 2009, 33, 357-368.	0.6	10
195	Paradigms lost: rethinking psychiatry in the postgenome era. <i>Depression and Anxiety</i> , 2009, 26, 303-306.	2.0	1
196	Singleton deletions throughout the genome increase risk of bipolar disorder. <i>Molecular Psychiatry</i> , 2009, 14, 376-380.	4.1	137
197	Genome-wide association study of bipolar disorder in European American and African American individuals. <i>Molecular Psychiatry</i> , 2009, 14, 755-763.	4.1	326
198	Modeling gene-by-environment interaction in comorbid depression with alcohol use disorders via an integrated bioinformatics approach. <i>BioData Mining</i> , 2008, 1, 2.	2.2	39

#	ARTICLE	IF	CITATIONS
199	Familiality and diagnostic patterns of subphenotypes in the National Institutes of Mental Health Bipolar sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 18-26.	1.1	43
200	Family-based SNP association study on 8q24 in bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 612-618.	1.1	22
201	Psychiatric genetics: progress amid controversy. <i>Nature Reviews Genetics</i> , 2008, 9, 527-540.	7.7	481
202	Familial aggregation of postpartum mood symptoms in bipolar disorder pedigrees. <i>Bipolar Disorders</i> , 2008, 10, 38-44.	1.1	55
203	Rapid switching of mood in families with familial bipolar disorder. <i>Bipolar Disorders</i> , 2008, 10, 597-606.	1.1	12
204	Discriminating single-base difference miRNA expressions using microarray Probe Design Guru (ProDeG). <i>Nucleic Acids Research</i> , 2008, 36, e27.	6.5	80
205	Evidence of association between brain-derived neurotrophic factor gene and bipolar disorder. <i>Psychiatric Genetics</i> , 2008, 18, 267-274.	0.6	51
206	Genome-wide parametric linkage analyses of 644 bipolar pedigrees suggest susceptibility loci at chromosomes 16 and 20. <i>Psychiatric Genetics</i> , 2008, 18, 191-198.	0.6	14
207	Mood-Incongruent Psychotic Features in Bipolar Disorder: Familial Aggregation and Suggestive Linkage to 2p11-q14 and 13q21-33. <i>American Journal of Psychiatry</i> , 2007, 164, 236-247.	4.0	93
208	Genetics of Recurrent Early-Onset Major Depression (GenRED): Significant Linkage on Chromosome 15q25-q26 After Fine Mapping With Single Nucleotide Polymorphism Markers. <i>American Journal of Psychiatry</i> , 2007, 164, 259-264.	4.0	48
209	Parent-of-origin effect in the segregation analysis of bipolar affective disorder families. <i>Psychiatric Genetics</i> , 2007, 17, 93-101.	0.6	9
210	Genetics of Recurrent Early-Onset Major Depression (GenRED): Final Genome Scan Report. <i>American Journal of Psychiatry</i> , 2007, 164, 248-258.	4.0	91
211	Attempted Suicide in Bipolar Disorder Pedigrees: Evidence for Linkage to 2p12. <i>Biological Psychiatry</i> , 2007, 61, 725-727.	0.7	42
212	SNP fine mapping of chromosome 8q24 in bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 625-630.	1.1	17
213	Genome-wide linkage scan of 98 bipolar pedigrees and analysis of clinical covariates. <i>Molecular Psychiatry</i> , 2007, 12, 630-639.	4.1	34
214	Genome-wide scan of bipolar II disorder. <i>Bipolar Disorders</i> , 2007, 9, 580-588.	1.1	17
215	Reproductive cycle-associated mood symptoms in women with major depression and bipolar disorder. <i>Journal of Affective Disorders</i> , 2007, 99, 221-229.	2.0	118
216	A comparison of the familiarity of chronic depression in recurrent early-onset depression pedigrees using different definitions of chronicity. <i>Journal of Affective Disorders</i> , 2007, 100, 171-177.	2.0	21

#	ARTICLE	IF	CITATIONS
217	Translational Research in Psychiatric Diseases. <i>Medical Psychiatry</i> , 2007, , 195-210.	0.2	0
218	Prioritizing Disease Genes by Analysis of Common Elements (PDG-ACE). <i>AMIA ... Annual Symposium proceedings</i> , 2007, , 1068.	0.2	3
219	Differential Expression of Disrupted-in-Schizophrenia (DISC1) in Bipolar Disorder. <i>Biological Psychiatry</i> , 2006, 60, 929-935.	0.7	64
220	Is perinatal depression familial?. <i>Journal of Affective Disorders</i> , 2006, 90, 49-55.	2.0	86
221	Clinical Correlates and Familial Aggregation of Age at Onset in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 240-246.	4.0	160
222	Familial Aggregation of Illness Chronicity in Recurrent, Early-Onset Major Depression Pedigrees. <i>American Journal of Psychiatry</i> , 2006, 163, 1554-1560.	4.0	58
223	Characterization of CTG/CAG repeats on chromosome 18: a study of bipolar disorder. <i>Psychiatric Genetics</i> , 2005, 15, 91-99.	0.6	5
224	Assessment of the Effect of Age at Onset on Linkage to Bipolar Disorder: Evidence on Chromosomes 18p and 21q. <i>American Journal of Human Genetics</i> , 2005, 77, 545-555.	2.6	47
225	Combined Analysis from Eleven Linkage Studies of Bipolar Disorder Provides Strong Evidence of Susceptibility Loci on Chromosomes 6q and 8q. <i>American Journal of Human Genetics</i> , 2005, 77, 582-595.	2.6	218
226	Psychiatric genetics: into the 21st century. <i>International Review of Psychiatry</i> , 2004, 16, 243-245.	1.4	3
227	Lack of support for a genetic association of the XBP1 promoter polymorphism with bipolar disorder in probands of European origin. <i>Nature Genetics</i> , 2004, 36, 783-784.	9.4	57
228	Linkage of bipolar affective disorder on chromosome 8q24: follow-up and parametric analysis. <i>Molecular Psychiatry</i> , 2004, 9, 191-196.	4.1	38
229	Findings in an independent sample support an association between bipolar affective disorder and the G72/G30 locus on chromosome 13q33. <i>Molecular Psychiatry</i> , 2004, 9, 87-92.	4.1	125
230	Findings in an independent sample support an association between bipolar affective disorder and the G72/G30 locus on chromosome 13q33. <i>Molecular Psychiatry</i> , 2004, 9, 5-5.	4.1	0
231	Novel CAG/CTG repeat expansion mutations do not contribute to the genetic risk for most cases of bipolar disorder or schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2004, 124B, 15-19.	2.4	9
232	Loci on chromosomes 6q and 6p interact to increase susceptibility to bipolar affective disorder in the national institute of mental health genetics initiative pedigrees. <i>Biological Psychiatry</i> , 2004, 56, 18-23.	0.7	60
233	Genomewide Significant Linkage to Recurrent, Early-Onset Major Depressive Disorder on Chromosome 15q. <i>American Journal of Human Genetics</i> , 2004, 74, 1154-1167.	2.6	107
234	Genome scan of a second wave of NIMH genetics initiative bipolar pedigrees: chromosomes 2, 11, 13, 14, and X. <i>American Journal of Medical Genetics Part A</i> , 2003, 119B, 69-76.	2.4	39

#	ARTICLE	IF	CITATIONS
235	Familial aggregation of psychotic symptoms in a replication set of 69 bipolar disorder pedigrees. <i>American Journal of Medical Genetics Part A</i> , 2003, 116B, 90-97.	2.4	58
236	Genetics of recurrent early-onset depression (GenRED): Design and preliminary clinical characteristics of a repository sample for genetic linkage studies. <i>American Journal of Medical Genetics Part A</i> , 2003, 119B, 118-130.	2.4	75
237	Genome scan of the fifty-six bipolar pedigrees from the NIMH genetics initiative replication sample: Chromosomes 4, 7, 9, 18, 19, 20, and 21. <i>American Journal of Medical Genetics Part A</i> , 2003, 121B, 21-27.	2.4	35
238	Genome-wide scan of bipolar disorder in 65 pedigrees: supportive evidence for linkage at 8q24, 18q22, 4q32, 2p12, and 13q12. <i>Molecular Psychiatry</i> , 2003, 8, 288-298.	4.1	134
239	Trapping and sequence analysis of 1138 putative exons from human chromosome 18. <i>Molecular Psychiatry</i> , 2003, 8, 619-623.	4.1	1
240	Genome-wide scan and conditional analysis in bipolar disorder: evidence for genomic interaction in the National Institute of Mental Health genetics initiative bipolar pedigrees. <i>Biological Psychiatry</i> , 2003, 54, 1265-1273.	0.7	80
241	Additional, physically ordered markers increase linkage signal for bipolar disorder on chromosome 18q22. <i>Biological Psychiatry</i> , 2003, 53, 239-243.	0.7	29
242	Genome Scan Meta-Analysis of Schizophrenia and Bipolar Disorder, Part III: Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2003, 73, 49-62.	2.6	400
243	Genomewide Linkage Analyses of Bipolar Disorder: A New Sample of 250 Pedigrees from the National Institute of Mental Health Genetics Initiative. <i>American Journal of Human Genetics</i> , 2003, 73, 107-114.	2.6	202
244	Results of a high-resolution genome screen of 437 Alzheimer's Disease families. <i>Human Molecular Genetics</i> , 2003, 12, 23-32.	1.4	304
245	Title is missing!. <i>Psychiatric Genetics</i> , 2003, 13, 77-84.	0.6	16
246	Genome scan of pedigrees multiply affected with bipolar disorder provides further support for the presence of a susceptibility locus on chromosome 12q23-q24, and suggests the presence of additional loci on 1p and 1q. <i>Psychiatric Genetics</i> , 2003, 13, 77-84.	0.6	136
247	Suggestive Linkage to Chromosomal Regions 13q31 and 22q12 in Families With Psychotic Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2003, 160, 680-686.	4.0	165
248	Can long-range microsatellite data be used to predict short-range linkage disequilibrium?. <i>Human Molecular Genetics</i> , 2002, 11, 1363-1372.	1.4	22
249	Genetic analysis of the (CTG) _n NOTCH4 polymorphism in 65 multiplex bipolar pedigrees. <i>Psychiatric Genetics</i> , 2002, 12, 43-47.	0.6	7
250	Diagnostic Reliability of Bipolar II Disorder. <i>Archives of General Psychiatry</i> , 2002, 59, 736.	13.8	145
251	Apparent replication of suggestive linkage on chromosome 16 in the NIMH genetics initiative bipolar pedigrees. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 407-412.	2.4	37
252	Family-based association study of 76 candidate genes in bipolar disorder: BDNF is a potential risk locus. <i>Molecular Psychiatry</i> , 2002, 7, 579-593.	4.1	541

#	ARTICLE	IF	CITATIONS
253	Linkage of Bipolar Disorder to Chromosome 18q and the Validity of Bipolar II Disorder. Archives of General Psychiatry, 2001, 58, 1025-1031.	13.8	91
254	No evidence for genetic association or linkage of the cathepsin D (CTSD) exon 2 polymorphism and Alzheimer disease. Annals of Neurology, 2001, 49, 114-116.	2.8	29
255	NEDD4L on human chromosome 18q21 has multiple forms of transcripts and is a homologue of the mouse Nedd4-2 gene. European Journal of Human Genetics, 2001, 9, 922-930.	1.4	52
256	The current status and prospects for genetic studies of bipolar disorder. Clinical Neuroscience Research, 2001, 1, 153-157.	0.8	1
257	The Familial Aggregation of Psychotic Symptoms in Bipolar Disorder Pedigrees. American Journal of Psychiatry, 2001, 158, 1258-1264.	4.0	138
258	Attempted Suicide and Alcoholism in Bipolar Disorder: Clinical and Familial Relationships. American Journal of Psychiatry, 2000, 157, 2048-2050.	4.0	104
259	Suggestive evidence of a locus on chromosome 10p using the NIMH genetics initiative bipolar affective disorder pedigrees. , 2000, 96, 18-23.		65
260	Association of a haplotype for tumor necrosis factor in siblings with late-onset Alzheimer disease: The NIMH Alzheimer disease genetics initiative. American Journal of Medical Genetics Part A, 2000, 96, 823-830.	2.4	125
261	Allelic distribution of CTG18.1 in Caucasian populations: association studies in bipolar disorder, schizophrenia, and ataxia. Molecular Psychiatry, 2000, 5, 439-442.	4.1	12
262	Psychiatric epigenetics: a new focus for the new century. Molecular Psychiatry, 2000, 5, 342-346.	4.1	64
263	Gene identification using exon amplification on human chromosome 18q21: implications for bipolar disorder. Molecular Psychiatry, 2000, 5, 502-509.	4.1	3
264	Full-Genome Scan for Linkage in 50 Families Segregating the Bipolar Affective Disease Phenotype. American Journal of Human Genetics, 2000, 66, 205-215.	2.6	77
265	Evidence for Genetic Linkage of Alzheimer's Disease to Chromosome 10q. Science, 2000, 290, 2302-2303.	6.0	495
266	Trinucleotide Repeat Expansion and Neuropsychiatric Disease. Archives of General Psychiatry, 1999, 56, 1019.	13.8	84
267	The ascent of a nation: genetics and Iceland. Clinical Genetics, 1999, 55, 234-239.	1.0	22
268	Expansion of a novel CAG trinucleotide repeat in the 5' region of PPP2R2B is associated with SCA12. Nature Genetics, 1999, 23, 391-392.	9.4	495
269	Family-based association analysis of the hSKCa3 potassium channel gene in bipolar disorder. Molecular Psychiatry, 1999, 4, 217-219.	4.1	22
270	Chromosome workshop: Chromosomes 11, 14, and 15. American Journal of Medical Genetics Part A, 1999, 88, 244-254.	2.4	53

#	ARTICLE	IF	CITATIONS
271	Anticipation in schizophrenia: A review and reconsideration. , 1999, 88, 686-693.		25
272	Alpha-2 macroglobulin is genetically associated with Alzheimer disease. Nature Genetics, 1998, 19, 357-360.	9.4	680
273	Integrating clinical and laboratory data in genetic studies of complex phenotypes: A network-based data management system. , 1998, 81, 248-256.		5
274	No evidence of expansion of CAG or GAA repeats in schizophrenia families and monozygotic twins. Human Genetics, 1998, 103, 41-47.	1.8	28
275	Bipolar disorder and panic disorder in families: an analysis of chromosome 18 data. American Journal of Psychiatry, 1998, 155, 829-31.	4.0	74
276	A Novel, Heritable, Expanding CTG Repeat in an Intron of the SEF2-1 Gene on Chromosome 18q21.1. Human Molecular Genetics, 1997, 6, 1855-1863.	1.4	96
277	Linkage of Bipolar Affective Disorder to Chromosome 18 Markers in a New Pedigree Series. American Journal of Human Genetics, 1997, 61, 1397-1404.	2.6	101
278	Panic disorder with familial bipolar disorder. Biological Psychiatry, 1997, 42, 90-95.	0.7	97
279	cDNAs with long CAG trinucleotide repeats from human brain. Human Genetics, 1997, 100, 114.	1.8	97
280	Genomic survey of bipolar illness in the NIMH genetics initiative pedigrees: A preliminary report. , 1997, 74, 227-237.		115
281	Initial genome scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 1, 6, 8, 10, and 12. , 1997, 74, 247-253.		145
282	Initial Genome Scan of the NIMH Genetics Initiative Bipolar Pedigrees: Chromosomes 4, 7, 9, 18, 19, 20, and 21q. , 1997, 74, 254-262.		133
283	Initial genome screen for bipolar disorder in the NIMH genetics initiative pedigrees: Chromosomes 2, 11, 13, 14, and X. , 1997, 74, 263-269.		97
284	Recent Advances in the Genetics of Bipolar Disorder. Psychiatric Annals, 1997, 27, 482-488.	0.1	3
285	Initial genome screen for bipolar disorder in the NIMH genetics initiative pedigrees: chromosomes 2, 11, 13, 14, and X. American Journal of Medical Genetics Part A, 1997, 74, 263-9.	2.4	20
286	Psychosis and genes with trinucleotide repeat polymorphism. Human Genetics, 1996, 97, 244-246.	1.8	30
287	Linkage disequilibrium analysis of G-olf1± (GNAL) in bipolar affective disorder. , 1996, 67, 491-494.		26
288	Genetic studies of manic-depressive illness. Nature Medicine, 1996, 2, 521-522.	15.2	5

#	ARTICLE	IF	CITATIONS
289	cDNA cloning of a human homologue of the <i>Caenorhabditis elegans</i> cell fate-determining gene <i>mab-21</i> : expression, chromosomal localization and analysis of a highly polymorphic (CAC) _n trinucleotide repeat. <i>Human Molecular Genetics</i> , 1996, 5, 607-616.	1.4	43
290	Anticipation: an old idea in new genes. <i>American Journal of Human Genetics</i> , 1996, 59, 973-9.	2.6	73
291	Clinical features of early onset, familial Alzheimer's disease linked to chromosome 14. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 44-52.	2.4	9
292	Structure of the human CRFB4 gene: Comparison with its IFNAR neighbor. <i>Journal of Molecular Evolution</i> , 1995, 41, 338-344.	0.8	14
293	Structure of the human CRFB4 gene: Comparison with its IFNAR neighbor. <i>Journal of Molecular Evolution</i> , 1995, 41, 338-44.	0.8	11
294	Polymorphic (AAT) _n trinucleotide repeats derived from a human brain cDNA library. <i>Human Genetics</i> , 1995, 96, 495-6.	1.8	4
295	Characterization of cDNA clones containing CCA trinucleotide repeats derived from human brain. <i>Somatic Cell and Molecular Genetics</i> , 1995, 21, 279-284.	0.7	11
296	Evidence for linkage of bipolar disorder to chromosome 18 with a parent-of-origin effect. <i>American Journal of Human Genetics</i> , 1995, 57, 1384-94.	2.6	289
297	Identification of flanking markers for the familial amyotrophic lateral sclerosis gene ALS1 on chromosome 21. <i>Journal of the Neurological Sciences</i> , 1994, 124, 90-95.	0.3	5
298	KARIYA, TETSUHIKO, AND NAKAGAWARA, MICHIO, EDS. <i>Journal of Nervous and Mental Disease</i> , 1994, 182, 481.	0.5	0
299	D21S210: A highly polymorphic (GT) _n marker closely linked to the β -amyloid protein precursor (APP) gene. <i>Human Genetics</i> , 1993, 91, 87-8.	1.8	8
300	A Contiguous Physical Map of the Pericentromeric Region of Chromosome 21q between D21Z1 and D21S13E. <i>Genomics</i> , 1993, 15, 626-630.	1.3	12
301	A Linkage Map of Human Chromosome 21: 43 PCR Markers at Average Intervals of 2.5 cM. <i>Genomics</i> , 1993, 16, 562-571.	1.3	73
302	Novel Triplet Repeat Containing Genes in Human Brain: Cloning, Expression, and Length Polymorphisms. <i>Genomics</i> , 1993, 16, 572-579.	1.3	217
303	Genes with triplet repeats: candidate mediators of neuropsychiatric disorders. <i>Trends in Neurosciences</i> , 1993, 16, 254-260.	4.2	180
304	Anticipation in bipolar affective disorder. <i>American Journal of Human Genetics</i> , 1993, 53, 385-90.	2.6	186
305	D21S215 is a (GT) _n polymorphic marker close to centromeric alphoid sequences on chromosome 21. <i>Genomics</i> , 1992, 13, 1365-1367.	1.3	14
306	Dinucleotide repeat (GT) _n markers on chromosome 21. <i>Genomics</i> , 1992, 14, 818-819.	1.3	13

#	ARTICLE	IF	CITATIONS
307	Presenile dementia and cerebral haemorrhage linked to a mutation at codon 692 of the β -amyloid precursor protein gene. <i>Nature Genetics</i> , 1992, 1, 218-221.	9.4	715
308	The meiotic stage of nondisjunction in trisomy 21: determination by using DNA polymorphisms. <i>American Journal of Human Genetics</i> , 1992, 50, 544-50.	2.6	127
309	Linkage mapping of highly informative DNA polymorphisms within the human interferon- γ receptor gene on chromosome 21. <i>Genomics</i> , 1991, 11, 573-576.	1.3	35
310	Candidate Genes Showing No Evidence of Association with Alzheimer's Disease: Results of the NIMH-AD Genetics Initiative. , 0, , 45-51.		0
311	Psychiatric epigenetics: a new focus for the new century. , 0, .		1
312	Recognition of Depression in Bipolar Disorder: Leveraging Cohort and Person-Specific Knowledge. , 0, , .		16
313	Capturing Long-Term Temporal Dependencies with Convolutional Networks for Continuous Emotion Recognition. , 0, , .		19
314	The PRIORI Emotion Dataset: Linking Mood to Emotion Detected In-the-Wild. , 0, , .		25