
## Mei Yang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2574972/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Expression of CD47 in Endometrial Cancer and Its Clinicopathological Significance. Journal of Oncology, 2022, 2022, 1-10.	1.3	3
2	Blocking Intermediate-Conductance Calcium-Activated Potassium Channels in the Macrophages Around Ganglionated Plexi Suppresses Atrial Fibrillation Vulnerability in Canines With Rapid Atrial Pacing. Frontiers in Physiology, 2022, 13, 837412.	2.8	0
3	Cardiac Fibroblasts Promote Ferroptosis in Atrial Fibrillation by Secreting Exo-miR-23a-3p Targeting SLC7A11. Oxidative Medicine and Cellular Longevity, 2022, 2022, 1-31.	4.0	16
4	Role of intermediate-conductance calcium-activated potassium channels in atrial fibrillation in canines with rapid atrial pacing. Journal of Interventional Cardiac Electrophysiology, 2021, 60, 247-253.	1.3	10
5	PER2-mediated ameloblast differentiation via PPARγ/AKT1/β-catenin axis. International Journal of Oral Science, 2021, 13, 16.	8.6	10
6	SK4 calcium-activated potassium channels activated by sympathetic nerves enhances atrial fibrillation vulnerability in a canine model of acute stroke. Heliyon, 2020, 6, e03928.	3.2	6
7	Overexpression of TBX3 in human induced pluripotent stem cells (hiPSCs) increases their differentiation into cardiac pacemaker-like cells. Biomedicine and Pharmacotherapy, 2020, 130, 110612.	5.6	17
8	A brain-stellate ganglion-atrium network regulates atrial fibrillation vulnerability through macrophages in acute stroke. Life Sciences, 2019, 237, 116949.	4.3	7
9	Different effects of norepinephrine and nerve growth factor on atrial fibrillation vulnerability. Journal of Cardiology, 2019, 74, 460-465.	1.9	13
10	Effect of acupuncture at Neiguan point combined with amiodarone therapy on early recurrence after pulmonary vein electrical isolation in patients with persistent atrial fibrillation. Journal of Cardiovascular Electrophysiology, 2019, 30, 910-917.	1.7	15
11	Adipose‑derived stem cells overexpressing SK4 calcium‑activated potassium channel generate biological pacemakers. International Journal of Molecular Medicine, 2019, 44, 2103-2112.	4.0	2
12	Overexpression of the medium‑conductance calcium‑activated potassium channel (SK4) and the HCN2 channel to generate a biological pacemaker. Molecular Medicine Reports, 2019, 20, 3406-3414.	2.4	4
13	Insulin gene enhancer binding protein 1 induces adipose tissue‑derived stem cells to differentiate into pacemaker‑like cells. International Journal of Molecular Medicine, 2018, 43, 879-889.	4.0	1
14	Chrysin attenuates interstitial fibrosis and improves cardiac function in a rat model of acute myocardial infarction. Journal of Molecular Histology, 2018, 49, 555-565.	2.2	38
15	Fam83h mutation inhibits the mineralization in ameloblasts by activating $Wnt/\hat{l}^2$ -catenin signaling pathway. Biochemical and Biophysical Research Communications, 2018, 501, 206-211.	2.1	16
16	Transcription factor TBX18 promotes adult rat bone mesenchymal stem cell differentiation to biological pacemaker cells. International Journal of Molecular Medicine, 2017, 41, 845-851.	4.0	10
17	Evolutionary analysis of FAM83H in vertebrates. PLoS ONE, 2017, 12, e0180360.	2.5	5
18	Comparison of efficacy of different treatments for pulmonary embolism. Journal of Huazhong University of Science and Technology [Medical Sciences], 2016, 36, 254-258.	1.0	1

Mei Yang

#	Article	IF	CITATIONS
19	TBX18 gene induces adipose-derived stem cells to differentiate into pacemaker-like cells in the myocardial microenvironment. International Journal of Molecular Medicine, 2016, 38, 1403-1410.	4.0	23
20	P38/JNK signaling pathway mediates the fluoride-induced down-regulation of Fam83h. Biochemical and Biophysical Research Communications, 2016, 471, 386-390.	2.1	12
21	Combined effects of FTO rs9939609 and MC4R rs17782313 on elevated nocturnal blood pressure in the Chinese Han population. Cardiovascular Journal of Africa, 2016, 27, 21-24.	0.4	12