

Mayumi Nakagawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2575371/publications.pdf>

Version: 2024-02-01

49
papers

1,327
citations

471371

17
h-index

360920

35
g-index

52
all docs

52
docs citations

52
times ranked

1395
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Cell-Mediated Immune Response to Human Papillomavirus Infection. <i>Vaccine Journal</i> , 2001, 8, 209-220. | 2.6 | 200 |
| 2 | Persistence of Human Papillomavirus Type 16 Infection Is Associated with Lack of Cytotoxic T Lymphocyte Response to the E6 Antigens. <i>Journal of Infectious Diseases</i> , 2000, 182, 595-598. | 1.9 | 146 |
| 3 | Cytotoxic T Lymphocyte Responses to E6 and E7 Proteins of Human Papillomavirus Type 16: Relationship to Cervical Intraepithelial Neoplasia. <i>Journal of Infectious Diseases</i> , 1997, 175, 927-931. | 1.9 | 141 |
| 4 | Acute and transient decrease in neutrophil count in transfusion-related acute lung injury: cases at one hospital. <i>Transfusion</i> , 2004, 44, 1689-1694. | 0.8 | 69 |
| 5 | Cell-Mediated Immune Responses to Human Papillomavirus 16 E6 and E7 Antigens as Measured by Interferon Gamma Enzyme-Linked Immunospot in Women With Cleared or Persistent Human Papillomavirus Infection. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 508-512. | 1.2 | 58 |
| 6 | Phase 1 Clinical Trial of Intralesional Injection of Candida Antigen for the Treatment of Warts. <i>Archives of Dermatology</i> , 2010, 146, 1431. | 1.7 | 55 |
| 7 | Human papillomavirus type 16 viral load is decreased following a therapeutic vaccination. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 563-573. | 2.0 | 51 |
| 8 | The promise of combining cancer vaccine and checkpoint blockade for treating HPV-related cancer. <i>Cancer Treatment Reviews</i> , 2019, 78, 8-16. | 3.4 | 47 |
| 9 | CD4+ T-cell response against human papillomavirus type 16 E6 protein is associated with a favorable clinical trend. <i>Cancer Immunology, Immunotherapy</i> , 2012, 61, 63-70. | 2.0 | 42 |
| 10 | HLA Class I Binding Promiscuity of the CD8 T-Cell Epitopes of Human Papillomavirus Type 16 E6 Protein. <i>Journal of Virology</i> , 2007, 81, 1412-1423. | 1.5 | 40 |
| 11 | A phase I dose-escalation clinical trial of a peptide-based human papillomavirus therapeutic vaccine with <i>Candida</i> skin test reagent as a novel vaccine adjuvant for treating women with biopsy-proven cervical intraepithelial neoplasia 2/3. <i>Oncimmunology</i> , 2015, 4, e1031439. | 2.1 | 39 |
| 12 | Early Defensive Mechanisms against Human Papillomavirus Infection. <i>Vaccine Journal</i> , 2015, 22, 850-857. | 3.2 | 39 |
| 13 | Different Methods of Identifying New Antigenic Epitopes of Human Papillomavirus Type 16 E6 and E7 Proteins. <i>Vaccine Journal</i> , 2004, 11, 889-896. | 2.6 | 31 |
| 14 | Cross-Reactivity, Epitope Spreading, and <i>De Novo</i> Immune Stimulation Are Possible Mechanisms of Cross-Protection of Nonvaccine Human Papillomavirus (HPV) Types in Recipients of HPV Therapeutic Vaccines. <i>Vaccine Journal</i> , 2015, 22, 679-687. | 3.2 | 28 |
| 15 | A Favorable Clinical Trend Is Associated With CD8 T-Cell Immune Responses to the Human Papillomavirus Type 16 E6 Antigens in Women Being Studied for Abnormal Pap Smear Results. <i>Journal of Lower Genital Tract Disease</i> , 2010, 14, 124-129. | 0.9 | 27 |
| 16 | Natural history of human papillomavirus and vaccinations in men: A literature review. <i>Health Science Reports</i> , 2019, 2, e118. | 0.6 | 26 |
| 17 | <i>Candida</i> skin test reagent as a novel adjuvant for a human papillomavirus peptide-based therapeutic vaccine. <i>Vaccine</i> , 2013, 31, 5806-5813. | 1.7 | 23 |
| 18 | Memory T Cells Specific for Novel Human Papillomavirus Type 16 (HPV16) E6 Epitopes in Women Whose HPV16 Infection Has Become Undetectable. <i>Vaccine Journal</i> , 2008, 15, 937-945. | 3.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Patterns of CD8 T-Cell Epitopes within the Human Papillomavirus Type 16 (HPV 16) E6 Protein among Young Women Whose HPV 16 Infection Has Become Undetectable. <i>Vaccine Journal</i> , 2005, 12, 1003-1005. | 3.2 | 20 |
| 20 | Examining aspects of successful community-based programs promoting cancer screening uptake to reduce cancer health disparity: A systematic review. <i>Preventive Medicine</i> , 2020, 141, 106242. | 1.6 | 20 |
| 21 | A novel CD4 T-cell epitope described from one of the cervical cancer patients vaccinated with HPV 16 or 18 E7-pulsed dendritic cells. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 301-308. | 2.0 | 18 |
| 22 | IL-12 secretion by Langerhans cells stimulated with Candida skin test reagent is mediated by dectin-1 in some healthy individuals. <i>Cytokine</i> , 2014, 65, 202-209. | 1.4 | 17 |
| 23 | Autologous Graft versus Host Disease: An Emerging Complication in Patients with Multiple Myeloma. <i>Bone Marrow Research</i> , 2014, 2014, 1-7. | 1.7 | 14 |
| 24 | Japaneseplex : A forensic SNP assay for identification of Japanese people using Japanese-specific alleles. <i>Legal Medicine</i> , 2018, 33, 17-22. | 0.6 | 14 |
| 25 | An assessment of Oxford Nanopore sequencing for human gut metagenome profiling: A pilot study of head and neck cancer patients. <i>Journal of Microbiological Methods</i> , 2019, 166, 105739. | 0.7 | 13 |
| 26 | Regulatory T Cells in Gynecologic Cancer. <i>MOJ Immunology</i> , 2018, 6, 34-42. | 11.0 | 12 |
| 27 | Molecular basis of complement factor I (CFI) polymorphism: one of two polymorphic suballeles responsible for CFI A is Japanese-specific. <i>Journal of Human Genetics</i> , 2008, 53, 1016-1021. | 1.1 | 11 |
| 28 | A novel use of a statewide telecolposcopy network for recruitment of participants in a Phase I clinical trial of a human papillomavirus therapeutic vaccine. <i>Clinical Trials</i> , 2015, 12, 199-204. | 0.7 | 11 |
| 29 | Time Course of Humoral and Cell-Mediated Immune Responses to Human Papillomavirus Type 16 in Infected Women. <i>Vaccine Journal</i> , 2002, 9, 877-882. | 3.2 | 10 |
| 30 | Evaluation of immune responses induced by a novel human papillomavirus type 16 E7 peptide-based vaccine with Candida skin test reagent as an adjuvant in C57BL/6 mice. <i>International Immunopharmacology</i> , 2018, 56, 249-260. | 1.7 | 9 |
| 31 | Cervical Microbiome and Response to a Human Papillomavirus Therapeutic Vaccine for Treating High-Grade Cervical Squamous Intraepithelial Lesion. <i>Integrative Cancer Therapies</i> , 2019, 18, 153473541989306. | 0.8 | 9 |
| 32 | Expansion of Human Papillomavirus-Specific T Cells in Periphery and Cervix in a Therapeutic Vaccine Recipient Whose Cervical High-Grade Squamous Intraepithelial Lesion Regressed. <i>Frontiers in Immunology</i> , 2021, 12, 645299. | 2.2 | 9 |
| 33 | Distribution of human papillomavirus (HPV) types and anti-HPV T-cell immune responses among different racial/ethnic groups in Central Arkansas. <i>The Journal of the Arkansas Medical Society</i> , 2013, 109, 160-3. | 0.1 | 9 |
| 34 | Recognition of a cervical cancer derived tumor cell line by a human papillomavirus type 16 E6 52-61-specific CD8 T cell clone. <i>Cancer Immunity</i> , 2006, 6, 9. | 3.2 | 9 |
| 35 | Use of Interferon- γ ; Enzyme-linked Immunospot Assay to Characterize Novel T-cell Epitopes of Human Papillomavirus. <i>Journal of Visualized Experiments</i> , 2012, , . | 0.2 | 7 |
| 36 | A Human Papillomavirus Type 16 E6 52-62 CD4 T-Cell Epitope Restricted by the HLA-DR11 Molecule Described in an Epitope Hotspot. <i>MOJ Immunology</i> , 2014, 1, . | 11.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | CD8 T-Cell Responses in Incident and Prevalent Human Papillomavirus Types 16 and 18 Infections. <i>ISRN Obstetrics & Gynecology</i> , 2012, 2012, 1-4. | 1.2 | 4 |
| 38 | Evaluation of DNA extraction protocols from liquid-based cytology specimens for studying cervical microbiota. <i>PLoS ONE</i> , 2021, 16, e0237556. | 1.1 | 4 |
| 39 | Detection of Human Papillomavirus Type 16-Specific T Lymphocytes by a Recombinant Vaccinia Virus-Based Enzyme-Linked Immunospot Assay. <i>Vaccine Journal</i> , 2007, 14, 362-368. | 3.2 | 3 |
| 40 | Cervical microbiome role in outcomes of therapeutic HPV vaccination for cervical intraepithelial neoplasia.. <i>Journal of Clinical Oncology</i> , 2018, 36, 3099-3099. | 0.8 | 3 |
| 41 | Genotyping of the c.1423C>T (p.P475S) polymorphism in the ADAMTS13 gene by APLP and HRM assays: Northeastern Asian origin of the mutant. <i>Legal Medicine</i> , 2016, 21, 1-4. | 0.6 | 2 |
| 42 | A novel prostate cancer immunotherapy using prostate-specific antigen peptides and <i>Candida</i> skin test reagent as an adjuvant. <i>SAGE Open Medicine</i> , 2018, 6, 205031211880020. | 0.7 | 2 |
| 43 | An Online Survey and Focus Groups for Promoting Cancer Prevention Measures. <i>Journal of Cancer Education</i> , 2022, 37, 1782-1789. | 0.6 | 2 |
| 44 | A 15 Hour Dosing-Collection Interval for Plerixafor Is at Least as Effective as the Standard 10 Hour Interval.. <i>Blood</i> , 2009, 114, 2152-2152. | 0.6 | 2 |
| 45 | Chemotherapy Does Not Enhance CD34+ Cell Collection When Added to Growth Factor and Plerixafor in Patients Who Are Poor Mobilizers. <i>Blood</i> , 2011, 118, 4388-4388. | 0.6 | 1 |
| 46 | Assessing the Feasibility of an Online Module for Promoting Cancer Prevention Measures. <i>Cancer Control</i> , 2021, 28, 107327482110379. | 0.7 | 1 |
| 47 | Role of Innate Immunity in Immune Enhancing Effects of <i>Candida</i> Skin Test Reagent. <i>FASEB Journal</i> , 2013, 27, 647.3. | 0.2 | 0 |
| 48 | A phase I dose-escalation clinical trial of a peptide-based human papillomavirus therapeutic vaccine with <i>Candida</i> skin test reagent as a novel vaccine adjuvant for treating women with biopsy-proven cervical intraepithelial neoplasia 2/3.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3032-3032. | 0.8 | 0 |
| 49 | A novel prostate cancer immunotherapy using prostate specific antigen peptides and <i>Candida</i> skin test reagent as an immunostimulant.. <i>Journal of Clinical Oncology</i> , 2016, 34, e14582-e14582. | 0.8 | 0 |