## Monika PogÃjny SimonovÃj

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2575375/publications.pdf

Version: 2024-02-01

58 papers

638 citations

623188 14 h-index 23 g-index

58 all docs 58 docs citations

58 times ranked 474 citing authors

#	Article	IF	CITATIONS
1	Effect of Diet Supplementation with <i>Enterococcus Durans</i> ED26E/7 and its Durancin ED26E/7 on Growth Performance, Caecal Enzymatic Activity, Jejunal Morphology and Meat Properties of Broiler Rabbits. Annals of Animal Science, 2022, 22, 221-235.	0.6	3
2	Effect of enterocin M and durancin ED26E/7 supplementation on blood parameters, immune response and jejunal morphometry in rabbits. Journal of Animal Physiology and Animal Nutrition, 2022, 106, 378-386.	1.0	1
3	Enterocin Ent7420 and sage application as feed additives for broiler rabbits to improve meat carcass parameters and amino acid profile. Meat Science, 2022, 183, 108656.	2.7	2
4	Susceptibility to Bacteriocins of Multiresistant, mecA Gene Possessing Staphylococcus pseudintermedius Strains from Lesions on Dogs in Vojvodina (Serbia). Microbial Drug Resistance, 2022, , .	0.9	0
5	Microbiota, Phagocytic Activity, Biochemical Parameters and Parasite Control in Horses with Application of Autochthonous, Bacteriocin-Producing, Probiotic Strain Enterococcus faecium EF 412. Probiotics and Antimicrobial Proteins, 2022, , 1.	1.9	2
6	Horses as a source of bioactive fecal strains Enterococcus mundtii. Veterinary Research Communications, 2022, , $1.$	0.6	3
7	Bacteriocin-Producing Strain Lactiplantibacillus plantarum LP17L/1 Isolated from Traditional Stored Ewe's Milk Cheese and Its Beneficial Potential. Foods, 2022, 11, 959.	1.9	2
8	Preventive Potential of Dipeptide Enterocin A/P on Rabbit Health and Its Effect on Growth, Microbiota, and Immune Response. Animals, 2022, $12$ , $1108$ .	1.0	4
9	Enterocin 7420 and Sage in Rabbit Diet and Their Effect on Meat Mineral Content and Physico-Chemical Properties. Microorganisms, 2022, 10, 1094.	1.6	1
10	Enterocin M in Interaction in Broiler Rabbits with Autochthonous, Biofilm-Forming Enterococcus hirae Kr8 Strain. Probiotics and Antimicrobial Proteins, 2022, 14, 845-853.	1.9	2
11	Enterococcal Species Associated with Slovak Raw Goat Milk, Their Safety and Susceptibility to Lantibiotics and Durancin ED26E/7. Processes, 2021, 9, 681.	1.3	6
12	Lacticaseibacilli and Lactococci from Slovak Raw Goat Milk and their Potential. Scientia Agriculturae Bohemica, 2021, 52, 19-28.	0.3	0
13	Enterocins as Novel Feed Additives in Rabbit Diet: Enterocin Ent M and Durancin Ent ED26E/7, Their Combination, and Effects on Microbiota, Caecal Fermentation, and Enzymatic Activity. Probiotics and Antimicrobial Proteins, 2021, 13, 1433-1442.	1.9	4
14	Microbiome Associated with Slovak Traditional Ewe's Milk Lump Cheese. Processes, 2021, 9, 1603.	1.3	5
15	Effect of Sustained Administration of Thymol on Its Bioaccessibility and Bioavailability in Rabbits. Animals, 2021, 11, 2595.	1.0	6
16	Effect of Enterococcus faecium AL41 (CCM8558) and Its Enterocin M on the Physicochemical Properties and Mineral Content of Rabbit Meat. Agriculture (Switzerland), 2021, 11, 1045.	1.4	4
17	Effect of enterocins against methicillin-resistant animal-derived staphylococci. Veterinary Research Communications, 2021, 45, 467-473.	0.6	3
18	Slovak Local Ewe's Milk Lump Cheese, a Source of Beneficial Enterococcus durans Strain. Foods, 2021, 10, 3091.	1.9	3

#	Article	IF	CITATIONS
19	Characterisation of Faecal Staphylococci from Roe Deer (Capreolus capreolus) and Red Deer (Cervus) Tj ETQq1 1 302-310.	0.784314 1.9	rgBT /Overl 4
20	Enterocin M and Sage Supplementation in Post-weaning Rabbits: Effects on Growth Performance, Caecal Microbiota, Fermentation and Enzymatic Activity. Probiotics and Antimicrobial Proteins, 2020, 12, 732-739.	1.9	8
21	Benefits of Enterocin M and Sage Combination on the Physico-chemical Traits, Fatty Acid, Amino Acid, and Mineral Content of Rabbit Meat. Probiotics and Antimicrobial Proteins, 2020, 12, 1235-1245.	1.9	12
22	Susceptibility to Bacteriocins in Biofilm-Forming, Variable Staphylococci Isolated from Local Slovak Ewes' Milk Lump Cheeses. Foods, 2020, 9, 1335.	1.9	12
23	Autochtonous Strain Enterococcus faecium EF2019(CCM7420), Its Bacteriocin and Their Beneficial Effects in Broiler Rabbits—A Review. Animals, 2020, 10, 1188.	1.0	22
24	Enterococcus mundtii Isolated from Slovak Raw Goat Milk and Its Bacteriocinogenic Potential. International Journal of Environmental Research and Public Health, 2020, 17, 9504.	1.2	15
25	Enterocin M-Producing Enterococcus faecium CCM 8558 Demonstrating Probiotic Properties in Horses. Probiotics and Antimicrobial Proteins, 2020, 12, 1555-1561.	1.9	8
26	Effect of beneficial strain <i>Enterococcus faecium</i> EF9a isolated from Pannon White rabbit on growth performance and meat quality of rabbits. Italian Journal of Animal Science, 2020, 19, 650-655.	0.8	7
27	Enterocin Structural Gene Screening in Enterococci from Pannon White Breed Rabbits. Probiotics and Antimicrobial Proteins, 2020, 12, 1246-1252.	1.9	3
28	Can Enterocin M in Combination with Sage Extract Have Beneficial Effect on Microbiota, Blood Biochemistry, Phagocytic Activity and Jejunal Morphometry in Broiler Rabbits?. Animals, 2020, 10, 115.	1.0	18
29	Beneficial effects of Enterococcus faecium EF9a administration in rabbit diet. World Rabbit Science, 2020, 28, 169.	0.1	6
30	Virulence Factor Genes Incidence among Enterococci from Sewage Sludge in Eastern Slovakia following Safety Aspect. BioMed Research International, 2019, 2019, 1-5.	0.9	3
31	Lantibiotic Nisin Applied in Broiler Rabbits and Its Effect on the Growth Performance and Carcass Quality. Probiotics and Antimicrobial Proteins, 2019, 11, 1414-1417.	1.9	7
32	Enterococci Isolated from Trout in the Bukovec Water Reservoir and Čierny Váh River in Slovakia and Their Safety Aspect. BioMed Research International, 2019, 2019, 1-7.	0.9	0
33	Enterococci from pannon white rabbits: detection, identification, biofilm and screening for virulence factors. World Rabbit Science, 2019, 27, 31.	0.1	10
34	Relation to enterocins of variable Aeromonas species isolated from trouts of Slovakian aquatic sources and detected by MALDI-TOF mass spectrometry. Folia Microbiologica, 2018, 63, 749-755.	1.1	5
35	Sensitivity to antimicrobials of faecal Buttiauxella spp. from roe and red deer (Capreolus capreolus,) Tj ETQq1 1 C 2018, 21, 543-547.	).784314 rg 0.2	gBT /Overloo O
36	<i>In vivo</i> Model Experiment Using Laying Hens Treated with <i>Enterococcus faecium</i> EM41 from Ostrich Faeces and its Enterocin EM41. Macedonian Veterinary Review, 2017, 40, 157-166.	0.2	2

#	Article	IF	CITATIONS
37	Beneficial effect of bacteriocin-producing strain Enterococcus durans ED 26E/7 in model experiment using broiler rabbits. Czech Journal of Animal Science, 2017, 62, 168-177.	0.5	12
38	Pilot experiment in chickens challenged with Campylobacter jejuni CCM6191 administered enterocin M-producing probiotic strain Enterococcus faecium CCM8558 to check its protective effect. Czech Journal of Animal Science, 2017, 62, 491-500.	0.5	7
39	Virulence factor genes possessing Enterococcus faecalis strains from rabbits and their sensitivity to enterocins. World Rabbit Science, 2017, 25, 63.	0.1	2
40	Benefits of combinative application of probiotic, enterocin M-producing strain Enterococcus faecium AL41 and Eleutherococcus senticosus in rabbits. Folia Microbiologica, 2016, 61, 169-177.	1.1	15
41	Dietary supplementation of a bacteriocinogenic and probiotic strain of Enterococcus faecium CCM7420 and its effect on the mineral content and quality of Musculus longissimus dorsi in rabbits. Animal Production Science, 2016, 56, 2140.	0.6	10
42	Occurrence and characterization of Paenibacillus sp. isolated from rabbits. Folia Microbiologica, 2015, 60, 97-101.	1.1	1
43	Effect of rabbit-origin enterocin-producing probiotic strain Enterococcus faecium CCM7420 application on growth performance and gut morphometry in rabbits. Czech Journal of Animal Science, 2015, 60, 509-512.	0.5	16
44	Effect of Bifidobacterium animalis B/12 administration in healthy dogs. Anaerobe, 2014, 28, 37-43.	1.0	28
45	Surviving of commercial probiotic strain Lactobacillus rhamnosus gg in slovak cow lump cheese experimentally inoculated with Listeria innocua. Journal of Microbiology, Biotechnology and Food Sciences, 2014, 4, 33-35.	0.4	1
46	Can enterocins affect phagocytosis and glutathione-peroxidase in rabbits?. Open Life Sciences, 2013, 8, 730-734.	0.6	10
47	Combined administration of bacteriocinproducing, probiotic strain Enterococcus faecium CCM7420 with Eleutherococcus senticosus and their effect in rabbits. Polish Journal of Veterinary Sciences, 2013, 16, 619-627.	0.2	14
48	Benefficial effect of plant extracts in rabbit husbandry. Acta Veterinaria Brno, 2012, 81, 245-250.	0.2	15
49	Enterococcus faecium AL 41: Its Enterocin M and Their Beneficial Use in Rabbits Husbandry. Probiotics and Antimicrobial Proteins, 2012, 4, 243-249.	1.9	52
50	Microbial status and quality of rabbit meat after rabbits feed supplementation with phyto-additives. Potravinarstvo, 2012, 6, 41-44.	0.5	1
51	Effect of combined administration of enterocin 4231 and sage in rabbits. Polish Journal of Veterinary Sciences, 2011, 14, 359-66.	0.2	14
52	Pseudomonads from rabbits and their sensitivity to antibiotics and natural antimicrobials. Research in Veterinary Science, 2010, 88, 203-207.	0.9	6
53	Effect of Enterococcus faecium AL41 and Thymus vulgaris essential oil on small intestine integrity and antioxidative status of laying hens. Research in Veterinary Science, 2010, 89, 257-261.	0.9	17
54	Enterococcus faecium CCM7420, bacteriocin PPB CCM7420 and their effect in the digestive tract of rabbits. Czech Journal of Animal Science, 2009, 54, 376-386.	0.5	53

#	Article	lF	CITATIONS
55	Potential of enterococci isolated from horses. Anaerobe, 2008, 14, 234-236.	1.0	40
56	Characterization of Staphylococcus xylosus and Staphylococcus carnosus isolated from Slovak meat products. Meat Science, 2006, 73, 559-564.	2.7	57
57	Enterococcus faecium EK13â€"an enterocin A-producing strain with probiotic character and its effect in piglets. Anaerobe, 2006, 12, 242-248.	1.0	71
58	Slovak raw goat milk as a source of variable, biofilmâ€forming staphylococci, and their susceptibility to lantibiotic bacteriocins. JSFA Reports, 0, , .	0.2	3