## Jeff Holst

## List of Publications by Citations

Source: https://exaly.com/author-pdf/2575599/jeff-holst-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

4,247
citations

84
ext. papers

5,314
ext. citations

35
h-index

9.6
avg, IF

5.07
L-index

| #              | Paper  | IF   | Citations |
|----------------|--|------|-----------|
| 76             | ASCT2/SLC1A5 controls glutamine uptake and tumour growth in triple-negative basal-like breast cancer. <i>Oncogene</i> , <b>2016</b> , 35, 3201-8   | 9.2  | 290       |
| 75             | Orchestrated intron retention regulates normal granulocyte differentiation. <i>Cell</i> , <b>2013</b> , 154, 583-95  | 56.2 | 290       |
| 74             | Distinct Immune Cell Populations Define Response to Anti-PD-1 Monotherapy and Anti-PD-1/Anti-CTLA-4 Combined Therapy. <i>Cancer Cell</i> , <b>2019</b> , 35, 238-255.e6  | 24.3 | 230       |
| 73             | Substrate elasticity provides mechanical signals for the expansion of hemopoietic stem and progenitor cells. <i>Nature Biotechnology</i> , <b>2010</b> , 28, 1123-8  | 44.5 | 217       |
| 7 <del>2</del> | Targeting ASCT2-mediated glutamine uptake blocks prostate cancer growth and tumour development. <i>Journal of Pathology</i> , <b>2015</b> , 236, 278-89  | 9.4  | 208       |
| 71             | Generation of T-cell receptor retrogenic mice. <i>Nature Protocols</i> , <b>2006</b> , 1, 406-17   | 18.8 | 196       |
| 70             | Adipocyte lipolysis links obesity to breast cancer growth: adipocyte-derived fatty acids drive breast cancer cell proliferation and migration. <i>Cancer &amp; Metabolism</i> , <b>2017</b> , 5, 1                         | 5.4  | 175       |
| 69             | General nature of the STAT3-activated anti-inflammatory response. <i>Journal of Immunology</i> , <b>2006</b> , 177, 7880-8   | 5.3  | 172       |
| 68             | Targeting glutamine transport to suppress melanoma cell growth. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 1060-71  | 7.5  | 143       |
| 67             | Nuclear-localized tiny RNAs are associated with transcription initiation and splice sites in metazoans. <i>Nature Structural and Molecular Biology</i> , <b>2010</b> , 17, 1030-4  | 17.6 | 134       |
| 66             | Androgen receptor and nutrient signaling pathways coordinate the demand for increased amino acid transport during prostate cancer progression. <i>Cancer Research</i> , <b>2011</b> , 71, 7525-36                          | 10.1 | 128       |
| 65             | Rapid analysis of T-cell selection in vivo using T cell-receptor retrogenic mice. <i>Nature Methods</i> , <b>2006</b> , 3, 191-7   | 21.6 | 125       |
| 64             | Targeting amino acid transport in metastatic castration-resistant prostate cancer: effects on cell cycle, cell growth, and tumor development. <i>Journal of the National Cancer Institute</i> , <b>2013</b> , 105, 1463-73 | 9.7  | 119       |
| 63             | Scalable signaling mediated by T cell antigen receptor-CD3 ITAMs ensures effective negative selection and prevents autoimmunity. <i>Nature Immunology</i> , <b>2008</b> , 9, 658-66  | 19.1 | 118       |
| 62             | L-type amino acid transport and cancer: targeting the mTORC1 pathway to inhibit neoplasia.  American Journal of Cancer Research, 2015, 5, 1281-94  | 4.4  | 106       |
| 61             | Micro-RNA response to imatinib mesylate in patients with chronic myeloid leukemia. <i>Haematologica</i> , <b>2010</b> , 95, 1325-33  | 6.6  | 86        |
| 60             | Inhibition of glutamine uptake regulates mTORC1, glutamine metabolism and cell growth in prostate cancer. <i>Cancer &amp; Metabolism</i> , <b>2014</b> , 2, P27  | 5.4  | 78        |

## (2010-2012)

| 59 | Androgen receptor and nutrient signaling pathways coordinate increased amino acid transport in prostate cancer progression. <i>BMC Proceedings</i> , <b>2012</b> , 6,   | 2.3               | 78 |  |
|----|---|-------------------|----|--|
| 58 | Luciferase expression and bioluminescence does not affect tumor cell growth in vitro or in vivo. <i>Molecular Cancer</i> , <b>2010</b> , 9, 299   | 42.1              | 70 |  |
| 57 | p27(Kip1) signaling: Transcriptional and post-translational regulation. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2015</b> , 68, 9-14  | 5.6               | 68 |  |
| 56 | Intron retention is regulated by altered MeCP2-mediated splicing factor recruitment. <i>Nature Communications</i> , <b>2017</b> , 8, 15134  | 17.4              | 63 |  |
| 55 | Impaired nutrient signaling and body weight control in a Na+ neutral amino acid cotransporter (Slc6a19)-deficient mouse. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 26638-51                         | 5.4               | 57 |  |
| 54 | The Fat1 cadherin is overexpressed and an independent prognostic factor for survival in paired diagnosis-relapse samples of precursor B-cell acute lymphoblastic leukemia. <i>Leukemia</i> , <b>2012</b> , 26, 918-26 | 5 <sup>10.7</sup> | 52 |  |
| 53 | Stromal androgen receptor regulates the composition of the microenvironment to influence prostate cancer outcome. <i>Oncotarget</i> , <b>2015</b> , 6, 16135-50   | 3.3               | 52 |  |
| 52 | Renal imino acid and glycine transport system ontogeny and involvement in developmental iminoglycinuria. <i>Biochemical Journal</i> , <b>2010</b> , 428, 397-407  | 3.8               | 48 |  |
| 51 | The role of serine/threonine protein phosphatases in exocytosis. <i>Biochemical Journal</i> , <b>2003</b> , 373, 641-59   | 93.8              | 47 |  |
| 50 | Transient translocation and activation of protein phosphatase 2A during mast cell secretion. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 6144-52  | 5.4               | 45 |  |
| 49 | Ligand Discovery for the Alanine-Serine-Cysteine Transporter (ASCT2, SLC1A5) from Homology Modeling and Virtual Screening. <i>PLoS Computational Biology</i> , <b>2015</b> , 11, e1004477                             | 5                 | 43 |  |
| 48 | RAB27A promotes melanoma cell invasion and metastasis via regulation of pro-invasive exosomes. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 3070-3085  | 7.5               | 43 |  |
| 47 | Extracellular Fatty Acids Are the Major Contributor to Lipid Synthesis in Prostate Cancer. <i>Molecular Cancer Research</i> , <b>2019</b> , 17, 949-962   | 6.6               | 41 |  |
| 46 | ASCT2 regulates glutamine uptake and cell growth in endometrial carcinoma. <i>Oncogenesis</i> , <b>2017</b> , 6, e36  | 5 <b>7</b> 6.6    | 40 |  |
| 45 | Heritable expansion of the genetic code in mouse and zebrafish. Cell Research, 2017, 27, 294-297  | 24.7              | 39 |  |
| 44 | The cancer-testis antigen BORIS phenocopies the tumor suppressor CTCF in normal and neoplastic cells. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 1603-13   | 7.5               | 37 |  |
| 43 | Targeting Vascular Endothelial-Cadherin in Tumor-Associated Blood Vessels Promotes T-cell-Mediated Immunotherapy. <i>Cancer Research</i> , <b>2017</b> , 77, 4434-4447  | 10.1              | 36 |  |
| 42 | Tonic ubiquitylation controls T-cell receptor:CD3 complex expression during T-cell development. <i>EMBO Journal</i> , <b>2010</b> , 29, 1285-98   | 13                | 36 |  |

| 41 | RBM3 regulates temperature sensitive miR-142-5p and miR-143 (thermomiRs), which target immune genes and control fever. <i>Nucleic Acids Research</i> , <b>2016</b> , 44, 2888-97                       | 20.1 | 34 |
|----|--|------|----|
| 40 | Ablation of the () gene encoding a neutral amino acid transporter reveals transporter plasticity and redundancy in cancer cells. <i>Journal of Biological Chemistry</i> , <b>2019</b> , 294, 4012-4026 | 5.4  | 34 |
| 39 | Distinct Molecular Profiles and Immunotherapy Treatment Outcomes of V600E and V600K -Mutant Melanoma. <i>Clinical Cancer Research</i> , <b>2019</b> , 25, 1272-1279                                    | 12.9 | 32 |
| 38 | Human DECR1 is an androgen-repressed survival factor that regulates PUFA oxidation to protect prostate tumor cells from ferroptosis. <i>ELife</i> , <b>2020</b> , 9,                                   | 8.9  | 31 |
| 37 | Bioactive Dihydro-Eagarofuran Sesquiterpenoids from the Australian Rainforest Plant Maytenus bilocularis. <i>Journal of Natural Products</i> , <b>2016</b> , 79, 1445-53                               | 4.9  | 29 |
| 36 | Protein phosphatases 1 and 2A transiently associate with myosin during the peak rate of secretion from mast cells. <i>Molecular Biology of the Cell</i> , <b>2002</b> , 13, 1083-98                    | 3.5  | 28 |
| 35 | LAT1 is a putative therapeutic target in endometrioid endometrial carcinoma. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 2529-39   | 7.5  | 28 |
| 34 | Guttiferone K impedes cell cycle re-entry of quiescent prostate cancer cells via stabilization of FBXW7 and subsequent c-MYC degradation. <i>Cell Death and Disease</i> , <b>2016</b> , 7, e2252       | 9.8  | 25 |
| 33 | Monoterpene glycoside ESK246 from Pittosporum targets LAT3 amino acid transport and prostate cancer cell growth. <i>ACS Chemical Biology</i> , <b>2014</b> , 9, 1369-76                                | 4.9  | 24 |
| 32 | Benzylserine inhibits breast cancer cell growth by disrupting intracellular amino acid homeostasis and triggering amino acid response pathways. <i>BMC Cancer</i> , <b>2018</b> , 18, 689              | 4.8  | 23 |
| 31 | Identification of nuclear-enriched miRNAs during mouse granulopoiesis. <i>Journal of Hematology and Oncology</i> , <b>2014</b> , 7, 42   | 22.4 | 23 |
| 30 | Tumour-specific CD4 T cells eradicate melanoma via indirect recognition of tumour-derived antigen. <i>Immunology and Cell Biology</i> , <b>2016</b> , 94, 593-603                                      | 5    | 18 |
| 29 | Amino Acid Transporters and Exchangers from the SLC1A Family: Structure, Mechanism and Roles in Physiology and Cancer. <i>Neurochemical Research</i> , <b>2020</b> , 45, 1268-1286                     | 4.6  | 16 |
| 28 | Homology Modeling Informs Ligand Discovery for the Glutamine Transporter ASCT2. <i>Frontiers in Chemistry</i> , <b>2018</b> , 6, 279   | 5    | 15 |
| 27 | Cancer-Associated Fibroblasts in Pancreatic Ductal Adenocarcinoma Determine Response to SLC7A11 Inhibition. <i>Cancer Research</i> , <b>2021</b> , 81, 3461-3479                                       | 10.1 | 15 |
| 26 | EGF-activated PI3K/Akt signalling coordinates leucine uptake by regulating LAT3 expression in prostate cancer. <i>Cell Communication and Signaling</i> , <b>2019</b> , 17, 83                          | 7.5  | 12 |
| 25 | LAT Transport Inhibitors from Pittosporum venulosum Identified by NMR Fingerprint Analysis.<br>Journal of Natural Products, <b>2015</b> , 78, 1215-20  | 4.9  | 12 |
| 24 | DNA methylation/hydroxymethylation regulate gene expression and alternative splicing during terminal granulopoiesis. <i>Epigenomics</i> , <b>2019</b> , 11, 95-109                                     | 4.4  | 11 |

| 23 | SAMHD1 enhances immunoglobulin hypermutation by promoting transversion mutation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 4921-4926  | 11.5     | 10 |
|----|---|----------|----|
| 22 | Protein phosphatase 2A carboxymethylation and regulatory B subunits differentially regulate mast cell degranulation. <i>Cellular Signalling</i> , <b>2010</b> , 22, 1882-90   | 4.9      | 10 |
| 21 | The antiproliferative ELF2 isoform, ELF2B, induces apoptosis in vitro and perturbs early lymphocytic development in vivo. <i>Journal of Hematology and Oncology</i> , <b>2017</b> , 10, 75  | 22.4     | 9  |
| 20 | Dihydro-Engarofurans from the Australian Endemic Rainforest Plant Denhamia pittosporoides Inhibit Leucine Transport in Prostate Cancer Cells. <i>Asian Journal of Organic Chemistry</i> , <b>2016</b> , 5, 1461-14                            | 6હે      | 9  |
| 19 | Targeting of cytosolic phospholipase A2[Impedes cell cycle re-entry of quiescent prostate cancer cells. <i>Oncotarget</i> , <b>2015</b> , 6, 34458-74   | 3.3      | 9  |
| 18 | RB/E2F1 as a Master Regulator of Cancer Cell Metabolism in Advanced Disease. <i>Cancer Discovery</i> , <b>2021</b> , 11, 2334-2353  | 24.4     | 9  |
| 17 | Dihydro-Eagarofurans from the roots of the Australian endemic rainforest tree Maytenus bilocularis act as leucine transport inhibitors. <i>Phytochemistry</i> , <b>2018</b> , 148, 71-77  | 4        | 8  |
| 16 | Identifying microRNA determinants of human myelopoiesis. Scientific Reports, 2018, 8, 7264  | 4.9      | 8  |
| 15 | Celastrofurans A-G: Dihydro-Eagarofurans from the Australian Rainforest Vine Celastrus subspicata and Their Inhibitory Effect on Leucine Transport in Prostate Cancer Cells. <i>Journal of Natural Products</i> , <b>2017</b> , 80, 1918-1925 | 4.9      | 6  |
| 14 | A feedback loop between the androgen receptor and 6-phosphogluoconate dehydrogenase (6PGD) drives prostate cancer growth. <i>ELife</i> , <b>2021</b> , 10,  | 8.9      | 6  |
| 13 | Inhibition of guanosine monophosphate synthetase (GMPS) blocks glutamine metabolism and prostate cancer growth. <i>Journal of Pathology</i> , <b>2021</b> , 254, 135-146  | 9.4      | 5  |
| 12 | Performance evaluation of the Abbott CELL-DYN Emerald for use as a bench-top analyzer in a research setting. <i>International Journal of Laboratory Hematology</i> , <b>2013</b> , 35, 447-56   | 2.5      | 4  |
| 11 | T-cell acute lymphoblastic leukemias express a unique truncated FAT1 isoform that cooperates with NOTCH1 in leukemia development. <i>Haematologica</i> , <b>2019</b> , 104, e204-e207   | 6.6      | 3  |
| 10 | Mutation Is a Prognostic Factor in Lower Grade Glioma and May Influence Chemotherapy Efficacy. <i>Cancers</i> , <b>2021</b> , 13,   | 6.6      | 2  |
| 9  | Synthesis of bilocularin A carbamate derivatives and their evaluation as leucine transport inhibitors in prostate cancer cells. <i>Phytochemistry</i> , <b>2020</b> , 179, 112478   | 4        | 2  |
| 8  | Dihydro-Engarofurans from the Australian rainforest plant Denhamia celastroides that inhibit leucine transport in prostate cancer cells. <i>Magnetic Resonance in Chemistry</i> , <b>2018</b> , 57, 101                                       | 2.1      | 2  |
| 7  | The use of retroviral vectors for gene transfer into hematopoietic stem cells. <i>Methods in Enzymology</i> , <b>2006</b> , 420, 82-100   | 1.7      | 1  |
| 6  | Cancer-associated fibroblasts in pancreatic ductal adenocarcinoma determine response to SLC7A11 inl   | nibitior | 1  |

5 Regulation of SLC1A4 and SLC1A5 in Prostate Cancer-Letter. *Molecular Cancer Research*, **2018**, 16, 1809-6**&**10 o

| 4 | Letter to the editor. <i>International Journal of Pharmaceutics</i> , <b>2013</b> , 455, 393  | 6.5 |
|---|---|-----|
| 3 | Protein phosphatase translocation in RBL-2H3 cells. <i>Methods in Enzymology</i> , <b>2003</b> , 366, 113-24  | 1.7 |
| 2 | Changes in CpG methylation marks differentiation of human myeloid progenitors to neutrophils. Stem Cell Investigation, <b>2014</b> , 1, 10                              | 5.1 |
| 1 | Intron Retention Coupled with Nonsense-Mediated Decay Determines Protein Expression and Nuclear Morphology in Granulopoiesis. <i>Blood</i> , <b>2012</b> , 120, 112-112 | 2.2 |