

Manoj K Saxena

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2579318/publications.pdf>

Version: 2024-02-01

61
papers

2,940
citations

279487

23
h-index

174990

52
g-index

62
all docs

62
docs citations

62
times ranked

3093
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Balanced Multielectrolyte Solution versus Saline in Critically Ill Adults. <i>New England Journal of Medicine</i> , 2022, 386, 815-826. | 13.9 | 139 |
| 2 | Ventilation management and outcomes in out-of-hospital cardiac arrest: a protocol for a preplanned secondary analysis of the TTM2 trial. <i>BMJ Open</i> , 2022, 12, e058001. | 0.8 | 3 |
| 3 | Hypothermic versus Normothermic Temperature Control after Cardiac Arrest. , 2022, 1, . | | 17 |
| 4 | An international comparison of the cost of fluid resuscitation therapies. <i>Australian Critical Care</i> , 2021, 34, 23-32. | 0.6 | 9 |
| 5 | The Plasma-Lyte 148 versus Saline (PLUS) statistical analysis plan: a multicentre, randomised controlled trial of the effect of intensive care fluid therapy on mortality. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 24-31. | 0.0 | 1 |
| 6 | Incorporating real-world evidence into the development of patient blood glucose prediction algorithms for the ICU. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2021, 28, 1642-1650. | 2.2 | 14 |
| 7 | Hypothermia versus Normothermia after Out-of-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2021, 384, 2283-2294. | 13.9 | 511 |
| 8 | Management of Australian Patients with Severe Traumatic Brain Injury: Are Potentially Harmful Treatments Still Used?. <i>Journal of Neurotrauma</i> , 2020, 37, 2686-2693. | 1.7 | 1 |
| 9 | Interventions to reduce body temperature to 35 °C to 37 °C in adults and children with traumatic brain injury. <i>The Cochrane Library</i> , 2020, 2020, CD006811. | 1.5 | 1 |
| 10 | Targeted hypothermia versus targeted normothermia after out-of-hospital cardiac arrest: a statistical analysis plan. <i>Trials</i> , 2020, 21, 831. | 0.7 | 7 |
| 11 | Plasma Cortisol, Aldosterone, and Ascorbic Acid Concentrations in Patients with Septic Shock Do Not Predict Treatment Effect of Hydrocortisone on Mortality. A Nested Cohort Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 700-707. | 2.5 | 7 |
| 12 | Protocol for outcome reporting and follow-up in the Targeted Hypothermia versus Targeted Normothermia after Out-of-Hospital Cardiac Arrest trial (TTM2). <i>Resuscitation</i> , 2020, 150, 104-112. | 1.3 | 19 |
| 13 | Relative Hypotension and Adverse Kidney-related Outcomes among Critically Ill Patients with Shock. A Multicenter, Prospective Cohort Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 1407-1418. | 2.5 | 32 |
| 14 | Effect of Stress Ulcer Prophylaxis With Proton Pump Inhibitors vs Histamine-2 Receptor Blockers on In-Hospital Mortality Among ICU Patients Receiving Invasive Mechanical Ventilation. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 616. | 3.8 | 134 |
| 15 | A multicentre point prevalence study of delirium assessment and management in patients admitted to Australian and New Zealand intensive care units. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2020, 22, 355-360. | 0.0 | 1 |
| 16 | The cost-effectiveness of adjunctive corticosteroids for patients with septic shock. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2020, 22, 191-199. | 0.0 | 1 |
| 17 | Randomised evaluation of active control of temperature versus ordinary temperature management (REACTOR) trial. <i>Intensive Care Medicine</i> , 2019, 45, 1382-1391. | 3.9 | 13 |
| 18 | Targeted hypothermia versus targeted Normothermia after out-of-hospital cardiac arrest (TTM2): A randomized clinical trial—Rationale and design. <i>American Heart Journal</i> , 2019, 217, 23-31. | 1.2 | 72 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Fever control in critically ill adults. An individual patient data meta-analysis of randomised controlled trials. <i>Intensive Care Medicine</i> , 2019, 45, 468-476. | 3.9 | 37 |
| 20 | The Plasma-Lyte 148 versus Saline (PLUS) study protocol amendment. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2019, 21, 284-86. | 0.0 | 0 |
| 21 | Temporal Trends in Functional Outcomes after Severe Traumatic Brain Injury: 2006–2015. <i>Journal of Neurotrauma</i> , 2018, 35, 1021-1029. | 1.7 | 28 |
| 22 | Fever control. <i>Intensive Care Medicine</i> , 2018, 44, 227-230. | 3.9 | 9 |
| 23 | Population pharmacokinetics of intravenous paracetamol in critically ill patients with traumatic brain injury. <i>Journal of Critical Care</i> , 2018, 47, 15-20. | 1.0 | 5 |
| 24 | Health-related outcomes of critically ill patients with and without sepsis. <i>Intensive Care Medicine</i> , 2018, 44, 1249-1257. | 3.9 | 41 |
| 25 | Changes in Temperature Management of Cardiac Arrest Patients Following Publication of the Target Temperature Management Trial*. <i>Critical Care Medicine</i> , 2018, 46, 1722-1730. | 0.4 | 97 |
| 26 | Effect of active temperature management on mortality in intensive care unit patients. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2018, 20, 150-163. | 0.0 | 6 |
| 27 | A cluster randomised, crossover, registry-embedded clinical trial of proton pump inhibitors versus histamine-2 receptor blockers for ulcer prophylaxis therapy in the intensive care unit (PEPTIC study): study protocol. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2018, 20, 182-189. | 0.0 | 4 |
| 28 | Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. <i>PLoS ONE</i> , 2017, 12, e0176292. | 1.1 | 95 |
| 29 | Protocol and statistical analysis plan for the Randomised Evaluation of Active Control of Temperature versus Ordinary Temperature Management (REACTOR) trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017, 19, 81-87. | 0.0 | 4 |
| 30 | Drivers of choice of resuscitation fluid in the intensive care unit: a discrete choice experiment. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017, 19, 134-141. | 0.0 | 1 |
| 31 | The Plasma-Lyte 148 v Saline (PLUS) study protocol: a multicentre, randomised controlled trial of the effect of intensive care fluid therapy on mortality. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017, 19, 239-246. | 0.0 | 21 |
| 32 | A Binational Multicenter Pilot Feasibility Randomized Controlled Trial of Early Goal-Directed Mobilization in the ICU*. <i>Critical Care Medicine</i> , 2016, 44, 1145-1152. | 0.4 | 164 |
| 33 | Acetaminophen for Fever in Critically Ill Patients with Suspected Infection. <i>New England Journal of Medicine</i> , 2016, 374, 1291-1293. | 13.9 | 3 |
| 34 | The ICU Mobility Scale Has Construct and Predictive Validity and Is Responsive. A Multicenter Observational Study. <i>Annals of the American Thoracic Society</i> , 2016, 13, 887-893. | 1.5 | 96 |
| 35 | Fluid Resuscitation. , 2016, , 47-53. | | 0 |
| 36 | The Effect of Paracetamol on Core Body Temperature in Acute Traumatic Brain Injury: A Randomised, Controlled Clinical Trial. <i>PLoS ONE</i> , 2015, 10, e0144740. | 1.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Resuscitation fluid use in Australian and New Zealand Intensive Care Units between 2007 and 2013. <i>Intensive Care Medicine</i> , 2015, 41, 1611-1619. | 3.9 | 42 |
| 38 | Paracetamol therapy and outcome of critically ill patients: a multicenter retrospective observational study. <i>Critical Care</i> , 2015, 19, 162. | 2.5 | 32 |
| 39 | Early temperature and mortality in critically ill patients with acute neurological diseases: trauma and stroke differ from infection. <i>Intensive Care Medicine</i> , 2015, 41, 823-832. | 3.9 | 106 |
| 40 | Early mobilization and recovery in mechanically ventilated patients in the ICU: a bi-national, multi-centre, prospective cohort study. <i>Critical Care</i> , 2015, 19, 81. | 2.5 | 248 |
| 41 | Acetaminophen for Fever in Critically Ill Patients with Suspected Infection. <i>New England Journal of Medicine</i> , 2015, 373, 2215-2224. | 13.9 | 183 |
| 42 | Association between early peak temperature and mortality in neutropenic sepsis. <i>Annals of Hematology</i> , 2015, 94, 857-864. | 0.8 | 10 |
| 43 | A multicentre audit of temperature patterns after traumatic brain injury. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2015, 17, 129-34. | 0.0 | 1 |
| 44 | Modest cooling therapies (35°C to 37.5°C) for traumatic brain injury. <i>The Cochrane Library</i> , 2014, , CD006811. | 1.5 | 15 |
| 45 | Fever management in intensive care patients with infections. <i>Critical Care</i> , 2014, 18, 206. | 2.5 | 43 |
| 46 | What's new with fever control in the ICU. <i>Intensive Care Medicine</i> , 2014, 40, 1147-1150. | 3.9 | 3 |
| 47 | A multicentre feasibility study evaluating stress ulcer prophylaxis using hospital-based registry data. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2014, 16, 158-63. | 0.0 | 2 |
| 48 | Temperature management in patients with acute neurological lesions: an Australian and New Zealand point prevalence study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2013, 15, 110-8. | 0.0 | 2 |
| 49 | Statistical analysis plan for the HEAT trial: a multicentre randomised placebo-controlled trial of intravenous paracetamol in intensive care unit patients with fever and infection. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2013, 15, 279-86. | 0.0 | 5 |
| 50 | Target temperature management after out-of-hospital cardiac arrest—a randomized, parallel-group, assessor-blinded clinical trial—rationale and design. <i>American Heart Journal</i> , 2012, 163, 541-548. | 1.2 | 141 |
| 51 | Intensive care unit acquired weakness. <i>Anaesthesia and Intensive Care Medicine</i> , 2012, 13, 145-147. | 0.1 | 11 |
| 52 | Clinical review: Early patient mobilization in the ICU. <i>Critical Care</i> , 2012, 17, 207. | 2.5 | 144 |
| 53 | A multicentre evaluation of two intensive care unit triage protocols for use in an influenza pandemic. <i>Medical Journal of Australia</i> , 2012, 197, 178-181. | 0.8 | 26 |
| 54 | Early peak temperature and mortality in critically ill patients with or without infection. <i>Intensive Care Medicine</i> , 2012, 38, 437-444. | 3.9 | 173 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Paracetamol in critical illness: a review. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2012, 14, 74-80. | 0.0 | 11 |
| 56 | The HEAT trial: a protocol for a multicentre randomised placebo-controlled trial of IV paracetamol in ICU patients with fever and infection. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2012, 14, 290-6. | 0.0 | 11 |
| 57 | Fever and antipyresis in infection. <i>Medical Journal of Australia</i> , 2011, 195, 458-459. | 0.8 | 9 |
| 58 | Fever and fever management among intensive care patients with known or suspected infection: a multicentre prospective cohort study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2011, 13, 97-102. | 0.0 | 12 |
| 59 | Modest cooling therapies (35°C to 37.5°C) for traumatic brain injury. , 2008, , CD006811. | | 6 |
| 60 | Patience and change: a conflict of interests?. <i>Critical Care</i> , 2006, 10, 422. | 2.5 | 0 |
| 61 | Analysis of blood glucose measurements using capillary and arterial blood samples in intensive care patients. <i>Intensive Care Medicine</i> , 2005, 31, 142-145. | 3.9 | 87 |