

Ernesto Fedele

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2579502/ernesto-fedele-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

2,883
citations

33
h-index

50
g-index

96
ext. papers

3,200
ext. citations

5.5
avg, IF

4.91
L-index

#	Paper	IF	Citations
92	Nearly 30 Years of Animal Models to Study Amyotrophic Lateral Sclerosis: A Historical Overview and Future Perspectives. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
91	Memory Enhancers for Alzheimer's Dementia: Focus on cGMP. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	3
90	Protein kinase G phosphorylates the Alzheimer's disease-associated tau protein at distinct Ser/Thr sites. <i>BioFactors</i> , 2021 , 47, 126-134	6.1	0
89	cGMP favors the interaction between APP and BACE1 by inhibiting Rab5 GTPase activity. <i>Scientific Reports</i> , 2020 , 10, 1358	4.9	1
88	Acute and Chronic Dopaminergic Depletion Differently Affect Motor Thalamic Function. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
87	Enhanced Function and Overexpression of Metabotropic Glutamate Receptors 1 and 5 in the Spinal Cord of the SOD1 Mouse Model of Amyotrophic Lateral Sclerosis during Disease Progression. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	9
86	Antagonizing α 7 nicotinic receptors with methyllycaconitine (MLA) potentiates receptor activity and memory acquisition. <i>Cellular Signalling</i> , 2019 , 62, 109338	4.9	14
85	Leucine-rich repeat kinase 2 phosphorylation on synapsin I regulates glutamate release at pre-synaptic sites. <i>Journal of Neurochemistry</i> , 2019 , 150, 264-281	6	11
84	The Novel Phosphodiesterase 9A Inhibitor BI 409306 Increases Cyclic Guanosine Monophosphate Levels in the Brain, Promotes Synaptic Plasticity, and Enhances Memory Function in Rodents. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019 , 371, 633-641	4.7	10
83	cAMP, cGMP and Amyloid β Three Ideal Partners for Memory Formation. <i>Trends in Neurosciences</i> , 2018 , 41, 255-266	13.3	28
82	Presynaptic GLP-1 receptors enhance the depolarization-evoked release of glutamate and GABA in the mouse cortex and hippocampus. <i>BioFactors</i> , 2018 , 44, 148-157	6.1	16
81	Homovanillic acid in CSF of mild stage Parkinson's disease patients correlates with motor impairment. <i>Neurochemistry International</i> , 2017 , 105, 58-63	4.4	24
80	Memory-enhancing effects of GEBR-32a, a new PDE4D inhibitor holding promise for the treatment of Alzheimer's disease. <i>Scientific Reports</i> , 2017 , 7, 46320	4.9	41
79	Amyloid- β Peptide Is Needed for cGMP-Induced Long-Term Potentiation and Memory. <i>Journal of Neuroscience</i> , 2017 , 37, 6926-6937	6.6	38
78	Altered fronto-striatal functions in the Gdi1-null mouse model of X-linked Intellectual Disability. <i>Neuroscience</i> , 2017 , 344, 346-359	3.9	6
77	Investigating the amyloid-beta enhancing effect of cGMP in neuro2a cells. <i>Mechanisms of Ageing and Development</i> , 2017 , 166, 1-5	5.6	4
76	The Amyloid Cascade Hypothesis in Alzheimer's Disease: It's Time to Change Our Mind. <i>Current Neuropharmacology</i> , 2017 , 15, 926-935	7.6	151

75	New insights into selective PDE4D inhibitors: 3-(Cyclopentyloxy)-4-methoxybenzaldehyde O-(2-(2,6-dimethylmorpholino)-2-oxoethyl) oxime (GEBR-7b) structural development and promising activities to restore memory impairment. <i>European Journal of Medicinal Chemistry</i> , 2016 , 124, 82-102	6.8	27
74	Amyloid β Walking on the dark side of the moon. <i>Mechanisms of Ageing and Development</i> , 2015 , 152, 1-4	5.6	18
73	Exocytosis regulates trafficking of GABA and glycine heterotransporters in spinal cord glutamatergic synapses: a mechanism for the excessive heterotransporter-induced release of glutamate in experimental amyotrophic lateral sclerosis. <i>Neurobiology of Disease</i> , 2015 , 74, 314-24	7.5	13
72	Evaluating the role of hnRNP-C and FMRP in the cAMP-induced APP metabolism. <i>BioFactors</i> , 2015 , 41, 121-6	6.1	4
71	Phosphodiesterase 4D: an enzyme to remember. <i>British Journal of Pharmacology</i> , 2015 , 172, 4785-9	8.6	20
70	Synthesis, biological activities and pharmacokinetic properties of new fluorinated derivatives of selective PDE4D inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 3426-35	3.4	10
69	Synthesis, biological evaluation, and molecular modeling of new 3-(cyclopentyloxy)-4-methoxybenzaldehyde O-(2-(2,6-dimethylmorpholino)-2-oxoethyl) Oxime (GEBR-7b) related phosphodiesterase 4D (PDE4D) inhibitors. <i>Journal of Medicinal Chemistry</i> , 2014 , 57, 7061-72	8.3	16
68	A novel mechanism for cyclic adenosine monophosphate-mediated memory formation: Role of amyloid beta. <i>Annals of Neurology</i> , 2014 , 75, 602-7	9.4	21
67	Improvement of spatial memory function in APP ^{swe} /PS1 ^{dE9} mice after chronic inhibition of phosphodiesterase type 4D. <i>Neuropharmacology</i> , 2014 , 77, 120-30	5.5	83
66	PDE4D inhibitors: a potential strategy for the treatment of memory impairment?. <i>Neuropharmacology</i> , 2014 , 85, 290-2	5.5	9
65	LRRK2 kinase activity regulates synaptic vesicle trafficking and neurotransmitter release through modulation of LRRK2 macro-molecular complex. <i>Frontiers in Molecular Neuroscience</i> , 2014 , 7, 49	6.1	64
64	Isolation of Hydroxyoctaprenyl-1',4'-hydroquinone, a new Octaprenylhydroquinone from the Marine Sponge <i>Sarcotragus spinosulus</i> and Evaluation of its Pharmacological Activity on Acetylcholine and Glutamate Release in the Rat Central Nervous System. <i>Natural Product Communications</i> , 2014 , 9, 1581-4	0.9	2
63	Isolation of hydroxyoctaprenyl-1',4'-hydroquinone, a new octaprenylhydroquinone from the marine sponge <i>Sarcotragus spinosulus</i> and evaluation of its pharmacological activity on acetylcholine and glutamate release in the rat central nervous system. <i>Natural Product Communications</i> , 2014 , 9, 1581-4	0.9	3
62	Re: Stereotactic microdialysis of the basal ganglia in Parkinson's disease. <i>Journal of Neuroscience Methods</i> , 2013 , 212, 362	3	2
61	Cyclic adenosine monophosphate as an endogenous modulator of the amyloid- β precursor protein metabolism. <i>IUBMB Life</i> , 2013 , 65, 127-33	4.7	14
60	Neuropeptide S inhibits release of 5-HT and glycine in mouse amygdala and frontal/prefrontal cortex through activation of the neuropeptide S receptor. <i>Neurochemistry International</i> , 2013 , 62, 360-6	4.4	4
59	Stimulation of the amyloid- β precursor protein metabolism by cAMP. <i>FASEB Journal</i> , 2013 , 27, 873.18	0.9	
58	Reduced GABA Content in the Motor Thalamus during Effective Deep Brain Stimulation of the Subthalamic Nucleus. <i>Frontiers in Systems Neuroscience</i> , 2011 , 5, 17	3.5	25

57	GEBR-7b, a novel PDE4D selective inhibitor that improves memory in rodents at non-emetic doses. <i>British Journal of Pharmacology</i> , 2011 , 164, 2054-63	8.6	107
56	The clinical efficacy of L-DOPA and STN-DBS share a common marker: reduced GABA content in the motor thalamus. <i>Cell Death and Disease</i> , 2011 , 2, e154	9.8	20
55	Presynaptic nicotinic α and non- α receptors stimulate endogenous GABA release from rat hippocampal synaptosomes through two mechanisms of action. <i>PLoS ONE</i> , 2011 , 6, e16911	3.7	23
54	Pre-synaptic nicotinic receptors evoke endogenous glutamate and aspartate release from hippocampal synaptosomes by way of distinct coupling mechanisms. <i>British Journal of Pharmacology</i> , 2010 , 161, 1161-71	8.6	35
53	Alterations of glutamate release in the spinal cord of mice with experimental autoimmune encephalomyelitis. <i>Journal of Neurochemistry</i> , 2010 , 115, 343-52	6	10
52	The pharmacological blockade of medial forebrain bundle induces an acute pathological synchronization of the cortico-subthalamic nucleus-globus pallidus pathway. <i>Journal of Physiology</i> , 2009 , 587, 4405-23	3.9	36
51	L-aspartate as an amino acid neurotransmitter: mechanisms of the depolarization-induced release from cerebrocortical synaptosomes. <i>Journal of Neurochemistry</i> , 2009 , 110, 924-34	6	42
50	Correlation between changes in CSF dopamine turnover and development of dyskinesia in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2009 , 15, 383-9	3.6	44
49	Electrophysiology and pharmacology of striatal neuronal dysfunction induced by mitochondrial complex I inhibition. <i>Journal of Neuroscience</i> , 2008 , 28, 8040-52	6.6	46
48	In vivo effects of phosphodiesterase inhibition on basal cyclic guanosine monophosphate levels in the prefrontal cortex, hippocampus and cerebellum of freely moving rats. <i>Journal of Neuroscience Research</i> , 2008 , 86, 3338-47	4.4	24
47	Mechanisms of glutamate release elicited in rat cerebrocortical nerve endings by 'pathologically' elevated extraterminal K ⁺ concentrations. <i>Journal of Neurochemistry</i> , 2007 , 103, 952-61	6	44
46	Helicobacter pylori eradication and l-dopa absorption in patients with PD and motor fluctuations. <i>Neurology</i> , 2006 , 66, 1824-9	6.5	131
45	Biochemical and electrophysiological changes of substantia nigra pars reticulata driven by subthalamic stimulation in patients with Parkinson's disease. <i>European Journal of Neuroscience</i> , 2006 , 23, 2923-8	3.5	95
44	Cyclo-oxygenase-1 and -2 differently contribute to prostaglandin E2 synthesis and lipid peroxidation after in vivo activation of N-methyl-D-aspartate receptors in rat hippocampus. <i>Journal of Neurochemistry</i> , 2005 , 93, 1561-7	6	105
43	Subthalamic stimulation activates internal pallidus: evidence from cGMP microdialysis in PD patients. <i>Annals of Neurology</i> , 2005 , 57, 448-52	9.4	104
42	Biochemical Markers of DBS-Induced Transition from Off to On State in Parkinsonian Patients 2005 , 397-406		
41	Glutamate-mediated overexpression of CD38 in astrocytes cultured with neurones. <i>Journal of Neurochemistry</i> , 2004 , 89, 264-72	6	41
40	Delayed administration may improve entacapone effects in parkinsonian patients non-responding to the drug. <i>European Journal of Neurology</i> , 2004 , 11, 593-606	6	8

39	Effects of phosphodiesterase inhibition on cortical spreading depression and associated changes in extracellular cyclic GMP. <i>Biochemical Pharmacology</i> , 2004 , 67, 1619-27	6	14
38	Temporal administration of entacapone with slow release L-dopa: pharmacokinetic profile and clinical outcome. <i>Neurological Sciences</i> , 2004 , 25, 53-6	3.5	3
37	GABA(A), but not NMDA, receptors modulate in vivo NO-mediated cGMP synthesis in the rat cerebral cortex. <i>Neuropharmacology</i> , 2004 , 46, 480-9	5.5	25
36	The NOS/sGC pathway in the rat central nervous system: a microdialysis overview. <i>Neurochemistry International</i> , 2004 , 45, 787-97	4.4	37
35	In vivo activation of N-methyl-D-aspartate receptors in the rat hippocampus increases prostaglandin E(2) extracellular levels and triggers lipid peroxidation through cyclooxygenase-mediated mechanisms. <i>Journal of Neurochemistry</i> , 2002 , 81, 1028-34	6	65
34	Dbs in Parkinsonian Subthalamic Nucleus: Electrophysiological and Biochemical Changes. <i>Advances in Behavioral Biology</i> , 2002 , 3-12		
33	Reduced L-dopa absorption and increased clinical fluctuations in Helicobacter pylori-infected Parkinson's disease patients. <i>Neurological Sciences</i> , 2001 , 22, 89-91	3.5	60
32	Evidence of a role for cyclic ADP-ribose in calcium signalling and neurotransmitter release in cultured astrocytes. <i>Journal of Neurochemistry</i> , 2001 , 78, 646-57	6	106
31	Helicobacter pylori-induced reduction of acute levodopa absorption in Parkinson's disease patients. <i>Annals of Neurology</i> , 2001 , 50, 686-7	9.4	35
30	In vivo NO/cGMP signalling in the hippocampus. <i>Neurochemical Research</i> , 2001 , 26, 1069-78	4.6	15
29	Microdialysis in Parkinsonian patient basal ganglia: acute apomorphine-induced clinical and electrophysiological effects not paralleled by changes in the release of neuroactive amino acids. <i>Experimental Neurology</i> , 2001 , 167, 356-65	5.7	37
28	Benzodiazepine-sensitive GABA(A) receptors limit the activity of the NMDA/NO/cyclic GMP pathway: a microdialysis study in the cerebellum of freely moving rats. <i>Journal of Neurochemistry</i> , 2000 , 75, 782-7	6	33
27	Native human neocortex release-regulating dopamine D2 type autoreceptors are dopamine D2 subtype. <i>European Journal of Neuroscience</i> , 1999 , 11, 2351-8	3.5	11
26	Intracerebral administration of L-kynurenine decreases N-methyl-D-aspartate receptor-mediated production of cGMP in the cerebellum and hippocampus of unanaesthetized rats subjected to transcerebral microdialysis. <i>Neuroscience Letters</i> , 1999 , 266, 81-4	3.3	7
25	In vivo studies of the cerebral glutamate receptor/NO/cGMP pathway. <i>Progress in Neurobiology</i> , 1999 , 58, 89-120	10.9	141
24	Nicotine administration stimulates the in vivo N-methyl-D-aspartate receptor/nitric oxide/cyclic GMP pathway in rat hippocampus through glutamate release. <i>British Journal of Pharmacology</i> , 1998 , 125, 1042-8	8.6	68
23	The glutamate receptor/NO/cyclic GMP pathway in the hippocampus of freely moving rats: modulation by cyclothiazide, interaction with GABA and the behavioural consequences. <i>Neuropharmacology</i> , 1997 , 36, 1393-403	5.5	22
22	In vivo microdialysis study of GABA(A) and GABA(B) receptors modulating the glutamate receptor/NO/cyclic GMP pathway in the rat hippocampus. <i>Neuropharmacology</i> , 1997 , 36, 1405-15	5.5	29

21	Activation of brain nitric oxide synthase in depolarized human temporal cortex slices: differential role of voltage-sensitive calcium channels. <i>British Journal of Pharmacology</i> , 1997 , 122, 930-4	8.6	6
20	D-serine modulates the NMDA receptor/nitric oxide/cGMP pathway in the rat cerebellum during in vivo microdialysis. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1997 , 355, 43-7	3.4	19
19	In vivo microdialysis study of a specific inhibitor of soluble guanylyl cyclase on the glutamate receptor/nitric oxide/cyclic GMP pathway. <i>British Journal of Pharmacology</i> , 1996 , 119, 590-4	8.6	66
18	Desensitization of AMPA receptors and AMPA-NMDA receptor interaction: an in vivo cyclic GMP microdialysis study in rat cerebellum. <i>British Journal of Pharmacology</i> , 1996 , 117, 1133-8	8.6	32
17	Ectocellular in vitro and in vivo metabolism of cADP-ribose in cerebellum. <i>Biochemical Journal</i> , 1996 , 320, 665-671	3.8	52
16	Transmitter release associated with long-term synaptic depression in rat corticostriatal slices. <i>European Journal of Neuroscience</i> , 1995 , 7, 1889-94	3.5	35
15	Heterocarrier-mediated reciprocal modulation of glutamate and glycine release in rat cerebral cortex and spinal cord synaptosomes. <i>European Journal of Pharmacology</i> , 1994 , 252, 61-7	5.3	13
14	Evaluation of the mechanisms underlying the kainate-induced impairment of [3H]dopamine release in the rat striatum. <i>European Journal of Pharmacology</i> , 1993 , 249, 71-7	5.3	4
13	Age-related decrease of the NMDA receptor-mediated noradrenaline release in rat hippocampus and partial restoration by D-cycloserine. <i>European Journal of Pharmacology</i> , 1993 , 231, 129-34	5.3	51
12	Release-regulating dopamine autoreceptors in human cerebral cortex. <i>British Journal of Pharmacology</i> , 1993 , 110, 20-2	8.6	12
11	An evaluation of the role of extracellular amino acids in the delayed neurodegeneration induced by quinolinic acid in the rat striatum. <i>Neuroscience</i> , 1993 , 52, 911-7	3.9	30
10	Autoradiographical evaluation of [3H]glycine uptake in rat forebrain: cellular localization in the hippocampus. <i>Neuroscience Letters</i> , 1993 , 161, 4-8	3.3	6
9	Glutamic acid and gamma-aminobutyric acid modulate each other's release through heterocarriers sited on the axon terminals of rat brain. <i>Journal of Neurochemistry</i> , 1993 , 61, 222-30	6	39
8	[3H]glycine uptake in rat hippocampus: kinetic analysis and autoradiographic localization. <i>Brain Research</i> , 1992 , 572, 154-63	3.7	32
7	Dopamine release and dopaminergic inhibition of acetylcholine release in rat striatal slices after nigro-striatal hemitransection and parenteral ganglioside administration. <i>European Journal of Pharmacology</i> , 1992 , 213, 17-24	5.3	5
6	Cholinergic modulation of [3H]dopamine release from dendrosomes of rat substantia nigra. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1991 , 344, 275-80	3.4	16
5	Glycine enhances [3H]noradrenaline release from slices of rat hippocampus. <i>Neuroscience Letters</i> , 1990 , 116, 352-6	3.3	4
4	Glycine stimulates [3H]noradrenaline release by activating a strychnine-sensitive receptor present in rat hippocampus. <i>European Journal of Pharmacology</i> , 1990 , 184, 239-50	5.3	33

3	Presynaptic mechanisms underlying the gamma-aminobutyric acid-evoked receptor-independent release of [3H]norepinephrine in rat hippocampus. <i>Journal of Neurochemistry</i> , 1989 , 52, 1854-8	6	20
2	Acetylcholine release from rat hippocampal slices is modulated by 5-hydroxytryptamine. <i>European Journal of Pharmacology</i> , 1989 , 165, 173-9	53	71
1	Functional damage of dopamine nerve terminals following intrastriatal kainic acid injection. <i>Brain Research</i> , 1989 , 480, 242-8	37	11