

Peter B Jones

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2580335/publications.pdf>

Version: 2024-02-01

651
papers

50,123
citations

1172

111
h-index

3106

187
g-index

721
all docs

721
docs citations

721
times ranked

32451
citing authors

#	ARTICLE	IF	CITATIONS
1	Shared goals for mental health research: what, why and when for the 2020s. <i>Journal of Mental Health</i> , 2023, 32, 997-1005.	1.9	39
2	Longitudinal association between cardiovascular risk factors and depression in young people: a systematic review and meta-analysis of cohort studies. <i>Psychological Medicine</i> , 2023, 53, 1049-1059.	4.5	9
3	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405.	4.5	9
4	Happier during lockdown: a descriptive analysis of self-reported wellbeing in 17,000 UK school students during Covid-19 lockdown. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 1131-1146.	4.7	38
5	Leveraging Administrative Data to Better Understand and Address Child Maltreatment: A Scoping Review of Data Linkage Studies. <i>Child Maltreatment</i> , 2023, 28, 176-195.	3.3	9
6	Why Is Non-suicidal Self-injury More Common in Women? Mediation and Moderation Analyses of Psychological Distress, Emotion Dysregulation, and Impulsivity. <i>Archives of Suicide Research</i> , 2023, 27, 905-921.	2.3	8
7	Association between common early-childhood infection and subsequent depressive symptoms and psychotic experiences in adolescence: a population-based longitudinal birth cohort study. <i>Psychological Medicine</i> , 2022, 52, 2166-2176.	4.5	4
8	On Dimensionality, Measurement Invariance, and Suitability of Sum Scores for the PHQ-9 and the GAD-7. <i>Assessment</i> , 2022, 29, 355-366.	3.1	38
9	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 1376-1385.	4.5	17
10	Authors' reply to "on the existence of a linguistic distance in schizophrenia". <i>Psychological Medicine</i> , 2022, 52, 798-799.	4.5	9
11	Examining pathways between genetic liability for schizophrenia and patterns of tobacco and cannabis use in adolescence. <i>Psychological Medicine</i> , 2022, 52, 132-139.	4.5	7
12	Cross-sectional and longitudinal associations between psychotic and depressive symptoms in depressed adolescents. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 729-736.	4.7	6
13	Rethinking the course of psychotic disorders: modelling long-term symptom trajectories. <i>Psychological Medicine</i> , 2022, 52, 2641-2650.	4.5	11
14	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.	4.5	22
15	Determinants of patient-reported outcome trajectories and symptomatic recovery in Improving Access to Psychological Therapies (IAPT) services. <i>Psychological Medicine</i> , 2022, 52, 3231-3240.	4.5	4
16	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.	4.5	7
17	Behavioral measures of impulsivity and compulsivity in adolescents with nonsuicidal self-injury. <i>CNS Spectrums</i> , 2022, 27, 604-612.	1.2	7
18	Age at onset of mental disorders worldwide: large-scale meta-analysis of 192 epidemiological studies. <i>Molecular Psychiatry</i> , 2022, 27, 281-295.	7.9	967

#	ARTICLE	IF	CITATIONS
19	Qualitative study of candidacy and access to secondary mental health services during the COVID-19 pandemic. <i>Social Science and Medicine</i> , 2022, 296, 114711.	3.8	22
20	Evidence for Shared Genetic Aetiology Between Schizophrenia, Cardiometabolic, and Inflammation-Related Traits: Genetic Correlation and Colocalization Analyses. <i>Schizophrenia Bulletin Open</i> , 2022, 3, sgac001.	1.7	19
21	Developing a Web-Based App to Assess Mental Health Difficulties in Secondary School Pupils: Qualitative User-Centered Design Study. <i>JMIR Formative Research</i> , 2022, 6, e30565.	1.4	4
22	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	4.3	9
23	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114.	4.3	9
24	Determining stakeholder priorities and core components for school-based identification of mental health difficulties: A Delphi study. <i>Journal of School Psychology</i> , 2022, 91, 209-227.	2.9	7
25	Cognitive function in early-phase schizophrenia-spectrum disorder: IQ subtypes, brain volume and immune markers. <i>Psychological Medicine</i> , 2022, , 1-10.	4.5	3
26	Inflammation and Brain Structure in Schizophrenia and Other Neuropsychiatric Disorders. <i>JAMA Psychiatry</i> , 2022, 79, 498.	11.0	99
27	Body mass index in the middle-aged offspring of parents with severe mental illness. <i>Psychological Medicine</i> , 2022, , 1-7.	4.5	0
28	Association between lithium use and the incidence of dementia and its subtypes: A retrospective cohort study. <i>PLoS Medicine</i> , 2022, 19, e1003941.	8.4	24
29	Brain charts for the human lifespan. <i>Nature</i> , 2022, 604, 525-533.	27.8	518
30	Associations between COVID-19 pandemic impact, dimensions of behavior and eating disorders: A longitudinal UK-based study. <i>Comprehensive Psychiatry</i> , 2022, 115, 152304.	3.1	10
31	Prevalence, progress, and subgroup disparities in pharmacological antidepressant treatment of those who screen positive for depressive symptoms: A repetitive cross-sectional study in 19 European countries. <i>Lancet Regional Health - Europe</i> , The, 2022, 17, 100368.	5.6	9
32	Age and gender effects on non-suicidal self-injury, and their interplay with psychological distress. <i>Journal of Affective Disorders</i> , 2022, 306, 240-245.	4.1	41
33	Mindfulness-based programmes for mental health promotion in adults in non-clinical settings: protocol of an individual participant data meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2022, 12, e058976.	1.9	2
34	Global population attributable fraction of potentially modifiable risk factors for mental disorders: a meta-umbrella systematic review. <i>Molecular Psychiatry</i> , 2022, 27, 3510-3519.	7.9	29
35	Device-measured sleep onset and duration in the development of depressive symptoms in adolescence. <i>Journal of Affective Disorders</i> , 2022, 310, 396-403.	4.1	3
36	Sexually divergent development of depression-related brain networks during healthy human adolescence. <i>Science Advances</i> , 2022, 8, .	10.3	14

#	ARTICLE	IF	CITATIONS
37	Adolescent development of multiscale structural wiring and functional interactions in the human connectome. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	18
38	Association between circulating levels of C-reactive protein and positive and negative symptoms of psychosis in adolescents in a general population birth cohort. Journal of Psychiatric Research, 2021, 143, 534-542.	3.1	12
39	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. Psychological Medicine, 2021, 51, 2074-2082.	4.5	7
40	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI caseâ€“control study. Psychological Medicine, 2021, 51, 1329-1337.	4.5	38
41	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI caseâ€“control study. Psychological Medicine, 2021, 51, 1536-1548.	4.5	58
42	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. Psychological Medicine, 2021, 51, 623-633.	4.5	34
43	Deconstructing depression and negative symptoms of schizophrenia; differential and longitudinal immune correlates, and response to minocycline treatment. Brain, Behavior, and Immunity, 2021, 91, 498-504.	4.1	28
44	Neurological Signs at the First Psychotic Episode as Correlates of Long-Term Outcome: Results From the AESOP-10 Study. Schizophrenia Bulletin, 2021, 47, 118-127.	4.3	20
45	Inflammatory and cardiometabolic markers at presentation with first episode psychosis and long-term clinical outcomes: A longitudinal study using electronic health records. Brain, Behavior, and Immunity, 2021, 91, 117-127.	4.1	13
46	Diagnostic stability and outcome after first episode psychosis. Journal of Mental Health, 2021, 30, 104-112.	1.9	9
47	Brief psychological interventions for borderline personality disorder. A systematic review and meta-analysis of randomised controlled trials. Clinical Psychology Review, 2021, 83, 101937.	11.4	8
48	Acceptability and Feasibility of Early Identification of Mental Health Difficulties in Primary Schools: A Qualitative Exploration of UK School Staff and Parentsâ€™ Perceptions. School Mental Health, 2021, 13, 143-159.	2.1	7
49	Brain micro-architecture and disinhibition: a latent phenotyping study across 33 impulsive and compulsive behaviours. Neuropsychopharmacology, 2021, 46, 423-431.	5.4	13
50	<i>Breaking the web</i>: life beyond the at-risk mental state for psychosis. Psychological Medicine, 2021, 51, 934-939.	4.5	7
51	Mindfulness-based programmes for mental health promotion in adults in nonclinical settings: A systematic review and meta-analysis of randomised controlled trials. PLoS Medicine, 2021, 18, e1003481.	8.4	115
52	Review article: Have emergency department timeâ€“based targets influenced patient care? A systematic review of qualitative literature. EMA - Emergency Medicine Australasia, 2021, 33, 202-213.	1.1	4
53	Improved social functioning following social recovery therapy in first episode psychosis: Do social cognition and neurocognition change following therapy, and do they predict treatment response?. Schizophrenia Research, 2021, 228, 249-255.	2.0	3
54	Using epidemiological evidence to forecast population need for early treatment programmes in mental health: a generalisable Bayesian prediction methodology applied to and validated for first-episode psychosis in England. British Journal of Psychiatry, 2021, 219, 383-391.	2.8	16

#	ARTICLE	IF	CITATIONS
55	An expanding manifold in transmodal regions characterizes adolescent reconfiguration of structural connectome organization. <i>ELife</i> , 2021, 10, .	6.0	47
56	The potential shared role of inflammation in insulin resistance and schizophrenia: A bidirectional two-sample mendelian randomization study. <i>PLoS Medicine</i> , 2021, 18, e1003455.	8.4	37
57	Longitudinal Trends in Childhood Insulin Levels and Body Mass Index and Associations With Risks of Psychosis and Depression in Young Adults. <i>JAMA Psychiatry</i> , 2021, 78, 416.	11.0	42
58	Childhood inflammatory markers and risks for psychosis and depression at age 24: Examination of temporality and specificity of association in a population-based prospective birth cohort. <i>Schizophrenia Research</i> , 2021, 230, 69-76.	2.0	17
59	Remote care for mental health: qualitative study with service users, carers and staff during the COVID-19 pandemic. <i>BMJ Open</i> , 2021, 11, e049210.	1.9	77
60	The impact of manic symptoms in first-episode psychosis: Findings from the UK National EDEN study. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 358-367.	4.5	2
61	A qualitative study of experiences of NHS mental healthcare workers during the Covid-19 pandemic. <i>BMC Psychiatry</i> , 2021, 21, 250.	2.6	88
62	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.	4.3	17
63	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1653-1662.	4.3	4
64	Modernising measurement in psychiatry: item banks and computerised adaptive testing. <i>Lancet Psychiatry</i> , 2021, 8, 354-356.	7.4	8
65	Examining the relationship between altered brain functional connectome and disinhibition across 33 impulsive and compulsive behaviours. <i>British Journal of Psychiatry</i> , 2021, , 1-3.	2.8	2
66	Sexual and physical abuse and depressive symptoms in the UK Biobank. <i>BMC Psychiatry</i> , 2021, 21, 248.	2.6	11
67	Longitudinal association between CRP levels and risk of psychosis: a meta-analysis of population-based cohort studies. <i>NPJ Schizophrenia</i> , 2021, 7, 31.	3.6	19
68	The progression of disorder-specific brain pattern expression in schizophrenia over 9 years. <i>NPJ Schizophrenia</i> , 2021, 7, 32.	3.6	10
69	Preference uncertainty accounts for developmental effects on susceptibility to peer influence in adolescence. <i>Nature Communications</i> , 2021, 12, 3823.	12.8	16
70	Association of inflammation with depression and anxiety: evidence for symptom-specificity and potential causality from UK Biobank and NESDA cohorts. <i>Molecular Psychiatry</i> , 2021, 26, 7393-7402.	7.9	107
71	The challenges and opportunities of mental health data sharing in the UK. <i>The Lancet Digital Health</i> , 2021, 3, e333-e336.	12.3	18
72	Decision-making ability, psychopathology, and brain connectivity. <i>Neuron</i> , 2021, 109, 2025-2040.e7.	8.1	34

#	ARTICLE	IF	CITATIONS
73	Inflammation and Depression: A Public Health Perspective. <i>Brain, Behavior, and Immunity</i> , 2021, 95, 1-3.	4.1	25
74	Should the Australasian College for Emergency Medicine advocate for time-based targets as a quality indicator? A Quality Indicator Critical Appraisal evaluation. <i>EMA - Emergency Medicine Australasia</i> , 2021, 33, 767-768.	1.1	1
75	Development and external validation of the Psychosis Metabolic Risk Calculator (PsyMetRiC): a cardiometabolic risk prediction algorithm for young people with psychosis. <i>Lancet Psychiatry</i> , 2021, 8, 589-598.	7.4	24
76	Risk factors for excess deaths during lockdown among older users of secondary care mental health services without confirmed COVID-19: A retrospective cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1899-1907.	2.7	6
77	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.	4.8	12
78	Role of inflammation in depression and anxiety: Tests for disorder specificity, linearity and potential causality of association in the UK Biobank. <i>EClinicalMedicine</i> , 2021, 38, 100992.	7.1	33
79	Understanding the excess psychosis risk in ethnic minorities: the impact of structure and identity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1913-1921.	3.1	28
80	Risk and protective factors for mental disorders beyond genetics: an evidence-based atlas. <i>World Psychiatry</i> , 2021, 20, 417-436.	10.4	127
81	Direction of association between Cardiovascular risk and depressive symptoms during the first 18 years of life: A prospective birth cohort study. <i>Journal of Affective Disorders</i> , 2021, 292, 508-516.	4.1	5
82	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.	2.0	4
83	Associations of immunological proteins/traits with schizophrenia, major depression and bipolar disorder: A bi-directional two-sample mendelian randomization study. <i>Brain, Behavior, and Immunity</i> , 2021, 97, 176-185.	4.1	72
84	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33.	10.4	153
85	Development and Validation of a Nonremission Risk Prediction Model in First-Episode Psychosis: An Analysis of 2 Longitudinal Studies. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab041.	1.7	5
86	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23
87	Multi-Round Trust Game Quantifies Inter-Individual Differences in Social Exchange from Adolescence to Adulthood. <i>Computational Psychiatry</i> , 2021, 5, 102-118.	2.0	6
88	Precursors and correlates of transient and persistent longitudinal profiles of psychotic experiences from late childhood through early adulthood. <i>British Journal of Psychiatry</i> , 2021, , 1-9.	2.8	5
89	Testing the Independent and Joint Contribution of Exposure to Neurodevelopmental Adversity and Childhood Trauma to Risk of Psychotic Experiences in Adulthood. <i>Schizophrenia Bulletin</i> , 2021, 47, 776-784.	4.3	5
90	Structure and stability of symptoms in first episode psychosis: a longitudinal network approach. <i>Translational Psychiatry</i> , 2021, 11, 567.	4.8	14

#	ARTICLE	IF	CITATIONS
91	Longer-term mortality following SARS-CoV-2 infection in people with severe mental illness: retrospective case-matched study. <i>BJPsych Open</i> , 2021, 7, e201.	0.7	6
92	Stratification of adolescents across mental phenomena emphasizes the importance of transdiagnostic distress: a replication in two general population cohorts. <i>European Child and Adolescent Psychiatry</i> , 2021, , 1.	4.7	1
93	Variation in resources and impact on performance: results of the emergency department benchmarking survey. <i>New Zealand Medical Journal</i> , 2021, 134, 64-72.	0.5	0
94	A class-contrastive human-interpretable machine learning approach to predict mortality in severe mental illness. <i>NPJ Schizophrenia</i> , 2021, 7, 60.	3.6	2
95	A Computational Analysis of Abnormal Belief Updating Processes and Their Association With Psychotic Experiences and Childhood Trauma in a UK Birth Cohort. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, , .	1.5	5
96	Shared mechanisms between coronary heart disease and depression: findings from a large UK general population-based cohort. <i>Molecular Psychiatry</i> , 2020, 25, 1477-1486.	7.9	153
97	Symptom remission at 12-weeks strongly predicts long-term recovery from the first episode of psychosis. <i>Psychological Medicine</i> , 2020, 50, 1452-1462.	4.5	16
98	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	4.3	14
99	Longitudinal population subgroups of CRP and risk of depression in the ALSPAC birth cohort. <i>Comprehensive Psychiatry</i> , 2020, 96, 152143.	3.1	13
100	White matter tract myelin maturation and its association with general psychopathology in adolescence and early adulthood. <i>Human Brain Mapping</i> , 2020, 41, 827-839.	3.6	42
101	Mindfulness-Based Interventions for University Students: A Systematic Review and Meta-Analysis of Randomised Controlled Trials. <i>Applied Psychology: Health and Well-Being</i> , 2020, 12, 384-410.	3.0	125
102	A Population-Based Cohort Study Examining the Incidence and Impact of Psychotic Experiences From Childhood to Adulthood, and Prediction of Psychotic Disorder. <i>American Journal of Psychiatry</i> , 2020, 177, 308-317.	7.2	98
103	A follow-up study to a randomised control trial to investigate the perceived impact of mindfulness on academic performance in university students. <i>Counselling and Psychotherapy Research</i> , 2020, 20, 286-301.	3.2	14
104	Revisiting CAPE-P15 cut-off values to increase sensitivity for detecting psychotic experiences in primary care. <i>Schizophrenia Research</i> , 2020, 216, 507-510.	2.0	3
105	Schizotypy-Related Magnetization of Cortex in Healthy Adolescence Is Colocated With Expression of Schizophrenia-Related Genes. <i>Biological Psychiatry</i> , 2020, 88, 248-259.	1.3	59
106	Multiple Holdouts With Stability: Improving the Generalizability of Machine Learning Analyses of Brain-Behavior Relationships. <i>Biological Psychiatry</i> , 2020, 87, 368-376.	1.3	32
107	The early impact of COVID-19 on mental health and community physical health services and their patients' mortality in Cambridgeshire and Peterborough, UK. <i>Journal of Psychiatric Research</i> , 2020, 131, 244-254.	3.1	100
108	Advancing methodology for scoping reviews: recommendations arising from a scoping literature review (SLR) to inform transformation of Children and Adolescent Mental Health Services. <i>BMC Medical Research Methodology</i> , 2020, 20, 242.	3.1	11

#	ARTICLE	IF	CITATIONS
109	Cardiometabolic risk prediction algorithms for young people with psychosis: a systematic review and exploratory analysis. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 215-232.	4.5	15
110	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	2.0	6
111	Eligibility criteria for extracorporeal cardiopulmonary resuscitation at Auckland City Hospital: A retrospective cohort study. <i>EMA - Emergency Medicine Australasia</i> , 2020, 32, 960-966.	1.1	4
112	Prevalence of treatment resistance and clozapine use in early intervention services. <i>BJPsych Open</i> , 2020, 6, e107.	0.7	26
113	Use of nasal high flow oxygen during acute respiratory failure. <i>Intensive Care Medicine</i> , 2020, 46, 2238-2247.	8.2	109
114	Establishing a Theory-Based Multi-Level Approach for Primary Prevention of Mental Disorders in Young People. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9445.	2.6	14
115	Common mechanisms for type 2 diabetes and psychosis: Findings from a prospective birth cohort. <i>Schizophrenia Research</i> , 2020, 223, 227-235.	2.0	10
116	How do the prevalence and relative risk of non-suicidal self-injury and suicidal thoughts vary across the population distribution of common mental distress (the p factor)? Observational analyses replicated in two independent UK cohorts of young people. <i>BMJ Open</i> , 2020, 10, e032494.	1.9	12
117	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom. <i>PLoS ONE</i> , 2020, 15, e0230674.	2.5	22
118	Prevalence of and recovery from common mental disorder including psychotic experiences in the UK Primary Care Improving Access to Psychological Therapies (IAPT) Programme. <i>Journal of Affective Disorders</i> , 2020, 272, 84-90.	4.1	27
119	Psychological interventions for people with psychotic experiences: A systematic review and meta-analysis of controlled and uncontrolled effectiveness and economic studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 673-695.	2.3	12
120	Personality disorder in an Early Intervention Psychosis cohort: Findings from the Social Epidemiology of Psychoses in East Anglia (SEPEA) study. <i>PLoS ONE</i> , 2020, 15, e0234047.	2.5	3
121	Effect of delaying treatment of first-episode psychosis on symptoms and social outcomes: a longitudinal analysis and modelling study. <i>Lancet Psychiatry</i> , 2020, 7, 602-610.	7.4	66
122	Feasibility of School-Based Identification of Children and Adolescents Experiencing, or At-risk of Developing, Mental Health Difficulties: a Systematic Review. <i>Prevention Science</i> , 2020, 21, 581-603.	2.6	41
123	Cannabis use influence on peripheral brain-derived neurotrophic factor levels in antipsychotic-naïve first-episode psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 851-858.	3.2	6
124	Neurocomputational mechanisms underpinning aberrant social learning in young adults with low self-esteem. <i>Translational Psychiatry</i> , 2020, 10, 96.	4.8	23
125	Conservative and disruptive modes of adolescent change in human brain functional connectivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 3248-3253.	7.1	96
126	Reinforcement learning as an intermediate phenotype in psychosis? Deficits sensitive to illness stage but not associated with polygenic risk of schizophrenia in the general population. <i>Schizophrenia Research</i> , 2020, 222, 389-396.	2.0	16

#	ARTICLE	IF	CITATIONS
127	What proportion of healthcare worker masks carry virus? A systematic review. EMA - Emergency Medicine Australasia, 2020, 32, 823-829.	1.1	9
128	Principles of risk, screening, and prevention in psychiatry. , 2020, , 11-43.		2
129	The EUropean Network of National Schizophrenia Networks Studying Geneâ€“Environment Interactions (EU-GEI): Incidence and First-Episode Caseâ€“Control Programme. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 645-657.	3.1	41
130	Immune dysregulation among students exposed to exam stress and its mitigation by mindfulness training: findings from an exploratory randomised trial. Scientific Reports, 2020, 10, 5812.	3.3	19
131	Cardiometabolic risk in young adults with depression and evidence of inflammation: A birth cohort study. Psychoneuroendocrinology, 2020, 116, 104682.	2.7	12
132	Childhood socioâ€“economic disadvantage predicts reduced myelin growth across adolescence and young adulthood. Human Brain Mapping, 2020, 41, 3392-3402.	3.6	31
133	The Australasian Resuscitation In Sepsis Evaluation: Fluids or vasopressors in emergency department sepsis (ARISE FLUIDS), a multiâ€“centre observational study describing current practice in Australia and New Zealand. EMA - Emergency Medicine Australasia, 2020, 32, 586-598.	1.1	32
134	More sensitive identification of psychotic experiences in common mental disorder by primary mental healthcare services â€“ effect on prevalence and recovery: casting the net wider. BJPsych Open, 2020, 6, e136.	0.7	6
135	Title is missing!. , 2020, 15, e0230674.		0
136	Title is missing!. , 2020, 15, e0230674.		0
137	Title is missing!. , 2020, 15, e0230674.		0
138	Title is missing!. , 2020, 15, e0230674.		0
139	Study of immunotherapy in antibody positive psychosis: feasibility and acceptability (SINAPPS1). Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 365-367.	1.9	19
140	Brain-behaviour modes of covariation in healthy and clinically depressed young people. Scientific Reports, 2019, 9, 11536.	3.3	31
141	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. Journal of Clinical Medicine, 2019, 8, 1081.	2.4	10
142	Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. American Journal of Psychiatry, 2019, 176, 811-819.	7.2	123
143	Prevalence of low-grade inflammation in depression: a systematic review and meta-analysis of CRP levels. Psychological Medicine, 2019, 49, 1958-1970.	4.5	385
144	Development and validation of multivariable prediction models of remission, recovery, and quality of life outcomes in people with first episode psychosis: a machine learning approach. The Lancet Digital Health, 2019, 1, e261-e270.	12.3	33

#	ARTICLE	IF	CITATIONS
145	Intravenous immunoglobulin and rituximab versus placebo treatment of antibody-associated psychosis: study protocol of a randomised phase IIa double-blinded placebo-controlled trial (SINAPPS2). <i>Trials</i> , 2019, 20, 331.	1.6	7
146	Psychological interventions for people with psychotic experiences: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2019, 8, 124.	5.3	2
147	Compulsivity and impulsivity traits linked to attenuated developmental frontostriatal myelination trajectories. <i>Nature Neuroscience</i> , 2019, 22, 992-999.	14.8	86
148	International incidence of psychotic disorders, 2002â€“17: a systematic review and meta-analysis. <i>Lancet Public Health</i> , The, 2019, 4, e229-e244.	10.0	176
149	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , the, 2019, 6, 427-436.	7.4	528
150	Association between developmental milestones and age of schizophrenia onset: Results from the Northern Finland Birth Cohort 1966. <i>Schizophrenia Research</i> , 2019, 208, 228-234.	2.0	7
151	Embedding Recovery to Transform Inpatient Mental Health Care: The 333 Model. <i>Psychiatric Services</i> , 2019, 70, 465-473.	2.0	10
152	Cross-sectional study of diet patterns in early and chronic schizophrenia. <i>Schizophrenia Research</i> , 2019, 208, 451-453.	2.0	6
153	Delphi study to identify key features of community-based child and adolescent mental health services in the East of England. <i>BMJ Open</i> , 2019, 9, e022936.	1.9	15
154	The incidence of psychotic disorders: only the tip of the iceberg?. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2019, 80, 688-689.	0.5	2
155	Short-term outcome of first episode delusional disorder in an early intervention population. <i>Schizophrenia Research</i> , 2019, 204, 72-79.	2.0	4
156	A systematic review of effectiveness and cost-effectiveness of school-based identification of children and young people at risk of, or currently experiencing mental health difficulties. <i>Psychological Medicine</i> , 2019, 49, 9-19.	4.5	61
157	Longitudinal association between inflammatory markers and specific symptoms of depression in a prospective birth cohort. <i>Brain, Behavior, and Immunity</i> , 2019, 76, 74-81.	4.1	81
158	Identifying key targets for interventions to improve psychological wellbeing: replicable results from four UK cohorts. <i>Psychological Medicine</i> , 2019, 49, 2389-2396.	4.5	26
159	Neuropsychological function at first episode in treatment-resistant psychosis: findings from the A†SOP-10 study. <i>Psychological Medicine</i> , 2019, 49, 2100-2110.	4.5	22
160	Predicting first-episode psychosis patients who will never relapse over 10 years. <i>Psychological Medicine</i> , 2019, 49, 2206-2214.	4.5	22
161	Insight and risk of suicidal behaviour in two first-episode psychosis cohorts: Effects of previous suicide attempts and depression. <i>Schizophrenia Research</i> , 2019, 204, 80-89.	2.0	28
162	Polygenic Risk Score for Schizophrenia and Face-Processing Network in Young Adulthood. <i>Schizophrenia Bulletin</i> , 2019, 45, 835-845.	4.3	7

#	ARTICLE	IF	CITATIONS
163	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.	4.5	69
164	Duration of untreated psychosis and clinical outcomes of first episode psychosis: An observational and an instrumental variables analysis. <i>Microbial Biotechnology</i> , 2019, 13, 841-847.	1.7	21
165	Lived experiences of negative symptoms in first episode psychosis: A qualitative secondary analysis. <i>Microbial Biotechnology</i> , 2019, 13, 773-779.	1.7	8
166	Systemic inflammation and intelligence in early adulthood and subsequent risk of schizophrenia and other non-affective psychoses: a longitudinal cohort and co-relative study. <i>Psychological Medicine</i> , 2019, 49, 295-302.	4.5	22
167	Minocycline for negative symptoms of schizophrenia and possible mechanistic actions: the BeneMin RCT. <i>Efficacy and Mechanism Evaluation</i> , 2019, 6, 1-66.	0.7	2
168	Prevalence and correlates of low-grade systemic inflammation in adult psychiatric inpatients: An electronic health record-based study. <i>Psychoneuroendocrinology</i> , 2018, 91, 226-234.	2.7	75
169	Association of Childhood Infection With IQ and Adult Nonaffective Psychosis in Swedish Men. <i>JAMA Psychiatry</i> , 2018, 75, 356.	11.0	40
170	Poor family functioning mediates the link between childhood adversity and adolescent nonsuicidal self-harm. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018, 59, 881-887.	5.2	49
171	A mindfulness-based intervention to increase resilience to stress in university students (the Mindful) Tj ETQq1 1 0.784314 rgBT /Over 10.0 268	10.0	268
172	Morphometric Similarity Networks Detect Microscale Cortical Organization and Predict Inter-Individual Cognitive Variation. <i>Neuron</i> , 2018, 97, 231-247.e7.	8.1	307
173	Structural covariance networks are coupled to expression of genes enriched in supragranular layers of the human cortex. <i>NeuroImage</i> , 2018, 171, 256-267.	4.2	177
174	Association between childhood infection, serum inflammatory markers and intelligence: findings from a population-based prospective birth cohort study. <i>Epidemiology and Infection</i> , 2018, 146, 256-264.	2.1	10
175	Clinically significant personality traits in individuals at high risk of developing psychosis. <i>Psychiatry Research</i> , 2018, 261, 498-503.	3.3	14
176	Catechol O-methyltransferase (COMT) functional haplotype is associated with recurrence of affective symptoms: A prospective birth cohort study. <i>Journal of Affective Disorders</i> , 2018, 229, 437-442.	4.1	5
177	Urban Birth, Urban Living, and Work Migrancy: Differential Effects on Psychotic Experiences Among Young Chinese Men. <i>Schizophrenia Bulletin</i> , 2018, 44, 1123-1132.	4.3	12
178	Long-term effects of discontinuation from antipsychotic maintenance following first-episode schizophrenia and related disorders: a 10 year follow-up of a randomised, double-blind trial. <i>Lancet Psychiatry</i> , 2018, 5, 432-442.	7.4	97
179	Adolescent Tuning of Association Cortex in Human Structural Brain Networks. <i>Cerebral Cortex</i> , 2018, 28, 281-294.	2.9	195
180	Early sustained recovery following first episode psychosis: Evidence from the AESOP10 follow-up study. <i>Schizophrenia Research</i> , 2018, 199, 341-345.	2.0	12

#	ARTICLE	IF	CITATIONS
181	Sporadic and recurrent non-suicidal self-injury before age 14 and incident onset of psychiatric disorders by 17 years: prospective cohort study. <i>British Journal of Psychiatry</i> , 2018, 212, 222-226.	2.8	78
182	Early intervention for incipient insanity: early notions from the 19 th century English literature. <i>Microbial Biotechnology</i> , 2018, 12, 708-714.	1.7	1
183	Psychometric Validation of the Parental Bonding Instrument in a U.K. Population-Based Sample: Role of Gender and Association With Mental Health in Mid-Late Life. <i>Assessment</i> , 2018, 25, 716-728.	3.1	22
184	Antidepressant activity of anti-cytokine treatment: a systematic review and meta-analysis of clinical trials of chronic inflammatory conditions. <i>Molecular Psychiatry</i> , 2018, 23, 335-343.	7.9	452
185	Attachment styles and clinical correlates in people at ultra high risk for psychosis. <i>British Journal of Psychology</i> , 2018, 109, 45-62.	2.3	11
186	Common mental disorder including psychotic experiences: Trailblazing a new recovery pathway within the Improving Access to Psychological Therapies programme in England. <i>Microbial Biotechnology</i> , 2018, 12, 497-504.	1.7	21
187	Cognitive profiles in childhood and adolescence differ between adult psychotic and affective symptoms: a prospective birth cohort study. <i>Psychological Medicine</i> , 2018, 48, 11-22.	4.5	8
188	Cost-effectiveness of early intervention services for psychosis and fidelity to national policy implementation guidance. <i>Microbial Biotechnology</i> , 2018, 12, 747-756.	1.7	12
189	Metacognitive beliefs as psychological predictors of social functioning: An investigation with young people at risk of psychosis. <i>Psychiatry Research</i> , 2018, 262, 520-526.	3.3	21
190	Developmental cognitive neuroscience using latent change score models: A tutorial and applications. <i>Developmental Cognitive Neuroscience</i> , 2018, 33, 99-117.	4.0	282
191	Association of Environment With the Risk of Developing Psychotic Disorders in Rural Populations. <i>JAMA Psychiatry</i> , 2018, 75, 75.	11.0	46
192	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018, 75, 36.	11.0	235
193	Copy number variants in people with autism spectrum disorders and co-morbid psychosis. <i>European Journal of Medical Genetics</i> , 2018, 61, 230-234.	1.3	10
194	Social recovery therapy in combination with early intervention services for enhancement of social recovery in patients with first-episode psychosis (SUPEREDEN3): a single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 41-50.	7.4	67
195	Association between a functional interleukin 6 receptor genetic variant and risk of depression and psychosis in a population-based birth cohort. <i>Brain, Behavior, and Immunity</i> , 2018, 69, 264-272.	4.1	86
196	Childhood inflammatory markers and intelligence as predictors of subsequent persistent depressive symptoms: a longitudinal cohort study. <i>Psychological Medicine</i> , 2018, 48, 1514-1522.	4.5	52
197	Early intervention in psychosis: From clinical intervention to health system implementation. <i>Microbial Biotechnology</i> , 2018, 12, 757-764.	1.7	44
198	Acceptability of screening for mental health difficulties in primary schools: a survey of UK parents. <i>BMC Public Health</i> , 2018, 18, 1404.	2.9	21

#	ARTICLE	IF	CITATIONS
199	Change, stability, and instability in the Pavlovian guidance of behaviour from adolescence to young adulthood. PLoS Computational Biology, 2018, 14, e1006679.	3.2	39
200	The association between pubertal status and depressive symptoms and diagnoses in adolescent females: A population-based cohort study. PLoS ONE, 2018, 13, e0198804.	2.5	37
201	Protocol for the insight study: a randomised controlled trial of single-dose tocilizumab in patients with depression and low-grade inflammation. BMJ Open, 2018, 8, e025333.	1.9	51
202	The benefit of minocycline on negative symptoms of schizophrenia in patients with recent-onset psychosis (BeneMin): a randomised, double-blind, placebo-controlled trial. Lancet Psychiatry, 2018, 5, 885-894.	7.4	133
203	Coproducing healthcare service improvement for people with common mental health disorders including psychotic experiences: a study protocol of a multiperspective qualitative study. BMJ Open, 2018, 8, e026064.	1.9	0
204	Cohort Profile: The NSPN 2400 Cohort: a developmental sample supporting the Wellcome Trust NeuroScience in Psychiatry Network. International Journal of Epidemiology, 2018, 47, 18-19g.	1.9	68
205	Predictors of disengagement from Early Intervention in Psychosis services. British Journal of Psychiatry, 2018, 213, 477-483.	2.8	17
206	Weaving Causal Explanations of Schizophrenia in Urban Areas. JAMA Psychiatry, 2018, 75, 878.	11.0	5
207	Inpatient use and area-level socio-environmental factors in people with psychosis. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 1133-1140.	3.1	8
208	Abnormal reward prediction-error signalling in antipsychotic naive individuals with first-episode psychosis or clinical risk for psychosis. Neuropsychopharmacology, 2018, 43, 1691-1699.	5.4	60
209	Personality dimensions emerging during adolescence and young adulthood are underpinned by a single latent trait indexing impairment in social functioning. BMC Psychiatry, 2018, 18, 23.	2.6	8
210	Commentary on: Mendelson T & Eaton WW. Recent advances in the prevention of mental disorders. SPPE (2018). Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 889-891.	3.1	0
211	Investigating the genetic architecture of general and specific psychopathology in adolescence. Translational Psychiatry, 2018, 8, 145.	4.8	49
212	Fidelity scales and performance measures to support implementation and quality assurance for first episode psychosis services. Microbial Biotechnology, 2018, 12, 1235-1242.	1.7	35
213	Early motor developmental milestones and schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2017, 188, 13-20.	2.0	50
214	Reduction in adolescent depression after contact with mental health services: a longitudinal cohort study in the UK. Lancet Psychiatry, 2017, 4, 120-127.	7.4	86
215	Waiting time variation in Early Intervention Psychosis services: longitudinal evidence from the SEPEA naturalistic cohort study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 563-574.	3.1	5
216	Serum neuronal cell-surface antibodies in first-episode psychosis – Authors' reply. Lancet Psychiatry, 2017, 4, 187-188.	7.4	5

#	ARTICLE	IF	CITATIONS
217	Usefulness of the CAPE-P15 for detecting people at ultra-high risk for psychosis: Psychometric properties and cut-off values. Schizophrenia Research, 2017, 189, 69-74.	2.0	54
218	Adolescent friendships predict later resilient functioning across psychosocial domains in a healthy community cohort. Psychological Medicine, 2017, 47, 2312-2322.	4.5	158
219	Immunopsychiatry: important facts. Psychological Medicine, 2017, 47, 2229-2237.	4.5	117
220	A scoping literature review of service-level barriers for access and engagement with mental health services for children and young people. Children and Youth Services Review, 2017, 77, 164-176.	1.9	88
221	Lifetime antipsychotic medication and cognitive performance in schizophrenia at age 43 years in a general population birth cohort. Psychiatry Research, 2017, 247, 130-138.	3.3	68
222	Early adversity and brain response to faces in young adulthood. Human Brain Mapping, 2017, 38, 4470-4478.	3.6	10
223	Reduction in adolescent depression after contact with mental health services: a longitudinal cohort study in the UK. Lancet Psychiatry, the, 2017, 4, e8-e9.	7.4	2
224	Prevalence and clinical characteristics of serum neuronal cell surface antibodies in first-episode psychosis: a case-control study. Lancet Psychiatry, the, 2017, 4, 42-48.	7.4	143
225	Psychosis in autism: Comparison of the features of both conditions in a dually affected cohort. British Journal of Psychiatry, 2017, 210, 269-275.	2.8	89
226	Child and adolescent mental health services: longitudinal data sheds light on current policy for psychological interventions in the community. Journal of Public Mental Health, 2017, 16, 96-99.	1.1	15
227	Lifetime use of psychiatric medications and cognition at 43 years of age in schizophrenia in the Northern Finland Birth Cohort 1966. European Psychiatry, 2017, 45, 50-58.	0.2	9
228	Mutualistic Coupling Between Vocabulary and Reasoning Supports Cognitive Development During Late Adolescence and Early Adulthood. Psychological Science, 2017, 28, 1419-1431.	3.3	77
229	Ethnicity and long-term course and outcome of psychotic disorders in a UK sample: The A+SOP-10 study. British Journal of Psychiatry, 2017, 211, 88-94.	2.8	71
230	The Epidemiology of First-Episode Psychosis in Early Intervention in Psychosis Services: Findings From the Social Epidemiology of Psychoses in East Anglia [SEPEA] Study. American Journal of Psychiatry, 2017, 174, 143-153.	7.2	96
231	Serum C-reactive protein in adolescence and risk of schizophrenia in adulthood: A prospective birth cohort study. Brain, Behavior, and Immunity, 2017, 59, 253-259.	4.1	100
232	Ethnic Minority Status, Age-at-Immigration and Psychosis Risk in Rural Environments: Evidence From the SEPEA Study. Schizophrenia Bulletin, 2017, 43, 1251-1261.	4.3	79
233	Monoamine Oxidase A (MAOA) Gene and Personality Traits from Late Adolescence through Early Adulthood: A Latent Variable Investigation. Frontiers in Psychology, 2017, 8, 1736.	2.1	12
234	The MindfulBreather: Motion Guided Mindfulness. Frontiers in Human Neuroscience, 2017, 11, 613.	2.0	3

#	ARTICLE	IF	CITATIONS
235	Characterising the latent structure and organisation of self-reported thoughts, feelings and behaviours in adolescents and young adults. PLoS ONE, 2017, 12, e0175381.	2.5	42
236	Friendships and Family Support Reduce Subsequent Depressive Symptoms in At-Risk Adolescents. PLoS ONE, 2016, 11, e0153715.	2.5	151
237	Effects of ignoring clustered data structure in confirmatory factor analysis of ordered polytomous items: a simulation study based on PANSS. International Journal of Methods in Psychiatric Research, 2016, 25, 205-219.	2.1	6
238	Protocol for the Mindful Student Study: a randomised controlled trial of the provision of a mindfulness intervention to support university students' well-being and resilience to stress. BMJ Open, 2016, 6, e012300.	1.9	27
239	Association of birth weight and the development of antipsychotic induced adiposity in individuals with treatment resistant schizophrenia. European Neuropsychopharmacology, 2016, 26, 972-978.	0.7	10
240	Ten-year outcomes in first episode psychotic major depression patients compared with schizophrenia and bipolar patients. Schizophrenia Research, 2016, 176, 417-422.	2.0	23
241	Association between childhood psychiatric disorders and psychotic experiences in adolescence: A population-based longitudinal study. Comprehensive Psychiatry, 2016, 69, 45-52.	3.1	16
242	Consistency in adult reporting of adverse childhood experiences. Psychological Medicine, 2016, 46, 543-549.	4.5	198
243	The course of negative symptom in first episode psychosis and the relationship with social recovery. Schizophrenia Research, 2016, 174, 165-171.	2.0	49
244	Association between serum C-reactive protein and DSM-IV generalized anxiety disorder in adolescence: Findings from the ALSPAC cohort. Neurobiology of Stress, 2016, 4, 55-61.	4.0	43
245	Serum BDNF levels before and after the development of mood disorders: a case-control study in a population cohort. Translational Psychiatry, 2016, 6, e782-e782.	4.8	28
246	First-generation antipsychotics: not gone but forgotten. BJPsych Bulletin, 2016, 40, 93-96.	1.1	6
247	Gene transcription profiles associated with inter-modular hubs and connection distance in human functional magnetic resonance imaging networks. Philosophical Transactions of the Royal Society B: Biological Sciences, 2016, 371, 20150362.	4.0	188
248	Short-term outcome of substance-induced psychotic disorder in a large UK first episode psychosis cohort. Acta Psychiatrica Scandinavica, 2016, 134, 321-328.	4.5	15
249	Body mass index and brain white matter structure in young adults at risk for psychosis - The Oulu Brain and Mind Study. Psychiatry Research - Neuroimaging, 2016, 254, 169-176.	1.8	13
250	A systematic review and meta-analysis of randomised controlled trials of treatments for clozapine-induced obesity and metabolic syndrome. European Neuropsychopharmacology, 2016, 26, 1353-1365.	0.7	34
251	Adolescence is associated with genomically patterned consolidation of the hubs of the human brain connectome. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 9105-9110.	7.1	415
252	A decade into Facebook: where is psychiatry in the digital age?. Lancet Psychiatry, the, 2016, 3, 1087-1090.	7.4	28

#	ARTICLE	IF	CITATIONS
253	Outcomes following first-episode psychosis “ Why we should intervene early in all ages, not only in youth. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1055-1063.	2.3	25
254	Intensive community outreach for those at ultra high risk of psychosis: dilution, not solution “ Authors' reply. Lancet Psychiatry,the, 2016, 3, 18-19.	7.4	0
255	Neighbourhood communalities and ultra-high risk psychosis: An emergent literature. Schizophrenia Research, 2016, 176, 312-313.	2.0	1
256	Early intervention services in psychosis: from evidence to wide implementation. Microbial Biotechnology, 2016, 10, 540-546.	1.7	44
257	Cannabis Use Is Associated With Increased Psychotic Symptoms and Poorer Psychosocial Functioning in First-Episode Psychosis: A Report From the UK National EDEN Study. Schizophrenia Bulletin, 2016, 42, 619-625.	4.3	80
258	Brain structural changes in women and men during midlife. Neuroscience Letters, 2016, 615, 107-112.	2.1	15
259	The therapeutic value of atropine for critical care intubation. Archives of Disease in Childhood, 2016, 101, 77-80.	1.9	11
260	Evidence of Common Genetic Overlap Between Schizophrenia and Cognition. Schizophrenia Bulletin, 2016, 42, 832-842.	4.3	102
261	Phenotypic Manifestation of Genetic Risk for Schizophrenia During Adolescence in the General Population. JAMA Psychiatry, 2016, 73, 221.	11.0	197
262	The ROOTS study: a 10-year review of findings on adolescent depression, and recommendations for future longitudinal research. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 161-170.	3.1	24
263	From early intervention in psychosis to youth mental health reform: a review of the evolution and transformation of mental health services for young people. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 319-326.	3.1	139
264	Biological and psychosocial risk factors for psychotic major depression. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 233-245.	3.1	19
265	Brain structural deficits and working memory fMRI dysfunction in young adults who were diagnosed with ADHD in adolescence. European Child and Adolescent Psychiatry, 2016, 25, 529-538.	4.7	30
266	Adolescent Self-Organization and Adult Smoking and Drinking over Fifty Years of Follow-Up: The British 1946 Birth Cohort. PLoS ONE, 2016, 11, e0146731.	2.5	4
267	Understanding causes of and developing effective interventions for schizophrenia and other psychoses. Programme Grants for Applied Research, 2016, 4, 1-184.	1.0	3
268	Negative cognition, affect, metacognition and dimensions of paranoia in people at ultra-high risk of psychosis: a multi-level modelling analysis. Psychological Medicine, 2015, 45, 2675-2684.	4.5	23
269	Childhood adversity subtypes and depressive symptoms in early and late adolescence. Development and Psychopathology, 2015, 27, 885-899.	2.3	54
270	Prenatal maternal influenza and schizophrenia in offspring: What does this tell us about fetal programming of chronic disease?. Journal of Pediatric Infectious Diseases, 2015, 07, 061-068.	0.2	0

#	ARTICLE	IF	CITATIONS
271	Social and spatial heterogeneity in psychosis proneness in a multilevel caseâ€“prodromeâ€“control study. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 283-292.	4.5	22
272	Poor premorbid school performance, but not severity of illness, predicts cognitive decline in schizophrenia in midlife. <i>Schizophrenia Research: Cognition</i> , 2015, 2, 120-126.	1.3	9
273	Use of the Theory of Planned Behaviour to assess factors influencing the identification of students at clinical high-risk for psychosis in 16+ Education. <i>BMC Health Services Research</i> , 2015, 15, 411.	2.2	10
274	The effects of sexual violence on psychosocial outcomes in formerly abducted girls in Northern Uganda: the WAYS study. <i>BMC Psychology</i> , 2015, 3, 46.	2.1	17
275	Diagnostic change 10 years after a first episode of psychosis. <i>Psychological Medicine</i> , 2015, 45, 2757-2769.	4.5	74
276	Inflammation and immunity in schizophrenia: implications for pathophysiology and treatment. <i>Lancet Psychiatry</i> , 2015, 2, 258-270.	7.4	644
277	First-Rank Symptoms and Premorbid Adjustment in Young Individuals at Increased Risk of Developing Psychosis. <i>Psychopathology</i> , 2015, 48, 120-126.	1.5	20
278	Investigating trajectories of social recovery in individuals with first-episode psychosis: A latent class growth analysis. <i>British Journal of Psychiatry</i> , 2015, 207, 536-543.	2.8	70
279	Ten-Year Outcomes of First-Episode Psychoses in the MRC A* SOP-10 Study. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 379-386.	1.0	90
280	Clinical effectiveness and cost-effectiveness of tailored intensive liaison between primary and secondary care to identify individuals at risk of a first psychotic illness (the LEGs study): a cluster-randomised controlled trial. <i>Lancet Psychiatry</i> , 2015, 2, 984-993.	7.4	47
281	Central executive network in young people with familial risk for psychosis â€” The Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015, 161, 177-183.	2.0	11
282	Comparing time use in individuals at different stages of psychosis and a non-clinical comparison group. <i>Schizophrenia Research</i> , 2015, 161, 188-193.	2.0	72
283	Schizophrenia and other psychotic disorders in Caribbean-born migrants and their descendants in England: systematic review and meta-analysis of incidence rates, 1950â€“2013. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1039-1055.	3.1	54
284	Mood, anxiety and psychotic phenomena measure a common psychopathological factor. <i>Psychological Medicine</i> , 2015, 45, 1483-1493.	4.5	128
285	Layers of listening: Qualitative analysis of the impact of early intervention services for first-episode psychosis on carers' experiences. <i>British Journal of Psychiatry</i> , 2015, 207, 135-142.	2.8	47
286	The impact of neuroscience on society: cognitive enhancement in neuropsychiatric disorders and in healthy people. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015, 370, 20140214.	4.0	74
287	Longitudinal regional brain volume loss in schizophrenia: Relationship to antipsychotic medication and change in social function. <i>Schizophrenia Research</i> , 2015, 168, 297-304.	2.0	56
288	A population-based prospective birth cohort study of childhood neurocognitive and psychological functioning in healthy survivors of early life meningitis. <i>Annals of Epidemiology</i> , 2015, 25, 236-242.	1.9	23

#	ARTICLE	IF	CITATIONS
289	Self esteem and self agency in first episode psychosis: Ethnic variation and relationship with clinical presentation. <i>Psychiatry Research</i> , 2015, 227, 213-218.	3.3	18
290	Interaction Between Parental Psychosis and Early Motor Development and the Risk of Schizophrenia in a General Population Birth Cohort. <i>European Psychiatry</i> , 2015, 30, 719-727.	0.2	21
291	Changes in verbal learning and memory in schizophrenia and non-psychotic controls in midlife: A nine-year follow-up in the Northern Finland Birth Cohort study 1966. <i>Psychiatry Research</i> , 2015, 228, 671-679.	3.3	10
292	The benefit of minocycline on negative symptoms in early-phase psychosis in addition to standard care - extent and mechanism (BeneMin): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 71.	1.6	8
293	Functional mapping of dynamic happy and fearful facial expressions in young adults with familial risk for psychosis â€” Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015, 164, 242-249.	2.0	16
294	Gender differences in the association between childhood physical and sexual abuse, social support and psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1489-1500.	3.1	41
295	Hearing voices: Are we getting the message?. <i>British Journal of Psychiatry</i> , 2015, 207, 271-272.	2.8	0
296	Cerebellar activity in young people with familial risk for psychosis â€” The Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015, 169, 46-53.	2.0	7
297	Psychometric precision in phenotype definition is a useful step in molecular genetic investigation of psychiatric disorders. <i>Translational Psychiatry</i> , 2015, 5, e593-e593.	4.8	14
298	Mortality in Schizophrenia and Other Psychoses: A 10-Year Follow-up of the Ó”SOP First-Episode Cohort. <i>Schizophrenia Bulletin</i> , 2015, 41, 664-673.	4.3	128
299	Behavioural and molecular endophenotypes in psychotic disorders reveal heritable abnormalities in glutamatergic neurotransmission. <i>Translational Psychiatry</i> , 2015, 5, e540-e540.	4.8	13
300	White matter structure in young adults with familial risk for psychosis â€” The Oulu Brain and Mind Study. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 388-393.	1.8	8
301	Elevated morning cortisol is a stratified population-level biomarker for major depression in boys only with high depressive symptoms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3638-3643.	7.1	97
302	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	4.3	229
303	Substance use in people at clinical high-risk for psychosis. <i>BMC Psychiatry</i> , 2014, 14, 361.	2.6	8
304	War experiences, general functioning and barriers to care among former child soldiers in Northern Uganda: the WAYS study. <i>Journal of Public Health</i> , 2014, 36, 568-576.	1.8	23
305	Trauma history characteristics associated with mental states at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2014, 220, 237-244.	3.3	36
306	A Population-Based Study of Genetic Variation and Psychotic Experiences in Adolescents. <i>Schizophrenia Bulletin</i> , 2014, 40, 1254-1262.	4.3	74

#	ARTICLE	IF	CITATIONS
307	Social Deprivation, Inequality, and the Neighborhood-Level Incidence of Psychotic Syndromes in East London. <i>Schizophrenia Bulletin</i> , 2014, 40, 169-180.	4.3	193
308	Adolescent Self-control Predicts Midlife Hallucinatory Experiences: 40-Year Follow-up of a National Birth Cohort. <i>Schizophrenia Bulletin</i> , 2014, 40, 1543-1551.	4.3	10
309	Interplay Between Childhood Physical Abuse and Familial Risk in the Onset of Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2014, 40, 1443-1451.	4.3	41
310	Caregiving in first-episode psychosis: social characteristics associated with perceived "burden" and associations with compulsory treatment. <i>Microbial Biotechnology</i> , 2014, 8, 122-129.	1.7	46
311	Young people's views of <sc>UK</sc> mental health services. <i>Microbial Biotechnology</i> , 2014, 8, 12-23.	1.7	75
312	Linking the Developmental and Degenerative Theories of Schizophrenia: Association Between Infant Development and Adult Cognitive Decline. <i>Schizophrenia Bulletin</i> , 2014, 40, 1319-1327.	4.3	21
313	The <sc>UK</sc> national evaluation of the development and impact of <sc>E</sc>arly <sc>I</sc>ntervention <sc>S</sc>ervices (the <sc>N</sc>ational <sc>EDEN</sc> studies): study rationale, design and baseline characteristics. <i>Microbial Biotechnology</i> , 2014, 8, 59-67.	1.7	62
314	Immunotherapy for patients with acute psychosis and serum N-Methyl d-Aspartate receptor (NMDAR) antibodies: A description of a treated case series. <i>Schizophrenia Research</i> , 2014, 160, 193-195.	2.0	62
315	Multilevel ordinal factor analysis of the Positive and Negative Syndrome Scale (PANSS). <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 25-35.	2.1	12
316	Association of Serum Interleukin 6 and C-Reactive Protein in Childhood With Depression and Psychosis in Young Adult Life. <i>JAMA Psychiatry</i> , 2014, 71, 1121.	11.0	638
317	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study. "ACORRIGENDUM. <i>Psychological Medicine</i> , 2014, 44, 2727-2727.	4.5	2
318	Modelling the interplay between childhood and adult adversity in pathways to psychosis: initial evidence from the AESOP study. <i>Psychological Medicine</i> , 2014, 44, 407-419.	4.5	62
319	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study. <i>Psychological Medicine</i> , 2014, 44, 2713-2726.	4.5	192
320	A population-based longitudinal study of childhood neurodevelopmental disorders, IQ and subsequent risk of psychotic experiences in adolescence. <i>Psychological Medicine</i> , 2014, 44, 3229-3238.	4.5	38
321	The effect of the environment on symptom dimensions in the first episode of psychosis: a multilevel study. <i>Psychological Medicine</i> , 2014, 44, 2419-2430.	4.5	20
322	Early development, stress and depression across the life course: pathways to depression in a national British birth cohort. <i>Psychological Medicine</i> , 2014, 44, 2845-2854.	4.5	38
323	Bilateral hippocampal increase following first-episode psychosis is associated with good clinical, functional and cognitive outcomes. <i>Psychological Medicine</i> , 2014, 44, 1279-1291.	4.5	40
324	Parity of esteem begins at home: translating empirical psychiatric research into effective public mental health. <i>Psychological Medicine</i> , 2014, 44, 1569-1576.	4.5	8

#	ARTICLE	IF	CITATIONS
325	Longitudinal associations between childhood and adulthood externalizing and internalizing psychopathology and adolescent substance use. <i>Psychological Medicine</i> , 2014, 44, 1727-1738.	4.5	125
326	Exercise and Depressive Symptoms in Adolescents. <i>JAMA Pediatrics</i> , 2014, 168, 1093.	6.2	66
327	Postwar environment and long-term mental health problems in former child soldiers in Northern Uganda: the WAYS study. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 425-430.	3.7	28
328	Cannabis use, gender and age of onset of schizophrenia: Data from the A+SOP study. <i>Psychiatry Research</i> , 2014, 215, 528-532.	3.3	80
329	A population-based study of atopic disorders and inflammatory markers in childhood before psychotic experiences in adolescence. <i>Schizophrenia Research</i> , 2014, 152, 139-145.	2.0	58
330	Pre-morbid fertility in psychosis: Findings from the AESOP first episode study. <i>Schizophrenia Research</i> , 2014, 156, 168-173.	2.0	4
331	Impact of early intervention services on duration of untreated psychosis: Data from the National EDEN prospective cohort study. <i>Schizophrenia Research</i> , 2014, 159, 1-6.	2.0	38
332	Childhood Epstein-Barr Virus infection and subsequent risk of psychotic experiences in adolescence: A population-based prospective serological study. <i>Schizophrenia Research</i> , 2014, 158, 19-24.	2.0	61
333	Response initiation in young adults at risk for psychosis in the Northern Finland 1986 Birth Cohort. <i>Cognitive Neuropsychiatry</i> , 2014, 19, 226-240.	1.3	2
334	The influence of different types of war experiences on depression and anxiety in a Ugandan cohort of war-affected youth: the WAYS study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1783-1792.	3.1	19
335	Brain structure in different psychosis risk groups in the Northern Finland 1986 Birth Cohort. <i>Schizophrenia Research</i> , 2014, 153, 143-149.	2.0	17
336	Lifetime use of antipsychotic medication and its relation to change of verbal learning and memory in midlife schizophrenia – An observational 9-year follow-up study. <i>Schizophrenia Research</i> , 2014, 158, 134-141.	2.0	66
337	General distress, hopelessness – suicidal ideation and worrying in adolescence: Concurrent and predictive validity of a symptom-level bifactor model for clinical diagnoses. <i>Journal of Affective Disorders</i> , 2014, 152-154, 299-305.	4.1	19
338	Improving access to psychological therapies and older people: Findings from the Eastern Region. <i>Behaviour Research and Therapy</i> , 2014, 56, 75-81.	3.1	29
339	Improved quality of life over one year is associated with improved adherence in patients with schizophrenia. <i>European Psychiatry</i> , 2014, 29, 191-196.	0.2	40
340	Lifetime affect and midlife cognitive function: prospective birth cohort study. <i>British Journal of Psychiatry</i> , 2014, 204, 194-199.	2.8	24
341	Longitudinal Changes in Total Brain Volume in Schizophrenia: Relation to Symptom Severity, Cognition and Antipsychotic Medication. <i>PLoS ONE</i> , 2014, 9, e101689.	2.5	92
342	Longitudinal Associations between Adolescent Psychotic Experiences and Depressive Symptoms. <i>PLoS ONE</i> , 2014, 9, e105758.	2.5	30

#	ARTICLE	IF	CITATIONS
343	Young people at risk for psychosis: case finding and sample characteristics of the Oulu Brain and Mind Study. <i>Microbial Biotechnology</i> , 2013, 7, 146-154.	1.7	26
344	Comparison of high and low intensity contact between secondary and primary care to detect people at ultra-high risk for psychosis: study protocol for a theory-based, cluster randomized controlled trial. <i>Trials</i> , 2013, 14, 222.	1.6	10
345	Usefulness of EQ-5D for evaluation of health-related quality of life in young adults with first-episode psychosis. <i>Quality of Life Research</i> , 2013, 22, 1055-1063.	3.1	12
346	Cohort profile: mental health following extreme trauma in a northern Ugandan cohort of War-Affected Youth Study (The WAYS Study). <i>SpringerPlus</i> , 2013, 2, 300.	1.2	35
347	Cannabis use is associated with increased CCL11 plasma levels in young healthy volunteers. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 46, 25-28.	4.8	21
348	Stress and development of depression and heavy drinking in adulthood: moderating effects of childhood trauma. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 265-274.	3.1	33
349	Psychiatric morbidity, functioning and quality of life in young people at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2013, 148, 175-180.	2.0	83
350	Non-neurological and metabolic side effects in the Cost Utility of the Latest Antipsychotics in Schizophrenia Randomised Controlled Trial (CUtLASS-1). <i>Schizophrenia Research</i> , 2013, 144, 80-86.	2.0	9
351	Default mode network in young people with familial risk for psychosis – The Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2013, 143, 239-245.	2.0	19
352	The catechol-O-methyltransferase gene (COMT) and cognitive function from childhood through adolescence. <i>Biological Psychology</i> , 2013, 92, 359-364.	2.2	16
353	Adult mental health disorders and their age at onset. <i>British Journal of Psychiatry</i> , 2013, 202, s5-s10.	2.8	468
354	Effect of prior treatment with antipsychotic long-acting injection on randomised clinical trial treatment outcomes. <i>British Journal of Psychiatry</i> , 2013, 203, 215-220.	2.8	12
355	Cost of Improving Access to Psychological Therapies (IAPT) programme: An analysis of cost of session, treatment and recovery in selected Primary Care Trusts in the East of England region. <i>Behaviour Research and Therapy</i> , 2013, 51, 37-45.	3.1	58
356	Modafinil effects on cognition and emotion in schizophrenia and its neurochemical modulation in the brain. <i>Neuropharmacology</i> , 2013, 64, 168-184.	4.1	71
357	Drug treatments for schizophrenia: pragmatism in trial design shows lack of progress in drug design. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 223-233.	3.9	9
358	A population-level prediction tool for the incidence of first-episode psychosis: translational epidemiology based on cross-sectional data. <i>BMJ Open</i> , 2013, 3, e001998.	1.9	33
359	Psychotic Experiences and Psychotic Disorders at Age 18 in Relation to Psychotic Experiences at Age 12 in a Longitudinal Population-Based Cohort Study. <i>American Journal of Psychiatry</i> , 2013, 170, 742-750.	7.2	273
360	Functional Dysconnectivity of Corticostriatal Circuitry as a Risk Phenotype for Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 1143.	11.0	233

#	ARTICLE	IF	CITATIONS
361	Adolescent self-organization predicts midlife memory in a prospective birth cohort study.. Psychology and Aging, 2013, 28, 958-968.	1.6	18
362	Speed of facial affect intensity recognition as an endophenotype of first-episode psychosis and associated limbic-cortical grey matter systems. Psychological Medicine, 2013, 43, 591-602.	4.5	13
363	Prenatal maternal infection, neurodevelopment and adult schizophrenia: a systematic review of population-based studies. Psychological Medicine, 2013, 43, 239-257.	4.5	374
364	Pathways to Violent Behavior During First-Episode Psychosis. JAMA Psychiatry, 2013, 70, 1287.	11.0	99
365	Clinical and sociodemographic comparison of people at high risk for psychosis and with first-episode psychosis. Acta Psychiatrica Scandinavica, 2013, 127, 210-216.	4.5	20
366	Meta-analytic approaches to determine gender differences in the age-incidence characteristics of schizophrenia and related psychoses. International Journal of Methods in Psychiatric Research, 2013, 22, 36-45.	2.1	19
367	Impact of cognitive therapy on internalised stigma in people with at-risk mental states. British Journal of Psychiatry, 2013, 203, 140-145.	2.8	34
368	Reducing duration of untreated psychosis: care pathways to early intervention in psychosis services. British Journal of Psychiatry, 2013, 203, 58-64.	2.8	135
369	Gender Differences in Neuropsychological Performance across Psychotic Disorders – a Multi-Centre Population Based Case-Control Study. PLoS ONE, 2013, 8, e77318.	2.5	19
370	Schizophrenia and related psychosis. , 2013, , 61-75.		1
371	Satisfaction with inpatient treatment for first-episode psychosis among different ethnic groups: A report from the UK A†SOP study. International Journal of Social Psychiatry, 2012, 58, 98-105.	3.1	21
372	Mortality in first-contact psychosis patients in the UK: a cohort study. Psychological Medicine, 2012, 42, 1649-1661.	4.5	49
373	Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. Psychological Medicine, 2012, 42, 1037-1047.	4.5	116
374	Childhood cognitive function and adult psychopathology: associations with psychotic and non-psychotic symptoms in the general population. British Journal of Psychiatry, 2012, 201, 124-130.	2.8	33
375	Psychosis incidence through the prism of early intervention services. British Journal of Psychiatry, 2012, 200, 156-157.	2.8	30
376	Epidemiological challenges in systematic reviews. British Journal of Psychiatry, 2012, 201, 248-248.	2.8	1
377	Psychotic symptoms in young people without psychotic illness: mechanisms and meaning. British Journal of Psychiatry, 2012, 201, 4-6.	2.8	62
378	Differential relationship between neurological and cognitive dysfunction in first episode psychosis patients and in healthy individuals. Schizophrenia Research, 2012, 142, 159-164.	2.0	8

#	ARTICLE	IF	CITATIONS
379	Early detection and intervention evaluation for people at risk of psychosis: multisite randomised controlled trial. <i>BMJ, The</i> , 2012, 344, e2233-e2233.	6.0	266
380	Extrapyramidal motor side-effects of first- and second-generation antipsychotic drugs. <i>British Journal of Psychiatry</i> , 2012, 200, 387-392.	2.8	157
381	Neuregulin-1 genotype is associated with structural differences in the normal human brain. <i>NeuroImage</i> , 2012, 59, 2057-2061.	4.2	30
382	Is there a link between childhood trauma, cognition, and amygdala and hippocampus volume in first-episode psychosis?. <i>Schizophrenia Research</i> , 2012, 137, 73-79.	2.0	96
383	Childhood infection and adult schizophrenia: A meta-analysis of population-based studies. <i>Schizophrenia Research</i> , 2012, 139, 161-168.	2.0	224
384	Linear and non-linear associations of symptom dimensions and cognitive function in first-onset psychosis. <i>Schizophrenia Research</i> , 2012, 140, 221-231.	2.0	24
385	Mokken scale analysis of mental health and well-being questionnaire item responses: a non-parametric IRT method in empirical research for applied health researchers. <i>BMC Medical Research Methodology</i> , 2012, 12, 74.	3.1	175
386	Trauma exposure, PTSD and psychotic-like symptoms in post-conflict Timor Leste: an epidemiological survey. <i>BMC Psychiatry</i> , 2012, 12, 229.	2.6	34
387	Incidence of Schizophrenia and Other Psychoses in England, 1950â€“2009: A Systematic Review and Meta-Analyses. <i>PLoS ONE</i> , 2012, 7, e31660.	2.5	385
388	No Association of COMT (Val158Met) Genotype with Brain Structure Differences between Men and Women. <i>PLoS ONE</i> , 2012, 7, e33964.	2.5	18
389	Comparative Effectiveness of Cognitive Therapies Delivered Face-to-Face or over the Telephone: An Observational Study Using Propensity Methods. <i>PLoS ONE</i> , 2012, 7, e42916.	2.5	60
390	5-HTTLPR and Early Childhood Adversities Moderate Cognitive and Emotional Processing in Adolescence. <i>PLoS ONE</i> , 2012, 7, e48482.	2.5	39
391	Service users' views of moving on from early intervention services for psychosis: a longitudinal qualitative study in primary care. <i>British Journal of General Practice</i> , 2012, 62, e183-e190.	1.4	39
392	Depressive symptoms during adolescence: comparison between epidemiological and high risk sampling. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1333-1341.	3.1	11
393	Use of the theory of planned behaviour to assess factors influencing the identification of individuals at ultra-high risk for psychosis in primary care. <i>Microbial Biotechnology</i> , 2012, 6, 265-275.	1.7	7
394	The differential effect of illicit drug use on cognitive function in first-episode psychosis and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 400-411.	4.5	7
395	Does maternal body mass index during pregnancy influence risk of schizophrenia in the adult offspring?. <i>Obesity Reviews</i> , 2012, 13, 518-527.	6.5	45
396	Effects of modafinil on cognitive functions in first episode psychosis. <i>Psychopharmacology</i> , 2012, 220, 249-258.	3.1	68

#	ARTICLE	IF	CITATIONS
397	Effects of Modafinil on Emotional Processing in First Episode Psychosis. <i>Biological Psychiatry</i> , 2011, 69, 457-464.	1.3	35
398	Early risk factors for suicide in an epidemiological first episode psychosis cohort. <i>Schizophrenia Research</i> , 2011, 126, 11-19.	2.0	80
399	Childhood trauma and cognitive function in first-episode affective and non-affective psychosis. <i>Schizophrenia Research</i> , 2011, 129, 12-19.	2.0	103
400	A quantitative meta-analysis of population-based studies of premorbid intelligence and schizophrenia. <i>Schizophrenia Research</i> , 2011, 132, 220-227.	2.0	245
401	Cognitive and Functional Impairment After Severe Sepsis. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 673.	7.4	18
402	Is Prematurity Associated With Adult Cognitive Outcome and Brain Structure?. <i>Pediatric Neurology</i> , 2011, 44, 12-20.	2.1	13
403	Assessment of Posttraumatic Symptoms in Patients With First-Episode Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 896-898.	1.0	9
404	Cross-national clinical and functional remission rates: Worldwide Schizophrenia Outpatient Health Outcomes (W-SOHO) study. <i>British Journal of Psychiatry</i> , 2011, 199, 194-201.	2.8	148
405	Prospective cohort study of mental health during imprisonment. <i>British Journal of Psychiatry</i> , 2011, 198, 37-42.	2.8	84
406	Early detection and intervention evaluation for people at high-risk of psychosis-2 (EDIE-2): trial rationale, design and baseline characteristics. <i>Microbial Biotechnology</i> , 2011, 5, 24-32.	1.7	58
407	Criminal offending and distinguishing features of offenders among persons experiencing a first episode of psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 15-23.	1.7	49
408	Disease-relevant autoantibodies in first episode schizophrenia. <i>Journal of Neurology</i> , 2011, 258, 686-688.	3.6	277
409	The association between substance misuse and first-episode psychosis in a defined UK geographical area during the 1990s. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 137-142.	3.1	17
410	Profiles of family-focused adverse experiences through childhood and early adolescence: The ROOTS project a community investigation of adolescent mental health. <i>BMC Psychiatry</i> , 2011, 11, 109.	2.6	92
411	Cognitive effects of genetic variation in monoamine neurotransmitter systems: A population-based study of <i>COMT</i> , <i>MAOA</i> , and <i>5HTTLPR</i> . <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 158-167.	1.7	41
412	Schizophrenia Trial Participation: Perceived Inclusion Barriers and Beliefs about Antipsychotics. <i>Pharmacopsychiatry</i> , 2011, 44, 123-128.	3.3	4
413	Administrative incidence of psychosis assessed in an early intervention service in England: first epidemiological evidence from a diverse, rural and urban setting. <i>Psychological Medicine</i> , 2011, 41, 949-958.	4.5	44
414	INTRINSIC CURVATURE: A MARKER OF MILLIMETER-SCALE TANGENTIAL CORTICO-CORTICAL CONNECTIVITY?. <i>International Journal of Neural Systems</i> , 2011, 21, 351-366.	5.2	62

#	ARTICLE	IF	CITATIONS
415	Reliability and Comparability of Psychosis Patients' Retrospective Reports of Childhood Abuse. <i>Schizophrenia Bulletin</i> , 2011, 37, 546-553.	4.3	361
416	Increased Risk of Schizophrenia From Additive Interaction Between Infant Motor Developmental Delay and Obstetric Complications: Evidence From a Population-Based Longitudinal Study. <i>American Journal of Psychiatry</i> , 2011, 168, 1295-1302.	7.2	47
417	Views of Young People in Early Intervention Services for First-Episode Psychosis in England. <i>Psychiatric Services</i> , 2011, 62, 882-887.	2.0	79
418	The economic cost of pathways to care in first episode psychosis. <i>International Review of Psychiatry</i> , 2011, 23, 55-60.	2.8	3
419	Different vulnerability indicators for psychosis and their neuropsychological characteristics in the Northern Finland 1986 Birth Cohort. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 385-394.	1.3	16
420	The Prevention of Schizophrenia--What Can We Learn From Eco-Epidemiology?. <i>Schizophrenia Bulletin</i> , 2011, 37, 262-271.	4.3	56
421	Reassessing the Long-term Risk of Suicide After a First Episode of Psychosis. <i>Archives of General Psychiatry</i> , 2010, 67, 1230.	12.3	143
422	Insight, grey matter and cognitive function in first-onset psychosis. <i>British Journal of Psychiatry</i> , 2010, 197, 141-148.	2.8	87
423	Examining evidence for neighbourhood variation in the duration of untreated psychosis. <i>Health and Place</i> , 2010, 16, 219-225.	3.3	25
424	Onset-age of bipolar disorders at six international sites~†. <i>Journal of Affective Disorders</i> , 2010, 121, 143-146.	4.1	89
425	Illicit substance use and its correlates in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 351-358.	4.5	56
426	Cohort Profile: Risk patterns and processes for psychopathology emerging during adolescence: the ROOTS project. <i>International Journal of Epidemiology</i> , 2010, 39, 361-369.	1.9	62
427	The varying impact of type, timing and frequency of exposure to childhood adversity on its association with adult psychotic disorder. <i>Psychological Medicine</i> , 2010, 40, 1967-1978.	4.5	163
428	Differing patterns of brain structural abnormalities between black and white patients with their first episode of psychosis. <i>Psychological Medicine</i> , 2010, 40, 1137-1147.	4.5	13
429	Lithium in bipolar and other affective disorders: prescribing practice in the UK. <i>Journal of Psychopharmacology</i> , 2010, 24, 1739-1746.	4.0	34
430	Morphometric Brain Abnormalities in Schizophrenia in a Population-Based Sample: Relationship to Duration of Illness. <i>Schizophrenia Bulletin</i> , 2010, 36, 766-777.	4.3	78
431	Translating the epidemiology of psychosis into public mental health: evidence, challenges and future prospects. <i>Journal of Public Mental Health</i> , 2010, 9, 4-14.	1.1	40
432	Specific and Generalized Neuropsychological Deficits: A Comparison of Patients With Various First-Episode Psychosis Presentations. <i>American Journal of Psychiatry</i> , 2010, 167, 78-85.	7.2	175

#	ARTICLE	IF	CITATIONS
433	Schizophrenia in the Offspring of Antenatally Depressed Mothers in the Northern Finland 1966 Birth Cohort: Relationship to Family History of Psychosis. <i>American Journal of Psychiatry</i> , 2010, 167, 70-77.	7.2	58
434	Association between duration of untreated psychosis and brain morphology in schizophrenia within the Northern Finland 1966 Birth Cohort. <i>Schizophrenia Research</i> , 2010, 123, 145-152.	2.0	35
435	Ethnic identity, perceptions of disadvantage, and psychosis. <i>Schizophrenia Research</i> , 2010, 124, 43-48.	2.0	38
436	Deviant intrauterine growth and risk of schizophrenia: A 34-year follow-up of the Northern Finland 1966 Birth Cohort. <i>Schizophrenia Research</i> , 2010, 124, 223-230.	2.0	39
437	Why psychiatry can't afford to be neurophobic. <i>British Journal of Psychiatry</i> , 2009, 194, 293-295.	2.8	55
438	Neuropsychological functioning in first-episode schizophrenia. <i>British Journal of Psychiatry</i> , 2009, 195, 336-345.	2.8	38
439	Measuring the benefits of treatment for psychosis: validity and responsiveness of the EQâ€“5D. <i>British Journal of Psychiatry</i> , 2009, 195, 170-177.	2.8	41
440	Early intervention in psychosis: keeping the body in mind. <i>British Journal of General Practice</i> , 2009, 59, 395-396.	1.4	22
441	The Antecedents of Schizophrenia: A Review of Birth Cohort Studies. <i>Schizophrenia Bulletin</i> , 2009, 35, 603-623.	4.3	199
442	Cognitive behaviour therapy for improving social recovery in psychosis: a report from the ISREP MRC Trial Platform study (Improving Social Recovery in Early Psychosis). <i>Psychological Medicine</i> , 2009, 39, 1627.	4.5	101
443	Combining dimensional and categorical representation of psychosis: the way forward for DSM-V and ICD-11?. <i>Psychological Medicine</i> , 2009, 39, 1943-1955.	4.5	90
444	Gender differences in the association between childhood abuse and psychosis. <i>British Journal of Psychiatry</i> , 2009, 194, 319-325.	2.8	180
445	Effects of Catechol-<i>O</i>-Methyltransferase on Normal Variation in the Cognitive Function of Children. <i>American Journal of Psychiatry</i> , 2009, 166, 909-916.	7.2	61
446	Is the incidence of psychotic disorder in decline? Epidemiological evidence from two decades of research. <i>International Journal of Epidemiology</i> , 2009, 38, 1255-1264.	1.9	33
447	Ethnicity and mental health: the example of schizophrenia and related psychoses in migrant populations in the Western world. <i>Psychiatry (Abingdon, England)</i> , 2009, 8, 335-341.	0.2	11
448	Volumes of brain, grey and white matter and cerebrospinal fluid in schizophrenia in the Northern Finland 1966 Birth Cohort: An epidemiological approach to analysis. <i>Psychiatry Research - Neuroimaging</i> , 2009, 174, 116-120.	1.8	16
449	Appraisals of stressors and common mental disorder from early to mid-adulthood in the 1946 British birth cohort. <i>Journal of Affective Disorders</i> , 2009, 119, 66-75.	4.1	15
450	If cannabis caused schizophreniaâ€”how many cannabis users may need to be prevented in order to prevent one case of schizophrenia? England and Wales calculations. <i>Addiction</i> , 2009, 104, 1856-1861.	3.3	51

#	ARTICLE	IF	CITATIONS
451	Ethnicity, social disadvantage and psychotic-like experiences in a healthy population based sample. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 226-235.	4.5	110
452	Selective deficits in semantic verbal fluency in patients with a first affective episode with psychotic symptoms and a positive history of mania. <i>Bipolar Disorders</i> , 2009, 11, 323-329.	1.9	14
453	The brain structural disposition to social interaction. <i>European Journal of Neuroscience</i> , 2009, 29, 2247-2252.	2.6	66
454	Cognitive behaviour therapy for improving social recovery in psychosis: Cost-effectiveness analysis. <i>Schizophrenia Research</i> , 2009, 112, 158-163.	2.0	28
455	The Prevalence, Diagnostic Significance and Demographic Characteristics of Schneiderian First-Rank Symptoms in an Epidemiological Sample of First-Episode Psychoses. <i>Psychopathology</i> , 2009, 42, 81-91.	1.5	40
456	Individual social capital and psychosis: secondary analysis of AESOP data for Nottingham. <i>Mental Health Review Journal</i> , 2009, 14, 4-12.	0.7	5
457	Outcomes of conduct problems in adolescence: 40 year follow-up of national cohort. <i>BMJ: British Medical Journal</i> , 2009, 338, a2981-a2981.	2.3	277
458	Unemployment, social isolation, achievement expectation mismatch and psychosis: findings from the AESOP Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 743-751.	3.1	84
459	Incentive motivation in first-episode psychosis: A behavioural study. <i>BMC Psychiatry</i> , 2008, 8, 34.	2.6	55
460	Substantia nigra/ventral tegmental reward prediction error disruption in psychosis. <i>Molecular Psychiatry</i> , 2008, 13, 267-276.	7.9	442
461	How dopamine dysregulation leads to psychotic symptoms? Abnormal mesolimbic and mesostriatal prediction error signalling in psychosis. <i>Molecular Psychiatry</i> , 2008, 13, 239-239.	7.9	111
462	A Randomized Controlled Trial of the Cost-Utility of Second-Generation Antipsychotics in People with Psychosis and Eligible for Clozapine. <i>Value in Health</i> , 2008, 11, 549-562.	0.3	27
463	Factors associated with antidepressant, anxiolytic and hypnotic use over 17 years in a national cohort. <i>Journal of Affective Disorders</i> , 2008, 110, 234-240.	4.1	27
464	Associations between early development and outcome in schizophrenia – A 35-year follow-up of the Northern Finland 1966 Birth Cohort. <i>Schizophrenia Research</i> , 2008, 99, 29-37.	2.0	12
465	Reinforcement and Reversal Learning in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2008, 34, 848-855.	4.3	140
466	Association of cannabis use with prodromal symptoms of psychosis in adolescence. <i>British Journal of Psychiatry</i> , 2008, 192, 470-471.	2.8	78
467	Effects of cannabis use on outcomes of psychotic disorders: systematic review. <i>British Journal of Psychiatry</i> , 2008, 193, 357-363.	2.8	237
468	Minor physical anomalies in patients with first-episode psychosis: their frequency and diagnostic specificity. <i>Psychological Medicine</i> , 2008, 38, 71-77.	4.5	38

#	ARTICLE	IF	CITATIONS
469	Cumulative social disadvantage, ethnicity and first-episode psychosis: a case-control study. <i>Psychological Medicine</i> , 2008, 38, 1701-1715.	4.5	176
470	Raised Incidence Rates of All Psychoses Among Migrant Groups. <i>Archives of General Psychiatry</i> , 2008, 65, 1250.	12.3	189
471	Testing the association between the incidence of schizophrenia and social capital in an urban area. <i>Psychological Medicine</i> , 2008, 38, 1083-1094.	4.5	125
472	Psychoses, ethnicity and socio-economic status. <i>British Journal of Psychiatry</i> , 2008, 193, 18-24.	2.8	135
473	Self-harm in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008, 192, 178-184.	2.8	88
474	Perceptions of disadvantage, ethnicity and psychosis. <i>British Journal of Psychiatry</i> , 2008, 192, 185-190.	2.8	75
475	Neurological abnormalities and cognitive ability in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 197-202.	2.8	57
476	Psychiatric outcomes 10 years after treatment with antidepressants or anxiolytics. <i>British Journal of Psychiatry</i> , 2008, 193, 327-331.	2.8	10
477	Duration of prodromal phase and severity of volumetric abnormalities in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s123-s127.	2.8	30
478	Gender-Specific Effects of the Catechol-<i>O</i>-Methyltransferase<i>Val</i>^{108/158}<i>Met</i> Polymorphism on Cognitive Function in Children. <i>American Journal of Psychiatry</i> , 2007, 164, 142-149.	7.2	115
479	Minimising metabolic and cardiovascular risk in schizophrenia: diabetes, obesity and dyslipidaemia. <i>Journal of Psychopharmacology</i> , 2007, 21, 357-373.	4.0	143
480	Neighbourhood-level effects on psychoses: re-examining the role of context. <i>Psychological Medicine</i> , 2007, 37, 1413-1425.	4.5	189
481	Prevalence of depression in older people in England and Wales: the MRC CFA Study. <i>Psychological Medicine</i> , 2007, 37, 1787-1795.	4.5	150
482	Grey matter abnormalities in first-episode schizophrenia and affective psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s111-s116.	2.8	46
483	Substance use in a population-based clinic sample of people with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 190, 515-520.	2.8	240
484	Cost-effectiveness of first- v. second-generation antipsychotic drugs: results from a randomised controlled trial in schizophrenia responding poorly to previous therapy. <i>British Journal of Psychiatry</i> , 2007, 191, 14-22.	2.8	97
485	Forty-Year Psychiatric Outcomes Following Assessment for Internalizing Disorder in Adolescence. <i>American Journal of Psychiatry</i> , 2007, 164, 126-133.	7.2	122
486	Parental separation, loss and psychosis in different ethnic groups: a case-control study. <i>Psychological Medicine</i> , 2007, 37, 495.	4.5	201

#	ARTICLE	IF	CITATIONS
487	Aggressive behaviour at first contact with services: findings from the AESOP First Episode Psychosis Study. <i>Psychological Medicine</i> , 2007, 37, 547-557.	4.5	80
488	Outcome and its predictors in schizophrenia within the Northern Finland 1966 Birth Cohort. <i>European Psychiatry</i> , 2007, 22, 129-136.	0.2	48
489	Cannabis use and risk of psychotic or affective mental health outcomes: a systematic review. <i>Lancet</i> , The, 2007, 370, 319-328.	13.7	1,877
490	Minor physical anomalies across ethnic groups in a first episode psychosis sample. <i>Schizophrenia Research</i> , 2007, 89, 86-90.	2.0	20
491	Duration of untreated psychosis and neuropsychological function in first episode psychosis. <i>Schizophrenia Research</i> , 2007, 95, 103-110.	2.0	58
492	A Longitudinal Typology of Symptoms of Depression and Anxiety Over the Life Course. <i>Biological Psychiatry</i> , 2007, 62, 1265-1271.	1.3	147
493	Infant developmental milestones and subsequent cognitive function. <i>Annals of Neurology</i> , 2007, 62, 128-136.	5.3	118
494	Improvement and decline of cognitive function in schizophrenia over one year: a longitudinal investigation using latent growth modelling. <i>BMC Psychiatry</i> , 2007, 7, 16.	2.6	16
495	Effects of the catechol-O-methyltransferase Val158Met polymorphism on executive function: a meta-analysis of the Wisconsin Card Sort Test in schizophrenia and healthy controls. <i>Molecular Psychiatry</i> , 2007, 12, 502-509.	7.9	253
496	Cannabis and schizophrenia: model projections of the impact of the rise in cannabis use on historical and future trends in schizophrenia in England and Wales. <i>Addiction</i> , 2007, 102, 597-606.	3.3	79
497	Childhood cognitive ability and adult mental health in the British 1946 birth cohort. <i>Social Science and Medicine</i> , 2007, 64, 2285-2296.	3.8	119
498	RESPONSE TO THE COMMENTARIES. <i>Addiction</i> , 2007, 102, 516-518.	3.3	2
499	Neighbourhood variation in the incidence of psychotic disorders in Southeast London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 438-445.	3.1	89
500	Life mapping: a "Therapeutic Document"™ approach to needs assessment. <i>Quality of Life Research</i> , 2007, 16, 467-481.	3.1	9
501	First- vs Second-Generation Antipsychotic Drugs in Schizophrenia"Reply. <i>Archives of General Psychiatry</i> , 2007, 64, 979.	12.3	6
502	Antipsychotic type and correlates of antipsychotic treatment discontinuation in the outpatient treatment of schizophrenia. <i>European Psychiatry</i> , 2006, 21, 41-47.	0.2	41
503	Infant motor development and adult cognitive functions in schizophrenia. <i>Schizophrenia Research</i> , 2006, 81, 65-74.	2.0	47
504	Gray matter abnormalities associated with duration of untreated psychosis. <i>Schizophrenia Research</i> , 2006, 83, 145-153.	2.0	89

#	ARTICLE	IF	CITATIONS
505	Three decades of antidepressant, anxiolytic and hypnotic use in a national population birth cohort. British Journal of Psychiatry, 2006, 189, 156-160.	2.8	19
506	Duration of untreated psychosis and ethnicity in the Å†SOP first-onset psychosis study. Psychological Medicine, 2006, 36, 239-247.	4.5	64
507	Incidence of schizophrenia and other psychoses in ethnic minority groups: results from the MRC AESOP Study. Psychological Medicine, 2006, 36, 1541-1550.	4.5	433
508	Grey matter correlates of minor physical anomalies in the Å†SOP first-episode psychosis study. British Journal of Psychiatry, 2006, 189, 221-228.	2.8	31
509	Infant motor development is associated with adult cognitive categorisation in a longitudinal birth cohort study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2006, 47, 25-29.	5.2	139
510	Ethnicity and mental health: the example of schizophrenia in migrant populations across Europe. Psychiatry (Abingdon, England), 2006, 5, 396-401.	0.2	2
511	The Structural Brain Correlates of Neurological Soft Signs in Healthy Individuals. Cerebral Cortex, 2006, 16, 1225-1231.	2.9	90
512	Randomized Controlled Trial of the Effect on Quality of Life of Second- vs First-Generation Antipsychotic Drugs in Schizophrenia. Archives of General Psychiatry, 2006, 63, 1079.	12.3	1,031
513	Heterogeneity in Incidence Rates of Schizophrenia and Other Psychotic Syndromes. Archives of General Psychiatry, 2006, 63, 250.	12.3	440
514	Clinical and social determinants of duration of untreated psychosis in the Å†SOP first-episode psychosis study. British Journal of Psychiatry, 2006, 189, 446-452.	2.8	168
515	Fronto-cerebellar systems are associated with infant motor and adult executive functions in healthy adults but not in schizophrenia. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 15651-15656.	7.1	135
516	Cognitive reserve in neuropsychiatry. Psychological Medicine, 2006, 36, 1053-1064.	4.5	241
517	Randomised controlled trials of conventional antipsychotic versus new atypical drugs, and new atypical drugs versus clozapine, in people with schizophrenia responding poorly to, or intolerant of, current drug treatment. Health Technology Assessment, 2006, 10, iii-iv, ix-xi, 1-165.	2.8	135
518	Tipo de antipsicÃ³tico y correlatos de la interrupciÃ³n del tratamiento de antipsicÃ³ticos en el tratamiento ambulatorio de la esquizofrenia. European Psychiatry (Ed EspaÃ±ola), 2006, 13, 236-243.	0.0	0
519	First episode psychosis and ethnicity: initial findings from the AESOP study. World Psychiatry, 2006, 5, 40-6.	10.4	87
520	Incidence of bipolar affective disorder in three UK cities. British Journal of Psychiatry, 2005, 186, 126-131.	2.8	69
521	Effectiveness of antipsychotic treatment for schizophrenia: 6-month results of the Pan-European Schizophrenia Outpatient Health Outcomes (SOHO) study. Acta Psychiatrica Scandinavica, 2005, 111, 220-231.	4.5	83
522	Pathways to care and ethnicity. 1: Sample characteristics and compulsory admission. British Journal of Psychiatry, 2005, 186, 281-289.	2.8	152

#	ARTICLE	IF	CITATIONS
523	Pathways to care and ethnicity. 2: Source of referral and help-seeking. British Journal of Psychiatry, 2005, 186, 290-296.	2.8	133
524	Ethnicity and Mental Health: The Example of Schizophrenia in the African-Caribbean Population in Europe. , 2005, , 227-261.		9
525	The Subjective and Cognitive Effects of Acute Phenylalanine and Tyrosine Depletion in Patients Recovered from Depression. Neuropsychopharmacology, 2005, 30, 775-785.	5.4	78
526	Association Between Duration of Untreated Psychosis and Outcome in Cohorts of First-Episode Patients. Archives of General Psychiatry, 2005, 62, 975.	12.3	1,303
527	Incidence and distribution of first-episode mania by age: results from a 35-year study. Psychological Medicine, 2005, 35, 855-863.	4.5	97
528	Predictors of schizophreniaâ€”a review. British Medical Bulletin, 2005, 73-74, 1-15.	6.9	128
529	Different Effects of Typical and Atypical Antipsychotics on Grey Matter in First Episode Psychosis: the Å†SOP Study. Neuropsychopharmacology, 2005, 30, 765-774.	5.4	243
530	Increased Pituitary Volume in Antipsychotic-Free and Antipsychotic-Treated Patients of the Å†sop First-Onset Psychosis Study. Neuropsychopharmacology, 2005, 30, 1923-1931.	5.4	148
531	Gender Differences in Incidence and Age at Onset of Mania and Bipolar Disorder Over a 35-Year Period in Camberwell, England. American Journal of Psychiatry, 2005, 162, 257-262.	7.2	141
532	Record linkage of domestic assault victims between an emergency department and the police. Journal of Epidemiology and Community Health, 2005, 59, 909-910.	3.7	13
533	Randomized Controlled Trial of Effect of Prescription of Clozapine Versus Other Second-Generation Antipsychotic Drugs in Resistant Schizophrenia. Schizophrenia Bulletin, 2005, 32, 715-723.	4.3	339
534	Expressed Emotion: Relevance to Rehospitalization in Schizophrenia Over 7 Years. Schizophrenia Bulletin, 2005, 31, 751-758.	4.3	67
535	Cannabis use and outcome of recent onset psychosis. European Psychiatry, 2005, 20, 349-353.	0.2	196
536	Hippocampus and amygdala volumes in schizophrenia and other psychoses in the Northern Finland 1966 birth cohort. Schizophrenia Research, 2005, 75, 283-294.	2.0	63
537	Determining the chronology and components of psychosis onset: The Nottingham Onset Schedule (NOS). Schizophrenia Research, 2005, 80, 117-130.	2.0	181
538	Visuospatial learning and executive function are independently impaired in first-episode psychosis. Psychological Medicine, 2005, 35, 1031-1041.	4.5	84
539	Recovery From Schizophrenic Psychoses Within the Northern Finland 1966 Birth Cohort. Journal of Clinical Psychiatry, 2005, 66, 375-383.	2.2	35
540	Links Between Creativity and Mental Disorder. Psychiatry (New York), 2004, 67, 81-98.	0.7	44

#	ARTICLE	IF	CITATIONS
541	Acute and transient psychotic disorders: precursors, epidemiology, course and outcome. British Journal of Psychiatry, 2004, 185, 452-459.	2.8	120
542	The structural brain correlates of neurological soft signs in AeSOP first-episode psychoses study. Brain, 2004, 127, 143-153.	7.6	211
543	Serum lipids in schizophrenia and other functional psychoses: a general population northern Finland 1966 birth cohort survey. Acta Psychiatrica Scandinavica, 2004, 110, 279-285.	4.5	30
544	Childhood central nervous system infections and risk for schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2004, 254, 9-13.	3.2	95
545	Multilevel investigation of variation in HoNOS ratings by mental health professionals: a naturalistic study of consecutive referrals. International Journal of Methods in Psychiatric Research, 2004, 13, 152-164.	2.1	15
546	Schizophrenia in the offspring of antenatally depressed mothers: a 31-year follow-up of the Northern Finland 1966 Birth Cohort. Schizophrenia Research, 2004, 66, 79-81.	2.0	17
547	Vitamin D supplementation during the first year of life and risk of schizophrenia: a Finnish birth cohort study. Schizophrenia Research, 2004, 67, 237-245.	2.0	254
548	The persistence of developmental markers in childhood and adolescence and risk for schizophrenic psychoses in adult life. A 34-year follow-up of the Northern Finland 1966 birth cohort. Schizophrenia Research, 2004, 71, 213-225.	2.0	55
549	The security, clinical and social needs of patients in high security psychiatric hospitals in England. Journal of Forensic Psychiatry and Psychology, 2004, 15, 208-221.	1.0	49
550	Birth cohort studies in psychiatry: beginning at the beginning. Psychological Medicine, 2004, 34, 1375-1383.	4.5	25
551	Early environmental risk factors for schizophrenia. , 2004, , 191-209.		3
552	Title is missing!. Social Psychology of Education, 2003, 6, 349-365.	2.5	11
553	Reasons for the diagnostic discordance between clinicians and researchers in schizophrenia in the Northern Finland 1966 Birth Cohort. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 305-310.	3.1	106
554	The European Schizophrenia Outpatient Health Outcomes Study: baseline findings across country and treatment. Acta Psychiatrica Scandinavica, 2003, 107, 7-15.	4.5	44
555	The Clinical Global Impression-Schizophrenia scale: a simple instrument to measure the diversity of symptoms present in schizophrenia. Acta Psychiatrica Scandinavica, 2003, 107, 16-23.	4.5	508
556	The European Schizophrenia Outpatient Health Outcomes (SOHO) study: rationale, methods and recruitment. Acta Psychiatrica Scandinavica, 2003, 107, 222-232.	4.5	98
557	Maternal separation at birth and schizophreniaâ€”a long-term follow-up of the Finnish Christmas Seal Home Children. Schizophrenia Research, 2003, 60, 13-19.	2.0	14
558	Minor physical anomalies in schizophrenia: is age a confounding factor?. Schizophrenia Research, 2003, 61, 67-73.	2.0	16

#	ARTICLE	IF	CITATIONS
559	Oligodendrocyte dysfunction in schizophrenia and bipolar disorder. <i>Lancet, The</i> , 2003, 362, 798-805.	13.7	861
560	Developmental Typology of Trajectories to Nighttime Bladder Control: Epidemiologic Application of Longitudinal Latent Class Analysis. <i>American Journal of Epidemiology</i> , 2003, 157, 834-842.	3.4	76
561	Schizotypal Personality Traits in Nonpsychotic Relatives Are Associated With Positive Symptoms in Psychotic Probands. <i>Schizophrenia Bulletin</i> , 2003, 29, 273-283.	4.3	41
562	Lithium is more effective than placebo for preventing all relapses in patients with bipolar but not unipolar disorder. <i>Evidence-Based Mental Health</i> , 2002, 5, 10-10.	4.5	0
563	Obstetric Complications and Schizophrenia: Historical and Meta-Analytic Review. <i>American Journal of Psychiatry</i> , 2002, 159, 1080-1092.	7.2	972
564	Gene expression analysis in schizophrenia: Reproducible up-regulation of several members of the apolipoprotein L family located in a high-susceptibility locus for schizophrenia on chromosome 22. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 4680-4685.	7.1	167
565	Familial Expressed Emotion: Outcome and Course of Israeli Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2002, 28, 731-743.	4.3	30
566	Perinatal and childhood risk factors for later criminality and violence in schizophrenia. <i>British Journal of Psychiatry</i> , 2002, 180, 496-501.	2.8	48
567	The relationship between predisposing factors, premorbid function and symptom dimensions in psychosis: an integrated approach. <i>European Psychiatry</i> , 2002, 17, 311-320.	0.2	29
568	Prenatal and perinatal risk factors for schizophrenia. , 2002, , 74-99.		5
569	Investigating socioenvironmental influences in schizophrenia: conceptual and design issues. , 2002, , 5-17.		1
570	The value of first-episode studies in schizophrenia. , 2002, , 148-166.		0
571	Schizophrenia at the extremes of life. , 2002, , 167-190.		4
572	Mortality and physical illness in schizophrenia. , 2002, , 275-287.		1
573	IQ in childhood psychiatric attendees predicts outcome of later schizophrenia at 21 year follow-up. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 139-142.	4.5	33
574	Risk factors for schizophrenia in childhood and youth. , 2002, , 141-162.		7
575	Early developmental milestones in adult schizophrenia and other psychoses. A 31-year follow-up of the Northern Finland 1966 Birth Cohort. <i>Schizophrenia Research</i> , 2001, 52, 1-19.	2.0	159
576	Migration and mental illness. <i>Advances in Psychiatric Treatment</i> , 2001, 7, 216-222.	0.5	223

#	ARTICLE	IF	CITATIONS
577	Educational consequences of mental disorders treated in hospital. A 31-year follow-up of the Northern Finland 1966 Birth Cohort. <i>Psychological Medicine</i> , 2001, 31, 339-349.	4.5	50
578	Neuroticism as a risk factor for schizophrenia. <i>Psychological Medicine</i> , 2001, 31, 1129-1134.	4.5	258
579	Schizophrenia: social and environmental factors: implications for aetiology. <i>Current Opinion in Psychiatry</i> , 2001, 14, 39-43.	6.3	2
580	Aggressive incidents in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2001, 178, 433-440.	2.8	88
581	Neuroticism, life events and mental health: evidence for person-environment correlation. <i>British Journal of Psychiatry</i> , 2001, 178, s72-s77.	2.8	83
582	Predictors of later schizophrenia and affective psychosis among attendees at a child psychiatry department. <i>British Journal of Psychiatry</i> , 2001, 178, 420-426.	2.8	89
583	Birth order and risk for schizophrenia: a 31-year follow-up of the Northern Finland 1966 Birth Cohort. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 148-152.	4.5	35
584	The small-GTPase RalA activates transcription of the urokinase plasminogen activator receptor (uPAR) gene via an AP1-dependent mechanism. <i>Oncogene</i> , 2001, 20, 1816-1824.	5.9	24
585	Juvenile and early adulthood smoking and adult educational achievements – A 31-year follow-up of the Northern Finland 1966 Birth Cohort. <i>Scandinavian Journal of Public Health</i> , 2001, 29, 87-95.	2.3	14
586	Predicting Schizophrenia from Teachers’s Reports of Behaviour. , 2001, , 1-28.		1
587	No association between breast-feeding and adult psychosis in two national birth cohorts. <i>British Journal of Psychiatry</i> , 2000, 177, 218-221.	2.8	30
588	The epidemiology of bipolar affective disorder; a review of the literature and introduction to work in progress. <i>Acta Neuropsychiatrica</i> , 2000, 12, 99-103.	2.1	2
589	Three-year outcome of first-episode psychoses in an established community psychiatric service. <i>British Journal of Psychiatry</i> , 2000, 176, 210-216.	2.8	73
590	Early Associations of Schizophrenia in the 1966 North Finland General Population Birth Cohort. <i>International Journal of Mental Health</i> , 2000, 29, 84-90.	1.3	4
591	Non-linear relationship between an index of social deprivation, psychiatric admission prevalence and the incidence of psychosis. <i>Psychological Medicine</i> , 2000, 30, 177-185.	4.5	91
592	Developmental precursors and biological markers for schizophrenia and affective disorders: Specificity and public health implications. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2000, 250, 286-291.	3.2	31
593	The National Adult Reading Test as a measure of premorbid IQ in schizophrenia. <i>British Journal of Clinical Psychology</i> , 2000, 39, 297-305.	3.5	65
594	Behavioural and intellectual functioning in Israeli adolescent boys predicted psychiatric hospital admission for schizophrenia. <i>Evidence-Based Mental Health</i> , 2000, 3, 89-89.	4.5	2

#	ARTICLE	IF	CITATIONS
595	The functional anatomy of auditory hallucinations in schizophrenia. Psychiatry Research - Neuroimaging, 2000, 100, 13-20.	1.8	228
596	Childhood schizotypy and positive symptoms in schizophrenic patients predict schizotypy in relatives. Schizophrenia Research, 2000, 44, 129-136.	2.0	55
597	School Performance in Finnish Children and Later Development of Schizophrenia. Archives of General Psychiatry, 1999, 56, 457.	12.3	228
598	Motor co-ordination deficits as predictors of schizophrenia among Finnish school children. , 1999, 14, 491-497.		15
599	Spatial and temporal mapping of neural activity associated with auditory hallucinations. Lancet, The, 1999, 353, 644.	13.7	107
600	Schizophrenic patients and their first-degree relatives show an excess of mixed-handedness. Schizophrenia Research, 1999, 39, 167-176.	2.0	77
601	Specificity of developmental precursors to schizophrenia and affective disorders. Schizophrenia Research, 1999, 39, 121-125.	2.0	42
602	Outcome of psychosis in people of Africanâ€“Caribbean family origin. British Journal of Psychiatry, 1999, 175, 43-49.	2.8	56
603	Early risk factors and adult personâ€“environment relationships in affective disorder. Psychological Medicine, 1999, 29, 1055-1067.	4.5	134
604	Diagnostic stability of first-episode psychosis. British Journal of Psychiatry, 1999, 175, 537-543.	2.8	123
605	Precursors to Schizophrenia: Do Biological Markers Have Specificity?. Canadian Journal of Psychiatry, 1999, 44, 335-349.	1.9	48
606	Longitudinal Approaches to the Search for the Causes of Schizophrenia: Past, Present and Future. , 1999, , 91-119.		11
607	The Specificity of Developmental Precursors of Schizophrenia and Affective Disorders. Psychiatric Annals, 1999, 29, 137-144.	0.1	8
608	Obstetric complications and familial morbid risk of psychiatric disorders. , 1998, 81, 29-36.		60
609	Discharged from special hospital under restrictions: a comparison of the fates of psychopaths and the mentally ill. Criminal Behaviour and Mental Health, 1998, 8, 39-55.	0.8	53
610	THE NEW EPIDEMIOLOGY OF SCHIZOPHRENIA. Psychiatric Clinics of North America, 1998, 21, 1-25.	1.3	108
611	Schizophrenia as a Long-Term Outcome of Pregnancy, Delivery, and Perinatal Complications: A 28-Year Follow-Up of the 1966 North Finland General Population Birth Cohort. American Journal of Psychiatry, 1998, 155, 355-364.	7.2	438
612	Prediction Remains Over the Horizon. British Journal of Psychiatry, 1998, 172, 315-315.	2.8	0

#	ARTICLE	IF	CITATIONS
613	Schizophrenia and the myth of intellectual decline. American Journal of Psychiatry, 1997, 154, 635-639.	7.2	180
614	Strategies for preventing suicide. British Journal of Psychiatry, 1997, 171, 351-354.	2.8	161
615	Is a child's risk of early onset schizophrenia increased in the highest social class?. Schizophrenia Research, 1997, 23, 245-252.	2.0	78
616	Childhood laterality and later risk of schizophrenia in the 1946 British birth cohort. Schizophrenia Research, 1997, 26, 117-120.	2.0	21
617	Psychopathological syndromes and familial morbid risk of psychosis. British Journal of Psychiatry, 1997, 170, 241-246.	2.8	86
618	Comparison of the family history with the family study method: Report from the Camberwell Collaborative Psychosis Study. , 1997, 74, 12-17.		34
619	Cultural differences in pathways to care, service use and treated outcomes. Current Opinion in Psychiatry, 1997, 10, 178-182.	6.3	11
620	Autoimmune diseases in the pedigrees of schizophrenic and control subjects. Schizophrenia Research, 1996, 20, 261-267.	2.0	97
621	Family history of autoimmune diseases in psychosis. Schizophrenia Research, 1996, 19, 33-40.	2.0	81
622	Do obstetric complications cause the earlier age at onset in male than female schizophrenics?. Schizophrenia Research, 1996, 20, 117-124.	2.0	50
623	Explaining sex differences in course and outcome in the functional psychoses. Schizophrenia Research, 1996, 21, 161-170.	2.0	23
624	Relationship of birth season to clinical features, family history, and obstetric complications in schizophrenia. Psychiatry Research, 1996, 64, 11-17.	3.3	25
625	Mixed-Handedness in Patients with Functional Psychosis. British Journal of Psychiatry, 1996, 168, 234-236.	2.8	29
626	Does Familiality Predispose to both Emergence and Persistence of Psychosis?. British Journal of Psychiatry, 1996, 168, 620-626.	2.8	81
627	Unwantedness of a Pregnancy and Schizophrenia in the Child. British Journal of Psychiatry, 1996, 169, 637-640.	2.8	172
628	A factor analytic study of symptoms in acute schizophrenia. Acta Psychiatrica Scandinavica, 1996, 93, 92-98.	4.5	26
629	Increased Intracerebral Cerebrospinal Fluid Spaces Predict Unemployment and Negative Symptoms in Psychotic Illness a Prospective Study. British Journal of Psychiatry, 1995, 166, 750-758.	2.8	41
630	Insight and Psychotic Illness. British Journal of Psychiatry, 1995, 167, 621-628.	2.8	181

#	ARTICLE	IF	CITATIONS
631	Minor physical anomalies in psychoses: associations with clinical and putative aetiological variables. Schizophrenia Research, 1995, 18, 9-20.	2.0	97
632	Childhood Risk Factors for Adult Schizophrenia in a General Population Birth Cohort at Age 43 Years. , 1995, , 151-176.		21
633	Psychosis with good prognosis in Afro-Caribbean people now living in the United Kingdom. BMJ: British Medical Journal, 1995, 311, 1325-1327.	2.3	95
634	Age at Onset, Sex, and Familial Psychiatric Morbidity in Schizophrenia. British Journal of Psychiatry, 1994, 165, 466-473.	2.8	151
635	Cannabis and acute psychosis. Schizophrenia Research, 1994, 13, 161-167.	2.0	96
636	Cerebral ventricle dimensions as risk factors for schizophrenia and affective psychosis: an epidemiological approach to analysis. Psychological Medicine, 1994, 24, 995-1011.	4.5	88
637	Low Birth Weight and Schizophrenia. British Journal of Psychiatry, 1994, 165, 357-362.	2.8	109
638	Life Events and Psychosis. British Journal of Psychiatry, 1993, 162, 72-79.	2.8	255
639	Evidence for a <i>Wolbachia</i> symbiont in <i>Drosophila melanogaster</i>. Genetical Research, 1993, 62, 23-29.	0.9	93
640	Psychiatric symptoms in cannabis users. British Journal of Psychiatry, 1993, 163, 698-698.	2.8	19
641	A case-control study of family history and cerebral cortical abnormalities in schizophrenia. Acta Psychiatrica Scandinavica, 1993, 87, 6-12.	4.5	10
642	Premorbid Social Underachievement in Schizophrenia. British Journal of Psychiatry, 1993, 162, 65-71.	2.8	189
643	Estimating premorbid IQ in schizophrenia. British Journal of Psychiatry, 1993, 162, 273-274.	2.8	3
644	Familial Psychiatric Illness and Obstetric Complications in Early-Onset Affective Disorder. British Journal of Psychiatry, 1993, 163, 492-498.	2.8	37
645	Genes, viruses and neurodevelopmental schizophrenia. Journal of Psychiatric Research, 1992, 26, 225-235.	3.1	70
646	The Genetics of Schizophrenia is the Genetics of Neurodevelopment. British Journal of Psychiatry, 1991, 158, 615-623.	2.8	209
647	Left Temporal Lobe Damage in Asperger's Syndrome. British Journal of Psychiatry, 1990, 156, 570-572.	2.8	31
648	The Epidemiology of First-Onset Mania. , 0, , 445-458.		5

#	ARTICLE	IF	CITATIONS
649	Genes and the social environment. , 0, , 58-74.		1
650	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. Psychological Medicine, 0, , 1-9.	4.5	10
651	Benefits and risks of off label use of antipsychotics in insomnia and anxiety “ APSY Oulu project. Nordic Journal of Psychiatry, 0, , 1-1.	1.3	0