

Sigmund Karterud

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/258111/publications.pdf>

Version: 2024-02-01

77
papers

2,291
citations

257101

24
h-index

243296

44
g-index

85
all docs

85
docs citations

85
times ranked

2059
citing authors

#	ARTICLE	IF	CITATIONS
1	Generalizability studies of the Global Assessment of Functioningâ€“Split version. <i>Comprehensive Psychiatry</i> , 2007, 48, 88-94.	1.5	381
2	Day Treatment of Patients With Personality Disorders: Experiences From a Norwegian Treatment Research Network. <i>Journal of Personality Disorders</i> , 2003, 17, 243-262.	0.8	150
3	The symptom and function dimensions of the Global Assessment of Functioning (GAF) scale. <i>Comprehensive Psychiatry</i> , 2012, 53, 292-298.	1.5	113
4	An empirical study of countertransference reactions toward patients with personality disorders. <i>Comprehensive Psychiatry</i> , 2007, 48, 225-230.	1.5	78
5	The relationship between avoidant personality disorder and social phobia. <i>Comprehensive Psychiatry</i> , 2007, 48, 348-356.	1.5	72
6	Mentalization as a moderator of treatment effects: Findings from a randomized clinical trial for personality disorders. <i>Psychotherapy Research</i> , 2013, 23, 674-689.	1.1	65
7	Short-term day treatment programmes for patients with personality disorders. What is the optimal composition?. <i>Nordic Journal of Psychiatry</i> , 2004, 58, 243-249.	0.7	58
8	The Quality of the DSM-IV Obsessive-Compulsive Personality Disorder Construct as a Prototype Category. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 446-455.	0.5	57
9	Changing from a traditional psychodynamic treatment programme to mentalizationâ€“based treatment for patients with borderline personality disorder â€“ Does it make a difference?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2015, 88, 71-86.	1.3	57
10	The MBT Adherence and Competence Scale (MBT-ACS): Development, structure and reliability. <i>Psychotherapy Research</i> , 2013, 23, 705-717.	1.1	55
11	The impact of avoidant personality disorder on psychosocial impairment is substantial. <i>Nordic Journal of Psychiatry</i> , 2009, 63, 390-396.	0.7	52
12	Psychiatric symptoms and countertransference feelings: An empirical investigation. <i>Psychiatry Research</i> , 2010, 178, 191-195.	1.7	49
13	Psychotherapy for personality disorders: Short-term day hospital psychotherapy versus outpatient individual therapy â€“ a randomized controlled study. <i>European Psychiatry</i> , 2009, 24, 71-78.	0.1	48
14	A study of patients with personality disorder not otherwise specified. <i>Comprehensive Psychiatry</i> , 2008, 49, 460-468.	1.5	47
15	Interviews of Female Patients with Borderline Personality Disorder Who Dropped out of Group Psychotherapy. <i>International Journal of Group Psychotherapy</i> , 2007, 57, 67-92.	0.4	45
16	Outpatient Group Psychotherapy Following Day Treatment for Patients with Personality Disorders. <i>Journal of Personality Disorders</i> , 2003, 17, 510-521.	0.8	43
17	Different impulsivity profiles in borderline personality disorder and bipolar II disorder. <i>Journal of Affective Disorders</i> , 2015, 170, 104-111.	2.0	43
18	A study of the dimensionality and measurement precision of the SCLâ€“90â€“R using item response theory. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, e39-55.	1.1	40

#	ARTICLE	IF	CITATIONS
19	Specific Personality Traits Evoke Different Countertransference Reactions. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 702-708.	0.5	39
20	A cross-national validity study of the Severity Indices of Personality Problems (SIPP-18). <i>Personality and Mental Health</i> , 2009, 3, 41-55.	0.6	35
21	Why the factorial structure of the SCL-90-R is unstable: Comparing patient groups with different levels of psychological distress using Mokken Scale Analysis. <i>Psychiatry Research</i> , 2012, 200, 819-826.	1.7	31
22	Is treatment in a day hospital step-down program superior to outpatient individual psychotherapy for patients with personality disorders? 36 months follow-up of a randomized clinical trial comparing different treatment modalities. <i>Psychotherapy Research</i> , 2012, 22, 426-441.	1.1	29
23	Some suggestions for the DSM-5 schizotypal personality disorder construct. <i>Comprehensive Psychiatry</i> , 2012, 53, 341-349.	1.5	26
24	Mentalization-based treatment or psychodynamic treatment programmes for patients with borderline personality disorder – the impact of clinical severity. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2019, 92, 91-111.	1.3	26
25	Primary emotional traits in patients with personality disorders. <i>Personality and Mental Health</i> , 2016, 10, 261-273.	0.6	25
26	An investigation of the validity of the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition avoidant personality disorder construct as a prototype category and the psychometric properties of the diagnostic criteria. <i>Comprehensive Psychiatry</i> , 2006, 47, 376-383.	1.5	24
27	Psychotherapy for Personality Disorders: 18 Months' Follow-Up of the Ullevål Personality Project. <i>Journal of Personality Disorders</i> , 2010, 24, 188-203.	0.8	24
28	Large Variations of Global Functioning over Five Years in Treated Patients with Personality Traits and Disorders. <i>Journal of Personality Disorders</i> , 2012, 26, 141-161.	0.8	24
29	Health service costs and clinical gains of psychotherapy for personality disorders: a randomized controlled trial of day-hospital-based step-down treatment versus outpatient treatment at a specialist practice. <i>BMC Psychiatry</i> , 2013, 13, 315.	1.1	24
30	Large variation of severity and longitudinal change of symptom distress among patients with personality disorders. <i>Personality and Mental Health</i> , 2013, 7, 265-276.	0.6	23
31	Step-down versus outpatient psychotherapeutic treatment for personality disorders: 6-year follow-up of the Ullevål personality project. <i>BMC Psychiatry</i> , 2014, 14, 119.	1.1	23
32	Block Training in Group Analysis: The Norwegian Program. <i>International Journal of Group Psychotherapy</i> , 1995, 45, 73-89.	0.4	22
33	From general day hospital treatment to specialized treatment programmes. <i>International Review of Psychiatry</i> , 2007, 19, 39-49.	1.4	22
34	Is the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, histrionic personality disorder category a valid construct?. <i>Comprehensive Psychiatry</i> , 2010, 51, 462-470.	1.5	22
35	Patterns of altered regional brain glucose metabolism in borderline personality disorder and bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018, 139, 256-268.	2.2	21
36	Eating disorders in a large clinical sample of men and women with personality disorders. <i>International Journal of Eating Disorders</i> , 2013, 46, 801-809.	2.1	20

#	ARTICLE	IF	CITATIONS
37	Guidelines for Art Group Therapy as Part of a Day Treatment Program for Patients with Personality Disorders. <i>Group Analysis</i> , 2004, 37, 419-432.	0.2	18
38	Favourable outcome of long-term combined psychotherapy for patients with borderline personality disorder: Six-year follow-up of a randomized study. <i>Psychotherapy Research</i> , 2017, 27, 51-63.	1.1	18
39	Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, paranoid personality disorder diagnosis: a unitary or a two-dimensional construct?. <i>Comprehensive Psychiatry</i> , 2009, 50, 533-541.	1.5	17
40	The Group Self: A Neglected Aspect of Group Psychotherapy. <i>Group Analysis</i> , 2003, 36, 7-22.	0.2	16
41	Smaller stress-sensitive hippocampal subfields in women with borderline personality disorder without posttraumatic stress disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 127-34.	1.4	16
42	The quality of the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition dependent personality disorder prototype. <i>Comprehensive Psychiatry</i> , 2006, 47, 456-462.	1.5	15
43	Associations between patient characteristics and ratings of treatment milieu. <i>Nordic Journal of Psychiatry</i> , 2007, 61, 271-278.	0.7	15
44	Long-term continuation treatment after short-term day treatment of female patients with severe personality disorders: Body awareness group therapy versus psychodynamic group therapy. <i>Nordic Journal of Psychiatry</i> , 2010, 64, 115-122.	0.7	15
45	Validity aspects of the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, narcissistic personality disorder construct. <i>Comprehensive Psychiatry</i> , 2011, 52, 517-526.	1.5	15
46	Poor Validity of the DSM-IV Schizoid Personality Disorder Construct as a Diagnostic Category. <i>Journal of Personality Disorders</i> , 2015, 29, 334-346.	0.8	15
47	Using measures from the SCL-90-R to screen for personality disorders. <i>Personality and Mental Health</i> , 2010, 4, 121-132.	0.6	14
48	Self-harm and suicidal behavior in borderline personality disorder with and without bulimia nervosa.. <i>Journal of Consulting and Clinical Psychology</i> , 2015, 83, 643-648.	1.6	14
49	On Structure and Leadership in Mentalization-based Group Therapy and Group Analysis. <i>Group Analysis</i> , 2015, 48, 137-149.	0.2	13
50	Juggling thoughts and feelings: How do female patients with borderline symptomology and substance use disorder experience change in mentalization-based treatment?. <i>Psychotherapy Research</i> , 2019, 29, 251-266.	1.1	13
51	Substance use disorders among personality disordered patients admitted for day hospital treatment. Implications for service developments. <i>Nordic Journal of Psychiatry</i> , 2009, 63, 57-63.	0.7	12
52	Constructing and Mentalizing the Matrix. <i>Group Analysis</i> , 2011, 44, 357-373.	0.2	12
53	Mentalizing underachievement in group counseling: Analyzing the relationship between members' reflective functioning and counselors' interventions.. <i>Psychological Services</i> , 2021, 18, 73-83.	0.9	12
54	Nineteen-Month Stability of Revised NEO Personality Inventory Domain and Facet Scores in Patients With Personality Disorders. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 187-195.	0.5	11

#	ARTICLE	IF	CITATIONS
55	Does a web-based feedback training program result in improved reliability in clinicians's ratings of the Global Assessment of Functioning (GAF) Scale?. <i>Psychological Assessment</i> , 2015, 27, 865-873.	1.2	11
56	A Qualitative Study of a Mentalization-based Group for Borderline Patients. <i>Group Analysis</i> , 2015, 48, 150-163.	0.2	11
57	The three factors of the psychoticism scale of SCL-90-R. <i>Personality and Mental Health</i> , 2016, 10, 244-255.	0.6	10
58	Case Formulations in Mentalization-Based Treatment (MBT) for Patients With Borderline Personality Disorder. , 2019, , 41-60.		10
59	Dreams as Portraits of Self and Group Interaction. <i>International Journal of Group Psychotherapy</i> , 2006, 56, 47-61.	0.4	9
60	A Psychometric Evaluation of the DSM-IV Criteria for Antisocial Personality Disorder: Dimensionality, Local Reliability, and Differential Item Functioning Across Gender. <i>Assessment</i> , 2020, 27, 89-101.	1.9	8
61	When costs count: The impact of staff size, skill mix and treatment intensity on patient outcome for psychotherapeutic day treatment programmes. <i>Health Policy</i> , 2008, 86, 255-265.	1.4	7
62	A comparative study of a mentalization-based versus a psychodynamic group therapy session. <i>Group Analysis</i> , 2018, 51, 44-60.	0.2	7
63	A high-quality mentalization-based group therapy session. <i>Group Analysis</i> , 2018, 51, 18-43.	0.2	7
64	Personality and the group matrix. <i>Group Analysis</i> , 2019, 52, 503-519.	0.2	7
65	Psychotherapy of personality disorders needs an integrative theory of personality.. <i>Journal of Psychotherapy Integration</i> , 2021, 31, 34-53.	0.7	6
66	Mentalization-based treatment for female patients with comorbid personality disorder and substance use disorder: A pilot study. <i>Scandinavian Psychologist</i> , 0, 4, .	0.0	6
67	Treatment integrity and members' change in group counseling: A pilot study on counselor's mentalizing interventions.. <i>Professional Psychology: Research and Practice</i> , 2020, 51, 588-597.	0.6	5
68	A Comparative Study of Six Different Inpatient Groups with Respect to Their Basic Assumption Functioning. <i>International Journal of Group Psychotherapy</i> , 1989, 39, 355-376.	0.4	4
69	Case formulations in mentalization-based group therapy. <i>Research in Psychotherapy: Psychopathology, Process and Outcome</i> , 2018, 21, 318.	0.4	4
70	The mentalization-based therapy adherence and quality scale (MBT-AQS): Reliability in a clinical setting. <i>Nordic Psychology</i> , 2019, 71, 104-115.	0.4	3
71	Treatment of obsessive-compulsive disorder in the context of an avoidant personality disorder. <i>Personality and Mental Health</i> , 2008, 2, 110-112.	0.6	0
72	Carmen: histrionic personality disorder and psychotherapy. <i>Personality and Mental Health</i> , 2010, 4, 153-157.	0.6	0

#	ARTICLE	IF	CITATIONS
73	¿Es un constructo válido la categoría de trastorno histriánico de la personalidad del Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition?. <i>Psiquiatria Biologica</i> , 2011, 18, 145-152.	0.0	0
74	Commentary on narcissistic personality disorder. <i>Personality and Mental Health</i> , 2011, 5, 235-237.	0.6	0
75	Comments on personality disorders with overregulation of emotions and poor selfreflectivity. <i>Personality and Mental Health</i> , 2012, 6, 167-169.	0.6	0
76	From Group Analytic Practice to Group Analytic Text: On Writing a Group Analytic Diploma Paper. <i>Group Analysis</i> , 2013, 46, 439-451.	0.2	0
77	Misleading about MBT in Oslo. <i>BMC Psychiatry</i> , 2019, 19, 208.	1.1	0