

Sigmund Karterud

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/258111/publications.pdf>

Version: 2024-02-01

77
papers

2,291
citations

257101

24
h-index

243296

44
g-index

85
all docs

85
docs citations

85
times ranked

2059
citing authors

#	ARTICLE	IF	CITATIONS
1	Mentalizing underachievement in group counseling: Analyzing the relationship between members' reflective functioning and counselors' interventions.. Psychological Services, 2021, 18, 73-83.	0.9	12
2	Psychotherapy of personality disorders needs an integrative theory of personality.. Journal of Psychotherapy Integration, 2021, 31, 34-53.	0.7	6
3	A Psychometric Evaluation of the <i>DSM-IV</i> Criteria for Antisocial Personality Disorder: Dimensionality, Local Reliability, and Differential Item Functioning Across Gender. Assessment, 2020, 27, 89-101.	1.9	8
4	Treatment integrity and members' change in group counseling: A pilot study on counselors' mentalizing interventions.. Professional Psychology: Research and Practice, 2020, 51, 588-597.	0.6	5
5	The mentalization-based therapy adherence and quality scale (MBT-AQS): Reliability in a clinical setting. Nordic Psychology, 2019, 71, 104-115.	0.4	3
6	Misleading about MBT in Oslo. BMC Psychiatry, 2019, 19, 208.	1.1	0
7	Personality and the group matrix. Group Analysis, 2019, 52, 503-519.	0.2	7
8	Case Formulations in Mentalization-Based Treatment (MBT) for Patients With Borderline Personality Disorder. , 2019, , 41-60.		10
9	Mentalization-based treatment or psychodynamic treatment programmes for patients with borderline personality disorder – the impact of clinical severity. Psychology and Psychotherapy: Theory, Research and Practice, 2019, 92, 91-111.	1.3	26
10	Juggling thoughts and feelings: How do female patients with borderline symptomology and substance use disorder experience change in mentalization-based treatment?. Psychotherapy Research, 2019, 29, 251-266.	1.1	13
11	A comparative study of a mentalization-based versus a psychodynamic group therapy session. Group Analysis, 2018, 51, 44-60.	0.2	7
12	A high-quality mentalization-based group therapy session. Group Analysis, 2018, 51, 18-43.	0.2	7
13	Case formulations in mentalization-based group therapy. Research in Psychotherapy: Psychopathology, Process and Outcome, 2018, 21, 318.	0.4	4
14	Patterns of altered regional brain glucose metabolism in borderline personality disorder and bipolar II disorder. Acta Psychiatrica Scandinavica, 2018, 139, 256-268.	2.2	21
15	Favourable outcome of long-term combined psychotherapy for patients with borderline personality disorder: Six-year follow-up of a randomized study. Psychotherapy Research, 2017, 27, 51-63.	1.1	18
16	Primary emotional traits in patients with personality disorders. Personality and Mental Health, 2016, 10, 261-273.	0.6	25
17	The three factors of the psychoticism scale of SCL-90-R. Personality and Mental Health, 2016, 10, 244-255.	0.6	10
18	Does a web-based feedback training program result in improved reliability in clinicians' ratings of the Global Assessment of Functioning (GAF) Scale?. Psychological Assessment, 2015, 27, 865-873.	1.2	11

#	ARTICLE	IF	CITATIONS
19	Self-harm and suicidal behavior in borderline personality disorder with and without bulimia nervosa.. Journal of Consulting and Clinical Psychology, 2015, 83, 643-648.	1.6	14
20	Changing from a traditional psychodynamic treatment programme to mentalization-based treatment for patients with borderline personality disorder – Does it make a difference?. Psychology and Psychotherapy: Theory, Research and Practice, 2015, 88, 71-86.	1.3	57
21	A Qualitative Study of a Mentalization-based Group for Borderline Patients. Group Analysis, 2015, 48, 150-163.	0.2	11
22	On Structure and Leadership in Mentalization-based Group Therapy and Group Analysis. Group Analysis, 2015, 48, 137-149.	0.2	13
23	Poor Validity of the DSM-IV Schizoid Personality Disorder Construct as a Diagnostic Category. Journal of Personality Disorders, 2015, 29, 334-346.	0.8	15
24	Different impulsivity profiles in borderline personality disorder and bipolar II disorder. Journal of Affective Disorders, 2015, 170, 104-111.	2.0	43
25	Smaller stress-sensitive hippocampal subfields in women with borderline personality disorder without posttraumatic stress disorder. Journal of Psychiatry and Neuroscience, 2014, 39, 127-34.	1.4	16
26	Step-down versus outpatient psychotherapeutic treatment for personality disorders: 6-year follow-up of the Ullevål personality project. BMC Psychiatry, 2014, 14, 119.	1.1	23
27	Eating disorders in a large clinical sample of men and women with personality disorders. International Journal of Eating Disorders, 2013, 46, 801-809.	2.1	20
28	Health service costs and clinical gains of psychotherapy for personality disorders: a randomized controlled trial of day-hospital-based step-down treatment versus outpatient treatment at a specialist practice. BMC Psychiatry, 2013, 13, 315.	1.1	24
29	Mentalization as a moderator of treatment effects: Findings from a randomized clinical trial for personality disorders. Psychotherapy Research, 2013, 23, 674-689.	1.1	65
30	The MBT Adherence and Competence Scale (MBT-ACS): Development, structure and reliability. Psychotherapy Research, 2013, 23, 705-717.	1.1	55
31	Large variation of severity and longitudinal change of symptom distress among patients with personality disorders. Personality and Mental Health, 2013, 7, 265-276.	0.6	23
32	From Group Analytic Practice to Group Analytic Text: On Writing a Group Analytic Diploma Paper. Group Analysis, 2013, 46, 439-451.	0.2	0
33	Large Variations of Global Functioning over Five Years in Treated Patients with Personality Traits and Disorders. Journal of Personality Disorders, 2012, 26, 141-161.	0.8	24
34	Why the factorial structure of the SCL-90-R is unstable: Comparing patient groups with different levels of psychological distress using Mokken Scale Analysis. Psychiatry Research, 2012, 200, 819-826.	1.7	31
35	Is treatment in a day hospital step-down program superior to outpatient individual psychotherapy for patients with personality disorders? 36 months follow-up of a randomized clinical trial comparing different treatment modalities. Psychotherapy Research, 2012, 22, 426-441.	1.1	29
36	The symptom and function dimensions of the Global Assessment of Functioning (GAF) scale. Comprehensive Psychiatry, 2012, 53, 292-298.	1.5	113

#	ARTICLE	IF	CITATIONS
37	Some suggestions for the DSM-5 schizotypal personality disorder construct. <i>Comprehensive Psychiatry</i> , 2012, 53, 341-349.	1.5	26
38	Comments on personality disorders with over-regulation of emotions and poor self-reflectivity. <i>Personality and Mental Health</i> , 2012, 6, 167-169.	0.6	0
39	¿Es un constructo válido la categoría de trastorno histriónico de la personalidad del Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition?. <i>Psiquiatria Biologica</i> , 2011, 18, 145-152.	0.0	0
40	Validity aspects of the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, narcissistic personality disorder construct. <i>Comprehensive Psychiatry</i> , 2011, 52, 517-526.	1.5	15
41	Commentary on narcissistic personality disorder. <i>Personality and Mental Health</i> , 2011, 5, 235-237.	0.6	0
42	A study of the dimensionality and measurement precision of the SCL-90-R using item response theory. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, e39-55.	1.1	40
43	Constructing and Mentalizing the Matrix. <i>Group Analysis</i> , 2011, 44, 357-373.	0.2	12
44	Using measures from the SCL-90-R to screen for personality disorders. <i>Personality and Mental Health</i> , 2010, 4, 121-132.	0.6	14
45	Carmen: histrionic personality disorder and psychotherapy. <i>Personality and Mental Health</i> , 2010, 4, 153-157.	0.6	0
46	Psychotherapy for Personality Disorders: 18 Months' Follow-Up of the Ullevål Personality Project. <i>Journal of Personality Disorders</i> , 2010, 24, 188-203.	0.8	24
47	Is the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, histrionic personality disorder category a valid construct?. <i>Comprehensive Psychiatry</i> , 2010, 51, 462-470.	1.5	22
48	Psychiatric symptoms and countertransference feelings: An empirical investigation. <i>Psychiatry Research</i> , 2010, 178, 191-195.	1.7	49
49	Long-term continuation treatment after short-term day treatment of female patients with severe personality disorders: Body awareness group therapy versus psychodynamic group therapy. <i>Nordic Journal of Psychiatry</i> , 2010, 64, 115-122.	0.7	15
50	The impact of avoidant personality disorder on psychosocial impairment is substantial. <i>Nordic Journal of Psychiatry</i> , 2009, 63, 390-396.	0.7	52
51	A cross-national validity study of the Severity Indices of Personality Problems (SIPP-18). <i>Personality and Mental Health</i> , 2009, 3, 41-55.	0.6	35
52	Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, paranoid personality disorder diagnosis: a unitary or a two-dimensional construct?. <i>Comprehensive Psychiatry</i> , 2009, 50, 533-541.	1.5	17
53	Substance use disorders among personality disordered patients admitted for day hospital treatment. Implications for service developments. <i>Nordic Journal of Psychiatry</i> , 2009, 63, 57-63.	0.7	12
54	Psychotherapy for personality disorders: Short-term day hospital psychotherapy versus outpatient individual therapy – a randomized controlled study. <i>European Psychiatry</i> , 2009, 24, 71-78.	0.1	48

#	ARTICLE	IF	CITATIONS
55	Nineteen-Month Stability of Revised NEO Personality Inventory Domain and Facet Scores in Patients With Personality Disorders. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 187-195.	0.5	11
56	Treatment of obsessive-compulsive disorder in the context of an avoidant personality disorder. <i>Personality and Mental Health</i> , 2008, 2, 110-112.	0.6	0
57	When costs count: The impact of staff size, skill mix and treatment intensity on patient outcome for psychotherapeutic day treatment programmes. <i>Health Policy</i> , 2008, 86, 255-265.	1.4	7
58	A study of patients with personality disorder not otherwise specified. <i>Comprehensive Psychiatry</i> , 2008, 49, 460-468.	1.5	47
59	Specific Personality Traits Evoke Different Countertransference Reactions. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 702-708.	0.5	39
60	The Quality of the DSM-IV Obsessive-Compulsive Personality Disorder Construct as a Prototype Category. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 446-455.	0.5	57
61	Interviews of Female Patients with Borderline Personality Disorder Who Dropped out of Group Psychotherapy. <i>International Journal of Group Psychotherapy</i> , 2007, 57, 67-92.	0.4	45
62	Generalizability studies of the Global Assessment of Functioning—Split version. <i>Comprehensive Psychiatry</i> , 2007, 48, 88-94.	1.5	381
63	An empirical study of countertransference reactions toward patients with personality disorders. <i>Comprehensive Psychiatry</i> , 2007, 48, 225-230.	1.5	78
64	The relationship between avoidant personality disorder and social phobia. <i>Comprehensive Psychiatry</i> , 2007, 48, 348-356.	1.5	72
65	Associations between patient characteristics and ratings of treatment milieu. <i>Nordic Journal of Psychiatry</i> , 2007, 61, 271-278.	0.7	15
66	From general day hospital treatment to specialized treatment programmes. <i>International Review of Psychiatry</i> , 2007, 19, 39-49.	1.4	22
67	An investigation of the validity of the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition avoidant personality disorder construct as a prototype category and the psychometric properties of the diagnostic criteria. <i>Comprehensive Psychiatry</i> , 2006, 47, 376-383.	1.5	24
68	The quality of the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition dependent personality disorder prototype. <i>Comprehensive Psychiatry</i> , 2006, 47, 456-462.	1.5	15
69	Dreams as Portraits of Self and Group Interaction. <i>International Journal of Group Psychotherapy</i> , 2006, 56, 47-61.	0.4	9
70	Guidelines for Art Group Therapy as Part of a Day Treatment Program for Patients with Personality Disorders. <i>Group Analysis</i> , 2004, 37, 419-432.	0.2	18
71	Short-term day treatment programmes for patients with personality disorders. What is the optimal composition?. <i>Nordic Journal of Psychiatry</i> , 2004, 58, 243-249.	0.7	58
72	The Group Self: A Neglected Aspect of Group Psychotherapy. <i>Group Analysis</i> , 2003, 36, 7-22.	0.2	16

#	ARTICLE	IF	CITATIONS
73	Day Treatment of Patients With Personality Disorders: Experiences From a Norwegian Treatment Research Network. <i>Journal of Personality Disorders</i> , 2003, 17, 243-262.	0.8	150
74	Outpatient Group Psychotherapy Following Day Treatment for Patients with Personality Disorders. <i>Journal of Personality Disorders</i> , 2003, 17, 510-521.	0.8	43
75	Block Training in Group Analysis: The Norwegian Program. <i>International Journal of Group Psychotherapy</i> , 1995, 45, 73-89.	0.4	22
76	A Comparative Study of Six Different Inpatient Groups with Respect to Their Basic Assumption Functioning. <i>International Journal of Group Psychotherapy</i> , 1989, 39, 355-376.	0.4	4
77	Mentalization-based treatment for female patients with comorbid personality disorder and substance use disorder: A pilot study. <i>Scandinavian Psychologist</i> , 0, 4, .	0.0	6