

SÃ©verine Henrard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2581254/publications.pdf>

Version: 2024-02-01

70
papers

1,469
citations

394286

19
h-index

360920

35
g-index

76
all docs

76
docs citations

76
times ranked

2370
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Term Mortality and Causes of Death in Isolated GHD, ISS, and SGA Patients Treated with Recombinant Growth Hormone during Childhood in Belgium, The Netherlands, and Sweden: Preliminary Report of 3 Countries Participating in the EU SAGhE Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E213-E217.	1.8	152
2	Inappropriate Prescribing and Related Hospital Admissions in Frail Older Persons According to the STOPP and START Criteria. <i>Drugs and Aging</i> , 2012, 29, 829-837.	1.3	134
3	Reduction of Potentially Inappropriate Medications Using the STOPP Criteria in Frail Older Inpatients: A Randomised Controlled Study. <i>Drugs and Aging</i> , 2014, 31, 291-298.	1.3	117
4	Classification and regression tree analysis vs. multivariable linear and logistic regression methods as statistical tools for studying haemophilia. <i>Haemophilia</i> , 2015, 21, 715-722.	1.0	73
5	Trends in multimorbidity and polypharmacy in the Flemish-Belgian population between 2000 and 2015. <i>PLoS ONE</i> , 2019, 14, e0212046.	1.1	54
6	Coronary artery calcification: a strong predictor of cardiovascular events in renal transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3773-3778.	0.4	47
7	A prognostic index for progression-free survival in malignant mesothelioma with application to the design of phase II trials: A combined analysis of 10 EORTC trials. <i>European Journal of Cancer</i> , 2009, 45, 2304-2311.	1.3	38
8	Impact of being underweight or overweight on factor VIII dosing in hemophilia A patients. <i>Haematologica</i> , 2013, 98, 1481-1486.	1.7	36
9	Potentially Inappropriate Prescribing in Belgian Nursing Homes: Prevalence and Associated Factors. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 884-890.	1.2	35
10	Attitudes towards COVID-19 Vaccination among Hospital Staff – Understanding What Matters to Hesitant People. <i>Vaccines</i> , 2021, 9, 469.	2.1	35
11	The health and economic burden of haemophilia in Belgium: a rare, expensive and challenging disease. <i>Orphanet Journal of Rare Diseases</i> , 2014, 9, 39.	1.2	32
12	Collaborative approach to Optimise MEdication use for Older people in Nursing homes (COME-ON): study protocol of a cluster controlled trial. <i>Implementation Science</i> , 2015, 11, 35.	2.5	32
13	Association between atrial fibrillation, anticoagulation, risk of cerebrovascular events and multimorbidity in general practice: a registry-based study. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 61.	0.7	31
14	Cluster-Controlled Trial of an Intervention to Improve Prescribing in Nursing Homes Study. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1404-1411.	1.2	31
15	Burden of heart failure in Flemish general practices: a registry-based study in the Intego database. <i>BMJ Open</i> , 2019, 9, e022972.	0.8	31
16	Body weight and fat mass index as strong predictors of factor VIII in vivo recovery in adults with hemophilia A. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 1784-1790.	1.9	30
17	Risk scores and geriatric profile: can they really help us in anticoagulation decision making among older patients suffering from atrial fibrillation?. <i>Clinical Interventions in Aging</i> , 2014, 9, 1091.	1.3	30
18	A high sense of coherence protects from the burden of caregiving in older spousal caregivers. <i>Archives of Gerontology and Geriatrics</i> , 2018, 75, 76-82.	1.4	24

#	ARTICLE	IF	CITATIONS
19	Impact of a clinical decision support system for drug dosage in patients with renal failure. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 1225-1233.	1.0	23
20	Dental Emergencies Management in COVID-19 Pandemic Peak: A Cohort Study. <i>Journal of Dental Research</i> , 2021, 100, 352-360.	2.5	23
21	Negotiating prices of drugs for rare diseases. <i>Bulletin of the World Health Organization</i> , 2016, 94, 779-781.	1.5	22
22	Prevalence of drug-drug interactions in older people before and after hospital admission: analysis from the OPERAM trial. <i>BMC Geriatrics</i> , 2021, 21, 571.	1.1	22
23	Clinical Use and Adverse Drug Reactions of Linezolid: A Retrospective Study in Four Belgian Hospital Centers. <i>Antibiotics</i> , 2021, 10, 530.	1.5	20
24	Physical and mental quality of life in adult patients with haemophilia in Belgium: the impact of financial issues. <i>Haemophilia</i> , 2014, 20, 479-485.	1.0	19
25	Individualisation of glycaemic management in older people with type 2 diabetes: a systematic review of clinical practice guidelines recommendations. <i>Age and Ageing</i> , 2021, 50, 1935-1942.	0.7	19
26	Impact of being overweight on factor VIII dosing in children with haemophilia A. <i>Haemophilia</i> , 2016, 22, 361-367.	1.0	17
27	Underuse of Anticoagulation in Older Patients with Atrial Fibrillation and CHADS2 Score: Are We Doing Better Since the Marketing of Direct Oral Anticoagulants?. <i>Drugs and Aging</i> , 2017, 34, 841-850.	1.3	17
28	Modeling of Body Weight Metrics for Effective and Cost-Efficient Conventional Factor VIII Dosing in Hemophilia A Prophylaxis. <i>Pharmaceutics</i> , 2017, 9, 47.	2.0	17
29	Time trends in statin use and incidence of recurrent cardiovascular events in secondary prevention between 1999 and 2013: a registry-based study. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 209.	0.7	17
30	End-of-life decisions and practices for very preterm infants in the Wallonia-Brussels Federation of Belgium. <i>BMC Pediatrics</i> , 2018, 18, 206.	0.7	16
31	Benzodiazepine Use and Deprescribing in Belgian Nursing Homes: Results from the COMEON Study. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 2768-2777.	1.3	16
32	Trends in benzodiazepine receptor agonists use and associated factors in the Belgian general older population: analysis of the Belgian health interview survey data. <i>Therapeutic Advances in Psychopharmacology</i> , 2021, 11, 204512532110118.	1.2	16
33	Learning curve of medialization thyroplasty using a Montgomeryâ„¢ implant. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 385-390.	0.8	14
34	Potentially Inappropriate Prescribing and Related Hospital Admissions in Geriatric Patients: A Comparative Analysis between the STOPP and START Criteria Versions 1 and 2. <i>Drugs and Aging</i> , 2019, 36, 453-459.	1.3	14
35	Supportive and Palliative Care Indicators Tool prognostic value in older hospitalised patients: a prospective multicentre study. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2021-003042.	0.8	14
36	Shape of Thyroid Cartilage Influences Outcome of Montgomery Medialization Thyroplasty: A Gender Issue. <i>Journal of Voice</i> , 2017, 31, 245.e3-245.e8.	0.6	13

#	ARTICLE	IF	CITATIONS
37	SPOUSAL CAREGIVING IS ASSOCIATED WITH AN INCREASED RISK OF FRAILITY: A CASE-CONTROL STUDY. <i>Journal of Frailty & Aging</i> , 2018, 7, 1-6.	0.8	13
38	Methods to identify heart failure patients in general practice and their impact on patient characteristics: A systematic review. <i>International Journal of Cardiology</i> , 2018, 257, 199-206.	0.8	12
39	Use and Deprescribing of Potentially Inappropriate Medications in Frail Nursing Home Residents. <i>Drugs and Aging</i> , 2020, 37, 917-924.	1.3	12
40	Drug Interactions With Non-Vitamin K Oral Anticoagulants. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 829.	3.8	10
41	Health problems associated with irritable bowel syndrome: analysis of a primary care registry. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 47, 1349-1357.	1.9	10
42	Estimating the prevalence of diabetes mellitus and thyroid disorders using medication data in Flanders, Belgium. <i>European Journal of Public Health</i> , 2018, 28, 193-198.	0.1	10
43	Participation of people with haemophilia in clinical trials of new treatments: an investigation of patients' motivations and existing barriers. <i>Blood Transfusion</i> , 2015, 13, 302-9.	0.3	10
44	Very long-term Voice Handicap Index Voice Outcomes after Montgomery Thyroplasty: A cross-sectional study. <i>Clinical Otolaryngology</i> , 2018, 43, 1097-1103.	0.6	9
45	Implementing a screening tool to improve prescribing in hospitalized older patients: a pilot study. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 15-19.	1.0	9
46	Poor health status, inappropriate glucose-lowering therapy and high one-year mortality in geriatric patients with type 2 diabetes. <i>BMC Geriatrics</i> , 2020, 20, 367.	1.1	9
47	Assessment of passive musculoarticular ankle stiffness in children, adolescents and young adults with haemophilic ankle arthropathy. <i>Haemophilia</i> , 2018, 24, e103-e112.	1.0	8
48	Performance of a trigger tool for detecting drug-related hospital admissions in older people: analysis from the OPERAM trial. <i>Age and Ageing</i> , 2022, 51, .	0.7	6
49	Cost-effectiveness of a structured medication review approach for multimorbid older adults: Within-trial analysis of the OPERAM study. <i>PLoS ONE</i> , 2022, 17, e0265507.	1.1	6
50	Continuous infusion of factor VIII concentrates in obese patients with severe haemophilia A: is weight-based dose adjustment required?. <i>Haemophilia</i> , 2016, 22, e62-4.	1.0	5
51	Screening of haemophilia carriers in moderate and severe haemophilia A and B: Prevalence and determinants. <i>Haemophilia</i> , 2018, 24, e142-e144.	1.0	5
52	Accuracy of Thyroid Cartilage Fenestration During Montgomery Medialization Thyroplasty. <i>Journal of Voice</i> , 2020, 34, 609-615.	0.6	5
53	Machine learning optimization of an electronic health record audit for heart failure in primary care. <i>ESC Heart Failure</i> , 2022, 9, 39-47.	1.4	5
54	Value of Adding Natriuretic Peptides and Electrocardiographic Findings to Assess the Presence of Cardiac Dysfunction in Patients ≥80 Years of Age. <i>American Journal of Cardiology</i> , 2013, 111, 1198-1208.	0.7	4

#	ARTICLE	IF	CITATIONS
55	Factors associated with Prolonged Inaction in the hypoglycaemic treatment in people with non-insulin dependent Type 2 Diabetes and elevated glycated haemoglobin: A registry-based cohort study. <i>Primary Care Diabetes</i> , 2017, 11, 482-489.	0.9	4
56	Predictors of clinicians' underuse of daily sedation interruption and sedation scales. <i>Journal of Critical Care</i> , 2017, 38, 182-189.	1.0	4
57	In-Hospital Mortality Rates in Older Patients with COVID-19. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 2193-2194.	1.3	4
58	Cross-cultural adaptation and validation of the Canadian Haemophilia Outcomes-Kids™ Life Assessment Tool (CHO-KLAT) in C�te d'Ivoire (the Ivory Coast). <i>Health and Quality of Life Outcomes</i> , 2020, 18, 76.	1.0	4
59	Distinction of cardiometabolic profiles among people 75 years with type 2 diabetes: a latent profile analysis. <i>BMC Endocrine Disorders</i> , 2019, 19, 85.	0.9	3
60	The incidence of lower respiratory tract infections and pneumococcal vaccination status in adults in flemish primary care. <i>Acta Clinica Belgica</i> , 2021, 76, 335-345.	0.5	3
61	Pneumococcal vaccination prevented severe LRTIs in adults: a causal inference framework applied in registry data. <i>Journal of Clinical Epidemiology</i> , 2022, 143, 118-127.	2.4	2
62	Orthostatic blood pressure drop and cardiovascular and psychotropic medication dosages in acutely ill geriatric inpatients. <i>Acta Clinica Belgica</i> , 2020, 75, 313-320.	0.5	1
63	74CLASSIFICATION OF OLDER AGE PATIENTS WITH TYPE 2 DIABETES MELLITUS IN TERMS OF SEVERITY AND GLUCOSE LOWERING THERAPY NEEDS USING LATENT CLASS ANALYSIS. <i>Age and Ageing</i> , 2019, 48, i20-i20.	0.7	0
64	Should We Treat Bacteremic Prostatitis for 7 Days?. <i>Clinical Infectious Diseases</i> , 2020, 70, 351-351.	2.9	0
65	530 INTERPRETATION OF HBA1C VALUES IN GERIATRIC PATIENTS WITH TYPE 2 DIABETES: LARGE DIVERGENCE BETWEEN CLINICAL PRACTICE GUIDELINES. <i>Age and Ageing</i> , 2021, 50, ii1-ii4.	0.7	0
66	Participation for Innovation: Survey of Motivation for Clinical Studies Evaluating New Treatments for Hemophilia. <i>Blood</i> , 2011, 118, 4778-4778.	0.6	0
67	Impact of Being Overweight on Factor VIII Dosing in 72 Children with Severe Hemophilia a Treated with Advate�, Kogenate� FS or Refacto AF�/Xyntha�. <i>Blood</i> , 2014, 124, 1498-1498.	0.6	0
68	Metabolic control in adolescents with type 1 diabetes: looking at the role of perceived consistent parenting support of self-care. <i>Education Therapeutique Du Patient</i> , 2018, 10, 10204.	0.5	0
69	Large discrepancy in glycaemic control appropriateness in geriatric patients with type 2 diabetes according to major clinical practice guidelines. <i>European Geriatric Medicine</i> , 2021, , 1.	1.2	0
70	Palliative profile, one-year mortality and quality of life in older inpatients according to Be-PICT: a multicenter prospective cohort study. <i>Acta Clinica Belgica</i> , 2022, , 1-9.	0.5	0