Pedro Faia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/258140/publications.pdf

Version: 2024-02-01

623734 526287 41 768 14 27 citations h-index g-index papers 41 41 41 883 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Computational Fluid Dynamic Modelling of Fully-Suspended Slurry Flows in Horizontal Pipes with Different Solids Concentrations. KONA Powder and Particle Journal, 2023, 40, 219-235.	1.7	O
2	Effect of ÂNb5+Âand In3+Â lons on Moisture Sensitivity of Electrospun Titanium/Tungsten Oxide Nanostructures: Microstructural Characterization and Electrical Response. Processes, 2021, 9, 1336.	2.8	2
3	Zn2+-Doped TiO2:WO3 Films Prepared by Electrospinning and Sintering: Microstructural Characterization and Electrical Signature to Moisture Sensing. Ceramics, 2021, 4, 576-591.	2.6	6
4	Electrochemical Characterization of Novel Polyantimonic-Acid-Based Proton Conductors for Lowand Intermediate-Temperature Fuel Cells. Applied Sciences (Switzerland), 2021, 11, 11877.	2.5	3
5	Humidity sensing properties of thin silicon-tin films prepared by magnetron sputtering. Sensors and Actuators B: Chemical, 2020, 321, 128554.	7.8	3
6	Electrical Tomography: A Review of Configurations, and Application to Fibre Flow Suspensions Characterisation. Applied Sciences (Switzerland), 2020, 10, 2355.	2.5	13
7	Tailoring thin mesoporous silicon-tin films by radio-frequency magnetron sputtering. Thin Solid Films, 2020, 704, 137989.	1.8	3
8	Soft Bioelectronic Stickers: Selection and Evaluation of Skinâ€Interfacing Electrodes. Advanced Healthcare Materials, 2019, 8, e1900234.	7.6	77
9	Experimental Study and Computational Fluid Dynamics Modeling of Pulp Suspensions Flow in a Pipe. Journal of Fluids Engineering, Transactions of the ASME, 2017, 139, .	1.5	5
10	Humidity-sensing properties of hierarchical TiO2:ZnO composite grown on electrospun fibers. Journal of Materials Science: Materials in Electronics, 2017, 28, 16575-16583.	2.2	13
11	Preparation, Characterization, and Evaluation of Humidity-Dependent Electrical Properties of Undoped and Niobium Oxide-Doped TiO2Â:ÂWO3 Mixed Powders. Advances in Materials Science and Engineering, 2017, 2017, 1-9.	1.8	3
12	Characterization of solid–liquid settling suspensions using Electrical Impedance Tomography: A comparison between numerical, experimental and visual information. Chemical Engineering Research and Design, 2016, 111, 223-242.	5.6	20
13	TiO2/ZnO hierarchical heteronanostructures: Synthesis, characterization and application as photocatalysts. Journal of Environmental Chemical Engineering, 2016, 4, 2820-2829. Response to humidity of <mml:math <="" td="" xmlns:mml="http://www.w3.org/1998/Math/MathML"><td>6.7</td><td>37</td></mml:math>	6.7	37
14	altimg="si6.gif" overflow="scroll"> <mml:mrow><mml:mi mathvariant="bold">T</mml:mi><mml:mi mathvariant="bold">T</mml:mi><mml:mi mathvariant="normal">i</mml:mi><mml:msub><mml:mi mathvariant="normal">O</mml:mi><mml:mrow><mml:mn>2</mml:mn></mml:mrow></mml:msub></mml:mrow> <td><td>.></td></td>	<td>.></td>	.>
15	mathvariant="normal">O <mml:mrow><mml:mn>3</mml:mn></mml:mrow> <td>w>7.8</td> <td>math></td>	w>7.8	math>
16	A comparative study of magnetic resonance imaging, electrical impedance tomography and ultrasonic doppler velocimetry for semi-dilute fibre flow suspension characterisation. International Journal of Computational Methods and Experimental Measurements, 2016, 4, 165-175.	0.2	2
17	Settling Suspensions Flow Modelling: A Review. KONA Powder and Particle Journal, 2015, 32, 41-56.	1.7	40
18	Hybrid ZnO/TiO ₂ Loaded in Electrospun Polymeric Fibers as Photocatalyst. Journal of Chemistry, 2015, 2015, 1-10.	1.9	25

#	Article	IF	CITATIONS
19	CFD simulation of a turbulent fiber suspension flow – a modified near-wall treatment. Engineering Applications of Computational Fluid Mechanics, 2015, 9, 233-246.	3.1	6
20	Evaluating the Performance of the Mixture Model Coupled with High and Low Reynolds Turbulence Closures in the Numerical Description of Concentrated Solid-Liquid Flows of Settling Particles. Journal of Computational Multiphase Flows, 2015, 7, 241-257.	0.8	10
21	Particle Distribution Studies in Highly Concentrated Solid-liquid Flows in Pipe Using the Mixture Model. Procedia Engineering, 2015, 102, 1016-1025.	1.2	22
22	Application of Different Low-Reynolds k-É> Turbulence Models to Model the Flow of Concentrated Pulp Suspensions in Pipes. Procedia Engineering, 2015, 102, 1326-1335.	1.2	14
23	MODELING SOLID-LIQUID HOMOGENEOUS TURBULENT FLOW OF NEUTRALLY BUOYANT PARTICLES USING THE MIXTURE MODEL: A STUDY OF LENGTH SCALES AND CLOSURE COEFFICIENTS. Multiphase Science and Technology, 2014, 26, 199-227.	0.5	2
24	TiO2:WO3 composite humidity sensors doped with ZnO and CuO investigated by impedance spectroscopy. Sensors and Actuators B: Chemical, 2014, 203, 340-348.	7.8	50
25	Effect of composition on electrical response to humidity of TiO2:ZnO sensors investigated by impedance spectroscopy. Sensors and Actuators B: Chemical, 2013, 181, 720-729.	7.8	39
26	Model of TiO ₂ -ZnO Composite Sensors by Impedance Spectroscopy. Materials Science Forum, 2012, 730-732, 367-372.	0.3	0
27	Imaging Particulate Two-Phase Flow in Liquid Suspensions with Electric Impedance Tomography. Particulate Science and Technology, 2012, 30, 329-342.	2.1	16
28	Electrical Tomography: a review of Configurations and Applications to Particulate Processes. KONA Powder and Particle Journal, 2011, 29, 67-80.	1.7	35
29	Investigations on Humidity Sensing Properties of Thick Films of the TiO ₂ :WO ₃ System. Materials Science Forum, 2010, 636-637, 307-314.	0.3	2
30	Propagation of Ultrasonic Lamb Waves in Aluminium Adhesively Bonded LAP Joints and in Single Plates. Research in Nondestructive Evaluation, 2009, 20, 178-191.	1.1	6
31	Establishing and interpreting an electrical circuit representing a TiO2–WO3 series of humidity thick film sensors. Sensors and Actuators B: Chemical, 2009, 140, 128-133.	7.8	33
32	Ultrasonic Guided Waves Scattering Effects From Defects in Adhesively Bonded Lap Joints Using Pitch and Catch and Pulse-Echo Techniques. Journal of Adhesion, 2008, 84, 421-438.	3.0	12
33	AC impedance spectroscopy: a new equivalent circuit for titania thick film humidity sensors. Sensors and Actuators B: Chemical, 2005, 107, 353-359.	7.8	90
34	Humidity sensing properties of a thick-film titania prepared by a slow spinning process. Sensors and Actuators B: Chemical, 2004, 101, 183-190.	7.8	121
35	Porosity Influence on SnO ₂ Ceramics' Sensitivity to CO. Key Engineering Materials, 2002, 230-232, 420-423.	0.4	O
36	Sensor-based 3-D autonomous surface-following control. Mathematics and Computers in Simulation, 1996, 41, 429-444.	4.4	3

PEDRO FAIA

#	Article	IF	CITATIONS
37	On The Integration Of Robot End-Effector Sensors: Control And Modelling Issues. , 1992, , .		0
38	Integrating force, tactile and proximity sensing for a flexible robotic system through a modular design., 1991,, 247-255.		0
39	Development and control issues in contact and proximity sensing for a robotic system. , 0, , .		3
40	Hierarchical architecture for multi-sensor robot cell operation., 0,,.		5
41	Humidity ITO Thick Film Sensing Behaviour Investigated by Impedance Spectroscopy. Materials Science Forum, 0, 636-637, 315-324.	0.3	1