

# Ja Hyeon Ku

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2581930/publications.pdf>

Version: 2024-02-01

195  
papers

2,864  
citations

201385

27  
h-index

301761

39  
g-index

197  
all docs

197  
docs citations

197  
times ranked

4447  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of the Treatment of Intraperitoneal Bladder Perforation during Transurethral Resection of Bladder Tumor with the Urethral Catheter Alone: Retrospective Analysis of over 15 Years Using the Clinical Data Warehouse System. <i>Urologia Internationalis</i> , 2022, 106, 138-146.	0.6	4
2	Next-generation Proteomics-Based Discovery, Verification, and Validation of Urine Biomarkers for Bladder Cancer Diagnosis. <i>Cancer Research and Treatment</i> , 2022, 54, 882-893.	1.3	10
3	Gender-related outcomes in robot-assisted radical cystectomy: A multi-institutional study. <i>Investigative and Clinical Urology</i> , 2022, 63, 53.	1.0	0
4	Evaluating the efficacy of secondary transurethral resection of the bladder for high-grade Ta tumors. <i>Investigative and Clinical Urology</i> , 2022, 63, 14.	1.0	0
5	Geriatric assessment using the G8 to predict postoperative complications in patients undergoing major uro-oncologic surgery: Comparison with the Charlson Comorbidity Index. <i>Journal of Geriatric Oncology</i> , 2022, 13, 426-431.	0.5	4
6	Predicting factor analysis of postoperative complications after robot-assisted radical cystectomy: Multicenter KORARC database study. <i>International Journal of Urology</i> , 2022, 29, 939-946.	0.5	2
7	Catheter-associated urinary tract infections in patients who have undergone radical cystectomy for bladder cancer: A prospective randomized clinical study of two silicone catheters (clinical benefit of) <i>Tj ETQq1 1 0.784314 rgBT /Over</i>	1.0	0
8	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor With Upper Urinary Tract Carcinoma Who Underwent Radical Nephroureterectomy and Adjuvant Chemotherapy. <i>The Korean Journal of Urological Oncology</i> , 2022, 20, 34-42.	0.1	0
9	Safety and feasibility of synchronous unilateral nephrectomy and contralateral heminephrectomy for extremely severe autosomal dominant polycystic kidney disease: Techniques and outcome. <i>Investigative and Clinical Urology</i> , 2022, 63, .	1.0	0
10	NBCA-Lipiodol Mixture Embolization of Persistent Urine Leakage After Orthotopic Neobladder Formation: Techniques and Outcomes. <i>Frontiers in Surgery</i> , 2022, 9, 844588.	0.6	0
11	Urinary Markers for Bladder Cancer Diagnosis and Monitoring. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 892067.	1.8	8
12	Oncological outcome according to attainment of pentapecta after robot-assisted radical cystectomy in patients with bladder cancer included in the multicentre KORARC database. <i>BJU International</i> , 2021, 127, 182-189.	1.3	15
13	The clinical impact of strict criteria for active surveillance of prostate cancer in Korean population: Results from a prospective cohort. <i>Investigative and Clinical Urology</i> , 2021, 62, 430-437.	1.0	3
14	Stratifying risk for multiple, recurrent, and large ( $\geq 3$ cm) Ta, G1/G2 tumors in non-muscle-invasive bladder cancer. <i>Investigative and Clinical Urology</i> , 2021, 62, 408-415.	1.0	4
15	The Effect of Ventilation with Individualized Positive End-Expiratory Pressure on Postoperative Atelectasis in Patients Undergoing Robot-Assisted Radical Prostatectomy: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 850.	1.0	5
16	Editorial: Recent Advances in Diagnosis and Management of Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 656974.	1.3	0
17	The Effect of Remote Ischemic Preconditioning on Serum Creatinine in Patients Undergoing Partial Nephrectomy: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 1636.	1.0	7
18	Effect of intraoperative fluid volume on postoperative ileus after robot-assisted radical cystectomy. <i>Scientific Reports</i> , 2021, 11, 10522.	1.6	5

#	ARTICLE	IF	CITATIONS
19	Pyuria as a Predictive Marker of Bacillus Calmette-Guérin Unresponsiveness in Non-Muscle Invasive Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 3764.	1.0	5
20	Estimated Glomerular Filtration Rate as a Prognostic Factor in Urothelial Carcinoma of the Upper Urinary Tract: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4155.	1.0	2
21	A retrospective multicenter comparison of conditional cancer-specific survival between laparoscopic and open radical nephroureterectomy in locally advanced upper tract urothelial carcinoma. <i>PLoS ONE</i> , 2021, 16, e0255965.	1.1	5
22	Prognostic Impact of Preoperative Renal Insufficiency on Metastasis-Free Survival after Radical Cystectomy. <i>Journal of Cancer</i> , 2021, 12, 7320-7325.	1.2	1
23	Acidic Urine Is Associated With Poor Prognosis of Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 817781.	1.3	1
24	Establishment of Novel Intraoperative Monitoring and Mapping Method for the Cavernous Nerve During Robot-assisted Radical Prostatectomy: Results of the Phase I/II, First-in-human, Feasibility Study. <i>European Urology</i> , 2020, 78, 221-228.	0.9	10
25	Korean version of the G-8 geriatric screening tool: Translation and linguistic validation. <i>Journal of Geriatric Oncology</i> , 2020, 11, 470-474.	0.5	3
26	Diagnostic Value of 18F-fluorodeoxyglucose Positron Emission Tomography with Computed Tomography for Lymph Node Staging in Patients with Upper Tract Urothelial Carcinoma. <i>European Urology Oncology</i> , 2020, 3, 73-79.	2.6	29
27	Patients with Biopsy Gleason Score 3 + 4 Are Not Appropriate Candidates for Active Surveillance. <i>Urologia Internationalis</i> , 2020, 104, 199-204.	0.6	4
28	Scale-Up Evaluation of a Composite Tumor Marker Assay for the Early Detection of Renal Cell Carcinoma. <i>Diagnostics</i> , 2020, 10, 750.	1.3	6
29	Efficacy of neoadjuvant atezolizumab treatment in patients with advanced urothelial bladder cancer according to the BASQ classification: a study protocol for an open-label, two-cohort, phase II trial. <i>BMJ Open</i> , 2020, 10, e035530.	0.8	3
30	Programmed Cell Death-Ligand 1 Expression Status in Urothelial Carcinoma According to Clinical and Pathological Factors: A Multi-Institutional Retrospective Study. <i>Frontiers in Oncology</i> , 2020, 10, 568809.	1.3	3
31	Role of multiparametric magnetic resonance imaging to predict postoperative Gleason score upgrading in prostate cancer with Gleason score 3 + 4. <i>World Journal of Urology</i> , 2020, 39, 1825-1830.	1.2	6
32	Role of Systemic Inflammatory Response Markers in Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 1473.	1.3	16
33	Histone Demethylase LSD1 Regulates Kidney Cancer Progression by Modulating Androgen Receptor Activity. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6089.	1.8	21
34	Histone Demethylase KDM7A Regulates Androgen Receptor Activity, and Its Chemical Inhibitor TC-E 5002 Overcomes Cisplatin-Resistance in Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5658.	1.8	15
35	Sharing the initial experience of pan-cancer panel analysis in high-risk renal cell carcinoma in the Korean population. <i>BMC Urology</i> , 2020, 20, 125.	0.6	6
36	Creation of bladder assembloids mimicking tissue regeneration and cancer. <i>Nature</i> , 2020, 588, 664-669.	13.7	133

#	ARTICLE	IF	CITATIONS
37	Korean version of the convalescence and recovery evaluation: translation and linguistic validation. <i>Prostate International</i> , 2020, 8, 158-166.	1.2	1
38	Survival Benefits Based on the Number of Lymph Nodes Removed during Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1933.	1.0	7
39	Differences in risk factors for biochemical recurrence after radical prostatectomy stratified by the degree of obesity: Focused on surgical methods. <i>Scientific Reports</i> , 2020, 10, 10157.	1.6	3
40	Where are we now and where are we heading in muscle invasive bladder cancer. <i>Translational Andrology and Urology</i> , 2020, 9, 2864-2865.	0.6	3
41	Targeted next-generation sequencing for locally advanced prostate cancer in the Korean population. <i>Investigative and Clinical Urology</i> , 2020, 61, 127.	1.0	8
42	Impact of perioperative blood transfusion on oncologic outcomes in patients with nonmetastatic renal cell carcinoma treated with curative nephrectomy: A retrospective analysis of a large, single-institutional cohort. <i>Investigative and Clinical Urology</i> , 2020, 61, 136.	1.0	6
43	Long-term oncologic outcomes after radical prostatectomy in clinically localized prostate cancer: 10-year follow-up in Korea. <i>Investigative and Clinical Urology</i> , 2020, 61, 269.	1.0	7
44	Survival benefit of neoadjuvant chemotherapy in pathologic T2N0 or lower urothelial carcinoma patients: evidence to support the use of neoadjuvant chemotherapy. <i>Translational Andrology and Urology</i> , 2020, 9, 1270-1277.	0.6	1
45	MLL5, a histone modifying enzyme, regulates androgen receptor activity in prostate cancer cells by recruiting co-regulators, HCF1 and SET1. <i>BMB Reports</i> , 2020, 53, 634-639.	1.1	5
46	Current status of the focused series "Urothelial Carcinoma". <i>Translational Cancer Research</i> , 2020, 9, 6534-6536.	0.4	1
47	Prognostic impact of tumor infiltrating lymphocytes in bladder urothelial carcinoma. <i>Translational Andrology and Urology</i> , 2019, 8, S291-S292.	0.6	2
48	Intravesical Chemotherapy after Radical Nephroureterectomy for Primary Upper Tract Urothelial Carcinoma: A Systematic Review and Network Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1059.	1.0	11
49	Prostate specific antigen (PSA) persistence 6 weeks after radical prostatectomy and pelvic lymph node dissection as predictive factor of radiographic progression in node-positive prostate cancer patients. <i>Journal of Cancer</i> , 2019, 10, 2237-2242.	1.2	15
50	BCG instillation versus radical cystectomy for high-risk NMIBC with squamous/glandular histologic variants. <i>Scientific Reports</i> , 2019, 9, 15268.	1.6	12
51	To achieve the best performance of transurethral resection of bladder tumor: implication of surgical checklist. <i>Translational Andrology and Urology</i> , 2019, 8, S85-S87.	0.6	2
52	Clinical outcomes of muscle invasive bladder Cancer according to the BASQ classification. <i>BMC Cancer</i> , 2019, 19, 897.	1.1	14
53	Late Recurrence of Bladder Cancer following Radical Cystectomy: Characteristics and Outcomes. <i>Urologia Internationalis</i> , 2019, 103, 291-296.	0.6	8
54	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor in Patients Undergoing Radical Cystectomy with Bladder Urothelial Carcinoma: A Propensity Score-Matched Study. <i>Disease Markers</i> , 2019, 2019, 1-8.	0.6	18

#	ARTICLE	IF	CITATIONS
55	The Cancer of the Bladder Risk Assessment (COBRA) score for predicting cancer-specific survival after radical cystectomy for urothelial carcinoma of the bladder: External validation in a cohort of Korean patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 470-477.	0.8	4
56	Association Between Preoperative Hydronephrosis and Prognosis After Radical Cystectomy Among Patients With Bladder Cancer: A Systemic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2019, 9, 158.	1.3	13
57	Does reduced E-cadherin expression correlate with poor prognosis in patients with upper tract urothelial cell carcinoma?. <i>Medicine (United States)</i> , 2019, 98, e17377.	0.4	0
58	Comparative effectiveness of interventions for managing postoperative catheter-related bladder discomfort: a systematic review and network meta-analysis. <i>Journal of Anesthesia</i> , 2019, 33, 197-208.	0.7	18
59	Novel nomograms to predict recurrence and progression in primary non-muscle-invasive bladder cancer: validation of predictive efficacy in comparison with European Organization of Research and Treatment of Cancer scoring system. <i>World Journal of Urology</i> , 2019, 37, 1867-1877.	1.2	24
60	Establishment of the Seoul National University Prospectively Enrolled Registry for Genitourinary Cancer (SUPER-GUC): A prospective, multidisciplinary, bio-bank linked cohort and research platform. <i>Investigative and Clinical Urology</i> , 2019, 60, 235.	1.0	25
61	The Comparison of Oncologic Outcomes between Open and Laparoscopic Radical Nephroureterectomy for the Treatment of Upper Tract Urothelial Carcinoma: A Korean Multicenter Collaborative Study. <i>Cancer Research and Treatment</i> , 2019, 51, 240-251.	1.3	14
62	Laparoscopy versus Open Nephroureterectomy in Prognostic Outcome of Patients with Advanced Upper Tract Urothelial Cancer: A Retrospective, Multicenter, Propensity-Score Matching Analysis. <i>Cancer Research and Treatment</i> , 2019, 51, 963-972.	1.3	11
63	Epigenetic regulation of mammalian Hedgehog signaling to the stroma determines the molecular subtype of bladder cancer. <i>ELife</i> , 2019, 8, .	2.8	19
64	Predictors for the detection of prostate cancer and clinically significant prostate cancer using TRUS-guided biopsy in patients with negative initial biopsy results. <i>World Journal of Urology</i> , 2018, 36, 1047-1053.	1.2	1
65	Ki-67 as a Prognostic Marker in Upper Urinary Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e831-e841.	0.9	13
66	Targeting splicing factors as molecular non-muscle invasive bladder cancer predictors. <i>Translational Andrology and Urology</i> , 2018, 7, S715-S717.	0.6	1
67	Should intravesical Bacillus Calmette-Guérin (BCG) treatment be administered to patients with T0 after repeat transurethral resection of bladder tumor in patients with high-risk non-muscle invasive bladder cancer?. <i>PLoS ONE</i> , 2018, 13, e0208267.	1.1	7
68	Differences in Pathologic Results of Repeat Transurethral Resection of Bladder Tumor (TURBT) according to Institution Performing the Initial TURBT: Comparative Analyses between Referred and Nonreferred Group. <i>BioMed Research International</i> , 2018, 2018, 1-7.	0.9	6
69	Comparison of Renal Function after Radical Surgery for Upper Tract Urothelial Carcinoma versus Renal Cell Carcinoma: Propensity Score Matching. <i>Urologia Internationalis</i> , 2018, 101, 400-408.	0.6	3
70	Lymphovascular invasion have a similar prognostic value as lymph node involvement in patients undergoing radical cystectomy with urothelial carcinoma. <i>Scientific Reports</i> , 2018, 8, 15928.	1.6	9
71	Rate and association of lower urinary tract infection with recurrence after transurethral resection of bladder tumor. <i>Investigative and Clinical Urology</i> , 2018, 59, 10.	1.0	14
72	Histone demethylase KDM7A controls androgen receptor activity and tumor growth in prostate cancer. <i>International Journal of Cancer</i> , 2018, 143, 2849-2861.	2.3	37

#	ARTICLE	IF	CITATIONS
73	The Impact of Pathologic Upgrading of Gleason Score 7 Prostate Cancer on the Risk of the Biochemical Recurrence after Radical Prostatectomy. <i>BioMed Research International</i> , 2018, 2018, 1-6.	0.9	7
74	Comparison of intraoperative handling and wound healing between (NEOSORBÂ® plus) and coated polyglactin 910 suture (NEOSORBÂ®): a prospective, single-blind, randomized controlled trial. <i>BMC Surgery</i> , 2018, 18, 45.	0.6	7
75	Psychometric validation study of the Korean version of the Functional Assessment of Cancer Therapy-Vanderbilt Cystectomy Index. <i>PLoS ONE</i> , 2018, 13, e0190570.	1.1	1
76	Elevated Neutrophil to Lymphocyte Ratio Predicts Poor Prognosis in Non-muscle Invasive Bladder Cancer Patients: Initial Intravesical Bacillus Calmette-Guerin Treatment After Transurethral Resection of Bladder Tumor Setting. <i>Frontiers in Oncology</i> , 2018, 8, 642.	1.3	21
77	Effects of Aspirin, Nonsteroidal Anti-inflammatory Drugs, Statin, and COX2 Inhibitor on the Developments of Urological Malignancies: A Population-Based Study with 10-Year Follow-up Data in Korea. <i>Cancer Research and Treatment</i> , 2018, 50, 984-991.	1.3	19
78	Comprehensive genetic characterization of TFE3-positive renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 635-635.	0.8	0
79	Prognostic Role of Neutrophil-to-lymphocyte Ratio-based Markers During Pre- and Postadjuvant Chemotherapy in Patients With Advanced Urothelial Carcinoma of Upper Urinary Tract. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e633-e643.	0.9	6
80	Extended versus Standard Pelvic Lymph Node Dissection in Radical Prostatectomy on Oncological and Functional Outcomes: A Systematic Review and Meta-Analysis. <i>Annals of Surgical Oncology</i> , 2017, 24, 2047-2054.	0.7	39
81	Can the Preoperative Neutrophil-to-Lymphocyte Ratio Significantly Predict the Conditional Survival Probability in Muscle-invasive Bladder Cancer Patients Undergoing Radical Cystectomy?. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e411-e420.	0.9	10
82	Prognostic value of impaired estimated glomerular filtration rate in intravesical BCG-treated nonâ€muscle-invasive bladder cancer patients. <i>Scientific Reports</i> , 2017, 7, 1380.	1.6	5
83	Progression to T1 High Grade (T1HG) from a Lower Stage/Grade is Associated with Poorer Survival Outcomes than Initial Diagnosis with T1HG Bladder Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 2413-2419.	0.7	1
84	Variant histology as a significant predictor of survival after radical nephroureterectomy in patients with upper urinary tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 458.e9-458.e15.	0.8	31
85	Dose, duration and strain of bacillus Calmetteâ€Guerin in the treatment of nonmuscle invasive bladder cancer. <i>Medicine (United States)</i> , 2017, 96, e8300.	0.4	23
86	Predictors for Intravesical Recurrence Following Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A National Multicenter Analysis. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e1055-e1061.	0.9	26
87	Patient Perception of Ejaculatory Volume Reduction After Holmium Laser Enucleation of the Prostate (HoLEP). <i>Urology</i> , 2017, 99, 142-147.	0.5	28
88	Concurrent Autophagy Inhibition Overcomes the Resistance of Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Human Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2017, 18, 321.	1.8	25
89	Papillary Urothelial Neoplasm of Low Malignant Potential (PUNLMP) After Initial TUR-BT: Comparative Analyses with Noninvasive Low-Grade Papillary Urothelial Carcinoma (LGPUC). <i>Journal of Cancer</i> , 2017, 8, 2885-2891.	1.2	15
90	Concurrent treatment with simvastatin and NF-Î²B inhibitor in human castration-resistant prostate cancer cells exerts synergistic anti-cancer effects via control of the NF-Î²B/LIN28/let-7 miRNA signaling pathway. <i>PLoS ONE</i> , 2017, 12, e0184644.	1.1	31



#	ARTICLE	IF	CITATIONS
91	Pathology in repeated transurethral resection of a bladder tumor as a risk factor for prognosis of high-risk non-muscle-invasive bladder cancer. <i>PLoS ONE</i> , 2017, 12, e0189354.	1.1	11
92	Predicting biochemical recurrence in patients with high-risk prostate cancer using the apparent diffusion coefficient of magnetic resonance imaging. <i>Investigative and Clinical Urology</i> , 2017, 58, 12.	1.0	15
93	Preoperative neutrophil-lymphocyte ratio can significantly predict mortality outcomes in patients with non-muscle invasive bladder cancer undergoing transurethral resection of bladder tumor. <i>Oncotarget</i> , 2017, 8, 12891-12901.	0.8	49
94	Comparing the clinical efficacy of abiraterone acetate, enzalutamide, and orteronel in patients with metastatic castration-resistant prostate cancer by performing a network meta-analysis of eight randomized controlled trials. <i>Oncotarget</i> , 2017, 8, 59690-59697.	0.8	20
95	Adjuvant chemotherapy for muscle-invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials. <i>Oncotarget</i> , 2017, 8, 81204-81214.	0.8	23
96	Which is better in patients with hydronephrosis before radical cystectomy—percutaneous nephrostomy versus internal ureteral stents. <i>Translational Andrology and Urology</i> , 2017, 6, 1195-1197.	0.6	1
97	Emerging role of liquid biopsy of cell-free tumor DNA for bladder cancer surveillance. <i>Translational Andrology and Urology</i> , 2017, 6, 590-592.	0.6	0
98	Statin inhibits the proliferation of human castration-resistant prostate cancer cells by controlling NFκB-LIN28B-let7 miRNA signaling pathway.. <i>Journal of Clinical Oncology</i> , 2017, 35, 269-269.	0.8	1
99	Association between demographic factors and prognosis in urothelial carcinoma of the upper urinary tract: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017, 8, 7464-7476.	0.8	28
100	Significance of Ki-67 in non-muscle invasive bladder cancer patients: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017, 8, 100614-100630.	0.8	19
101	Development of Decision Support Formulas for the Prediction of Bladder Outlet Obstruction and Prostatic Surgery in Patients With Lower Urinary Tract Symptom/Benign Prostatic Hyperplasia: Part I, Development of the Formula and its Internal Validation. <i>International Neurourology Journal</i> , 2017, 21, S55-65.	0.5	7
102	Development of Decision Support Formulas for the Prediction of Bladder Outlet Obstruction and Prostatic Surgery in Patients With Lower Urinary Tract Symptom/Benign Prostatic Hyperplasia: Part II, External Validation and Usability Testing of a Smartphone App. <i>International Neurourology Journal</i> , 2017, 21, S66-75.	0.5	5
103	Histone demethylase KDM7a to control androgen receptor activity in hormone-sensitive prostate cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, 262-262.	0.8	0
104	The establishment of KORCC (Korean Renal Cell Carcinoma) database. <i>Investigative and Clinical Urology</i> , 2016, 57, 50.	1.0	30
105	Liquid biopsy? A recent breakthrough in noninvasive bladder cancer surveillance. <i>Investigative and Clinical Urology</i> , 2016, 57, 307.	1.0	1
106	Diagnostic and Prognostic Markers in Bladder Cancer. <i>Disease Markers</i> , 2016, 2016, 1-2.	0.6	4
107	Perioperative Blood Transfusion as a Significant Predictor of Biochemical Recurrence and Survival after Radical Prostatectomy in Patients with Prostate Cancer. <i>PLoS ONE</i> , 2016, 11, e0154918.	1.1	16
108	Pathological T3a Upstaging of Clinical T1 Renal Cell Carcinoma: Outcomes According to Surgical Technique and Predictors of Upstaging. <i>PLoS ONE</i> , 2016, 11, e0166183.	1.1	40

#	ARTICLE	IF	CITATIONS
109	Preperitoneal placement of an inflatable penile prosthesis reservoir for postoperative erectile dysfunction after radical cystoprostatectomy with orthotopic neobladder. <i>Investigative and Clinical Urology</i> , 2016, 57, 364.	1.0	7
110	<i>PDLIM2</i> suppression efficiently reduces tumor growth and invasiveness of human castration-resistant prostate cancer-like cells. <i>Prostate</i> , 2016, 76, 273-285.	1.2	20
111	Re: Edwin E. Morales, Sonja Grill, Robert S. Svatek, et al. Finasteride Reduces Risk of Bladder Cancer in a Large Prospective Screening Study. <i>Eur Urol</i> 2016;69:407-10. <i>European Urology</i> , 2016, 69, e57-e58.	0.9	1
112	Clinical Practice Pattern of Immediate Intravesical Chemotherapy following Transurethral Resection of a Bladder Tumor in Korea: National Health Insurance Database Study. <i>Scientific Reports</i> , 2016, 6, 22716.	1.6	6
113	Efficacy of Partial Nephrectomy for Renal Tumors &gt;4 cm: Comparison With Renal Tumors &lt;4 cm. <i>International Surgery</i> , 2016, 101, 7-13.	0.0	0
114	Prostate cancer-specific mortality after radical prostatectomy: value of preoperative MRI. <i>Acta Radiologica</i> , 2016, 57, 1006-1013.	0.5	5
115	Pathological T0 Following Cisplatin-Based Neoadjuvant Chemotherapy for Muscle-Invasive Bladder Cancer: A Network Meta-analysis. <i>Clinical Cancer Research</i> , 2016, 22, 1086-1094.	3.2	27
116	The Prognostic Significance of the Early Postoperative Neutrophil-to-Lymphocyte Ratio in Patients with Urothelial Carcinoma of the Bladder Undergoing Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2016, 23, 335-342.	0.7	50
117	Single, immediate postoperative instillation of chemotherapy in non-muscle invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials using different drugs. <i>Oncotarget</i> , 2016, 7, 45479-45488.	0.8	29
118	Conditional Survival and Associated Prognostic Factors in Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy: A Retrospective Study at a Single Institution. <i>Cancer Research and Treatment</i> , 2016, 48, 621-631.	1.3	9
119	Quality-adjusted survival comparison between androgen deprivation with radiation therapy versus radiation therapy alone for locally advanced prostate cancer: Decision analysis from RTOG 85-31 trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 265-265.	0.8	0
120	The Characteristics of Recurrent Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy without Bladder Cuff Excision. <i>Yonsei Medical Journal</i> , 2015, 56, 375.	0.9	13
121	Trends in the Use of Chemotherapy before and after Radical Cystectomy in Patients with Muscle-invasive Bladder Cancer in Korea. <i>Journal of Korean Medical Science</i> , 2015, 30, 1150.	1.1	20
122	External Validation of Models for Prediction of Lymph Node Metastasis in Urothelial Carcinoma of the Bladder. <i>PLoS ONE</i> , 2015, 10, e0120552.	1.1	5
123	Predictive and Prognostic Value of Ribonucleotide Reductase Regulatory Subunit M1 and Excision Repair Cross-Complementation Group 1 in Advanced Urothelial Carcinoma (UC) Treated with First-Line Gemcitabine Plus Platinum Combination Chemotherapy. <i>PLoS ONE</i> , 2015, 10, e0133371.	1.1	7
124	Survival Outcomes and Predictive Factors for Female Urethral Cancer: Long-term Experience with Korean Patients. <i>Journal of Korean Medical Science</i> , 2015, 30, 1143.	1.1	14
125	The prognostic impact of perioperative blood transfusion on survival in patients with bladder urothelial carcinoma treated with radical cystectomy. <i>Korean Journal of Urology</i> , 2015, 56, 295.	1.2	20
126	Extracapsular Extension of Pelvic Lymph Node Metastasis is an Independent Prognostic Factor in Bladder Cancer: A Systematic Review and Meta-analysis. <i>Annals of Surgical Oncology</i> , 2015, 22, 3745-3750.	0.7	27



#	ARTICLE	IF	CITATIONS
127	Prognostic factors for conditional survival in patients with muscle-invasive urothelial carcinoma of the bladder treated with radical cystectomy. <i>Scientific Reports</i> , 2015, 5, 12171.	1.6	18
128	Effect of Sex on Prognosis of Urothelial Carcinoma: Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e113-e121.	0.9	12
129	Effect of Intraoperative Red Blood Cell Transfusion on Postoperative Complications After Open Radical Cystectomy: Old Versus Fresh Stored Blood. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 581-587.	0.9	16
130	Can body mass index predict survival outcomes in patients treated with radical nephroureterectomy for upper-tract urothelial carcinoma?. <i>International Urology and Nephrology</i> , 2015, 47, 1311-1320.	0.6	16
131	A propensity-matched comparison of perioperative complications and of chronic kidney disease between robot-assisted laparoscopic partial nephrectomy and radiofrequency ablative therapy. <i>Asian Journal of Surgery</i> , 2015, 38, 126-133.	0.2	9
132	Low tube voltage computed tomography urography using low-concentration contrast media: Comparison of image quality in conventional computed tomography urography. <i>European Journal of Radiology</i> , 2015, 84, 2454-2463.	1.2	15
133	Editorial Comment from Dr Kim and Dr Ku to Prognostic factors of recurrent disease in upper urinary tract urothelial cancer after radical nephroureterectomy: Subanalysis of the multi-institutional national database of the Japanese Urological Association. <i>International Journal of Urology</i> , 2015, 22, 1021-1021.	0.5	0
134	Lymph node density as a prognostic variable in node-positive bladder cancer: a meta-analysis. <i>BMC Cancer</i> , 2015, 15, 447.	1.1	53
135	S100A3 Suppression Inhibits In Vitro and In Vivo Tumor Growth and Invasion of Human Castration-resistant Prostate Cancer Cells. <i>Urology</i> , 2015, 85, 273.e9-273.e15.	0.5	19
136	The clinical significance of intra-operative ureteral frozen section analysis at radical cystectomy for urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , 2015, 33, 359-365.	1.2	23
137	Hypertriglyceridemia Is a Potential Preoperative Predictor for Biochemical Recurrence after Radical Prostatectomy. <i>PLoS ONE</i> , 2015, 10, e0122438.	1.1	11
138	Differences in peritumoral pseudocapsule characteristics according to clinicopathological factors in clinical T1a renal tumors. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 11323-31.	0.5	5
139	Pre- and Post-Operative Nomograms to Predict Recurrence-Free Probability in Korean Men with Clinically Localized Prostate Cancer. <i>PLoS ONE</i> , 2014, 9, e100053.	1.1	14
140	Inhibition of Autophagy Potentiates Atorvastatin-Induced Apoptotic Cell Death in Human Bladder Cancer Cells in Vitro. <i>International Journal of Molecular Sciences</i> , 2014, 15, 8106-8121.	1.8	39
141	Association of High Bladder Neck Elevation With Urodynamic Bladder Outlet Obstruction in Patients With Lower Urinary Tract Symptoms and Benign Prostatic Hyperplasia. <i>Urology</i> , 2014, 84, 1461-1466.	0.5	12
142	Presence of lymphovascular invasion in urothelial bladder cancer specimens after transurethral resections correlates with risk of upstaging and survival: A systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 1191-1199.	0.8	47
143	Post-treatment neutrophil-to-lymphocyte ratio in predicting prognosis in patients with metastatic clear cell renal cell carcinoma receiving sunitinib as first line therapy. <i>SpringerPlus</i> , 2014, 3, 243.	1.2	31
144	External Validation of Online Predictive Models for Prediction of Cancer-specific Mortality and All-cause Mortality in Patients with Urothelial Carcinoma of the Urinary Bladder. <i>Annals of Surgical Oncology</i> , 2014, 21, 3132-3141.	0.7	14

#	ARTICLE	IF	CITATIONS
145	Change of Nocturnal Polyuria After Holmium Laser Enucleation of the Prostate in Patients With Benign Prostatic Hyperplasia. <i>Urology</i> , 2014, 84, 650-656.	0.5	11
146	Impact of Squamous and Glandular Differentiation on Oncologic Outcomes in Upper and Lower Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2014, 9, e107027.	1.1	35
147	Effect of Gleason scores of lymph node metastases on prognosis of patients with prostate cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6141-8.	0.5	2
148	Korean version of the functional assessment of cancer therapy (FACT)-vanderbilt cystectomy index (VCI): translation and linguistic. <i>Urology Journal</i> , 2014, 11, 1961-7.	0.3	6
149	The Role of p53 on Survival of Upper Urinary Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 221-228.	0.9	25
150	Lymphovascular invasion as a prognostic factor in the upper urinary tract urothelial carcinoma: A systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2013, 49, 2665-2680.	1.3	44
151	Extramammary Paget Disease of External Genitalia: Surgical Excision and Follow-up Experiences With 19 Patients. <i>Korean Journal of Urology</i> , 2013, 54, 834.	1.2	14
152	Predictive value of ribonucleotide reductase regulatory subunit M1 (RRM1) and excision cross-complementing-1 (ERCC1) in advanced urothelial carcinoma (UC) treated with first-line gemcitabine (G) and platinum (P)-based chemotherapy (CT).. <i>Journal of Clinical Oncology</i> , 2013, 31, e15614-e15614.	0.8	0
153	The role of survivin and Bcl-2 in zinc-induced apoptosis in prostate cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012, 30, 562-568.	0.8	31
154	Nomograms to predict the pathological stage of clinically localized prostate cancer in Korean men: Comparison with Western predictive tools using decision curve analysis. <i>International Journal of Urology</i> , 2012, 19, 846-852.	0.5	24
155	Expression of hypoxia inducible factor-1 $\alpha$ and 2 $\alpha$ in conventional renal cell carcinoma with or without sarcomatoid differentiation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011, 29, 731-737.	0.8	17
156	Biochemical Recurrence After Radical Prostatectomy With or Without Pelvic Lymphadenectomy in Korean Men With High-risk Prostate Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 656-662.	0.6	13
157	Disease-specific Survival in Patients with Renal Cell Carcinoma: An Audit of a Large Series from Korea. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 110-114.	0.6	2
158	Nerve-sparing procedure in radical prostatectomy: A risk factor for hernia repair following open retropubic, pure laparoscopic and robot-assisted laparoscopic procedures. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011, 45, 164-170.	1.4	6
159	Robot-assisted laparoscopic management of urachal cysts in adults. <i>Journal of Robotic Surgery</i> , 2010, 4, 133-135.	1.0	2
160	Role of Pelvic Lymphadenectomy in the Treatment of Bladder Cancer: A Mini Review. <i>Korean Journal of Urology</i> , 2010, 51, 371.	1.2	11
161	Correlation Between Prostatic Urethral Angle and Bladder Outlet Obstruction Index in Patients With Lower Urinary Tract Symptoms. <i>Urology</i> , 2010, 75, 1467-1471.	0.5	61
162	Treatment satisfaction after 1 year high-power potassium-titanyl-phosphate photoselective vaporization of the prostate. <i>Asian Journal of Andrology</i> , 2010, 12, 728-734.	0.8	7

#	ARTICLE	IF	CITATIONS
163	The One Year Outcome after KTP Laser Vaporization of the Prostate According to the Calculated Vaporized Volume. <i>Journal of Korean Medical Science</i> , 2009, 24, 1187.	1.1	4
164	Bilateral spontaneous perirenal haemorrhage in a patient on haemodialysis. <i>CKJ: Clinical Kidney Journal</i> , 2009, 2, 412-414.	1.4	4
165	Is there a Role of the Histologic Subtypes of Papillary Renal Cell Carcinoma as a Prognostic Factor?. <i>Japanese Journal of Clinical Oncology</i> , 2009, 39, 664-670.	0.6	18
166	External Validation of an International Multicenter Study to Predict Survival in Korean Patients With pT2N0M0 Renal Cell Carcinoma. <i>Urology</i> , 2009, 74, 359-363.	0.5	0
167	Comparison of three disease-specific quality-of-life questionnaires (Bristol Female Lower Urinary) Tj ETQq1 1 0.784314 rgBT /Overlock urinary incontinence. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007, 41, 66-71.	1.4	9
168	Health-Related Quality of Life in Patients with Spinal Cord Injury: Review of the Short Form 36-Health Questionnaire Survey. <i>Yonsei Medical Journal</i> , 2007, 48, 360.	0.9	39
169	Monitoring transplanted human mesenchymal stem cells in rat and rabbit bladders using molecular magnetic resonance imaging. <i>Neurourology and Urodynamics</i> , 2007, 26, 584-593.	0.8	39
170	Influence of self-perceived incontinence severity on quality of life and sexual function in women with urinary incontinence. <i>Neurourology and Urodynamics</i> , 2007, 26, 828-835.	0.8	19
171	Anticholinergics in patients with overactive bladder: Assessment of ambulatory urodynamics and patient perception. <i>Neurourology and Urodynamics</i> , 2007, 26, 789-793.	0.8	2
172	Sarcomatoid differentiation as a prognostic factor for immunotherapy in metastatic renal cell carcinoma. <i>Journal of Surgical Oncology</i> , 2007, 95, 317-323.	0.8	46
173	Severity of erectile dysfunction in married impotent patients: Interrelationship with anthropometry, hormones, metabolic profiles and lifestyle. <i>International Journal of Urology</i> , 2007, 14, 48-53.	0.5	12
174	Midazolam anesthesia during rigid and flexible cystoscopy. <i>Urological Research</i> , 2007, 35, 139-142.	1.5	25
175	Impact of stress urinary incontinence and overactive bladder on micturition patterns and health-related quality of life. <i>International Urogynecology Journal</i> , 2007, 18, 65-71.	0.7	17
176	Tension-free vaginal tape, suprapubic arc sling, and transobturator tape in the treatment of mixed urinary incontinence in women. <i>International Urogynecology Journal</i> , 2007, 19, 123-129.	0.7	77
177	Does the degree of experience for the tension-free vaginal tape procedure influence the results of the suprapubic arc sling procedure during the learning phase?. <i>International Urology and Nephrology</i> , 2007, 39, 1079-1084.	0.6	2
178	Zolpidem pharmacotherapy combined with alpha-blocker therapy for nocturia unresponsive to alpha-blocker monotherapy in men with lower urinary tract symptoms: a preliminary study. <i>International Urology and Nephrology</i> , 2007, 39, 1147-1152.	0.6	10
179	Prostate biopsy in subjects with abnormal transrectal ultrasonography but normal digital examination findings and prostate-specific antigen levels. <i>International Urology and Nephrology</i> , 2007, 39, 1115-1120.	0.6	2
180	Patientsâ€™ experience with ambulatory urodynamics. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 391-396.	1.4	17

#	ARTICLE	IF	CITATIONS
181	Race-specific reference ranges of serum prostate-specific antigen levels in countries with a low incidence of prostate cancer. <i>BJU International</i> , 2006, 97, 69-72.	1.3	13
182	The management of neurogenic bladder and quality of life in spinal cord injury. <i>BJU International</i> , 2006, 98, 739-745.	1.3	114
183	The role of prolactin levels in the sexual activity of married men with erectile dysfunction. <i>BJU International</i> , 2006, 98, 1269-1273.	1.3	14
184	Is a Generic Quality of Life Instrument Helpful for Evaluating Women with Urinary Incontinence?. <i>Quality of Life Research</i> , 2006, 15, 493-501.	1.5	29
185	Significance of tension in tension-free mid-urethral sling procedures: a preliminary study. <i>International Urogynecology Journal</i> , 2006, 18, 153-158.	0.7	6
186	Does condition-specific quality of life correlate with generic health-related quality of life and objective incontinence severity in women with stress urinary incontinence?. <i>Neurourology and Urodynamics</i> , 2006, 25, 324-329.	0.8	10
187	Age Is Not a Limiting Factor for Midurethral Sling Procedures in the Elderly with Urinary Incontinence. <i>Gynecologic and Obstetric Investigation</i> , 2006, 61, 194-199.	0.7	16
188	Systemic chemotherapy in patients with indwelling ureteral stenting. <i>International Journal of Urology</i> , 2005, 12, 548-551.	0.5	6
189	Health-related quality of life of living kidney donors: review of the short form 36-health questionnaire survey. <i>Transplant International</i> , 2005, 18, 1309-1317.	0.8	47
190	Factors influencing self-perceived disease severity in women with stress urinary incontinence combined with or without urge incontinence. <i>Neurourology and Urodynamics</i> , 2005, 24, 341-347.	0.8	16
191	Metastasis of Transitional Cell Carcinoma to the Lower Abdominal Wall 20 Years after Cystectomy. <i>Yonsei Medical Journal</i> , 2005, 46, 181.	0.9	4
192	Renal failure in a patient with an amputated penis by a dog bite. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1485-1486.	0.4	2
193	Testicular volume and masculine identity in men with unilateral cryptorchidism: results of a community-based survey in Korea. <i>Urological Research</i> , 2003, 31, 312-316.	1.5	6
194	Minimally invasive management of ureteral injuries recognized late after obstetric and gynaecologic surgery. <i>Injury</i> , 2003, 34, 480-483.	0.7	47
195	Comparison of Long-Term Results according to the Primary Mode of Management and Type of Injury for Posterior Urethral Injuries. <i>Urologia Internationalis</i> , 2002, 69, 227-232.	0.6	20