

# Ja Hyeon Ku

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2581930/publications.pdf>

Version: 2024-02-01

195  
papers

2,864  
citations

201674

27  
h-index

302126

39  
g-index

197  
all docs

197  
docs citations

197  
times ranked

4447  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of the Treatment of Intraperitoneal Bladder Perforation during Transurethral Resection of Bladder Tumor with the Urethral Catheter Alone: Retrospective Analysis of over 15 Years Using the Clinical Data Warehouse System. <i>Urologia Internationalis</i> , 2022, 106, 138-146.	1.3	4
2	Next-generation Proteomics-Based Discovery, Verification, and Validation of Urine Biomarkers for Bladder Cancer Diagnosis. <i>Cancer Research and Treatment</i> , 2022, 54, 882-893.	3.0	10
3	Gender-related outcomes in robot-assisted radical cystectomy: A multi-institutional study. <i>Investigative and Clinical Urology</i> , 2022, 63, 53.	2.0	0
4	Evaluating the efficacy of secondary transurethral resection of the bladder for high-grade Ta tumors. <i>Investigative and Clinical Urology</i> , 2022, 63, 14.	2.0	0
5	Geriatric assessment using the G8 to predict postoperative complications in patients undergoing major uro-oncologic surgery: Comparison with the Charlson Comorbidity Index. <i>Journal of Geriatric Oncology</i> , 2022, 13, 426-431.	1.0	4
6	Predicting factor analysis of postoperative complications after robot-assisted radical cystectomy: Multicenter KORARC database study. <i>International Journal of Urology</i> , 2022, 29, 939-946.	1.0	2
7	Catheter-associated urinary tract infections in patients who have undergone radical cystectomy for bladder cancer: A prospective randomized clinical study of two silicone catheters (clinical benefit of) Tj ETQq1 1 0.784314 rgBT /Overbo	1.0	0
8	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor With Upper Urinary Tract Carcinoma Who Underwent Radical Nephroureterectomy and Adjuvant Chemotherapy. <i>The Korean Journal of Urological Oncology</i> , 2022, 20, 34-42.	0.1	0
9	Safety and feasibility of synchronous unilateral nephrectomy and contralateral heminephrectomy for extremely severe autosomal dominant polycystic kidney disease: Techniques and outcome. <i>Investigative and Clinical Urology</i> , 2022, 63, .	2.0	0
10	NBCA-Lipiodol Mixture Embolization of Persistent Urine Leakage After Orthotopic Neobladder Formation: Techniques and Outcomes. <i>Frontiers in Surgery</i> , 2022, 9, 844588.	1.4	0
11	Urinary Markers for Bladder Cancer Diagnosis and Monitoring. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 892067.	3.7	8
12	Oncological outcome according to attainment of pentapecta after robot-assisted radical cystectomy in patients with bladder cancer included in the multicentre KORARC database. <i>BJU International</i> , 2021, 127, 182-189.	2.5	15
13	The clinical impact of strict criteria for active surveillance of prostate cancer in Korean population: Results from a prospective cohort. <i>Investigative and Clinical Urology</i> , 2021, 62, 430-437.	2.0	3
14	Stratifying risk for multiple, recurrent, and large (≥3 cm) Ta, G1/G2 tumors in non-muscle-invasive bladder cancer. <i>Investigative and Clinical Urology</i> , 2021, 62, 408-415.	2.0	4
15	The Effect of Ventilation with Individualized Positive End-Expiratory Pressure on Postoperative Atelectasis in Patients Undergoing Robot-Assisted Radical Prostatectomy: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 850.	2.4	5
16	Editorial: Recent Advances in Diagnosis and Management of Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 656974.	2.8	0
17	The Effect of Remote Ischemic Preconditioning on Serum Creatinine in Patients Undergoing Partial Nephrectomy: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 1636.	2.4	7
18	Effect of intraoperative fluid volume on postoperative ileus after robot-assisted radical cystectomy. <i>Scientific Reports</i> , 2021, 11, 10522.	3.3	5

#	ARTICLE	IF	CITATIONS
19	Pyuria as a Predictive Marker of Bacillus Calmette-Guérin Unresponsiveness in Non-Muscle Invasive Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 3764.	2.4	5
20	Estimated Glomerular Filtration Rate as a Prognostic Factor in Urothelial Carcinoma of the Upper Urinary Tract: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4155.	2.4	2
21	A retrospective multicenter comparison of conditional cancer-specific survival between laparoscopic and open radical nephroureterectomy in locally advanced upper tract urothelial carcinoma. <i>PLoS ONE</i> , 2021, 16, e0255965.	2.5	5
22	Prognostic Impact of Preoperative Renal Insufficiency on Metastasis-Free Survival after Radical Cystectomy. <i>Journal of Cancer</i> , 2021, 12, 7320-7325.	2.5	1
23	Acidic Urine Is Associated With Poor Prognosis of Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 817781.	2.8	1
24	Establishment of Novel Intraoperative Monitoring and Mapping Method for the Cavernous Nerve During Robot-assisted Radical Prostatectomy: Results of the Phase I/II, First-in-human, Feasibility Study. <i>European Urology</i> , 2020, 78, 221-228.	1.9	10
25	Korean version of the G-8 geriatric screening tool: Translation and linguistic validation. <i>Journal of Geriatric Oncology</i> , 2020, 11, 470-474.	1.0	3
26	Diagnostic Value of 18F-fluorodeoxyglucose Positron Emission Tomography with Computed Tomography for Lymph Node Staging in Patients with Upper Tract Urothelial Carcinoma. <i>European Urology Oncology</i> , 2020, 3, 73-79.	5.4	29
27	Patients with Biopsy Gleason Score 3 + 4 Are Not Appropriate Candidates for Active Surveillance. <i>Urologia Internationalis</i> , 2020, 104, 199-204.	1.3	4
28	Scale-Up Evaluation of a Composite Tumor Marker Assay for the Early Detection of Renal Cell Carcinoma. <i>Diagnostics</i> , 2020, 10, 750.	2.6	6
29	Efficacy of neoadjuvant atezolizumab treatment in patients with advanced urothelial bladder cancer according to the BASQ classification: a study protocol for an open-label, two-cohort, phase II trial. <i>BMJ Open</i> , 2020, 10, e035530.	1.9	3
30	Programmed Cell Death-Ligand 1 Expression Status in Urothelial Carcinoma According to Clinical and Pathological Factors: A Multi-Institutional Retrospective Study. <i>Frontiers in Oncology</i> , 2020, 10, 568809.	2.8	3
31	Role of multiparametric magnetic resonance imaging to predict postoperative Gleason score upgrading in prostate cancer with Gleason score 3+4. <i>World Journal of Urology</i> , 2020, 39, 1825-1830.	2.2	6
32	Role of Systemic Inflammatory Response Markers in Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 1473.	2.8	16
33	Histone Demethylase LSD1 Regulates Kidney Cancer Progression by Modulating Androgen Receptor Activity. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6089.	4.1	21
34	Histone Demethylase KDM7A Regulates Androgen Receptor Activity, and Its Chemical Inhibitor TC-E 5002 Overcomes Cisplatin-Resistance in Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5658.	4.1	15
35	Sharing the initial experience of pan-cancer panel analysis in high-risk renal cell carcinoma in the Korean population. <i>BMC Urology</i> , 2020, 20, 125.	1.4	6
36	Creation of bladder assembloids mimicking tissue regeneration and cancer. <i>Nature</i> , 2020, 588, 664-669.	27.8	133

#	ARTICLE	IF	CITATIONS
37	Korean version of the convalescence and recovery evaluation: translation and linguistic validation. <i>Prostate International</i> , 2020, 8, 158-166.	2.3	1
38	Survival Benefits Based on the Number of Lymph Nodes Removed during Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1933.	2.4	7
39	Differences in risk factors for biochemical recurrence after radical prostatectomy stratified by the degree of obesity: Focused on surgical methods. <i>Scientific Reports</i> , 2020, 10, 10157.	3.3	3
40	Where are we now and where are we heading in muscle invasive bladder cancer. <i>Translational Andrology and Urology</i> , 2020, 9, 2864-2865.	1.4	3
41	Targeted next-generation sequencing for locally advanced prostate cancer in the Korean population. <i>Investigative and Clinical Urology</i> , 2020, 61, 127.	2.0	8
42	Impact of perioperative blood transfusion on oncologic outcomes in patients with nonmetastatic renal cell carcinoma treated with curative nephrectomy: A retrospective analysis of a large, single-institutional cohort. <i>Investigative and Clinical Urology</i> , 2020, 61, 136.	2.0	6
43	Long-term oncologic outcomes after radical prostatectomy in clinically localized prostate cancer: 10-year follow-up in Korea. <i>Investigative and Clinical Urology</i> , 2020, 61, 269.	2.0	7
44	Survival benefit of neoadjuvant chemotherapy in pathologic T2N0 or lower urothelial carcinoma patients: evidence to support the use of neoadjuvant chemotherapy. <i>Translational Andrology and Urology</i> , 2020, 9, 1270-1277.	1.4	1
45	MLL5, a histone modifying enzyme, regulates androgen receptor activity in prostate cancer cells by recruiting co-regulators, HCF1 and SET1. <i>BMB Reports</i> , 2020, 53, 634-639.	2.4	5
46	Current status of the focused series “Urothelial Carcinoma”. <i>Translational Cancer Research</i> , 2020, 9, 6534-6536.	1.0	1
47	Prognostic impact of tumor infiltrating lymphocytes in bladder urothelial carcinoma. <i>Translational Andrology and Urology</i> , 2019, 8, S291-S292.	1.4	2
48	Intravesical Chemotherapy after Radical Nephroureterectomy for Primary Upper Tract Urothelial Carcinoma: A Systematic Review and Network Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1059.	2.4	11
49	Prostate specific antigen (PSA) persistence 6 weeks after radical prostatectomy and pelvic lymph node dissection as predictive factor of radiographic progression in node-positive prostate cancer patients. <i>Journal of Cancer</i> , 2019, 10, 2237-2242.	2.5	15
50	BCG instillation versus radical cystectomy for high-risk NMIBC with squamous/glandular histologic variants. <i>Scientific Reports</i> , 2019, 9, 15268.	3.3	12
51	To achieve the best performance of transurethral resection of bladder tumor: implication of surgical checklist. <i>Translational Andrology and Urology</i> , 2019, 8, S85-S87.	1.4	2
52	Clinical outcomes of muscle invasive bladder Cancer according to the BASQ classification. <i>BMC Cancer</i> , 2019, 19, 897.	2.6	14
53	Late Recurrence of Bladder Cancer following Radical Cystectomy: Characteristics and Outcomes. <i>Urologia Internationalis</i> , 2019, 103, 291-296.	1.3	8
54	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor in Patients Undergoing Radical Cystectomy with Bladder Urothelial Carcinoma: A Propensity Score-Matched Study. <i>Disease Markers</i> , 2019, 2019, 1-8.	1.3	18

#	ARTICLE	IF	CITATIONS
55	The Cancer of the Bladder Risk Assessment (COBRA) score for predicting cancer-specific survival after radical cystectomy for urothelial carcinoma of the bladder: External validation in a cohort of Korean patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 470-477.	1.6	4
56	Association Between Preoperative Hydronephrosis and Prognosis After Radical Cystectomy Among Patients With Bladder Cancer: A Systemic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2019, 9, 158.	2.8	13
57	Does reduced E-cadherin expression correlate with poor prognosis in patients with upper tract urothelial cell carcinoma?. <i>Medicine (United States)</i> , 2019, 98, e17377.	1.0	0
58	Comparative effectiveness of interventions for managing postoperative catheter-related bladder discomfort: a systematic review and network meta-analysis. <i>Journal of Anesthesia</i> , 2019, 33, 197-208.	1.7	18
59	Novel nomograms to predict recurrence and progression in primary non-muscle-invasive bladder cancer: validation of predictive efficacy in comparison with European Organization of Research and Treatment of Cancer scoring system. <i>World Journal of Urology</i> , 2019, 37, 1867-1877.	2.2	24
60	Establishment of the Seoul National University Prospectively Enrolled Registry for Genitourinary Cancer (SUPER-GUC): A prospective, multidisciplinary, bio-bank linked cohort and research platform. <i>Investigative and Clinical Urology</i> , 2019, 60, 235.	2.0	25
61	The Comparison of Oncologic Outcomes between Open and Laparoscopic Radical Nephroureterectomy for the Treatment of Upper Tract Urothelial Carcinoma: A Korean Multicenter Collaborative Study. <i>Cancer Research and Treatment</i> , 2019, 51, 240-251.	3.0	14
62	Laparoscopy versus Open Nephroureterectomy in Prognostic Outcome of Patients with Advanced Upper Tract Urothelial Cancer: A Retrospective, Multicenter, Propensity-Score Matching Analysis. <i>Cancer Research and Treatment</i> , 2019, 51, 963-972.	3.0	11
63	Epigenetic regulation of mammalian Hedgehog signaling to the stroma determines the molecular subtype of bladder cancer. <i>ELife</i> , 2019, 8, .	6.0	19
64	Predictors for the detection of prostate cancer and clinically significant prostate cancer using TRUS-guided biopsy in patients with negative initial biopsy results. <i>World Journal of Urology</i> , 2018, 36, 1047-1053.	2.2	1
65	Ki-67 as a Prognostic Marker in Upper Urinary Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e831-e841.	1.9	13
66	Targeting splicing factors as molecular non-muscle invasive bladder cancer predictors. <i>Translational Andrology and Urology</i> , 2018, 7, S715-S717.	1.4	1
67	Should intravesical Bacillus Calmette-Guérin (BCG) treatment be administered to patients with T0 after repeat transurethral resection of bladder tumor in patients with high-risk non-muscle invasive bladder cancer?. <i>PLoS ONE</i> , 2018, 13, e0208267.	2.5	7
68	Differences in Pathologic Results of Repeat Transurethral Resection of Bladder Tumor (TURBT) according to Institution Performing the Initial TURBT: Comparative Analyses between Referred and Nonreferred Group. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	6
69	Comparison of Renal Function after Radical Surgery for Upper Tract Urothelial Carcinoma versus Renal Cell Carcinoma: Propensity Score Matching. <i>Urologia Internationalis</i> , 2018, 101, 400-408.	1.3	3
70	Lymphovascular invasion have a similar prognostic value as lymph node involvement in patients undergoing radical cystectomy with urothelial carcinoma. <i>Scientific Reports</i> , 2018, 8, 15928.	3.3	9
71	Rate and association of lower urinary tract infection with recurrence after transurethral resection of bladder tumor. <i>Investigative and Clinical Urology</i> , 2018, 59, 10.	2.0	14
72	Histone demethylase KDM7A controls androgen receptor activity and tumor growth in prostate cancer. <i>International Journal of Cancer</i> , 2018, 143, 2849-2861.	5.1	37

#	ARTICLE	IF	CITATIONS
73	The Impact of Pathologic Upgrading of Gleason Score 7 Prostate Cancer on the Risk of the Biochemical Recurrence after Radical Prostatectomy. <i>BioMed Research International</i> , 2018, 2018, 1-6.	1.9	7
74	Comparison of intraoperative handling and wound healing between (NEOSORBÂ® plus) and coated polyglactin 910 suture (NEOSORBÂ®): a prospective, single-blind, randomized controlled trial. <i>BMC Surgery</i> , 2018, 18, 45.	1.3	7
75	Psychometric validation study of the Korean version of the Functional Assessment of Cancer Therapy-Vanderbilt Cystectomy Index. <i>PLoS ONE</i> , 2018, 13, e0190570.	2.5	1
76	Elevated Neutrophil to Lymphocyte Ratio Predicts Poor Prognosis in Non-muscle Invasive Bladder Cancer Patients: Initial Intravesical Bacillus Calmette-Guerin Treatment After Transurethral Resection of Bladder Tumor Setting. <i>Frontiers in Oncology</i> , 2018, 8, 642.	2.8	21
77	Effects of Aspirin, Nonsteroidal Anti-inflammatory Drugs, Statin, and COX2 Inhibitor on the Developments of Urological Malignancies: A Population-Based Study with 10-Year Follow-up Data in Korea. <i>Cancer Research and Treatment</i> , 2018, 50, 984-991.	3.0	19
78	Comprehensive genetic characterization of TFE3-positive renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 635-635.	1.6	0
79	Prognostic Role of Neutrophil-to-lymphocyte Ratio-based Markers During Pre- and Postadjuvant Chemotherapy in Patients With Advanced Urothelial Carcinoma of Upper Urinary Tract. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e633-e643.	1.9	6
80	Extended versus Standard Pelvic Lymph Node Dissection in Radical Prostatectomy on Oncological and Functional Outcomes: A Systematic Review and Meta-Analysis. <i>Annals of Surgical Oncology</i> , 2017, 24, 2047-2054.	1.5	39
81	Can the Preoperative Neutrophil-to-Lymphocyte Ratio Significantly Predict the Conditional Survival Probability in Muscle-invasive Bladder Cancer Patients Undergoing Radical Cystectomy?. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e411-e420.	1.9	10
82	Prognostic value of impaired estimated glomerular filtration rate in intravesical BCG-treated nonâ€muscle-invasive bladder cancer patients. <i>Scientific Reports</i> , 2017, 7, 1380.	3.3	5
83	Progression to T1 High Grade (T1HG) from a Lower Stage/Grade is Associated with Poorer Survival Outcomes than Initial Diagnosis with T1HG Bladder Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 2413-2419.	1.5	1
84	Variant histology as a significant predictor of survival after radical nephroureterectomy in patients with upper urinary tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 458.e9-458.e15.	1.6	31
85	Dose, duration and strain of bacillus Calmetteâ€Guerin in the treatment of nonmuscle invasive bladder cancer. <i>Medicine (United States)</i> , 2017, 96, e8300.	1.0	23
86	Predictors for Intravesical Recurrence Following Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A National Multicenter Analysis. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e1055-e1061.	1.9	26
87	Patient Perception of Ejaculatory Volume Reduction After Holmium Laser Enucleation of the Prostate (HoLEP). <i>Urology</i> , 2017, 99, 142-147.	1.0	28
88	Concurrent Autophagy Inhibition Overcomes the Resistance of Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Human Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2017, 18, 321.	4.1	25
89	Papillary Urothelial Neoplasm of Low Malignant Potential (PUNLMP) After Initial TUR-BT: Comparative Analyses with Noninvasive Low-Grade Papillary Urothelial Carcinoma (LGPU). <i>Journal of Cancer</i> , 2017, 8, 2885-2891.	2.5	15
90	Concurrent treatment with simvastatin and NF-Î²B inhibitor in human castration-resistant prostate cancer cells exerts synergistic anti-cancer effects via control of the NF-Î²B/LIN28/let-7 miRNA signaling pathway. <i>PLoS ONE</i> , 2017, 12, e0184644.	2.5	31



#	ARTICLE	IF	CITATIONS
91	Pathology in repeated transurethral resection of a bladder tumor as a risk factor for prognosis of high-risk non-muscle-invasive bladder cancer. PLoS ONE, 2017, 12, e0189354.	2.5	11
92	Predicting biochemical recurrence in patients with high-risk prostate cancer using the apparent diffusion coefficient of magnetic resonance imaging. Investigative and Clinical Urology, 2017, 58, 12.	2.0	15
93	Preoperative neutrophil-lymphocyte ratio can significantly predict mortality outcomes in patients with non-muscle invasive bladder cancer undergoing transurethral resection of bladder tumor. Oncotarget, 2017, 8, 12891-12901.	1.8	49
94	Comparing the clinical efficacy of abiraterone acetate, enzalutamide, and orteronel in patients with metastatic castration-resistant prostate cancer by performing a network meta-analysis of eight randomized controlled trials. Oncotarget, 2017, 8, 59690-59697.	1.8	20
95	Adjuvant chemotherapy for muscle-invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials. Oncotarget, 2017, 8, 81204-81214.	1.8	23
96	Which is better in patients with hydronephrosis before radical cystectomyâ€”percutaneous nephrostomy versus internal ureteral stents. Translational Andrology and Urology, 2017, 6, 1195-1197.	1.4	1
97	Emerging role of liquid biopsy of cell-free tumor DNA for bladder cancer surveillance. Translational Andrology and Urology, 2017, 6, 590-592.	1.4	0
98	Statin inhibits the proliferation of human castration-resistant prostate cancer cells by controlling NFkB-LIN28B-let7 miRNA signaling pathway.. Journal of Clinical Oncology, 2017, 35, 269-269.	1.6	1
99	Association between demographic factors and prognosis in urothelial carcinoma of the upper urinary tract: a systematic review and meta-analysis. Oncotarget, 2017, 8, 7464-7476.	1.8	28
100	Significance of Ki-67 in non-muscle invasive bladder cancer patients: a systematic review and meta-analysis. Oncotarget, 2017, 8, 100614-100630.	1.8	19
101	Development of Decision Support Formulas for the Prediction of Bladder Outlet Obstruction and Prostatic Surgery in Patients With Lower Urinary Tract Symptom/Benign Prostatic Hyperplasia: Part I, Development of the Formula and its Internal Validation. International Neurourology Journal, 2017, 21, S55-65.	1.2	7
102	Development of Decision Support Formulas for the Prediction of Bladder Outlet Obstruction and Prostatic Surgery in Patients With Lower Urinary Tract Symptom/Benign Prostatic Hyperplasia: Part II, External Validation and Usability Testing of a Smartphone App. International Neurourology Journal, 2017, 21, S66-75.	1.2	5
103	Histone demethylase KDM7a to control androgen receptor activity in hormone-sensitive prostate cancer.. Journal of Clinical Oncology, 2017, 35, 262-262.	1.6	0
104	The establishment of KORCC (Korean Renal Cell Carcinoma) database. Investigative and Clinical Urology, 2016, 57, 50.	2.0	30
105	Liquid biopsy? A recent breakthrough in noninvasive bladder cancer surveillance. Investigative and Clinical Urology, 2016, 57, 307.	2.0	1
106	Diagnostic and Prognostic Markers in Bladder Cancer. Disease Markers, 2016, 2016, 1-2.	1.3	4
107	Perioperative Blood Transfusion as a Significant Predictor of Biochemical Recurrence and Survival after Radical Prostatectomy in Patients with Prostate Cancer. PLoS ONE, 2016, 11, e0154918.	2.5	16
108	Pathological T3a Upstaging of Clinical T1 Renal Cell Carcinoma: Outcomes According to Surgical Technique and Predictors of Upstaging. PLoS ONE, 2016, 11, e0166183.	2.5	40

#	ARTICLE	IF	CITATIONS
109	Preperitoneal placement of an inflatable penile prosthesis reservoir for postoperative erectile dysfunction after radical cystoprostatectomy with orthotopic neobladder. Investigative and Clinical Urology, 2016, 57, 364.	2.0	7
110	<i>PDLIM2</i> suppression efficiently reduces tumor growth and invasiveness of human castration-resistant prostate cancer-like cells. Prostate, 2016, 76, 273-285.	2.3	20
111	Re: Edwin E. Morales, Sonja Grill, Robert S. Svatek, et al. Finasteride Reduces Risk of Bladder Cancer in a Large Prospective Screening Study. Eur Urol 2016;69:407-410. European Urology, 2016, 69, e57-e58.	1.9	1
112	Clinical Practice Pattern of Immediate Intravesical Chemotherapy following Transurethral Resection of a Bladder Tumor in Korea: National Health Insurance Database Study. Scientific Reports, 2016, 6, 22716.	3.3	6
113	Efficacy of Partial Nephrectomy for Renal Tumors >4 cm: Comparison With Renal Tumors ≤4 cm. International Surgery, 2016, 101, 7-13.	0.1	0
114	Prostate cancer-specific mortality after radical prostatectomy: value of preoperative MRI. Acta Radiologica, 2016, 57, 1006-1013.	1.1	5
115	Pathological T0 Following Cisplatin-Based Neoadjuvant Chemotherapy for Muscle-Invasive Bladder Cancer: A Network Meta-analysis. Clinical Cancer Research, 2016, 22, 1086-1094.	7.0	27
116	The Prognostic Significance of the Early Postoperative Neutrophil-to-Lymphocyte Ratio in Patients with Urothelial Carcinoma of the Bladder Undergoing Radical Cystectomy. Annals of Surgical Oncology, 2016, 23, 335-342.	1.5	50
117	Single, immediate postoperative instillation of chemotherapy in non-muscle invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials using different drugs. Oncotarget, 2016, 7, 45479-45488.	1.8	29
118	Conditional Survival and Associated Prognostic Factors in Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy: A Retrospective Study at a Single Institution. Cancer Research and Treatment, 2016, 48, 621-631.	3.0	9
119	Quality-adjusted survival comparison between androgen deprivation with radiation therapy versus radiation therapy alone for locally advanced prostate cancer: Decision analysis from RTOG 85-31 trial. Journal of Clinical Oncology, 2016, 34, 265-265.	1.6	0
120	The Characteristics of Recurrent Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy without Bladder Cuff Excision. Yonsei Medical Journal, 2015, 56, 375.	2.2	13
121	Trends in the Use of Chemotherapy before and after Radical Cystectomy in Patients with Muscle-invasive Bladder Cancer in Korea. Journal of Korean Medical Science, 2015, 30, 1150.	2.5	20
122	External Validation of Models for Prediction of Lymph Node Metastasis in Urothelial Carcinoma of the Bladder. PLoS ONE, 2015, 10, e0120552.	2.5	5
123	Predictive and Prognostic Value of Ribonucleotide Reductase Regulatory Subunit M1 and Excision Repair Cross-Complementation Group 1 in Advanced Urothelial Carcinoma (UC) Treated with First-Line Gemcitabine Plus Platinum Combination Chemotherapy. PLoS ONE, 2015, 10, e0133371.	2.5	7
124	Survival Outcomes and Predictive Factors for Female Urethral Cancer: Long-term Experience with Korean Patients. Journal of Korean Medical Science, 2015, 30, 1143.	2.5	14
125	The prognostic impact of perioperative blood transfusion on survival in patients with bladder urothelial carcinoma treated with radical cystectomy. Korean Journal of Urology, 2015, 56, 295.	1.2	20
126	Extracapsular Extension of Pelvic Lymph Node Metastasis is an Independent Prognostic Factor in Bladder Cancer: A Systematic Review and Meta-analysis. Annals of Surgical Oncology, 2015, 22, 3745-3750.	1.5	27



#	ARTICLE	IF	CITATIONS
127	Prognostic factors for conditional survival in patients with muscle-invasive urothelial carcinoma of the bladder treated with radical cystectomy. <i>Scientific Reports</i> , 2015, 5, 12171.	3.3	18
128	Effect of Sex on Prognosis of Urothelial Carcinoma: Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e113-e121.	1.9	12
129	Effect of Intraoperative Red Blood Cell Transfusion on Postoperative Complications After Open Radical Cystectomy: Old Versus Fresh Stored Blood. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 581-587.	1.9	16
130	Can body mass index predict survival outcomes in patients treated with radical nephroureterectomy for upper-tract urothelial carcinoma?. <i>International Urology and Nephrology</i> , 2015, 47, 1311-1320.	1.4	16
131	A propensity-matched comparison of perioperative complications and of chronic kidney disease between robot-assisted laparoscopic partial nephrectomy and radiofrequency ablative therapy. <i>Asian Journal of Surgery</i> , 2015, 38, 126-133.	0.4	9
132	Low tube voltage computed tomography urography using low-concentration contrast media: Comparison of image quality in conventional computed tomography urography. <i>European Journal of Radiology</i> , 2015, 84, 2454-2463.	2.6	15
133	Editorial Comment from Dr Kim and Dr Ku to Prognostic factors of recurrent disease in upper urinary tract urothelial cancer after radical nephroureterectomy: Subanalysis of the multi-institutional national database of the Japanese Urological Association. <i>International Journal of Urology</i> , 2015, 22, 1021-1021.	1.0	0
134	Lymph node density as a prognostic variable in node-positive bladder cancer: a meta-analysis. <i>BMC Cancer</i> , 2015, 15, 447.	2.6	53
135	S100A3 Suppression Inhibits In Vitro and In Vivo Tumor Growth and Invasion of Human Castration-resistant Prostate Cancer Cells. <i>Urology</i> , 2015, 85, 273.e9-273.e15.	1.0	19
136	The clinical significance of intra-operative ureteral frozen section analysis at radical cystectomy for urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , 2015, 33, 359-365.	2.2	23
137	Hypertriglyceridemia Is a Potential Preoperative Predictor for Biochemical Recurrence after Radical Prostatectomy. <i>PLoS ONE</i> , 2015, 10, e0122438.	2.5	11
138	Differences in peritumoral pseudocapsule characteristics according to clinicopathological factors in clinical T1a renal tumors. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 11323-31.	0.5	5
139	Pre- and Post-Operative Nomograms to Predict Recurrence-Free Probability in Korean Men with Clinically Localized Prostate Cancer. <i>PLoS ONE</i> , 2014, 9, e100053.	2.5	14
140	Inhibition of Autophagy Potentiates Atorvastatin-Induced Apoptotic Cell Death in Human Bladder Cancer Cells in Vitro. <i>International Journal of Molecular Sciences</i> , 2014, 15, 8106-8121.	4.1	39
141	Association of High Bladder Neck Elevation With Urodynamic Bladder Outlet Obstruction in Patients With Lower Urinary Tract Symptoms and Benign Prostatic Hyperplasia. <i>Urology</i> , 2014, 84, 1461-1466.	1.0	12
142	Presence of lymphovascular invasion in urothelial bladder cancer specimens after transurethral resections correlates with risk of upstaging and survival: A systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 1191-1199.	1.6	47
143	Post-treatment neutrophil-to-lymphocyte ratio in predicting prognosis in patients with metastatic clear cell renal cell carcinoma receiving sunitinib as first line therapy. <i>SpringerPlus</i> , 2014, 3, 243.	1.2	31
144	External Validation of Online Predictive Models for Prediction of Cancer-specific Mortality and All-cause Mortality in Patients with Urothelial Carcinoma of the Urinary Bladder. <i>Annals of Surgical Oncology</i> , 2014, 21, 3132-3141.	1.5	14

#	ARTICLE	IF	CITATIONS
145	Change of Nocturnal Polyuria After Holmium Laser Enucleation of the Prostate in Patients With Benign Prostatic Hyperplasia. <i>Urology</i> , 2014, 84, 650-656.	1.0	11
146	Impact of Squamous and Glandular Differentiation on Oncologic Outcomes in Upper and Lower Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2014, 9, e107027.	2.5	35
147	Effect of Gleason scores of lymph node metastases on prognosis of patients with prostate cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6141-8.	0.5	2
148	Korean version of the functional assessment of cancer therapy (FACT)-vanderbilt cystectomy index (VCI): translation and linguistic. <i>Urology Journal</i> , 2014, 11, 1961-7.	0.4	6
149	The Role of p53 on Survival of Upper Urinary Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 221-228.	1.9	25
150	Lymphovascular invasion as a prognostic factor in the upper urinary tract urothelial carcinoma: A systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2013, 49, 2665-2680.	2.8	44
151	Extramammary Paget Disease of External Genitalia: Surgical Excision and Follow-up Experiences With 19 Patients. <i>Korean Journal of Urology</i> , 2013, 54, 834.	1.2	14
152	Predictive value of ribonucleotide reductase regulatory subunit M1 (RRM1) and excision cross-complementing-1 (ERCC1) in advanced urothelial carcinoma (UC) treated with first-line gemcitabine (G) and platinum (P)-based chemotherapy (CT).. <i>Journal of Clinical Oncology</i> , 2013, 31, e15614-e15614.	1.6	0
153	The role of survivin and Bcl-2 in zinc-induced apoptosis in prostate cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012, 30, 562-568.	1.6	31
154	Nomograms to predict the pathological stage of clinically localized prostate cancer in Korean men: Comparison with Western predictive tools using decision curve analysis. <i>International Journal of Urology</i> , 2012, 19, 846-852.	1.0	24
155	Expression of hypoxia inducible factor-1 $\alpha$ and 2 $\alpha$ in conventional renal cell carcinoma with or without sarcomatoid differentiation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011, 29, 731-737.	1.6	17
156	Biochemical Recurrence After Radical Prostatectomy With or Without Pelvic Lymphadenectomy in Korean Men With High-risk Prostate Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 656-662.	1.3	13
157	Disease-specific Survival in Patients with Renal Cell Carcinoma: An Audit of a Large Series from Korea. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 110-114.	1.3	2
158	Nerve-sparing procedure in radical prostatectomy: A risk factor for hernia repair following open retropubic, pure laparoscopic and robot-assisted laparoscopic procedures. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011, 45, 164-170.	1.4	6
159	Robot-assisted laparoscopic management of urachal cysts in adults. <i>Journal of Robotic Surgery</i> , 2010, 4, 133-135.	1.8	2
160	Role of Pelvic Lymphadenectomy in the Treatment of Bladder Cancer: A Mini Review. <i>Korean Journal of Urology</i> , 2010, 51, 371.	1.2	11
161	Correlation Between Prostatic Urethral Angle and Bladder Outlet Obstruction Index in Patients With Lower Urinary Tract Symptoms. <i>Urology</i> , 2010, 75, 1467-1471.	1.0	61
162	Treatment satisfaction after 1 year high-power potassium-titanyl-phosphate photoselective vaporization of the prostate. <i>Asian Journal of Andrology</i> , 2010, 12, 728-734.	1.6	7

#	ARTICLE	IF	CITATIONS
163	The One Year Outcome after KTP Laser Vaporization of the Prostate According to the Calculated Vaporized Volume. <i>Journal of Korean Medical Science</i> , 2009, 24, 1187.	2.5	4
164	Bilateral spontaneous perirenal haemorrhage in a patient on haemodialysis. <i>CKJ: Clinical Kidney Journal</i> , 2009, 2, 412-414.	2.9	4
165	Is there a Role of the Histologic Subtypes of Papillary Renal Cell Carcinoma as a Prognostic Factor?. <i>Japanese Journal of Clinical Oncology</i> , 2009, 39, 664-670.	1.3	18
166	External Validation of an International Multicenter Study to Predict Survival in Korean Patients With pT2N0M0 Renal Cell Carcinoma. <i>Urology</i> , 2009, 74, 359-363.	1.0	0
167	Comparison of three disease-specific quality-of-life questionnaires (Bristol Female Lower Urinary) Tj ETQq1 1 0.784314 rgBT /Overlock 10 urinary incontinence. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007, 41, 66-71.	1.4	9
168	Health-Related Quality of Life in Patients with Spinal Cord Injury: Review of the Short Form 36-Health Questionnaire Survey. <i>Yonsei Medical Journal</i> , 2007, 48, 360.	2.2	39
169	Monitoring transplanted human mesenchymal stem cells in rat and rabbit bladders using molecular magnetic resonance imaging. <i>Neurourology and Urodynamics</i> , 2007, 26, 584-593.	1.5	39
170	Influence of self-perceived incontinence severity on quality of life and sexual function in women with urinary incontinence. <i>Neurourology and Urodynamics</i> , 2007, 26, 828-835.	1.5	19
171	Anticholinergics in patients with overactive bladder: Assessment of ambulatory urodynamics and patient perception. <i>Neurourology and Urodynamics</i> , 2007, 26, 789-793.	1.5	2
172	Sarcomatoid differentiation as a prognostic factor for immunotherapy in metastatic renal cell carcinoma. <i>Journal of Surgical Oncology</i> , 2007, 95, 317-323.	1.7	46
173	Severity of erectile dysfunction in married impotent patients: Interrelationship with anthropometry, hormones, metabolic profiles and lifestyle. <i>International Journal of Urology</i> , 2007, 14, 48-53.	1.0	12
174	Midazolam anesthesia during rigid and flexible cystoscopy. <i>Urological Research</i> , 2007, 35, 139-142.	1.5	25
175	Impact of stress urinary incontinence and overactive bladder on micturition patterns and health-related quality of life. <i>International Urogynecology Journal</i> , 2007, 18, 65-71.	1.4	17
176	Tension-free vaginal tape, suprapubic arc sling, and transobturator tape in the treatment of mixed urinary incontinence in women. <i>International Urogynecology Journal</i> , 2007, 19, 123-129.	1.4	77
177	Does the degree of experience for the tension-free vaginal tape procedure influence the results of the suprapubic arc sling procedure during the learning phase?. <i>International Urology and Nephrology</i> , 2007, 39, 1079-1084.	1.4	2
178	Zolpidem pharmacotherapy combined with alpha-blocker therapy for nocturia unresponsive to alpha-blocker monotherapy in men with lower urinary tract symptoms: a preliminary study. <i>International Urology and Nephrology</i> , 2007, 39, 1147-1152.	1.4	10
179	Prostate biopsy in subjects with abnormal transrectal ultrasonography but normal digital examination findings and prostate-specific antigen levels. <i>International Urology and Nephrology</i> , 2007, 39, 1115-1120.	1.4	2
180	Patientsâ€™ experience with ambulatory urodynamics. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 391-396.	1.4	17

#	ARTICLE	IF	CITATIONS
181	Race-specific reference ranges of serum prostate-specific antigen levels in countries with a low incidence of prostate cancer. BJU International, 2006, 97, 69-72.	2.5	13
182	The management of neurogenic bladder and quality of life in spinal cord injury. BJU International, 2006, 98, 739-745.	2.5	114
183	The role of prolactin levels in the sexual activity of married men with erectile dysfunction. BJU International, 2006, 98, 1269-1273.	2.5	14
184	Is a Generic Quality of Life Instrument Helpful for Evaluating Women with Urinary Incontinence?. Quality of Life Research, 2006, 15, 493-501.	3.1	29
185	Significance of tension in tension-free mid-urethral sling procedures: a preliminary study. International Urogynecology Journal, 2006, 18, 153-158.	1.4	6
186	Does condition-specific quality of life correlate with generic health-related quality of life and objective incontinence severity in women with stress urinary incontinence?. Neurourology and Urodynamics, 2006, 25, 324-329.	1.5	10
187	Age Is Not a Limiting Factor for Midurethral Sling Procedures in the Elderly with Urinary Incontinence. Gynecologic and Obstetric Investigation, 2006, 61, 194-199.	1.6	16
188	Systemic chemotherapy in patients with indwelling ureteral stenting. International Journal of Urology, 2005, 12, 548-551.	1.0	6
189	Health-related quality of life of living kidney donors: review of the short form 36-health questionnaire survey. Transplant International, 2005, 18, 1309-1317.	1.6	47
190	Factors influencing self-perceived disease severity in women with stress urinary incontinence combined with or without urge incontinence. Neurourology and Urodynamics, 2005, 24, 341-347.	1.5	16
191	Metastasis of Transitional Cell Carcinoma to the Lower Abdominal Wall 20 Years after Cystectomy. Yonsei Medical Journal, 2005, 46, 181.	2.2	4
192	Renal failure in a patient with an amputated penis by a dog bite. Nephrology Dialysis Transplantation, 2005, 20, 1485-1486.	0.7	2
193	Testicular volume and masculine identity in men with unilateral cryptorchidism: results of a community-based survey in Korea. Urological Research, 2003, 31, 312-316.	1.5	6
194	Minimally invasive management of ureteral injuries recognized late after obstetric and gynaecologic surgery. Injury, 2003, 34, 480-483.	1.7	47
195	Comparison of Long-Term Results according to the Primary Mode of Management and Type of Injury for Posterior Urethral Injuries. Urologia Internationalis, 2002, 69, 227-232.	1.3	20