

Jamballi Gangadharappa Gowda Manjun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2582897/publications.pdf>

Version: 2024-02-01

91
papers

2,905
citations

159358

30
h-index

197535

49
g-index

93
all docs

93
docs citations

93
times ranked

1278
citing authors

#	ARTICLE	IF	CITATIONS
1	Colorimetric sensor based on hydrazine moiety for rapid and selective detection of fluoride ion via intramolecular charge transfer. <i>International Journal of Environmental Analytical Chemistry</i> , 2023, 103, 2681-2699.	1.8	4
2	Electrochemical analysis of L-Tryptophan at highly sensitive poly(Glycine) modified carbon nanotube paste sensor. <i>Materials Research Innovations</i> , 2022, 26, 134-143.	1.0	13
3	Electroanalytical Determination of Tinidazole by using Surface Modified Carbon Nano Composite based Sensor. <i>Materials Research Innovations</i> , 2022, 26, 285-294.	1.0	5
4	Fabrication of poly(Aspartic acid) Layer on graphene nanoplatelets paste electrode for riboflavin sensing. <i>Materials Chemistry and Physics</i> , 2022, 276, 125392.	2.0	12
5	Electrochemical sensing of antibiotic drug amoxicillin in the presence of dopamine at simple and selective carbon paste electrode activated with cetyltrimethylammonium bromide surfactant. <i>Monatshefte für Chemie</i> , 2022, 153, 31-38.	0.9	16
6	Electrocatalytic Determination of Hydroxychloroquine Using Sodium Dodecyl Sulphate Modified Carbon Nanotube Paste Electrode. <i>Topics in Catalysis</i> , 2022, , 1-9.	1.3	5
7	Current trends of functionalized nanomaterial-based sensors in point-of-care diagnosis. , 2022, , 337-353.		2
8	Electrochemical determination of levofloxacin drug at poly(clayton yellow)/carbon paste electrode. <i>Monatshefte für Chemie</i> , 2022, 153, 311-319.	0.9	11
9	Simple and affordable graphene nano-platelets and carbon nanocomposite surface decorated with cetrimonium bromide as a highly responsive electrochemical sensor for rutin detection. <i>Journal of Electroanalytical Chemistry</i> , 2022, 917, 116388.	1.9	18
10	Group IIA secreted phospholipase A2 inhibition by elemolic acid as a function of anti-inflammatory activity. <i>Scientific Reports</i> , 2022, 12, 7649.	1.6	7
11	Electrochemical Determination of Riboflavin using a Poly(Titan Yellow) Modified Carbon Nanotube Paste Electrode in the Presence of Dopamine. <i>ChemistrySelect</i> , 2022, 7, .	0.7	2
12	Highly Selective and Sensitive Voltammetric Method for the Detection of Catechol in Tea and Water Samples Using Poly(gibberellic acid)-Modified Carbon Paste Electrode. <i>ACS Omega</i> , 2022, 7, 24679-24687.	1.6	12
13	Carbon-Based Composite Materials for Electrodes. <i>Materials</i> , 2022, 15, 4908.	1.3	1
14	Development of carbon nanotube-based polymer-modified electrochemical sensor for the voltammetric study of Curcumin. <i>Materials Research Innovations</i> , 2021, 25, 412-420.	1.0	26
15	Development of Sodium Dodecyl Sulfate Based Electrochemical Sensor for Tartrazine Determination. <i>Portugaliae Electrochimica Acta</i> , 2021, 39, 59-70.	0.4	9
16	Fabrication, characterization and application of poly(acriflavine) modified carbon nanotube paste electrode for the electrochemical determination of catechol. , 2021, , 105-117.		4
17	Electrochemical Analysis of Indigo Carmine in Food and Water Samples Using a Poly(Glutamic Acid) Layered Multi-walled Carbon Nanotube Paste Electrode. <i>Journal of Electronic Materials</i> , 2021, 50, 1230-1238.	1.0	81
18	Surfactant and Polymer Composite Modified Electrode for the Sensitive Determination of Vanillin in Food Sample. <i>ChemistrySelect</i> , 2021, 6, 2700-2708.	0.7	19

#	ARTICLE	IF	CITATIONS
19	Polymerized carbon nanotube paste electrode as a sensing material for the detection of adrenaline with folic acid. <i>Monatshefte für Chemie</i> , 2021, 152, 411-420.	0.9	6
20	Electrochemical sensing of adrenaline using surface modified carbon nanotube paste electrode. <i>Materials Chemistry and Physics</i> , 2021, 262, 124293.	2.0	27
21	Electrochemical Determination of Dopamine and Uric Acid Using Poly(proline) Modified Carbon Paste Electrode: A Cyclic Voltammetric Study. <i>Chemistry and Chemical Technology</i> , 2021, 15, 153-160.	0.2	5
22	Electrochemical validation of L-tyrosine with dopamine using composite surfactant modified carbon nanotube electrode. <i>Journal of the Iranian Chemical Society</i> , 2021, 18, 3493-3503.	1.2	22
23	Electro-oxidation of formoterol fumarate on the surface of novel poly(thiazole yellow-G) layered multi-walled carbon nanotube paste electrode. <i>Scientific Reports</i> , 2021, 11, 12797.	1.6	33
24	Electroanalytical determination of acetaminophen using polymerized carbon nanocomposite based sensor. <i>Chemical Data Collections</i> , 2021, 33, 100718.	1.1	9
25	Voltammetric analysis of antihistamine drug cetirizine and paracetamol at poly(L-Leucine) layered carbon nanotube paste electrode. <i>Surfaces and Interfaces</i> , 2021, 24, 101154.	1.5	20
26	Efficient Electrochemical Determination of Catechol with Hydroquinone at Poly (L-Serine) Layered Carbon Paste Electrode. <i>ChemistrySelect</i> , 2021, 6, 6764-6772.	0.7	7
27	Electro-Polymerized Titan Yellow Modified Carbon Paste Electrode for the Analysis of Curcumin. <i>Surfaces</i> , 2021, 4, 191-204.	1.0	5
28	Simple and sensitive electrochemical analysis of riboflavin at functionalized carbon nanofiber modified carbon nanotube sensor. <i>Monatshefte für Chemie</i> , 2021, 152, 1183-1191.	0.9	13
29	A highly responsive voltammetric methodology for the sensing of antihistamine drug cetirizine on the surface of cetrimonium bromide immobilized multi-walled carbon nanotube electrode. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 22668-22679.	1.1	4
30	Electroanalytical Determination of Acetaminophen Using a Polymerised Carbon Nanotube Based Sensor. <i>Journal of Electronic Materials</i> , 2021, 50, 6929-6940.	1.0	4
31	Sensitive and selective electrochemical detection of vanillin at graphene based poly (methyl orange) modified electrode. <i>Journal of Science: Advanced Materials and Devices</i> , 2021, 6, 415-424.	1.5	31
32	A fast and selective electrochemical detection of vanillin in food samples on the surface of poly(glutamic acid) functionalized multiwalled carbon nanotubes and graphite composite paste sensor. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 626, 127042.	2.3	73
33	Electroanalytical Performance of Surfactant-Modified Composite Carbon Paste Electrode for the Sensitive and Selective Determination of Fast Sulphon Black F. <i>Journal of Materials Engineering and Performance</i> , 2021, 30, 1683-1693.	1.2	1
34	Sodium Dodecyl Sulfate Modified Carbon Nano Tube Paste Electrode for Sensitive Cyclic Voltammetry Determination of Isatin. <i>Advanced Pharmaceutical Bulletin</i> , 2021, 11, 111-119.	0.6	6
35	Mechanistic Insights into the Voltammetric Determination of Riboflavin at Poly (Serine) Modified Graphite and Carbon Nanotube Composite Paste Electrode. <i>ChemistrySelect</i> , 2021, 6, 10746-10757.	0.7	7
36	Fast and Facile Voltammetric Detection of Acetaminophen at Poly (DL-phenylalanine) Modified Dysprosium-Copper Oxide Nanoparticle/Carbon Composite Paste Electrode. <i>Open Chemical Engineering Journal</i> , 2021, 15, 31-40.	0.4	0

#	ARTICLE	IF	CITATIONS
37	A surfactant enhanced novel pencil graphite and carbon nanotube composite paste material as an effective electrochemical sensor for determination of riboflavin. <i>Journal of Science: Advanced Materials and Devices</i> , 2020, 5, 56-64.	1.5	48
38	Surfactant and polymer layered carbon composite electrochemical sensor for the analysis of estriol with ciprofloxacin. <i>Materials Research Innovations</i> , 2020, 24, 349-362.	1.0	52
39	A simple approach for the electrochemical determination of vanillin at ionic surfactant modified graphene paste electrode. <i>Microchemical Journal</i> , 2020, 154, 104575.	2.3	89
40	A surfactant enhanced graphene paste electrode as an effective electrochemical sensor for the sensitive and simultaneous determination of catechol and resorcinol. <i>Chemical Data Collections</i> , 2020, 25, 100331.	1.1	80
41	Fabrication of Efficient and Selective Modified Graphene Paste Sensor for the Determination of Catechol and Hydroquinone. <i>Surfaces</i> , 2020, 3, 473-483.	1.0	13
42	Colorimetric "naked eye"™ sensor for fluoride ion based on isatin hydrazones via hydrogen bond formation: Design, synthesis and characterization ascertained by Nuclear Magnetic Resonance, Ultraviolet-Visible, Computational and Electrochemical studies. <i>Inorganic Chemistry Communication</i> , 2020, 121, 108216.	1.8	22
43	A simple and low-cost poly (dl-phenylalanine) modified carbon sensor for the improved electrochemical analysis of Riboflavin. <i>Journal of Science: Advanced Materials and Devices</i> , 2020, 5, 502-511.	1.5	42
44	Optimized Voltammetric Experiment for the Determination of Phloroglucinol at Surfactant Modified Carbon Nanotube Paste Electrode. <i>Instruments and Experimental Techniques</i> , 2020, 63, 750-757.	0.1	61
45	Electrochemical Sensing of Paracetamol Using Electropolymerised and Sodium Lauryl Sulfate Modified Carbon Nanotube Paste Electrode. <i>ChemistrySelect</i> , 2020, 5, 9323-9329.	0.7	21
46	Fast and enhanced electrochemical sensing of dopamine at cost-effective poly(DL-phenylalanine) based graphite electrode. <i>Journal of Electroanalytical Chemistry</i> , 2020, 878, 114533.	1.9	59
47	Highly sensitive platform utilizing poly(L-methionine) layered carbon nanotube paste sensor for the determination of voltaren. <i>FlatChem</i> , 2020, 24, 100207.	2.8	19
48	Validated Electrochemical Method for Simultaneous Resolution of Tyrosine, Uric Acid, and Ascorbic Acid at Polymer Modified Nano-Composite Paste Electrode. <i>Surface Engineering and Applied Electrochemistry</i> , 2020, 56, 415-426.	0.3	25
49	Fabrication of a sensitive and selective electrochemical sensing platform based on poly-L-leucine modified sensor for enhanced voltammetric determination of Riboflavin. <i>Journal of Food Measurement and Characterization</i> , 2020, 14, 3633-3643.	1.6	17
50	Design of a Sensitive and Selective Voltammetric Sensor Based on a Cationic Surfactant-Modified Carbon Paste Electrode for the Determination of Alloxan. <i>ACS Omega</i> , 2020, 5, 23481-23490.	1.6	24
51	Poly(glutamine) film-coated carbon nanotube paste electrode for the determination of curcumin with vanillin: an electroanalytical approach. <i>Monatshefte für Chemie</i> , 2020, 151, 1681-1688.	0.9	26
52	Low-cost voltammetric sensor based on an anionic surfactant modified carbon nanocomposite material for the rapid determination of curcumin in natural food supplement. <i>Instrumentation Science and Technology</i> , 2020, 48, 561-582.	0.9	37
53	Fabrication of novel polymer-modified graphene-based electrochemical sensor for the determination of mercury and lead ions in water and biological samples. <i>Journal of Analytical Science and Technology</i> , 2020, 11, .	1.0	78
54	Elevated and rapid voltammetric sensing of riboflavin at poly(helianthin dye) blended carbon paste electrode with heterogeneous rate constant elucidation. <i>Journal of the Iranian Chemical Society</i> , 2020, 17, 1507-1519.	1.2	50

#	ARTICLE	IF	CITATIONS
55	Development of Polymer Modified Electrochemical Sensor for the Determination of Alizarin Carmine in the Presence of Tartrazine. <i>Electroanalysis</i> , 2020, 32, 2474-2480.	1.5	21
56	Poly (Adenine) Modified Graphene-Based Voltammetric Sensor for the Electrochemical Determination of Catechol, Hydroquinone and Resorcinol. <i>Open Chemical Engineering Journal</i> , 2020, 14, 52-62.	0.4	58
57	Electrochemical Fabrication of Poly (niacin) Modified Graphite Paste Electrode and its Application for the Detection of Riboflavin. <i>Open Chemical Engineering Journal</i> , 2020, 14, 90-98.	0.4	24
58	Surfactant Modified Graphite Paste Electrode as an Electrochemical Sensor for the Enhanced Voltammetric Detection of Estriol with Dopamine and Uric acid. <i>Advanced Pharmaceutical Bulletin</i> , 2020, 10, 247-253.	0.6	62
59	Polymethionine modified carbon nanotube sensor for sensitive and selective determination of L-tryptophan. <i>Journal of Electrochemical Science and Engineering</i> , 2020, 10, 305-315.	1.6	54
60	One-Pot Synthesis of Pyrimido[4,5-d]pyrimidine Derivatives and Investigation of Their Antibacterial, Antioxidant, DNA-Binding and Voltammetric Characteristics. <i>ChemistrySelect</i> , 2019, 4, 990-996.	0.7	8
61	Surfactant modified electrochemical sensor for determination of Anthrone – A cyclic voltammetry. <i>Materials Science for Energy Technologies</i> , 2019, 2, 408-416.	1.0	14
62	Poly (L-Proline) modified carbon paste electrode as the voltammetric sensor for the detection of Estriol and its simultaneous determination with Folic and Ascorbic acid. <i>Materials Science for Energy Technologies</i> , 2019, 2, 365-371.	1.0	21
63	Sensitive and Selective Electrochemical Resolution of Tyrosine with Ascorbic Acid through the Development of Electropolymerized Alizarin Sodium Sulfonate Modified Carbon Nanotube Paste Electrodes. <i>ChemistrySelect</i> , 2019, 4, 4559-4567.	0.7	42
64	Determination of Riboflavin at Carbon Nanotube Paste Electrodes Modified with an Anionic Surfactant. <i>ChemistrySelect</i> , 2019, 4, 2168-2173.	0.7	51
65	Enhanced voltammetric detection of paracetamol by using carbon nanotube modified electrode as an electrochemical sensor. <i>Journal of Electrochemical Science and Engineering</i> , 2019, 10, 29-40.	1.6	66
66	Electrochemical Preparation of Poly(arginine)-Modified Carbon Nanotube Paste Electrode and its Application for the Determination of Pyridoxine in the Presence of Riboflavin: An Electroanalytical Approach. <i>Journal of Analysis and Testing</i> , 2019, 3, 331-340.	2.5	57
67	The Electrochemical Resolution of Ciprofloxacin, Riboflavin and Estriol Using Anionic Surfactant and Polymer-Modified Carbon Paste Electrode. <i>ChemistrySelect</i> , 2019, 4, 13427-13433.	0.7	46
68	Design of novel Surfactant Modified Carbon Nanotube Paste Electrochemical Sensor for the Sensitive Investigation of Tyrosine as a Pharmaceutical Drug. <i>Advanced Pharmaceutical Bulletin</i> , 2019, 9, 132-137.	0.6	54
69	Enhanced Electrochemical Determination Of Riboflavin In Biological And Pharmaceutical Samples At Poly (Arginine) Modified Carbon Paste Electrode. <i>Methods and Objects of Chemical Analysis</i> , 2019, 14, 216-223.	0.4	9
70	Electrochemical Polymerised Graphene Paste Electrode and Application to Catechol Sensing. <i>Open Chemical Engineering Journal</i> , 2019, 13, 81-87.	0.4	52
71	Fabrication of poly (Solid Red A) modified carbon nano tube paste electrode and its application for simultaneous determination of epinephrine, uric acid and ascorbic acid. <i>Arabian Journal of Chemistry</i> , 2018, 11, 149-158.	2.3	76
72	A novel poly (glycine) biosensor towards the detection of indigo carmine: A voltammetric study. <i>Journal of Food and Drug Analysis</i> , 2018, 26, 292-299.	0.9	90

#	ARTICLE	IF	CITATIONS
73	Carbon Nanotube Paste Electrode for the Determination of Some Neurotransmitters: A Cyclic Voltammetric Study. <i>Modern Chemistry & Applications</i> , 2018, 06, .	0.2	20
74	Carbon Paste Electrode Modified with Boric Acid and TX-100 used for Electrochemical Determination of Dopamine. <i>Materials Today: Proceedings</i> , 2018, 5, 22368-22375.	0.9	9
75	A novel voltammetric method for the enhanced detection of the food additive tartrazine using an electrochemical sensor. <i>Heliyon</i> , 2018, 4, e00986.	1.4	88
76	Highly Sensitive Polymer based Sensor for Determination of the Drug Mitoxantrone. <i>Journal of Surface Science and Technology</i> , 2018, 34, 74-80.	0.3	22
77	Cyclic Voltammetric Investigation of Caffeine at Methyl Orange Modified Carbon Paste Electrode. <i>Biomedical Journal of Scientific & Technical Research</i> , 2018, 9, .	0.0	4
78	Voltammetric Determination of Anthrone Using Cetyl Trimethyl Ammonium Bromide Surfactant Modified Carbon Paste Electrode. <i>Biomedical Journal of Scientific & Technical Research</i> , 2018, 11, .	0.0	0
79	Electroanalysis of estriol hormone using electrochemical sensor. <i>Sensing and Bio-Sensing Research</i> , 2017, 16, 79-84.	2.2	48
80	A NEW ELECTROCHEMICAL SENSOR BASED ON MODIFIED CARBON NANOTUBE-GRAPHITE MIXTURE PASTE ELECTRODE FOR VOLTAMMETRIC DETERMINATION OF RESORCINOL. <i>Asian Journal of Pharmaceutical and Clinical Research</i> , 2017, 10, 295.	0.3	42
81	Supercapacitors using Binderless Activated Carbon Monoliths Electrodes consisting of a Graphite Additive and Pre-carbonized Biomass Fibers. <i>International Journal of Electrochemical Science</i> , 2017, 12, 2520-2539.	0.5	27
82	Sodium dodecyl sulfate modified carbon nanotubes paste electrode as a novel sensor for the simultaneous determination of dopamine, ascorbic acid, and uric acid. <i>Comptes Rendus Chimie</i> , 2014, 17, 465-476.	0.2	82
83	Supercapacitors using binderless composite monolith electrodes from carbon nanotubes and pre-carbonized biomass residues. <i>Biomass and Bioenergy</i> , 2013, 59, 370-379.	2.9	69
84	Preparation of highly porous binderless activated carbon electrodes from fibres of oil palm empty fruit bunches for application in supercapacitors. <i>Bioresource Technology</i> , 2013, 132, 254-261.	4.8	337
85	Electrochemical analysis of indigo carmine using polyarginine modified carbon paste electrode. <i>Journal of Electrochemical Science and Engineering</i> , 0, , .	1.6	7
86	An overview of recent developments of carbon-based sensors for the analysis of drug molecules. <i>Journal of Electrochemical Science and Engineering</i> , 0, , .	1.6	5
87	Surfactant modified carbon nanotube paste electrode for the sensitive determination of mitoxantrone anticancer drug. <i>Journal of Electrochemical Science and Engineering</i> , 0, , 39.	1.6	42
88	Poly (DL-valine) electro-polymerized carbon nanotube paste sensor for determination of antihistamine drug cetirizine. <i>Journal of Electrochemical Science and Engineering</i> , 0, , .	1.6	2
89	Research developments in carbon materials based sensors for determination of hormones. <i>Journal of Electrochemical Science and Engineering</i> , 0, , .	1.6	4
90	Electroanalysis of Epinephrine using Polymerized Carbon Nanotube Composite Sensor. <i>Topics in Catalysis</i> , 0, , 1.	1.3	2

#	ARTICLE	IF	CITATIONS
91	Electrocatalytic Analysis of Diclofenac in the Presence of Dopamine at Surface Amplified Voltammetric Sensor Based on Poly Glycine Modified Carbon Nano Tube Paste Electrode. Topics in Catalysis, 0, , 1.	1.3	1