

Susumu Hijioka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2583584/publications.pdf>

Version: 2024-02-01

161
papers

3,567
citations

147566

31
h-index

161609

54
g-index

170
all docs

170
docs citations

170
times ranked

4347
citing authors

#	ARTICLE	IF	CITATIONS
1	Cytokeratin-positive Malignant Tumor in the Abdomen With EWSR1/FUS-CREB Fusion. American Journal of Surgical Pathology, 2022, 46, 134-146.	2.1	19
2	Endoscopic ultrasound-guided choledochoduodenostomy without fistula dilation using a stent with a 5.9-Fr delivery system: Comparison to a conventional procedure with fistula dilation. DEN Open, 2022, 2, e56.	0.5	5
3	Use of endoscopic ultrasound-guided biliary drainage as a rescue of re-intervention after the placement of multiple metallic stents for malignant hilar biliary obstruction. Journal of Hepato-Biliary-Pancreatic Sciences, 2022, 29, 404-414.	1.4	3
4	Somatostatin Receptor 2 Expression Profiles and Their Correlation with the Efficacy of Somatostatin Analogues in Gastrointestinal Neuroendocrine Tumors. Cancers, 2022, 14, 775.	1.7	11
5	Modified double-guidewire technique using a new double-lumen catheter and 0.018-inch guidewire for difficult biliary cannulation. Digestive Endoscopy, 2022, , .	1.3	0
6	Study protocol for a multi-institutional prospective surveillance study among kindreds with familial pancreatic cancer and individuals with hereditary pancreatic cancer syndrome: The Diamond Study. Pancreatology, 2022, , .	0.5	5
7	Clinical usefulness of Somatostatin Receptor Scintigraphy in the Diagnosis of Neuroendocrine Neoplasms.. Asia Oceania Journal of Nuclear Medicine and Biology, 2022, 10, 1-13.	0.1	1
8	Endoscopic ultrasound-guided intra-afferent loop entero-enterostomy using a forward-viewing echoendoscope and insertion of a metal stent. Endoscopy, 2022, 54, E815-E817.	1.0	1
9	Usefulness of the laser-cut, fully covered, self-expandable metallic stent for endoscopic ultrasound-guided hepaticogastrostomy. Journal of Hepato-Biliary-Pancreatic Sciences, 2022, 29, 1035-1043.	1.4	7
10	A novel endoscopic technique using fully covered self-expandable metallic stents for benign strictures after hepaticojejunostomy: the saddle-cross technique (with video). Surgical Endoscopy and Other Interventional Techniques, 2022, 36, 9001-9010.	1.3	4
11	Novel biliary drainage of a choledochojejunal anastomotic stenosis using a double-balloon endoscope and forward-viewing endoscopic ultrasound. Endoscopy, 2021, 53, E242-E244.	1.0	2
12	Novel endoscopic ultrasound-guided hepaticoduodenostomy using a forward-viewing echoendoscope for altered anatomy. Endoscopy, 2021, 53, E340-E342.	1.0	1
13	Long-term safety and efficacy of lanreotide autogel in Japanese patients with neuroendocrine tumors: Final results of a phase II open-label extension study. Asia-Pacific Journal of Clinical Oncology, 2021, 17, e153-e161.	0.7	10
14	Clinical practice guidelines for the management of liver metastases from extrahepatic primary cancers 2021. Journal of Hepato-Biliary-Pancreatic Sciences, 2021, 28, 1-25.	1.4	29
15	Endoscopic ultrasound-guided hepaticogastricubestomy for bile duct stent obstruction in a patient with recurrent cancer after esophageal cancer surgery with gastric tube reconstruction. Digestive Endoscopy, 2021, 33, 466-467.	1.3	3
16	Novel double endoscopic ultrasound-guided hepaticogastrostomy for two-hole benign anastomotic stenosis with difficult gastrointestinal approach. Endoscopy, 2021, 53, E140-E142.	1.0	0
17	Endoscopic ultrasound-guided choledochoduodenostomy without fistula dilation using a novel fully covered metallic stent with a 5.9-Fr ultra-thin delivery system. Endoscopy, 2021, 53, E223-E225.	1.0	1
18	Duckbill-type antireflux self-expandable metal stent placement for post-choledochojejunostomy reflux cholangitis. Endoscopy, 2021, 53, E174-E176.	1.0	3

#	ARTICLE	IF	CITATIONS
19	The outcomes of endoscopic ultrasound-guided fine needle aspiration and neoadjuvant chemotherapy for patients with resectable pancreatic cancer. <i>Suizo</i> , 2021, 36, 20-28.	0.1	0
20	Spartalizumab in metastatic, well/poorly differentiated neuroendocrine neoplasms. <i>Endocrine-Related Cancer</i> , 2021, 28, 161-172.	1.6	52
21	Current status of medical treatment for gastroenteropancreatic neuroendocrine neoplasms and future perspectives. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1185-1196.	0.6	8
22	Enormous Potential of Endoscopic Ultrasound-guided Liver Biopsies. <i>Internal Medicine</i> , 2021, 60, 1655-1656.	0.3	2
23	Endoscopic ultrasound-guided hepaticoduodenostomy with antegrade stenting for recurrent hepatic hilar obstruction. <i>Endoscopy</i> , 2021, , .	1.0	1
24	The Role of EUS and EUS-FNA in Differentiating Benign and Malignant Gallbladder Lesions. <i>Diagnostics</i> , 2021, 11, 1586.	1.3	11
25	JNETS clinical practice guidelines for gastroenteropancreatic neuroendocrine neoplasms: diagnosis, treatment, and follow-up: a synopsis. <i>Journal of Gastroenterology</i> , 2021, 56, 1033-1044.	2.3	58
26	Clinical Characteristics of Pancreatic and Biliary Tract Cancers Associated with Lynch Syndrome. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, , .	1.4	4
27	New Model for Predicting Malignancy in Patients With Intraductal Papillary Mucinous Neoplasm. <i>Annals of Surgery</i> , 2020, 272, 155-162.	2.1	45
28	Recurrence patterns after surgical resection of intraductal papillary mucinous neoplasm (IPMN) of the pancreas; a multicenter, retrospective study of 1074 IPMN patients by the Japan Pancreas Society. <i>Journal of Gastroenterology</i> , 2020, 55, 86-99.	2.3	66
29	Pancreatic neuroendocrine carcinoma G3 may be heterogeneous and could be classified into two distinct groups. <i>Pancreatology</i> , 2020, 20, 1421-1427.	0.5	18
30	Endoscopic ultrasound-guided hepaticogastrostomy or hepaticojejunostomy without dilation using a stent with a thinner delivery system. <i>Endoscopy International Open</i> , 2020, 08, E1034-E1038.	0.9	12
31	Study protocol for a multi-institutional randomized phase III study comparing combined everolimus plus lanreotide therapy and everolimus monotherapy in patients with unresectable or recurrent gastroenteropancreatic neuroendocrine tumors; Japan Clinical Oncology Group Study JCOG1901 (STARTER-NET study). <i>Pancreatology</i> , 2020, 20, 1183-1188.	0.5	6
32	O6-methylguanine DNA methyltransferase and glucose transporter 2 in foregut and hindgut gastrointestinal neuroendocrine neoplasms. <i>BMC Cancer</i> , 2020, 20, 1195.	1.1	4
33	Optimal strategy of systemic treatment for unresectable pancreatic neuroendocrine tumors based upon opinion of Japanese experts. <i>Pancreatology</i> , 2020, 20, 944-950.	0.5	14
34	Novel endoscopic technique for trisegment drainage in patients with unresectable hilar malignant biliary strictures (with video). <i>Gastrointestinal Endoscopy</i> , 2020, 92, 763-769.	0.5	7
35	Novel side-by-side metal stent placement for recurrent hepatic hilar obstruction after placement of multiple metal stents. <i>Endoscopy</i> , 2020, 52, E330-E332.	1.0	0
36	Prediction of the Probability of Malignancy in Mucinous Cystic Neoplasm of the Pancreas With Ovarian-Type Stroma. <i>Pancreas</i> , 2020, 49, 181-186.	0.5	17

#	ARTICLE	IF	CITATIONS
37	Simultaneous endoscopic ultrasound-guided hepaticogastrostomy and bridging stenting with partial stent-in-stent method. <i>Endoscopy</i> , 2020, 52, E381-E382.	1.0	0
38	Radiologic Assessment for Endoscopic US-guided Biliary Drainage. <i>Radiographics</i> , 2020, 40, 667-683.	1.4	9
39	EUS-BD and EUS-GBD. , 2019, , 109-123.		0
40	A multimodality test to guide the management of patients with a pancreatic cyst. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	129
41	Results from phase I study of the oncolytic viral immunotherapy agent Canerpaturev (C-REV) in combination with gemcitabine plus nab-paclitaxel as first-line treatment of unresectable pancreatic cancer. <i>Annals of Oncology</i> , 2019, 30, v269-v270.	0.6	2
42	Successful case of cholangioscope-assisted extraction of a radiolucent intrahepatic bile duct stent. <i>Digestive Endoscopy</i> , 2019, 31, e66-e67.	1.3	0
43	A single-arm, phase 2 study of steroid-containing mouthwash for the prevention of everolimus-associated stomatitis in multiple tumor types. <i>International Journal of Clinical Oncology</i> , 2019, 24, 1320-1327.	1.0	1
44	Re-intervention for recurrent biliary obstruction after endoscopic ultrasound hepaticogastrostomy with partially covered self-expandable metal stent. <i>Endoscopy</i> , 2019, 51, E297-E298.	1.0	3
45	Surgery for Pancreatic Neuroendocrine Tumor G3 and Carcinoma G3 Should be Considered Separately. <i>Annals of Surgical Oncology</i> , 2019, 26, 1385-1393.	0.7	36
46	Usefulness of septal thickness measurement on endoscopic ultrasound as a predictor of malignancy of branched-duct and mixed-type intraductal papillary mucinous neoplasm of the pancreas. <i>Digestive Endoscopy</i> , 2019, 31, 672-681.	1.3	7
47	Asymptomatic malignant melanoma of the gallbladder with multiple brain metastases diagnosed with endoscopic ultrasound-guided fine-needle aspiration cytology. <i>Clinical Journal of Gastroenterology</i> , 2019, 12, 490-494.	0.4	4
48	Outcomes of EUS-FNA in patients receiving antithrombotic therapy. <i>Endoscopy International Open</i> , 2019, 07, E15-E25.	0.9	14
49	Endoscopic ultrasound-guided gastroenterostomy using a metal stent for the treatment of afferent loop syndrome. <i>Endoscopy</i> , 2019, 51, E153-E155.	1.0	8
50	Conversion surgery only for highly selected patients with unresectable pancreatic cancer: a satisfactory outcome in exchange for a lower resection rate. <i>Surgery Today</i> , 2019, 49, 670-677.	0.7	11
51	Argon Plasma Coagulation With Cholangioscopy as Additional Treatment for Residual Ampullary Tumor in a Young Familial Adenomatous Polyposis Patient. <i>ACG Case Reports Journal</i> , 2019, 6, e00202.	0.2	1
52	Clinical and in vitro studies of the correlation between MGMT and the effect of streptozocin in pancreatic NET. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 83, 43-52.	1.1	12
53	Radial-scanning flexible EUS of the anorectum and pelvis. <i>Endoscopic Ultrasound</i> , 2019, 8, 288.	0.6	6
54	Abstract 3429: Genetic analysis of pancreatic neuroendocrine neoplasms grade 3. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
55	Utility of convex EUS for preoperative vascular evaluation of malignant biliary tract neoplasm. <i>Molecular and Clinical Oncology</i> , 2018, 8, 407-412.	0.4	0
56	Novel forward-viewing EUS-guided ileoureterostomy technique for recurrent pyelonephritis caused by ureteral stenosis. <i>VideoGIE</i> , 2018, 3, 281-283.	0.3	2
57	A Novel Method of Diagnosing Aberrant Pancreas: Needle-based Confocal Laser Endomicroscopy. <i>Internal Medicine</i> , 2018, 57, 2827-2831.	0.3	1
58	Multi-center clinical evaluation of streptozocin-based chemotherapy for advanced pancreatic neuroendocrine tumors in Japan: focus on weekly regimens and monotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 82, 661-668.	1.1	25
59	A Rare Case of Ampullary Goblet Cell Carcinoid. <i>Internal Medicine</i> , 2018, 57, 2489-2496.	0.3	3
60	Novel simultaneous endoscopic ultrasound-guided hepaticoduodenostomy and hepaticogastrostomy for recurrent hepatic hilar obstruction. <i>Endoscopy</i> , 2018, 50, E320-E322.	1.0	5
61	Fibrolamellar Hepatocellular Carcinoma with Multiple Lung Metastases Treated with Multidisciplinary Therapy. <i>Internal Medicine</i> , 2018, 57, 3537-3543.	0.3	5
62	Activity & safety of spartalizumab (PDR001) in patients (pts) with advanced neuroendocrine tumors (NET) of pancreatic (Pan), gastrointestinal (GI), or thoracic (T) origin, & gastroenteropancreatic neuroendocrine carcinoma (GEP NEC) who have progressed on prior treatment (Tx). <i>Annals of Oncology</i> , 2018, 29, viii467-viii468.	0.6	61
63	Advanced technique for biliary stricture diagnosis using endoscopic ultrasound (EUS)-guided hepaticogastrostomy. <i>Endoscopy</i> , 2017, 49, E60-E61.	1.0	2
64	Phase II study of lanreotide autogel in Japanese patients with unresectable or metastatic well-differentiated neuroendocrine tumors. <i>Investigational New Drugs</i> , 2017, 35, 499-508.	1.2	27
65	Rb Loss and KRAS Mutation Are Predictors of the Response to Platinum-Based Chemotherapy in Pancreatic Neuroendocrine Neoplasm with Grade 3: A Japanese Multicenter Pancreatic NEN-G3 Study. <i>Clinical Cancer Research</i> , 2017, 23, 4625-4632.	3.2	150
66	Advanced technique for the treatment of chronic calculous pancreatitis using endoscopic ultrasound-guided pancreatic duct drainage. <i>Endoscopy</i> , 2017, 49, E197-E199.	1.0	1
67	Uptake of ¹²³ I-metaiodobenzylguanidine by gastrointestinal stromal tumor. <i>Clinical Journal of Gastroenterology</i> , 2017, 10, 364-370.	0.4	4
68	Diagnostic performance and factors influencing the accuracy of EUS-FNA of pancreatic neuroendocrine neoplasms. <i>Journal of Gastroenterology</i> , 2017, 52, 264-264.	2.3	2
69	Treatment of biliary strictures with fully covered self-expandable metal stents after pancreaticoduodenectomy. <i>Endoscopy</i> , 2017, 49, 75-79.	1.0	10
70	The use of clip anchoring to ensure safe transgastric puncture during endoscopic ultrasound-guided transmural drainage. <i>Endoscopy</i> , 2017, 49, E186-E187.	1.0	9
71	Optimal intake of clear liquids during preparation for afternoon colonoscopy with low-volume polyethylene glycol plus ascorbic acid. <i>Endoscopy International Open</i> , 2017, 05, E416-E423.	0.9	6
72	Advances in the diagnosis and treatment of pancreatic neuroendocrine neoplasms in Japan. <i>Journal of Gastroenterology</i> , 2017, 52, 9-18.	2.3	48

#	ARTICLE	IF	CITATIONS
73	Slow-growing amelanotic malignant melanoma of the esophagus with long survival: a case report and review of the literature. <i>Endoscopy International Open</i> , 2017, 05, E1076-E1080.	0.9	3
74	The Features of Colorectal Tumors in a Patient with Li-Fraumeni Syndrome. <i>Internal Medicine</i> , 2017, 56, 295-300.	0.3	4
75	Examination about the correlation of MGMT expression and effect of streptozocin in gastroenteropancreatic NET. <i>Annals of Oncology</i> , 2017, 28, ix80.	0.6	0
76	Endoscopic Ultrasound-guided Rendezvous Technique after Failed Endoscopic Retrograde Cholangiopancreatography: Which Approach Route Is the Best?. <i>Internal Medicine</i> , 2017, 56, 3135-3143.	0.3	18
77	A primary hepatic gastrinoma accompanied by hyperplasia of multi-nodular Brunner's glands. <i>Surgical Case Reports</i> , 2017, 3, 118.	0.2	3
78	Risks of transesophageal endoscopic ultrasonography-guided biliary drainage. <i>Gastrointestinal Intervention</i> , 2017, 6, 82-84.	0.1	16
79	A case of -positive gastric MALT lymphoma with concomitant diffuse large B-cell lymphoma. <i>Nagoya Journal of Medical Science</i> , 2017, 79, 251-257.	0.6	1
80	Familial pancreatic cancer: Concept, management and issues. <i>World Journal of Gastroenterology</i> , 2017, 23, 935.	1.4	81
81	Early Diagnosis of Pancreatic Cancer Using Endoscopic Ultrasound. , 2017, , 3-11.		0
82	Feasibility of the unilateral-flange stent for the treatment of benign pancreatic duct stricture: a pilot study. <i>Nagoya Journal of Medical Science</i> , 2017, 79, 453-458.	0.6	0
83	Endoscopic ultrasonography-guided biliary drainage: Who, when, which, and how?. <i>World Journal of Gastroenterology</i> , 2016, 22, 1297.	1.4	90
84	Evaluation of Modified Glasgow Prognostic Score for Pancreatic Cancer. <i>Pancreas</i> , 2016, 45, 211-217.	0.5	69
85	Type of Combined Endoscopic Biliary and Gastroduodenal Stenting Is Significant for Biliary Route Maintenance. <i>Internal Medicine</i> , 2016, 55, 2153-2161.	0.3	12
86	Post-adjuvant chemotherapy CA19-9 levels predict prognosis in patients with pancreatic ductal adenocarcinoma: A retrospective cohort study. <i>Pancreatology</i> , 2016, 16, 658-664.	0.5	28
87	Japanese familial pancreatic cancer registry by Japan Pancreas Society. <i>Pancreatology</i> , 2016, 16, S38.	0.5	0
88	Utility of temporary deployment of fully covered self-expandable metal stents for post-operative benign bilioenteric anastomotic stricture. <i>Pancreatology</i> , 2016, 16, S68.	0.5	0
89	Expert consensus on surveillance methods for early detection of familial pancreatic cancer in Japan. <i>Pancreatology</i> , 2016, 16, S39.	0.5	0
90	Benefits of side-by-side deployment of 6mm covered self-expandable metal stents for hilar malignant biliary obstructions. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016, 23, 548-555.	1.4	29

#	ARTICLE	IF	CITATIONS
91	Prognostic factors for salvage endoscopic resection for esophageal squamous cell carcinoma after chemoradiotherapy or radiotherapy alone. <i>Endoscopy International Open</i> , 2016, 04, E841-E848.	0.9	13
92	Prognostic impact of carcinoembryonic antigen (CEA) on patients with metastatic pancreatic cancer: A retrospective cohort study. <i>Pancreatology</i> , 2016, 16, 859-864.	0.5	30
93	Diagnostic performance and factors influencing the accuracy of EUS-FNA of pancreatic neuroendocrine neoplasms. <i>Journal of Gastroenterology</i> , 2016, 51, 923-930.	2.3	57
94	Clinical outcome of elderly patients with unresectable pancreatic cancer treated with gemcitabine plus S-1, S-1 alone, or gemcitabine alone: Subgroup analysis of a randomised phase III trial, GEST study.. <i>European Journal of Cancer</i> , 2016, 54, 96-103.	1.3	26
95	Screening and surveillance for occupational cholangiocarcinoma in workers exposed to organic solvents. <i>Surgery Today</i> , 2016, 46, 705-712.	0.7	13
96	Clinical impact of preoperative endoscopic ultrasound-guided fine-needle aspiration for pancreatic ductal adenocarcinoma. <i>Endoscopic Ultrasound</i> , 2016, 5, 94.	0.6	30
97	Clinicopathological features and response to platinum-based chemotherapy in pancreatic neuroendocrine carcinoma: A retrospective multicenter study of 70 patients.. <i>Journal of Clinical Oncology</i> , 2016, 34, 298-298.	0.8	0
98	Clinicopathological features and response to platinum-based chemotherapy (PBC) in pancreatic neuroendocrine carcinoma (pNEC): Updated results of Japan pNEC study.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15652-e15652.	0.8	0
99	Development of a new reagent for endoscopic ultrasound-guided celiac plexus neurolysis and tumor ablation therapy. <i>Gastrointestinal Intervention</i> , 2016, 5, 216-220.	0.1	0
100	Risk factors for postoperative recurrence of intraductal papillary mucinous neoplasms of the pancreas based on a long-term follow-up study: proposals for follow-up strategies. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015, 22, 757-765.	1.4	34
101	A Randomized Controlled Trial Evaluating a Low-Volume PEG Solution Plus Ascorbic Acid versus Standard PEG Solution in Bowel Preparation for Colonoscopy. <i>Gastroenterology Research and Practice</i> , 2015, 2015, 1-12.	0.7	17
102	Does the WHO 2010 classification of pancreatic neuroendocrine neoplasms accurately characterize pancreatic neuroendocrine carcinomas?. <i>Journal of Gastroenterology</i> , 2015, 50, 564-572.	2.3	62
103	Clinical course of gastrointestinal stromal tumor diagnosed by endoscopic ultrasound-guided fine-needle aspiration. <i>Digestive Endoscopy</i> , 2015, 27, 44-52.	1.3	36
104	Validation of a Nomogram for Predicting the Probability of Carcinoma in Patients With Intraductal Papillary Mucinous Neoplasm in 180 Pancreatic Resection Patients at 3 High-Volume Centers. <i>Pancreas</i> , 2015, 44, 459-464.	0.5	40
105	Gastroduodenal stenting with NitiS stent: Long-term benefits and additional stent intervention. <i>Digestive Endoscopy</i> , 2015, 27, 121-129.	1.3	24
106	Stent migration into the peritoneal cavity following endoscopic ultrasound-guided hepaticogastrostomy. <i>Endoscopy</i> , 2015, 47, E311-E311.	1.0	32
107	Morphological differentiation and follow-up of pancreatic cystic neoplasms using endoscopic ultrasound. <i>Endoscopic Ultrasound</i> , 2015, 4, 312.	0.6	17
108	A role for endoscopic ultrasound-guided fine needle aspiration in the diagnosis of autoimmune pancreatitis. <i>Suizo</i> , 2015, 30, 78-84.	0.1	1

#	ARTICLE	IF	CITATIONS
109	Is serum HER2-ECD testing significant for resectable gastric cancer?. <i>Journal of Clinical Oncology</i> , 2015, 33, 48-48.	0.8	0
110	What is the best method for endoscopic ultrasound-guided fine needle aspiration? Needle types and aspiration techniques. <i>Gastrointestinal Intervention</i> , 2014, 3, 104-109.	0.1	2
111	Endoscopic ultrasound description of liver segmentation and anatomy. <i>Digestive Endoscopy</i> , 2014, 26, 482-490.	1.3	29
112	Combination of cyst fluid CEA and CA 125 is an accurate diagnostic tool for differentiating mucinous cystic neoplasms from intraductal papillary mucinous neoplasms. <i>Pancreatology</i> , 2014, 14, 503-509.	0.5	27
113	Can Long-Term Follow-Up Strategies Be Determined Using a Nomogram-Based Prediction Model of Malignancy Among Intraductal Papillary Mucinous Neoplasms of the Pancreas?. <i>Pancreas</i> , 2014, 43, 367-372.	0.5	14
114	Clinical Characteristics of Adenosquamous Carcinoma of the Pancreas. <i>Pancreas</i> , 2014, 43, 287-290.	0.5	49
115	A novel technique for endoscopic transpapillary "mapping biopsy specimens" of superficial intraductal spread of bile duct carcinoma (with videos). <i>Gastrointestinal Endoscopy</i> , 2014, 79, 1020-1025.	0.5	22
116	Risk of second malignancies in patients with gastric marginal zone lymphomas of mucosa associate lymphoid tissue (MALT). <i>Journal of Gastroenterology</i> , 2014, 49, 843-852.	2.3	11
117	Ring-enhancement pattern on contrast-enhanced CT predicts adenosquamous carcinoma of the pancreas: A matched case-control study. <i>Pancreatology</i> , 2014, 14, 221-226.	0.5	28
118	Characteristics of printing company workers newly diagnosed with occupational cholangiocarcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2014, 21, 809-817.	1.4	38
119	Diagnostic ability and factors affecting accuracy of endoscopic ultrasound-guided fine needle aspiration for pancreatic solid lesions: Japanese large single center experience. <i>Journal of Gastroenterology</i> , 2013, 48, 973-981.	2.3	141
120	Prognostic value of K-ras mutation status and subtypes in endoscopic ultrasound-guided fine-needle aspiration specimens from patients with unresectable pancreatic cancer. <i>Journal of Gastroenterology</i> , 2013, 48, 640-646.	2.3	93
121	Crizotinib-induced esophageal ulceration: A novel adverse event of crizotinib. <i>Lung Cancer</i> , 2013, 81, 495-496.	0.9	18
122	Prospective clinical study of endoscopic ultrasound-guided choledochoduodenostomy with direct metallic stent placement using a forward-viewing echoendoscope. <i>Endoscopy</i> , 2013, 45, 392-396.	1.0	132
123	Evaluation of Ki-67 index in EUS "FNA specimens for the assessment of malignancy risk in pancreatic neuroendocrine tumors. <i>Endoscopy</i> , 2013, 46, 32-38.	1.0	133
124	Predictors of Malignancy in Intraductal Papillary Mucinous Neoplasm of the Pancreas. <i>Pancreas</i> , 2013, 42, 883-888.	0.5	115
125	Cytoplasmic expression of LGR5 in pancreatic adenocarcinoma. <i>Frontiers in Physiology</i> , 2013, 4, 269.	1.3	15
126	Can mosapride citrate reduce the volume of lavage solution for colonoscopy preparation?. <i>World Journal of Gastroenterology</i> , 2013, 19, 727.	1.4	13

#	ARTICLE	IF	CITATIONS
127	Diagnostic yield of endoscopic retrograde cholangiography and of EUS-guided fine needle aspiration sampling in gallbladder carcinomas. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2012, 19, 650-655.	1.4	38
128	Endoscopic Ultrasound-Guided Choledochoduodenostomy for Malignant Lower Biliary Tract Obstruction. <i>Gastrointestinal Endoscopy Clinics of North America</i> , 2012, 22, 259-269.	0.6	8
129	A first report of tumor cell implantation after EMR in a patient with rectosigmoid cancer. <i>Gastrointestinal Endoscopy</i> , 2012, 75, 1117-1118.	0.5	7
130	Clinical impact of K-ras mutation analysis in EUS-guided FNA specimens from pancreatic masses. <i>Gastrointestinal Endoscopy</i> , 2012, 75, 769-774.	0.5	82
131	Prognosis of Adenosquamous Carcinoma of the Pancreas: A Matched Case-Control Study. <i>Annals of Oncology</i> , 2012, 23, xi161.	0.6	0
132	Pseudomyxoma peritonei arising from intraductal papillary neoplasm after surgical pancreatectomy: report of 2 cases and review of the literature. <i>Clinical Journal of Gastroenterology</i> , 2012, 5, 15-19.	0.4	14
133	Randomized phase II study of gemcitabine and S-1 combination versus gemcitabine alone in the treatment of unresectable advanced pancreatic cancer (Japan Clinical Cancer Research Organization) <i>TJ ETQq1 1 0.784314 rgBT /Overlo</i>		
134	Efficacy of mosapride citrate with polyethylene glycol solution for colonoscopy preparation. <i>World Journal of Gastroenterology</i> , 2012, 18, 2517.	1.4	31
135	Can Endoscopic Ultrasound-Guided Fine Needle Aspiration Offer Clinical Benefit for Tumors of the Ampulla of Vater? -An Initial Study. <i>Endoscopic Ultrasound</i> , 2012, 1, 84.	0.6	19
136	Characteristics of Superficial Esophageal Cancer in Patients With Head and Neck Cancers. <i>Gastroenterology</i> , 2011, 140, S-671-S-672.	0.6	0
137	Role of Endoscopic Ultrasound and Endoscopic Ultrasound-Guided Fine-Needle Aspiration in Diagnosing Metastasis to the Pancreas: A Tertiary Center Experience. <i>Pancreatology</i> , 2011, 11, 390-398.	0.5	32
138	Current Concept of Endoscopic Ultrasound-Guided Fine Needle Aspiration for Pancreatic Cancer. <i>Pancreatology</i> , 2011, 11, 40-46.	0.5	31
139	Clinical Impact of KRAS Gene Mutation Analysis, in EUS-FNA Specimens From Pancreatic Mass Lesions. <i>Gastroenterology</i> , 2011, 140, S-711.	0.6	0
140	Comparison of endoscopic submucosal dissection and endoscopic mucosal resection for large colorectal tumors. <i>European Journal of Gastroenterology and Hepatology</i> , 2011, 23, 1042-1049.	0.8	104
141	A CONVEX EUS IS USEFUL TO DIAGNOSE VASCULAR INVASION OF CANCER, ESPECIALLY HEPATIC HILUS CANCER. <i>Digestive Endoscopy</i> , 2011, 23, 26-28.	1.3	7
142	Contrast-enhanced endoscopic ultrasonography (CE-EUS) findings in adrenal metastasis from renal cell carcinoma. <i>Journal of Medical Ultrasonics (2001)</i> , 2011, 38, 89-92.	0.6	7
143	Prospective Clinical Study of EUS-Guided Choledochoduodenostomy for Malignant Lower Biliary Tract Obstruction. <i>American Journal of Gastroenterology</i> , 2011, 106, 1239-1245.	0.2	150
144	Clinical Efficacy and Safety of Sunitinib After Imatinib Failure in Japanese Patients with Gastrointestinal Stromal Tumor. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 57-62.	0.6	16

#	ARTICLE	IF	CITATIONS
145	Interventional endoscopic ultrasonography for pancreatic cancer. <i>World Journal of Clinical Oncology</i> , 2011, 2, 108.	0.9	15
146	A Case of Resected Groove Pancreatic Carcinoma With a Characteristic EUS Appearance. <i>Pancreas</i> , 2010, 39, 697.	0.5	0
147	Accumulation of FDG Due to Autoimmune Pancreatitis Distinctly Decreased After Steroid Therapy. <i>Pancreas</i> , 2010, 39, 693.	0.5	0
148	Total Pancreatectomy for Metastatic Renal Cell Carcinoma with Marked Extension into the Main Pancreatic Duct. <i>Internal Medicine</i> , 2010, 49, 557-562.	0.3	18
149	Pre-operative diagnosis of synchronous solid-pseudopapillary neoplasms of the pancreas. <i>Clinical Journal of Gastroenterology</i> , 2010, 3, 301-306.	0.4	3
150	Dlk-1, a cell surface antigen on foetal hepatic stem/progenitor cells, is expressed in hepatocellular, colon, pancreas and breast carcinomas at a high frequency. <i>Journal of Biochemistry</i> , 2010, 148, 85-92.	0.9	79
151	M1441: Clinical Effectiveness of Endoscopic Ultrasound-Guided Fine-Needle Aspiration (EUS-FNA) for Diagnosis of Pancreatic Neuroendocrine Tumors (PNETs). <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB222.	0.5	0
152	T1460: Diagnosis Utility of Endoscopic Ultrasound-Guided Fine Needle Aspiration for Diagnosis of Gallbladder Mass Lesions. <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB282-AB283.	0.5	2
153	W1460: Endoscopic Submucosal Dissection (ESD) for Early Rectal Tumor: Comparison of Three Strategy. <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB334.	0.5	0
154	Can EUS-guided FNA distinguish between gallbladder cancer and xanthogranulomatous cholecystitis?. <i>Gastrointestinal Endoscopy</i> , 2010, 72, 622-627.	0.5	70
155	Eight-year survival after advanced gastric cancer treated with S-1 followed by surgery. <i>World Journal of Gastroenterology</i> , 2010, 16, 2824.	1.4	6
156	EUS-Guided Biliary Drainage. <i>Gut and Liver</i> , 2010, 4, S67.	1.4	42
157	Serum tumor antigen REG4 as a useful diagnostic biomarker in gastric cancer. <i>Hepato-Gastroenterology</i> , 2010, 57, 1631-4.	0.5	6
158	Ultrasound images and clinical pathology of cystic lesions of the pancreas. <i>Choonpa Igaku</i> , 2009, 36, 147-163.	0.0	2
159	EUS-FNA with Adjuvant of Immunohistochemical Stain for the Diagnosis of Schwannoma. <i>American Journal of Gastroenterology</i> , 2009, 104, S535.	0.2	0
160	Transcatheter arterial chemoembolization with DSM for primary hepatic malignant carcinoid. <i>Hepato-Gastroenterology</i> , 2007, 54, 382-5.	0.5	0
161	CT and MRI findings with contrast enhancement of small pancreatic adenocarcinoma in the late phase. <i>Hepato-Gastroenterology</i> , 2007, 54, 389-92.	0.5	2