

Nasser Zawia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2583633/publications.pdf>

Version: 2024-02-01

20
papers

968
citations

623574

14
h-index

839398

18
g-index

20
all docs

20
docs citations

20
times ranked

1057
citing authors

#	ARTICLE	IF	CITATIONS
1	Thrombin Signaling Contributes to High Glucose-Induced Injury of Human Brain Microvascular Endothelial Cells. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 211-224.	1.2	16
2	Developmental Perfluorooctanesulfonic acid (PFOS) exposure as a potential risk factor for late-onset Alzheimer's disease in CD-1 mice and SH-SY5Y cells. <i>NeuroToxicology</i> , 2021, 86, 26-36.	1.4	14
3	Dabigatran reduces thrombin-induced neuroinflammation and AD markers in vitro: Therapeutic relevance for Alzheimer's disease. <i>Cerebral Circulation - Cognition and Behavior</i> , 2021, 2, 100014.	0.4	0
4	Loss in efficacy measures of tolfenamic acid in a tau knock-out model: Relevance to Alzheimer's disease. <i>Experimental Biology and Medicine</i> , 2019, 244, 1062-1069.	1.1	3
5	Early life exposure to lead (Pb) and changes in DNA methylation: relevance to Alzheimer's disease. <i>Reviews on Environmental Health</i> , 2019, 34, 187-195.	1.1	43
6	Histone acetylation maps in aged mice developmentally exposed to lead: epigenetic drift and Alzheimer-related genes. <i>Epigenomics</i> , 2018, 10, 573-583.	1.0	15
7	Influence of Early Life Lead (Pb) Exposure on β -Synuclein, GSK-3 β and Caspase-3 Mediated Tauopathy: Implications on Alzheimer's Disease. <i>Current Alzheimer Research</i> , 2018, 15, 1114-1122.	0.7	19
8	Lead exposure and tau hyperphosphorylation: An in vitro study. <i>NeuroToxicology</i> , 2017, 62, 218-223.	1.4	16
9	Consequences of lead exposure, and its emerging role as an epigenetic modifier in the aging brain. <i>NeuroToxicology</i> , 2016, 56, 254-261.	1.4	73
10	Infantile exposure to lead and late-life cognitive decline: Relevance to AD. <i>Alzheimer's and Dementia</i> , 2014, 10, 187-195.	0.4	79
11	Infantile postnatal exposure to lead (Pb) enhances tau expression in the cerebral cortex of aged mice: Relevance to AD. <i>NeuroToxicology</i> , 2014, 44, 114-120.	1.4	65
12	Enhanced tauopathy and AD-like pathology in aged primate brains decades after infantile exposure to lead (Pb). <i>NeuroToxicology</i> , 2013, 39, 95-101.	1.4	89
13	Supplementation of <i>Convolvulus pluricaulis</i> attenuates scopolamine-induced increased tau and Amyloid precursor protein (A β PP) expression in rat brain. <i>Indian Journal of Pharmacology</i> , 2012, 44, 593.	0.4	77
14	Alzheimer's Disease Biomarkers and Epigenetic Intermediates Following Exposure to Pb In Vitro. <i>Current Alzheimer Research</i> , 2012, 9, 555-562.	0.7	54
15	Do Epigenetic Pathways Initiate Late Onset Alzheimer Disease (LOAD): Towards a New Paradigm. <i>Current Alzheimer Research</i> , 2012, 9, 574-588.	0.7	46
16	In vitro Pb exposure disturbs the balance between A β production and elimination: The role of A β PP and neprilysin. <i>NeuroToxicology</i> , 2011, 32, 300-306.	1.4	54
17	Infant Exposure to Lead (Pb) and Epigenetic Modifications in the Aging Primate Brain: Implications for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2011, 27, 819-833.	1.2	140
18	In vivo investigation of the neuroprotective property of <i>Convolvulus pluricaulis</i> in scopolamine-induced cognitive impairments in Wistar rats. <i>Indian Journal of Pharmacology</i> , 2011, 43, 520.	0.4	52

#	ARTICLE	IF	CITATIONS
19	Epigenetics and Late-Onset Alzheimer's Disease. , 2011, , 175-186.		1
20	Neuroprotective role of Convolvulus pluricaulis on aluminium induced neurotoxicity in rat brain. Journal of Ethnopharmacology, 2009, 124, 409-415.	2.0	112