

# Gui Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2584083/publications.pdf>

Version: 2024-02-01

59  
papers

1,617  
citations

257450

24  
h-index

315739

38  
g-index

61  
all docs

61  
docs citations

61  
times ranked

1300  
citing authors

#	ARTICLE	IF	CITATIONS
1	In vivo performance of a rare earth free Mg–Zn–Ca alloy manufactured using twin roll casting for potential applications in the cranial and maxillofacial fixation devices. <i>Bioactive Materials</i> , 2022, 12, 85-96.	15.6	10
2	Effect of Mg on dynamic recrystallization of Zn–Mg alloys during room-temperature compression. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 830, 142243.	5.6	16
3	The characterisation and formation of novel microstructural features in a Ti–Nb–Zr–Mo–Sn alloy manufactured by Laser Engineered Net Shaping (LENS). <i>Additive Manufacturing</i> , 2021, 37, 101705.	3.0	5
4	Current understanding of the origin of equiaxed grains in pure metals during ultrasonic solidification and a comparison of grain formation processes with low frequency vibration, pulsed magnetic and electric-current pulse techniques. <i>Journal of Materials Science and Technology</i> , 2021, 65, 38-53.	10.7	26
5	Mechanisms of the Origin of Fine and Non-Dendritic Grains at the Sonotrode–Liquid Metal Interface During Ultrasonic Solidification of Metals. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2021, 52, 2676-2688.	2.2	6
6	Influence of strain rate and crystallographic orientation on dynamic recrystallization of pure Zn during room-temperature compression. <i>Journal of Materials Science and Technology</i> , 2021, 86, 237-250.	10.7	30
7	Investigating the Grain Refinement Mechanisms of Pulsed Electric Current, Ultrasonic and Melt Stirring Solidification of Pure Aluminium. <i>Jom</i> , 2021, 73, 3873-3882.	1.9	5
8	Grain refinement of hypoeutectic Al-7wt.%Si alloy induced by an Al–V–B master alloy. <i>Journal of Alloys and Compounds</i> , 2020, 812, 152022.	5.5	34
9	A comparative study of the role of solute, potent particles and ultrasonic treatment during solidification of pure Mg, Mg–Zn and Mg–Zr alloys. <i>Journal of Magnesium and Alloys</i> , 2020, , .	11.9	23
10	Dynamic recrystallization of pure zinc during high strain-rate compression at ambient temperature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 784, 139325.	5.6	28
11	Ultrasonic Processing for Structure Refinement: An Overview of Mechanisms and Application of the Interdependence Theory. <i>Materials</i> , 2019, 12, 3187.	2.9	14
12	The Role of Ultrasonically Induced Acoustic Streaming in Developing Fine Equiaxed Grains During the Solidification of an Al–2AlPct Cu Alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2019, 50, 5253-5263.	2.2	14
13	Effect of ultrasonic melt treatment on intermetallic phase formation in a manganese-modified Al-17Si-2Fe alloy. <i>Journal of Materials Processing Technology</i> , 2019, 271, 346-356.	6.3	20
14	Mechanisms of Grain Formation During Ultrasonic Solidification of Commercial Purity Magnesium. <i>Minerals, Metals and Materials Series</i> , 2019, , 1579-1586.	0.4	3
15	Cellular Automation Finite Element Modeling of the Evolution of the As-Cast Microstructure of an Ultrasonically Treated Al-2Cu Alloy. <i>Minerals, Metals and Materials Series</i> , 2019, , 1617-1622.	0.4	0
16	Effect of ultrasonic treatment on the alloying and grain refinement efficiency of a Mg – Zr master alloy added to magnesium at hypo- and hyper-peritectic compositions. <i>Journal of Crystal Growth</i> , 2019, 512, 20-32.	1.5	37
17	The Poisoning Effect of Al and Be on Mg–1 wt.% Zr Alloy and the Role of Ultrasonic Treatment on Grain Refinement. <i>Frontiers in Materials</i> , 2019, 6, .	2.4	7
18	Effects of deformation twinning on the mechanical properties of biodegradable Zn-Mg alloys. <i>Bioactive Materials</i> , 2019, 4, 8-16.	15.6	70

#	ARTICLE	IF	CITATIONS
19	Precipitation of string-shaped morphologies consisting of aligned $\hat{1}\pm$ phase in a metastable $\hat{1}^2$ titanium alloy. <i>Scientific Reports</i> , 2018, 8, 2038.	3.3	3
20	Fine equiaxed dendritic structure of a medium carbon steel cast using pulsed magneto-oscillation melt treatment. <i>Advances in Manufacturing</i> , 2018, 6, 189-194.	6.1	7
21	The corrosion behaviours of plasma-sprayed Fe-based amorphous coatings. <i>Surface Engineering</i> , 2018, 34, 634-639.	2.2	21
22	Ultrasonic Processing of Aluminum-Magnesium Alloys. <i>Materials</i> , 2018, 11, 1994.	2.9	9
23	The effect of ultrasonic treatment on the mechanisms of grain formation in as-cast high purity zinc. <i>Journal of Crystal Growth</i> , 2018, 495, 20-28.	1.5	24
24	Evolution of the As-Cast Grain Microstructure of an Ultrasonically Treated Al-2Cu Alloy. <i>Advanced Engineering Materials</i> , 2018, 20, 1800521.	3.5	7
25	Treatment by External Fields. , 2018, , 279-332.		4
26	Simulation of convective flow and thermal conditions during ultrasonic treatment of an Al-2Cu alloy. <i>Computational Materials Science</i> , 2017, 134, 116-125.	3.0	49
27	Development in plasma surface diffusion techniques of Ti-6Al-4V alloy: a review. <i>International Journal of Advanced Manufacturing Technology</i> , 2017, 92, 1901-1912.	3.0	11
28	Improvements in Microstructure and Wear Resistance of Plasma-Sprayed Fe-Based Amorphous Coating by Laser-Remelting. <i>Journal of Thermal Spray Technology</i> , 2017, 26, 778-786.	3.1	12
29	The Effect of Ultrasonic Melt Treatment on Macro-Segregation and Peritectic Transformation in an Al-19Si-4Fe Alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017, 48, 5579-5590.	2.2	31
30	Role of ultrasonic treatment, inoculation and solute in the grain refinement of commercial purity aluminium. <i>Scientific Reports</i> , 2017, 7, 9729.	3.3	46
31	Manufacturing of graded titanium scaffolds using a novel space holder technique. <i>Bioactive Materials</i> , 2017, 2, 248-252.	15.6	21
32	Identifying the Stages during Ultrasonic Processing that Reduce the Grain Size of Aluminum with Added Al <sub>3</sub> Ti <sub>1</sub> B Master Alloy. <i>Advanced Engineering Materials</i> , 2017, 19, 1700264.	3.5	24
33	The dynamic response of a metastable $\hat{1}^2$ Ti-Nb alloy to high strain rates at room and elevated temperatures. <i>Acta Materialia</i> , 2016, 105, 104-113.	7.9	71
34	Grain Refinement of Al-Si Hypoeutectic Alloys by Al <sub>3</sub> Ti <sub>1</sub> B Master Alloy and Ultrasonic Treatment. , 2016, , 143-150.		2
35	An investigation of the mechanical behaviour of fine tubes fabricated from a Ti-25Nb-3Mo-3Zr-2Sn alloy. <i>Materials and Design</i> , 2015, 85, 256-265.	7.0	22
36	Enhanced Heterogeneous Nucleation by Pulsed Magneto-Oscillation Treatment of Liquid Aluminum Containing Al <sub>3</sub> Ti <sub>1</sub> B Additions. <i>Advanced Engineering Materials</i> , 2015, 17, 1465-1469.	3.5	13

#	ARTICLE	IF	CITATIONS
37	On the deformation mechanisms and strain rate sensitivity of a metastable $\beta$ Ti-Nb alloy. <i>Scripta Materialia</i> , 2015, 107, 34-37.	5.2	52
38	Microstructure, elastic deformation behavior and mechanical properties of biomedical $\beta$ -type titanium alloy thin-tube used for stents. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015, 45, 132-141.	3.1	22
39	Microstructural characteristics of adiabatic shear localization in a metastable beta titanium alloy deformed at high strain rate and elevated temperatures. <i>Materials Characterization</i> , 2015, 102, 103-113.	4.4	38
40	Cutting force, chip formation, and tool wear during the laser-assisted machining a near-alpha titanium alloy BTi-6431S. <i>International Journal of Advanced Manufacturing Technology</i> , 2015, 79, 1949-1960.	3.0	25
41	Evolution of the microstructure and mechanical properties during fabrication of mini-tubes from a biomedical $\beta$ -titanium alloy. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015, 42, 207-218.	3.1	16
42	SPH/FE modeling of cutting force and chip formation during thermally assisted machining of Ti6Al4V alloy. <i>Computational Materials Science</i> , 2014, 84, 188-197.	3.0	58
43	The role of ultrasonic treatment in refining the as-cast grain structure during the solidification of an Al-Cu alloy. <i>Journal of Crystal Growth</i> , 2014, 408, 119-124.	1.5	108
44	Numerical modeling of laser assisted machining of a beta titanium alloy. <i>Computational Materials Science</i> , 2014, 92, 149-156.	3.0	30
45	The cold-rolling behaviour of AZ31 tubes for fabrication of biodegradable stents. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014, 39, 292-303.	3.1	18
46	The dynamic response of a $\beta$ titanium alloy to high strain rates and elevated temperatures. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 607, 417-426.	5.6	86
47	Constitutive modelling of the flow behaviour of a $\beta$ titanium alloy at high strain rates and elevated temperatures using the Johnson-Cook and modified Zerilli-Armstrong models. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 612, 71-79.	5.6	62
48	Nucleation and grain formation of pure Al under Pulsed Magneto-Oscillation treatment. <i>Materials Letters</i> , 2014, 130, 48-50.	2.6	53
49	Experimental investigation of laser assisted machining of AZ91 magnesium alloy. <i>International Journal of Precision Engineering and Manufacturing</i> , 2013, 14, 1263-1265.	2.2	22
50	Effects of phase stability and processing on the mechanical properties of Ti-Nb based $\beta$ Ti alloys. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2013, 28, 15-25.	3.1	53
51	Finite Element Modeling of Cutting Force and Chip Formation During Thermally Assisted Machining of Ti6Al4V Alloy. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2013, 135, .	2.2	41
52	Modelling, simulation and experimental investigation of cutting forces during helical milling operations. <i>International Journal of Advanced Manufacturing Technology</i> , 2012, 63, 839-850.	3.0	45
53	Thermal analysis of precipitation reactions in a Ti-25Nb-3Mo-3Zr-2Sn alloy. <i>Applied Physics A: Materials Science and Processing</i> , 2012, 107, 835-841.	2.3	17
54	Strength enhancement of a biomedical titanium alloy through a modified accumulative roll bonding technique. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2011, 4, 405-416.	3.1	56

#	ARTICLE	IF	CITATIONS
55	Strengthening of cast Ti-25Nb-3Mo-3Zr-2Sn alloy through precipitation of $\beta_2$ in two discrete crystallographic orientations. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 6601-6606.	5.6	29
56	The Effect of Temperature on the Microstructure of a Metastable $\beta_2$ Ti Alloy. <i>Materials Science Forum</i> , 2010, 654-656, 847-850.	0.3	9
57	Interfacial Heat Transfer during Die Casting of an Al-Si-Cu Alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2009, 40, 3056-3058.	2.2	14
58	Elevated temperature mechanical properties and microstructures of high pressure die cast magnesium AZ91 alloy cast with different section thicknesses. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 523, 282-288.	5.6	29
59	The Aging Response of a Metastable $\beta_2$ Ti Alloy, BTi-6554. <i>Materials Science Forum</i> , 0, 690, 29-32.	0.3	4