## HélÃ"ne C F CÃ'té

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2585889/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Higher Hospitalization Rates in Children Born HIV-exposed Uninfected in British Columbia, Canada, Between 1990 and 2012. Pediatric Infectious Disease Journal, 2022, 41, 124-130.	1.1	4
2	Stressing the need for validated measures of cortisol in HIV research: A scoping review. HIV Medicine, 2022, 23, 880-894.	1.0	1
3	Elevated Blood Mitochondrial DNA in Early Life Among Uninfected Children Exposed to Human Immunodeficiency Virus and Combination Antiretroviral Therapy in utero. Journal of Infectious Diseases, 2021, 223, 621-631.	1.9	10
4	Neurological development of children who are HIVâ€exposed and uninfected. Developmental Medicine and Child Neurology, 2021, 63, 1161-1170.	1.1	9
5	Daily Oral Supplementation with 60 mg of Elemental Iron for 12 Weeks Alters Blood Mitochondrial DNA Content, but Not Leukocyte Telomere Length in Cambodian Women. Nutrients, 2021, 13, 1877.	1.7	2
6	British Columbia CARMA-CHIWOS Collaboration (BCC3): protocol for a community-collaborative cohort study examining healthy ageing with and for women living with HIV. BMJ Open, 2021, 11, e046558.	0.8	1
7	Age-related mitochondrial alterations in brain and skeletal muscle of the YAC128 model of Huntington disease. Npj Aging and Mechanisms of Disease, 2021, 7, 26.	4.5	8
8	Innate Immune Responses and Gut Microbiomes Distinguish HIV-Exposed from HIV-Unexposed Children in a Population-Specific Manner. Journal of Immunology, 2020, 205, 2618-2628.	0.4	13
9	Updating the Free Radical Theory of Aging. Frontiers in Cell and Developmental Biology, 2020, 8, 575645.	1.8	39
10	Shorter Granulocyte Telomeres Among Children and Adolescents With Perinatally Acquired Human Immunodeficiency Virus Infection and Chronic Lung Disease in Zimbabwe. Clinical Infectious Diseases, 2020, 73, e2043-e2051.	2.9	1
11	Platelet mtDNA content and leukocyte count influence whole blood mtDNA content. Mitochondrion, 2020, 52, 108-114.	1.6	21
12	Relationship of Telomere Length to Fat Redistribution in HIV. Open Forum Infectious Diseases, 2020, 7, ofaa523.	0.4	3
13	Inverse relationship between leukocyte telomere length attrition and blood mitochondrial DNA content loss over time. Aging, 2020, 12, 15196-15221.	1.4	4
14	Mitochondrial DNA somatic mutation burden and heteroplasmy are associated with chronological age, smoking, and HIV infection. Aging Cell, 2019, 18, e13018.	3.0	27
15	Dynamics of leukocyte telomere length in pregnant women living with HIV, and HIV-negative pregnant women: A longitudinal observational study. PLoS ONE, 2019, 14, e0212273.	1.1	7
16	Exploring the live birth rates of women living with HIV in British Columbia, Canada. PLoS ONE, 2019, 14, e0211434.	1.1	5
17	Elevated Cell-Free Mitochondrial DNA in Filtered Plasma Is Associated With HIV Infection and Inflammation. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, 111-118.	0.9	25
18	Leukocyte Telomere Length at Birth and During the Early Life of Children Exposed to but Uninfected With HIV After In Utero Exposure to Antiretrovirals. Journal of Infectious Diseases, 2018, 217, 710-720.	1.9	5

HéLèNE C F CôTé

#	Article	IF	CITATIONS
19	Neurodevelopmental outcomes and in-utero antiretroviral exposure in HIV-exposed uninfected children. Aids, 2018, 32, 2583-2592.	1.0	17
20	A Monochrome Multiplex Real-Time Quantitative PCR Assay for the Measurement of Mitochondrial DNA Content. Journal of Molecular Diagnostics, 2018, 20, 612-620.	1.2	16
21	Blood Mitochondrial DNA Content in HIV-Exposed Uninfected Children with Autism Spectrum Disorder. Viruses, 2018, 10, 77.	1.5	15
22	Leukocyte Telomere Length in HIV Infection: A Marker of Persistent Immune Aging or Transient Immune Reconstitution?. Journal of Infectious Diseases, 2018, 218, 1521-1522.	1.9	6
23	Health Care Provider Utilization and Cost of an mHealth Intervention in Vulnerable People Living With HIV in Vancouver, Canada: Prospective Study. JMIR MHealth and UHealth, 2018, 6, e152.	1.8	9
24	Competing Factors Link to Bone Health in Polycystic Ovary Syndrome: Chronic Low-Grade Inflammation Takes a Toll. Scientific Reports, 2017, 7, 3432.	1.6	34
25	Rapid Decrease in Peripheral Blood Mononucleated Cell Telomere Length After HIV Seroconversion, but Not HCV Seroconversion. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 76, e29-e32.	0.9	20
26	Lower mitochondrial DNA and altered mitochondrial fuel metabolism in HIV-exposed uninfected infants in Cameroon. Aids, 2017, 31, 2475-2481.	1.0	28
27	Endocrine abnormalities in <scp>HIV</scp> â€infected women are associated with peak viral load – the Children and Women: AntiRetrovirals and Markers of Aging ( <scp>CARMA</scp> ) Cohort. Clinical Endocrinology, 2016, 84, 452-462.	1.2	8
28	Childhood Personality, Betrayal Trauma, and Leukocyte Telomere Length in Adulthood: A Lifespan Perspective on Conscientiousness and Betrayal Traumas as Predictors of a Biomarker of Cellular Ageing. European Journal of Personality, 2016, 30, 426-437.	1.9	25
29	Optimization of a Relative Telomere Length Assay by Monochromatic Multiplex Real-Time Quantitative PCR on the LightCycler 480. Journal of Molecular Diagnostics, 2016, 18, 425-437.	1.2	36
30	Evidence of Subclinical mtDNA Alterations in HIV-Infected Pregnant Women Receiving Combination Antiretroviral Therapy Compared to HIV-Negative Pregnant Women. PLoS ONE, 2015, 10, e0135041.	1.1	3
31	Impaired NLRP3 inflammasome activity during fetal development regulates ILâ€1β production in human monocytes. European Journal of Immunology, 2015, 45, 238-249.	1.6	53
32	Survival of Effector CD8+ T Cells during Influenza Infection Is Dependent on Autophagy. Journal of Immunology, 2015, 194, 4277-4286.	0.4	59
33	Age and education effects on adults' performance on the Brazilian version of the Montreal Communication Evaluation Battery. Aphasiology, 2015, 29, 1219-1234.	1.4	2
34	Childhood Conscientiousness and Leukocyte Telomere Length 40 Years Later in Adult Women—Preliminary Findings of a Prospective Association. PLoS ONE, 2015, 10, e0134077.	1.1	11
35	Select Neurocognitive Impairment in HIV-Infected Women: Associations with HIV Viral Load, Hepatitis C Virus, and Depression, but Not Leukocyte Telomere Length. PLoS ONE, 2014, 9, e89556.	1.1	30
36	Association Between Short Leukocyte Telomere Length and HIV Infection in a Cohort Study: No Evidence of a Relationship With Antiretroviral Therapy. Clinical Infectious Diseases, 2014, 58, 1322-1332.	2.9	82

HéLèNE C F CôTé

#	Article	IF	CITATIONS
37	Cognitive and language outcomes in HIV-uninfected infants exposed to combined antiretroviral therapy in utero and through extended breast-feeding. Aids, 2014, 28, S323-S330.	1.0	27
38	Soluble CD163 Is Associated With Shortened Telomere Length in HIV-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 67, 414-418.	0.9	26
39	Quantification of mitochondrial toxicity in HIVâ€infected individuals by quantitative PCR compared to flow cytometry. Cytometry Part B - Clinical Cytometry, 2013, 84B, 55-58.	0.7	3
40	Decreased skeletal muscle mitochondrial DNA in patients with statin-induced myopathy. Journal of the Neurological Sciences, 2013, 325, 142-147.	0.3	68
41	Blood and Dried Blood Spot Telomere Length Measurement by qPCR: Assay Considerations. PLoS ONE, 2013, 8, e57787.	1.1	57
42	Leukocyte Telomere Length in HIV-Infected Pregnant Women Treated With Antiretroviral Drugs During Pregnancy and Their Uninfected Infants. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 60, 495-502.	0.9	29
43	Blood mitochondrial DNA mutations in HIV-infected women and their infants exposed to HAART during pregnancy. Aids, 2012, 26, 675-683.	1.0	17
44	In Vitro and Ex Vivo Inhibition of Human Telomerase by Anti-HIV Nucleoside Reverse Transcriptase Inhibitors (NRTIs) but Not by Non-NRTIs. PLoS ONE, 2012, 7, e47505.	1.1	66
45	Leukocyte Telomere Length in HIV-Infected and HIV-Exposed Uninfected Children: Shorter Telomeres with Uncontrolled HIV Viremia. PLoS ONE, 2012, 7, e39266.	1.1	47
46	Inhibition of glutamineâ€dependent autophagy increases tâ€PA production in CHO Cell fedâ€batch processes. Biotechnology and Bioengineering, 2012, 109, 1228-1238.	1.7	33
47	Quality assessment of human mitochondrial DNA quantification: MITONAUTS, an international multicentre survey. Mitochondrion, 2011, 11, 520-527.	1.6	29
48	Perinatal Exposure to Antiretroviral Therapy Is Associated with Increased Blood Mitochondrial DNA Levels and Decreased Mitochondrial Gene Expression in Infants. Journal of Infectious Diseases, 2008, 198, 851-859.	1.9	44
49	Longitudinal effects of thymidine analogues on mtDNA, mtRNA and multidrug resistance (MDR-1) induction in cultured cells. Journal of Antimicrobial Chemotherapy, 2008, 61, 1048-1052.	1.3	19
50	Changes in metabolic toxicity after switching from stavudine/didanosine to tenofovir/lamivudinea Staccato trial substudy. Journal of Antimicrobial Chemotherapy, 2008, 61, 1340-1343.	1.3	34
51	Liver ultrastructural morphology and mitochondrial DNA levels in HIV/hepatitis C virus coinfection: no evidence of mitochondrial damage with highly active antiretroviral therapy. Aids, 2008, 22, 1226-1229.	1.0	1
52	Optimizing the Dose of Glutamine Dipeptides and Antioxidants in Critically Ill Patients: A Phase I Doseâ€Finding Study. Journal of Parenteral and Enteral Nutrition, 2007, 31, 109-118.	1.3	68
53	Mechanisms of antiretroviral therapy-induced mitochondrial dysfunction. Current Opinion in HIV and AIDS, 2007, 2, 253-260.	1.5	23
54	Longitudinal increases in mitochondrial DNA levels in blood cells are associated with survival in critically ill patients. Critical Care, 2007, 11, R88.	2.5	18

## HéLèNE C F CôTé

#	Article	IF	CITATIONS
55	HIV therapy, hepatitis C virus infection, antibiotics and obesity, a mitochondria killer mix?. Aids, 2006, 20, 1343-1345.	1.0	2
56	Exploring mitochondrial nephrotoxicity as a potential mechanism of kidney dysfunction among HIV-infected patients on highly active antiretroviral therapy. Antiviral Therapy, 2006, 11, 79-86.	0.6	21
57	Exploring Mitochondrial Nephrotoxicity as a Potential Mechanism of Kidney Dysfunction among HIV-Infected Patients on Highly Active Antiretroviral Therapy. Antiviral Therapy, 2006, 11, 79-86.	0.6	78
58	Possible ways nucleoside analogues can affect mitochondrial DNA content and gene expression during HIV therapy. Antiviral Therapy, 2005, 10 Suppl 2, M3-11.	0.6	22
59	Possible Ways Nucleoside Analogues Can Affect Mitochondrial Dna Content and Gene Expression during HIV Therapy. Antiviral Therapy, 2005, 10, 3-11.	0.6	42
60	Assessment of precision and concordance of quantitative mitochondrial DNA assays: a collaborative international quality assurance study. Journal of Clinical Virology, 2003, 27, 97-110.	1.6	45
61	Mitochondrial:Nuclear DNA Ratios in Peripheral Blood Cells from Human Immunodeficiency Virus (HIV)–Infected Patients Who Received Selected HIV Antiretroviral Drug Regimens. Journal of Infectious Diseases, 2003, 187, 1972-1976.	1.9	81
62	Mitochondrial Toxicity in the Era of HAART: Evaluating Venous Lactate and Peripheral Blood Mitochondrial DNA in HIV-Infected Patients Taking Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2003, 34, S85-S90.	0.9	61
63	Changes in Mitochondrial DNA as a Marker of Nucleoside Toxicity in HIV-Infected Patients. New England Journal of Medicine, 2002, 346, 811-820.	13.9	591