

Prokopios Magiatis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2585899/publications.pdf>

Version: 2024-02-01

150
papers

6,852
citations

71061

41
h-index

69214

77
g-index

162
all docs

162
docs citations

162
times ranked

8710
citing authors

#	ARTICLE	IF	CITATIONS
1	Rosmarinus officinalis L. Leaf Extracts and Their Metabolites Inhibit the Aryl Hydrocarbon Receptor (AhR) Activation In Vitro and in Human Keratinocytes: Potential Impact on Inflammatory Skin Diseases and Skin Cancer. <i>Molecules</i> , 2022, 27, 2499.	1.7	8
2	Direct Quantitation of Phytocannabinoids by One-Dimensional ¹ H qNMR and Two-Dimensional ¹ H- ¹ H COSY qNMR in Complex Natural Mixtures. <i>Molecules</i> , 2022, 27, 2965.	1.7	5
3	Spontaneous <i>In Vitro</i> and <i>In Vivo</i> Interaction of (â ⁺)-Oleocanthal with Glycine in Biological Fluids: Novel Pharmacokinetic Markers. <i>ACS Pharmacology and Translational Science</i> , 2021, 4, 179-192.	2.5	9
4	A New Definition of the Term "High-Phenolic Olive Oil" Based on Large Scale Statistical Data of Greek Olive Oils Analyzed by qNMR. <i>Molecules</i> , 2021, 26, 1115.	1.7	20
5	Detection, Isolation, and ¹ H NMR Quantitation of the Nitrile Glycoside Sarmentosin from a Bryophyllum pinnatum Hydro-Ethanollic Extract. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 8081-8089.	2.4	3
6	Silencing of Oleuropein Î ² -Glucosidase Abolishes the Biosynthetic Capacity of Secoiridoids in Olives. <i>Frontiers in Plant Science</i> , 2021, 12, 671487.	1.7	7
7	Activation of specific bitter taste receptors by olive oil phenolics and secoiridoids. <i>Scientific Reports</i> , 2021, 11, 22340.	1.6	15
8	The Effect of Dietary Intervention With High-Oleocanthal and Oleacein Olive Oil in Patients With Early-Stage Chronic Lymphocytic Leukemia: A Pilot Randomized Trial. <i>Frontiers in Oncology</i> , 2021, 11, 810249.	1.3	11
9	A Study on the Clustering of Extra Virgin Olive Oils Extracted from Cultivars Growing in Four Ionian Islands (Greece) by Multivariate Analysis of Their Phenolic Profile, Antioxidant Activity and Genetic Markers. <i>Foods</i> , 2021, 10, 3009.	1.9	4
10	A Randomized Clinical Trial of Greek High Phenolic Early Harvest Extra Virgin Olive Oil in Mild Cognitive Impairment: The MICOIL Pilot Study. <i>Journal of Alzheimer's Disease</i> , 2020, 78, 801-817.	1.2	43
11	Oleacein Attenuates the Pathogenesis of Experimental Autoimmune Encephalomyelitis through Both Antioxidant and Anti-Inflammatory Effects. <i>Antioxidants</i> , 2020, 9, 1161.	2.2	24
12	A Method for the Rapid Measurement of Alkylresorcinols in Flour, Bread and Related Products Based on ¹ H qNMR. <i>Foods</i> , 2020, 9, 1025.	1.9	12
13	Biotechnological Approaches on Two High CBD and CBG Cannabis sativa L. (Cannabaceae) Varieties: In Vitro Regeneration and Phytochemical Consistency Evaluation of Micropropagated Plants Using Quantitative ¹ H-NMR. <i>Molecules</i> , 2020, 25, 5928.	1.7	17
14	Influence of Harvest Time and Malaxation Conditions on the Concentration of Individual Phenols in Extra Virgin Olive Oil Related to Its Healthy Properties. <i>Molecules</i> , 2020, 25, 2449.	1.7	34
15	A Biomimetic, One-Step Transformation of Simple Indolic Compounds to <i>Malassezia</i> -Related Alkaloids with High AhR Potency and Efficacy. <i>Chemical Research in Toxicology</i> , 2019, 32, 2238-2249.	1.7	11
16	High-Throughput ¹ H-Nuclear Magnetic Resonance-Based Screening for the Identification and Quantification of Heartwood Diterpenic Acids in Four Black Pine (Pinus nigra Arn.) Marginal Provenances in Greece. <i>Molecules</i> , 2019, 24, 3603.	1.7	12
17	Assessing Validity of Self-Reported Dietary Intake within a Mediterranean Diet Cluster Randomized Controlled Trial among US Firefighters. <i>Nutrients</i> , 2019, 11, 2250.	1.7	12
18	<i>S</i> -â€{ <i>E</i> }-Elenolide: a new constituent of extra virgin olive oil. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 5319-5326.	1.7	12

#	ARTICLE	IF	CITATIONS
19	Antifungal activity of selected <i>Malassezia</i> indolic compounds detected in culture. <i>Mycoses</i> , 2019, 62, 597-603.	1.8	8
20	Molecular characterization of Dalmatian cultivars and the influence of the olive fruit harvest period on chemical profile, sensory characteristics and oil oxidative stability. <i>European Food Research and Technology</i> , 2018, 244, 281-289.	1.6	10
21	A traditional Chinese remedy points to a natural skin habitat: indirubin (indigo naturalis) for psoriasis and the <i>Malassezia</i> metabolome. <i>British Journal of Dermatology</i> , 2018, 179, 800-800.	1.4	15
22	Cultivar influence on variability in olive oil phenolic profiles determined through an extensive germplasm survey. <i>Food Chemistry</i> , 2018, 266, 192-199.	4.2	53
23	Oleocanthalic Acid, a Chemical Marker of Olive Oil Aging and Exposure to a High Storage Temperature with Potential Neuroprotective Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 7337-7346.	2.4	28
24	Rare Coumarins Induce Apoptosis, G1 Cell Block and Reduce RNA Content in HL60 Cells. <i>Open Chemistry</i> , 2017, 15, 1-6.	1.0	19
25	Volatile profile of Greek dried white figs (<i>Ficus carica</i> L.) and investigation of the role of β -damascenone in aroma formation in fig liquors. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 5254-5270.	1.7	19
26	Enhancement of Bioactive Phenols and Quality Values of Olive Oil by Recycling Olive Mill Waste Water. <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 2017, 94, 1077-1085.	0.8	8
27	Phenolics, fatty acids, and biological potential of selected Croatian EVOOs. <i>European Journal of Lipid Science and Technology</i> , 2017, 119, 1700108.	1.0	9
28	Oleocanthal-rich extra virgin olive oil demonstrates acute anti-platelet effects in healthy men in a randomized trial. <i>Journal of Functional Foods</i> , 2017, 36, 84-93.	1.6	51
29	Quantitative method for determination of oleocanthal and oleacein in virgin olive oils by liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2017, 162, 24-31.	2.9	51
30	Identification of black pine (<i>Pinus nigra</i> Arn.) heartwood as a rich source of bioactive stilbenes by qNMR. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 1708-1716.	1.7	19
31	Quality profile determination of Chios mastic gum essential oil and detection of adulteration in mastic oil products with the application of chiral and non-chiral GC-MS analysis. <i>Fytotherapy</i> , 2016, 114, 12-17.	1.1	20
32	<i>Pistacia lentiscus</i> L. reduces the infarct size in normal fed anesthetized rabbits and possess antiatheromatic and hypolipidemic activity in cholesterol fed rabbits. <i>Phytomedicine</i> , 2016, 23, 1220-1226.	2.3	24
33	Oil quality parameters and quantitative measurement of major secoiridoid derivatives in Neb Jmel olive oil from various Tunisian origins using qNMR. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 4432-4439.	1.7	14
34	Identification and quantitation of benzoxazinoids in wheat malt beer by qNMR and GC-MS. <i>LWT - Food Science and Technology</i> , 2016, 65, 1133-1137.	2.5	5
35	Effects of Extra Virgin Olive Oil (EVOO) Oleocanthal and Oleacein Content on Platelet Reactivity in Healthy Adults. <i>FASEB Journal</i> , 2016, 30, 1175.11.	0.2	1
36	New alkylresorcinols from a lipophilic extract of <i>Urginea indica</i> L. bulbs showing experimental trauma healing activity. <i>Fytotherapy</i> , 2015, 101, 41-45.	1.1	7

#	ARTICLE	IF	CITATIONS
37	Pityriazepin and other potent AhR ligands isolated from <i>Malassezia furfur</i> yeast. <i>Archives of Biochemistry and Biophysics</i> , 2015, 571, 16-20.	1.4	50
38	Direct Analysis of Free and Sulfite-Bound Carbonyl Compounds in Wine by Two-Dimensional Quantitative Proton and Carbon Nuclear Magnetic Resonance Spectroscopy. <i>Analytical Chemistry</i> , 2015, 87, 10799-10806.	3.2	23
39	Measuring protection of aromatic wine thiols from oxidation by competitive reactions vs wine preservatives with ortho-quinones. <i>Food Chemistry</i> , 2014, 163, 61-67.	4.2	65
40	Quantitative Measurement of Major Secoiridoid Derivatives in Olive Oil Using qNMR. Proof of the Artificial Formation of Aldehydic Oleuropein and Ligstroside Aglycon Isomers. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 600-607.	2.4	96
41	Isolation of Megaritolactones and Other Bioactive Metabolites from "Megaritiki"™ Table Olives and Debittering Water. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 660-667.	2.4	17
42	Oleuropein as a bioactive constituent added in milk and yogurt. <i>Food Chemistry</i> , 2014, 158, 319-324.	4.2	25
43	2,3-cis-2R,3R-($\hat{\alpha}$)-epiafzelechin-3-O-p-coumarate, a novel flavan-3-ol isolated from <i>Fallopia convolvulus</i> seed, is an estrogen receptor agonist in human cell lines. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 133.	3.7	13
44	Structure elucidation and chromatographic identification of anthraquinone components of cochineal (<i>Dactylopius coccus</i>) detected in historical objects. <i>Analytica Chimica Acta</i> , 2013, 804, 264-272.	2.6	59
45	Novel Inverse Binding Mode of Indirubin Derivatives Yields Improved Selectivity for DYRK Kinases. <i>ACS Medicinal Chemistry Letters</i> , 2013, 4, 22-26.	1.3	65
46	<i>Malassezia</i> Yeasts Produce a Collection of Exceptionally Potent Activators of the Ah (Dioxin) Receptor Detected in Diseased Human Skin. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2023-2030.	0.3	137
47	Investigation of Volatile Constituents of Beer, Using Resin Adsorption and GC/MS, and Correlation of 2-(3H)-Benzoxazolone with Wheat Malt. <i>Journal of the American Society of Brewing Chemists</i> , 2013, 71, 35-40.	0.8	4
48	A novel 7-bromindirubin with potent anticancer activity suppresses survival of human melanoma cells associated with inhibition of STAT3 and Akt signaling. <i>Cancer Biology and Therapy</i> , 2012, 13, 1255-1261.	1.5	32
49	Sesamolol Glucoside, Disaminy Ether, and Other Lignans from Sesame Seeds. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 108-111.	2.4	33
50	Direct Measurement of Oleocanthal and Oleacein Levels in Olive Oil by Quantitative ¹ H NMR. Establishment of a New Index for the Characterization of Extra Virgin Olive Oils. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 11696-11703.	2.4	141
51	The <i>Malassezia</i> Genus in Skin and Systemic Diseases. <i>Clinical Microbiology Reviews</i> , 2012, 25, 106-141.	5.7	494
52	Induction of discrete apoptotic pathways by bromo-substituted indirubin derivatives in invasive breast cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2012, 425, 76-82.	1.0	30
53	<i>Malassezia</i> -derived indoles activate the aryl hydrocarbon receptor and inhibit Toll-like receptor-induced maturation in monocyte-derived dendritic cells. <i>British Journal of Dermatology</i> , 2012, 167, 496-505.	1.4	71
54	Oral Administration of Chios Mastic Gum or Extracts in Mice: Quantification of Triterpenic Acids by Liquid Chromatography-Tandem Mass Spectrometry. <i>Planta Medica</i> , 2011, 77, 1916-1923.	0.7	17

#	ARTICLE	IF	CITATIONS
55	Could <i>Malassezia</i> yeasts be implicated in skin carcinogenesis through the production of aryl-hydrocarbon receptor ligands?. <i>Medical Hypotheses</i> , 2011, 77, 47-51.	0.8	28
56	Dammarane Triterpenes from <i>Gardenia aubryi</i> Vieill. <i>Helvetica Chimica Acta</i> , 2011, 94, 656-661.	1.0	6
57	Chemical investigation and antimicrobial properties of mastic water and its major constituents. <i>Food Chemistry</i> , 2011, 129, 907-911.	4.2	36
58	6-Bromoindirubin-3-Oxime Inhibits JAK/STAT3 Signaling and Induces Apoptosis of Human Melanoma Cells. <i>Cancer Research</i> , 2011, 71, 3972-3979.	0.4	92
59	Stability of oleuropein in the human proximal gut. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 61, 143-149.	1.2	25
60	Indirubins deplete striatal monoamines in the Intact and MPTP-treated mouse brain and block kainate-induced striatal astrogliosis. <i>Neurotoxicology and Teratology</i> , 2010, 32, 212-219.	1.2	16
61	Two New Peltogynoids from <i>Acacia nilotica</i> Delile with Kinase Inhibitory Activity. <i>Planta Medica</i> , 2010, 76, 458-460.	0.7	31
62	Identification of Throuba Thassos, a Traditional Greek Table Olive Variety, as a Nutritional Rich Source of Oleuropein. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 46-50.	2.4	67
63	Differential effect of <i>Pistacia vera</i> extracts on experimental atherosclerosis in the rabbit animal model: an experimental study. <i>Lipids in Health and Disease</i> , 2010, 9, 73.	1.2	19
64	High Quality Bergamot Oil from Greece: Chemical Analysis Using Chiral Gas Chromatography and Larvicidal Activity against the West Nile Virus Vector. <i>Molecules</i> , 2009, 14, 839-849.	1.7	42
65	6-Br-5methylindirubin-3-oxime (5-Me-6-BIO) targeting the leishmanial glycogen synthase kinase-3 (GSK-3) short form affects cell-cycle progression and induces apoptosis-like death: Exploitation of GSK-3 for treating leishmaniasis. <i>International Journal for Parasitology</i> , 2009, 39, 1289-1303.	1.3	67
66	Phytochemical analysis of young fustic (<i>Cotinus coggygria</i> heartwood) and identification of isolated colourants in historical textiles. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 871-882.	1.9	50
67	¹ H NMR-Based Metabonomics for the Classification of Greek Wines According to Variety, Region, and Vintage. Comparison with HPLC Data. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 11067-11074.	2.4	123
68	Synthesis and Antiproliferative Activity of 7-Azaindirubin-3-oxime, a 7-Aza Isostere of the Natural Indirubin Pharmacophore. <i>Journal of Natural Products</i> , 2009, 72, 2199-2202.	1.5	38
69	Polygonophenone, the First MEM-Substituted Natural Product, from <i>Polygonum maritimum</i> . <i>Journal of Natural Products</i> , 2009, 72, 187-189.	1.5	14
70	AhR Ligands, Malassezin, and Indolo[3,2-b]Carbazole are Selectively Produced by <i>Malassezia furfur</i> Strains Isolated from Seborrheic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1620-1625.	0.3	116
71	Soluble 2,6-Substituted Indirubins with Enhanced Selectivity toward Glycogen Synthase Kinase-3 Alter Circadian Period. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 6421-6431.	2.9	105
72	Photoreactivity of indirubin derivatives. <i>Photochemical and Photobiological Sciences</i> , 2008, 7, 328-336.	1.6	10

#	ARTICLE	IF	CITATIONS
73	Coordinated Regulation of Cold-Induced Changes in Fatty Acids with Cardiolipin and Phosphatidylglycerol Composition among Phospholipid Species for the Food Pathogen <i>Listeria monocytogenes</i> . <i>Applied and Environmental Microbiology</i> , 2008, 74, 4543-4549.	1.4	20
74	Effect of the form of the sesame-based diet on the absorption of lignans. <i>British Journal of Nutrition</i> , 2008, 100, 1213-1219.	1.2	15
75	Composition of the Essential Oils of <i>Narcissus tazetta</i> and <i>Narcissus serotinus</i> from Greece. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2007, 10, 101-103.	0.7	3
76	In Vitro and In Vivo Activities of Chios Mastic Gum Extracts and Constituents against <i>Helicobacter pylori</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 551-559.	1.4	141
77	A New Process for the Management of Olive Oil Mill Waste Water and Recovery of Natural Antioxidants. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 2671-2676.	2.4	145
78	Composition and Enantiomeric Analysis of the Essential Oil of the Fruits and the Leaves of <i>Pistacia vera</i> from Greece. <i>Molecules</i> , 2007, 12, 1233-1239.	1.7	48
79	Composition of the Essential Oil of <i>Verbascum undulatum</i> from Greece. <i>Journal of Essential Oil Research</i> , 2007, 19, 28-29.	1.3	4
80	Cytogenetic Effects of Grape Extracts (<i>Vitis vinifera</i>) and Polyphenols on Mitomycin C-Induced Sister Chromatid Exchanges (SCEs) in Human Blood Lymphocytes. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 5246-5252.	2.4	33
81	An Integrated Computational Approach to the Phenomenon of Potent and Selective Inhibition of Aurora Kinases B and C by a Series of 7-Substituted Indirubins. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 4027-4037.	2.9	60
82	Synthesis of (R)-Dihydropyridones as Key Intermediates for an Efficient Access to Piperidine Alkaloids. <i>Molecules</i> , 2007, 12, 735-744.	1.7	17
83	Synthesis of Novel Nitro-substituted Triaryl Pyrazole Derivatives as Potential Estrogen Receptor Ligands. <i>Molecules</i> , 2007, 12, 1259-1273.	1.7	24
84	Phytochemical Investigation and Anticonvulsant Activity of <i>Paeonia parnassica</i> Radix. <i>Natural Product Communications</i> , 2007, 2, 1934578X0700200.	0.2	1
85	Alkaloids from <i>Sarcomelicope megistophylla</i> . <i>Fytotherapy</i> , 2007, 78, 169-170.	1.1	7
86	Coumarins from <i>Peucedanum luxurians</i> . <i>Fytotherapy</i> , 2007, 78, 448-449.	1.1	6
87	New Lignans from the Perisperm of <i>Sesamum indicum</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 7570-7574.	2.4	37
88	Identification of the Coloring Constituents of Four Natural Indigoid Dyes. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2006, 29, 1491-1502.	0.5	39
89	3-Substituted 7-Halogenoindirubins, a New Class of Cell Death Inducing Agents. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 4638-4649.	2.9	75
90	seco-Cycloartane Triterpenes from <i>Gardeniaa Aubryi</i> . <i>Journal of Natural Products</i> , 2006, 69, 1711-1714.	1.5	39

#	ARTICLE	IF	CITATIONS
91	Activity of grape extracts from Greek varieties of <i>Vitis vinifera</i> against mutagenicity induced by bleomycin and hydrogen peroxide in <i>Salmonella typhimurium</i> strain TA102. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2006, 609, 165-175.	0.9	49
92	The Olive Constituent Oleuropein Exhibits Anti-Ischemic, Antioxidative, and Hypolipidemic Effects in Anesthetized Rabbits. <i>Journal of Nutrition</i> , 2006, 136, 2213-2219.	1.3	236
93	7-Bromoindirubin-3-oxime induces caspase-independent cell death. <i>Oncogene</i> , 2006, 25, 6304-6318.	2.6	96
94	Effect of cold temperature on the composition of different lipid classes of the foodborne pathogen <i>Listeria monocytogenes</i> : Focus on neutral lipids. <i>Food Microbiology</i> , 2006, 23, 184-194.	2.1	23
95	Composition of the Essential Oils of <i>Orchis italica</i> and <i>Orchis quadripunctata</i> from Greece. <i>Journal of Essential Oil Research</i> , 2006, 18, 629-630.	1.3	2
96	Koniamborine, the First Pyrano[3,2-b]indole Alkaloid and Other Secondary Metabolites from <i>Boronellakoniambiensis</i> . <i>Journal of Natural Products</i> , 2005, 68, 1083-1086.	1.5	42
97	Natural and Synthetic 2,2-Dimethylpyranocoumarins with Antibacterial Activity. <i>Journal of Natural Products</i> , 2005, 68, 78-82.	1.5	106
98	Quantitation of Oleuropein and Related Metabolites in Decoctions of <i>Olea europaea</i> Leaves from Ten Greek Cultivated Varieties by HPLC with Diode Array Detection (HPLC-DAD). <i>Journal of Liquid Chromatography and Related Technologies</i> , 2005, 28, 1557-1571.	0.5	25
99	Coumarins from the Fruits of <i>Seseli deveryense</i> . <i>Journal of Natural Products</i> , 2005, 68, 1637-1641.	1.5	21
100	Polyphenols compounds from red grapes acutely improve endothelial function in patients with coronary heart disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 596-600.	3.1	17
101	Polyphenolic compounds from red grapes acutely improve endothelial function in patients with coronary heart disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 596-600.	3.1	102
102	Effects of plant phenolics and grape extracts from Greek varieties of <i>Vitis vinifera</i> on Mitomycin C and topoisomerase I-induced nicking of DNA. <i>International Journal of Molecular Medicine</i> , 2005, 15, 1013-22.	1.8	28
103	Independent actions on cyclin-dependent kinases and aryl hydrocarbon receptor mediate the antiproliferative effects of indirubins. <i>Oncogene</i> , 2004, 23, 4400-4412.	2.6	86
104	Hyperjovinols A and B: Two New Phloroglucinol Derivatives from <i>Hypericum jovis</i> with Antioxidant Activity in Cell Cultures. <i>Journal of Natural Products</i> , 2004, 67, 973-977.	1.5	59
105	Structural Basis for the Synthesis of Indirubins as Potent and Selective Inhibitors of Glycogen Synthase Kinase-3 and Cyclin-Dependent Kinases. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 935-946.	2.9	343
106	Dorycnioside, a New Phenylbutanone Glucoside from <i>Dorycnium pentaphyllum</i> subsp. herbaceum. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2004, 59, 23-26.	0.6	8
107	Triterpenic Derivatives of <i>Achillea alexandri-regis</i> BORN. & RUDSKI. <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 1462-1465.	0.6	15
108	Composition of the steam volatiles of six <i>Euphorbia</i> spp. from Greece. <i>Flavour and Fragrance Journal</i> , 2003, 18, 39-42.	1.2	26

#	ARTICLE	IF	CITATIONS
109	Composition and antimicrobial activity of the essential oils of <i>Helichrysum kraussii</i> Sch. Bip. and <i>H. rugulosum</i> Less. from South Africa. <i>Flavour and Fragrance Journal</i> , 2003, 18, 48-51.	1.2	31
110	Asymmetric Synthesis of (2R,3S)-3-Hydroxypipercolic Acid β -Lactam Derivatives. <i>ChemInform</i> , 2003, 34, no-no.	0.1	0
111	GSK-3-Selective Inhibitors Derived from Tyrian Purple Indirubins. <i>Chemistry and Biology</i> , 2003, 10, 1255-1266.	6.2	720
112	Synthesis and antiproliferative activity of retroetoposide. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 4107-4109.	1.0	9
113	Alkylresorcinol Derivatives and Sesquiterpene Lactones from <i>Cichorium spinosum</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 1289-1292.	2.4	23
114	Estrogenic Activity of Phenylpropanoids from <i>Sarcomelicope megistophylla</i> and Structure Determination of a New Norneolignan. <i>Planta Medica</i> , 2003, 69, 566-568.	0.7	8
115	Essential Oil Constituents of <i>Valeriana italica</i> and <i>Valeriana tuberosa</i> . Stereochemical and Conformational Study of 15-Acetoxyvaleranone. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002, 57, 791-796.	0.6	19
116	Chemical Composition And In-Vitro Antimicrobial Activity Of The Essential Oils Of Three Greek <i>Achillea</i> Species. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002, 57, 287-290.	0.6	105
117	Paeoncluside, A New Salicylic Glycoside From The Greek Endemic Species <i>Paeonia Clusii</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002, 57, 235-238.	0.6	10
118	Synthesis and Cytotoxic Activity of Isoacronycine and Its Derivatives. <i>Heterocycles</i> , 2002, 57, 341.	0.4	7
119	Megistoquinones I and II, Two Quinoline Alkaloids with Antibacterial Activity from the Bark of <i>Sarcomelicope megistophylla</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2002, 50, 413-414.	0.6	94
120	Synthesis, Dimerization, and Biological Activity of Hexaoxygenated Chalcones Related to Calythropsin and Combretastatins. <i>Natural Product Research</i> , 2002, 16, 187-193.	0.4	6
121	Volatiles with antimicrobial activity from the roots of Greek <i>Paeonia taxa</i> . <i>Journal of Ethnopharmacology</i> , 2002, 81, 101-104.	2.0	44
122	Design, Synthesis, and Antiproliferative Activity of Some New Pyrazole-Fused Amino Derivatives of the Pyranoxanthenone, Pyranothioxanthenone, and Pyranoacridone Ring Systems: A New Class of Cytotoxic Agents. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 2599-2609.	2.9	50
123	Asymmetric synthesis of (2R,3S)-3-hydroxypipercolic acid β -lactam derivatives. <i>Tetrahedron</i> , 2002, 58, 6665-6671.	1.0	22
124	Coelobillardin, an iridoid glucoside dimer from <i>Coelospermum billardieri</i> . <i>Phytochemistry</i> , 2002, 60, 415-418.	1.4	11
125	Hemi-synthesis and Biological Activity of New Analogues of Podophyllotoxin. <i>Bioorganic and Medicinal Chemistry</i> , 2002, 10, 3463-3471.	1.4	30
126	Asymmetric Synthesis of β -Keto- β -lactam Derivatives: Application to the Synthesis of a Conformationally Constrained Surrogate of Ala-Ser Dipeptide. <i>Journal of Organic Chemistry</i> , 2001, 66, 7915-7918.	1.7	23

#	ARTICLE	IF	CITATIONS
127	Volatile Secondary Metabolite Pattern of Callus Cultures of <i>Chamomilla recutita</i> . Natural Product Research, 2001, 15, 125-130.	0.4	14
128	Synthesis and biological evaluation of novel daunorubicin-estrogen conjugates. Steroids, 2001, 66, 785-791.	0.8	35
129	Selective Amination of Secoiridoid Glycosides to give Monomeric Pyridine, Dimeric Pyridine, and Naphthyridine Alkaloids. Natural Product Research, 2001, 15, 131-137.	0.4	8
130	Samoside, a New Phenylethanoid Glycoside with Free-Radical Scavenging and Antimicrobial Activities from <i>Phlomis</i> . Journal of Natural Products, 2001, 64, 1095-1097.	1.5	82
131	Verbalactone, a New Macrocyclic Dimer Lactone from the Roots of <i>Verbascum undulatum</i> with Antibacterial Activity. Journal of Natural Products, 2001, 64, 1093-1094.	1.5	41
132	Three New Dihydroisocoumarins from the Greek Endemic Species <i>Scorzonera cretica</i> . Journal of Natural Products, 2001, 64, 1585-1587.	1.5	68
133	Hydrolyzable Tannins, the Active Constituents of Three Greek <i>Cytinus</i> Taxa against Several Tumor Cell Lines. Biological and Pharmaceutical Bulletin, 2001, 24, 707-709.	0.6	28
134	1-Oxo-2-hydroxy-1,2-dihydroacronycine: A Useful Synthon in the Acronycine Series for the Introduction of Amino Substituents at 6-Position and for the Conversion into Isopropylfuroacridones. Chemical and Pharmaceutical Bulletin, 2001, 49, 1304-1307.	0.6	7
135	Furomegistines I and II, two furanopyridine alkaloids from the bark of <i>Sarcomelicope megistophylla</i> . Phytochemistry, 2001, 57, 593-596.	1.4	20
136	Cyclomegistine, the first alkaloid with the new cyclobuta[b]quinoline ring system from <i>Sarcomelicope megistophylla</i> . Tetrahedron Letters, 2001, 42, 5323-5325.	0.7	30
137	2,2-Dimethyl-2H-anthra[2,3-b]pyran-6,11-diones: a new class of cytotoxic compounds. Bioorganic and Medicinal Chemistry, 2001, 9, 607-612.	1.4	12
138	Homarine, a Common Metabolite in Edible Mediterranean Molluscs: Occurrence, Spectral Data and Revision of a Related Structure. Natural Product Research, 2001, 15, 411-418.	0.4	21
139	Two New 3-Methoxy-4-quinolone Alkaloids from the Bark of <i>Sarcomelicope megistophylla</i> . Chemical and Pharmaceutical Bulletin, 2000, 48, 2009-2010.	0.6	7
140	Two New Acylated Iridoid Glycosides from <i>Verbascum undulatum</i> . Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2000, 55, 667-670.	0.6	7
141	Stereoselective Michael Addition of Thiophenols, Amino Acids and Hydrazoic Acid to (2S)-Hydroxymethyl-dihydropyridone as a Convenient Route to Novel Azasugar Derivatives. Tetrahedron, 2000, 56, 6135-6141.	1.0	18
142	Megistolactone, a New Alkaloid from <i>Sarcomelicope megistophylla</i> . Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2000, 55, 874-876.	0.6	4
143	Ring Expansion Reactions of Acronycine to Fused 1,4-Oxazepine and 1,4-Dioxepin Systems. Natural Product Research, 2000, 14, 183-190.	0.4	10
144	The Structure of Sarcomejine: An Application of Long-Range ^1H - ^{15}N Correlation at Natural Abundance. Journal of Natural Products, 2000, 63, 1004-1005.	1.5	14

#	ARTICLE	IF	CITATIONS
145	Chemical Composition and Antimicrobial Activity of the Essential Oils of <i>Pistacia lentiscus</i> var. <i>chia</i> . <i>Planta Medica</i> , 1999, 65, 749-752.	0.7	224
146	Synthesis and Cytotoxic Activity of 1-Alkoxy- and 1-Amino-2-hydroxy-1,2-dihydroacronycine Derivatives.. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 611-614.	0.6	12
147	Synthesis and Cytotoxic Activity of Pyranocoumarins of the Seselin and Xanthyletin Series. <i>Journal of Natural Products</i> , 1998, 61, 982-986.	1.5	59
148	Verbascoside Derivatives and Iridoid Glycosides from <i>Verbascum Undulatum</i> . <i>Natural Product Research</i> , 1998, 12, 111-115.	0.4	8
149	Synthesis and Biological Activity of Esters in the <i>trans</i> -1,2-Dihydroxy-1,2-dihydroacronycine Series. <i>Journal of Natural Products</i> , 1998, 61, 198-201.	1.5	25
150	Olive Oil Phenols. , 0, , .		5