

# Ian Milsom

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2586408/publications.pdf>

Version: 2024-02-01

118  
papers

7,775  
citations

93792

39  
h-index

58552

86  
g-index

121  
all docs

121  
docs citations

121  
times ranked

5819  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fecal incontinence in nonpregnant nulliparous women aged 25 to 64 years-a randomly selected national cohort prevalence study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 706.e1-706.e23.	0.7	4
2	Detection of ectopic pregnancy and serum beta hCG levels in women undergoing very early medical abortion: a retrospective cohort study. <i>European Journal of Contraception and Reproductive Health Care</i> , 2022, , 1-7.	0.6	2
3	Influence of the COVID-19 pandemic on abortions and births in Sweden: a mixed-methods study. <i>BMJ Open</i> , 2022, 12, e054076.	0.8	0
4	Colposcopic assessment by Swedescore, evaluation of effectiveness in the Swedish screening programme: a cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1261-1267.	1.1	3
5	Which drugs are best for overactive bladder? From patients's™ expectations to physicians's™ decisions. <i>International Journal of Clinical Practice</i> , 2021, 75, e13870.	0.8	3
6	Symptoms of fecal incontinence two decades after no, one, or two obstetrical anal sphincter injuries. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 276.e1-276.e23.	0.7	20
7	Lymphadenectomy, obesity and open surgery are associated with surgical complications in endometrial cancer. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2907-2914.	0.5	4
8	Multicriteria Decision Analysis Applied to the Clinical Use of Pharmacotherapy for Overactive Bladder Symptom Complex. <i>European Urology Focus</i> , 2020, 6, 522-530.	1.6	19
9	Risk of vaginal cancer among hysterectomised women with cervical intraepithelial neoplasia: a population-based national cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 448-454.	1.1	10
10	The Convention on the Rights of the Child (UNCRC) and its implementation in paediatric clinical research. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 2454-2458.	0.7	3
11	Smoking cessation prior to gynecological surgeryâ€”A registry-based randomized trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1230-1237.	1.3	7
12	Surgeon's™ experience and clinical outcome after retropubic tension-free vaginal tapeâ€”A case series. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1071-1077.	1.3	5
13	Breaking news in the prediction of pelvic floor disorders. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2019, 54, 41-48.	1.4	25
14	The retropubic tension-free vaginal tape procedureâ€”Efficacy, risk factors for recurrence and long-term safety. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 722-728.	1.3	5
15	A Nordic registry-based study of drug treatment patterns in overactive bladder patients. <i>Scandinavian Journal of Urology</i> , 2019, 53, 246-254.	0.6	3
16	The rate of deterioration of erectile function increases with age: results from a longitudinal population based survey. <i>Scandinavian Journal of Urology</i> , 2019, 53, 161-165.	0.6	4
17	Prevalence and predictors of overactive bladder in nonpregnant nulliparous women below 65Â years of age. <i>International Urogynecology Journal</i> , 2018, 29, 531-537.	0.7	3
18	Predicting risk of pelvic floor disorders 12 and 20 years after delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 222.e1-222.e19.	0.7	62

#	ARTICLE	IF	CITATIONS
19	Factors influencing the outcome of surgery for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2018, 29, 81-89.	0.7	25
20	Ecological study on the use of hormonal contraception, abortions and births among teenagers in the Nordic countries. <i>BMJ Open</i> , 2018, 8, e022473.	0.8	11
21	Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 426.	0.7	1
22	Long-term clinical outcomes with the retropubic tension-free vaginal tape (TVT) procedure compared to Burch colposuspension for correcting stress urinary incontinence (SUI). <i>International Urogynecology Journal</i> , 2017, 28, 1739-1746.	0.7	16
23	Can incontinence be cured? A systematic review of cure rates. <i>BMC Medicine</i> , 2017, 15, 63.	2.3	68
24	Contraceptive use in the Nordic countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 19-28.	1.3	80
25	Development of a core set of outcome measures for OAB treatment. <i>International Urogynecology Journal</i> , 2017, 28, 1785-1793.	0.7	18
26	High birth rates despite easy access to contraception and abortion: a cross-sectional study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 1414-1422.	1.3	12
27	Urine neutrophil gelatinase-associated lipocalin and other biomarkers in infants with urinary tract infection and in febrile controls. <i>Pediatric Nephrology</i> , 2017, 32, 2079-2087.	0.9	30
28	Urinary tract infection in small children: the evolution of renal damage over time. <i>Pediatric Nephrology</i> , 2017, 32, 1907-1913.	0.9	32
29	Factors influencing the incidence and remission of urinary incontinence after hysterectomy. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 53.e1-53.e9.	0.7	26
30	Urinary incontinence in nulliparous women aged 25-64 years: a national survey. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 149.e1-149.e11.	0.7	50
31	Influence of the modifiable life-style factors body mass index and smoking on the outcome of hysterectomy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 65-73.	1.3	24
32	Obstetrical outcome in women with urinary tract infections in childhood. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 452-457.	1.3	9
33	Attitudes towards new assisted reproductive technologies in Sweden: a survey in women 30-39 years of age. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 38-44.	1.3	70
34	The changing pattern of contraceptive use and pregnancies in four generations of young women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 1264-1272.	1.3	20
35	Carl Gustav Nilsson 1944-2015. <i>International Urogynecology Journal</i> , 2016, 27, 509-510.	0.7	0
36	Somatic Comorbidity in Women with Overactive Bladder Syndrome. <i>Journal of Urology</i> , 2016, 196, 473-477.	0.2	17

#	ARTICLE	IF	CITATIONS
37	Long-term effects of vacuum extraction on pelvic floor function: a cohort study in primipara. <i>International Urogynecology Journal</i> , 2016, 27, 1051-1056.	0.7	13
38	Urinary tract infection in infants: the significance of low bacterial count. <i>Pediatric Nephrology</i> , 2016, 31, 239-245.	0.9	41
39	The influence of the modifiable life-style factors body mass index and smoking on the outcome of mid-urethral sling procedures for female urinary incontinence. <i>International Urogynecology Journal</i> , 2015, 26, 343-351.	0.7	14
40	The relationship between BMI and urinary incontinence subgroups: Results from EpiLUTS. <i>Neurourology and Urodynamics</i> , 2014, 33, 392-399.	0.8	72
41	Twenty-four-hour ambulatory blood pressure in adult women with urinary tract infection in childhood. <i>Journal of Hypertension</i> , 2014, 32, 1658-1664.	0.3	19
42	Global Prevalence and Economic Burden of Urgency Urinary Incontinence: A Systematic Review. <i>European Urology</i> , 2014, 65, 79-95.	0.9	306
43	Oestrogens and overactive bladder. <i>Neurourology and Urodynamics</i> , 2014, 33, 1086-1091.	0.8	65
44	Effect of Bothersome Overactive Bladder Symptoms on Health-related Quality of Life, Anxiety, Depression, and Treatment Seeking in the United States: Results From EpiLUTS. <i>Urology</i> , 2012, 80, 90-96.	0.5	217
45	Hormonal contraception and venous thromboembolism. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 769-778.	1.3	67
46	Genetic Influences Are Important for Most But Not All Lower Urinary Tract Symptoms: A Population-Based Survey in a Cohort of Adult Swedish Twins. <i>European Urology</i> , 2011, 59, 1032-1038.	0.9	53
47	The long-term influence of combined oral contraceptives on body weight. <i>Human Reproduction</i> , 2011, 26, 1917-1924.	0.4	23
48	Urinary Incontinence, Overactive Bladder, and Other Lower Urinary Tract Symptoms: A Longitudinal Population-Based Survey in Men Aged 45-103 Years. <i>European Urology</i> , 2010, 58, 149-156.	0.9	128
49	A longitudinal study of contraception and pregnancies in the same women followed for a quarter of a century. <i>Human Reproduction</i> , 2010, 25, 1415-1422.	0.4	15
50	Value of Ultrasound in Evaluation of Infants With First Urinary Tract Infection. <i>Journal of Urology</i> , 2010, 183, 1984-1988.	0.2	57
51	A Longitudinal Population-based Survey of Urinary Incontinence, Overactive Bladder, and Other Lower Urinary Tract Symptoms in Women. <i>European Urology</i> , 2009, 55, 783-791.	0.9	141
52	The economic impact of overactive bladder syndrome in six Western countries. <i>BJU International</i> , 2009, 103, 202-209.	1.3	183
53	Cost-effectiveness analysis of solifenacin flexible dosing in patients with overactive bladder symptoms in four Nordic countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 693-699.	1.3	12
54	Contraceptive use and pregnancy outcome in three generations of Swedish female teenagers from the same urban population. <i>Contraception</i> , 2009, 80, 163-169.	0.8	32

#	ARTICLE	IF	CITATIONS
55	Lower urinary tract symptoms in women. <i>Current Opinion in Urology</i> , 2009, 19, 337-341.	0.9	83
56	The impact of overactive bladder, incontinence and other lower urinary tract symptoms on quality of life, work productivity, sexuality and emotional well-being in men and women: results from the EPIC study. <i>BJU International</i> , 2008, 101, 1388-1395.	1.3	700
57	Ovulation incidence with oral contraceptives: a literature review. <i>Journal of Family Planning and Reproductive Health Care</i> , 2008, 34, 237-246.	0.9	41
58	The levonorgestrel-releasing intrauterine system as an alternative to hysterectomy in peri-menopausal women. <i>Contraception</i> , 2007, 75, S152-S154.	0.8	22
59	A Cross-Sectional, Population-Based, Multinational Study of the Prevalence of Overactive Bladder and Lower Urinary Tract Symptoms: Results from the EPIC Study. <i>European Urology Supplements</i> , 2007, 6, 4-9.	0.1	39
60	An important Finnish contribution to the advancement of women's reproductive health. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2007, 86, 645-647.	1.3	1
61	Short- and long-term results of the tension-free vaginal tape procedure in the treatment of female urinary incontinence. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2006, 85, 986-992.	1.3	45
62	Ten-year results of randomized treatment of children with severe vesicoureteral reflux. Final report of the International Reflux Study in Children. <i>Pediatric Nephrology</i> , 2006, 21, 785-792.	0.9	202
63	Population-Based Survey of Urinary Incontinence, Overactive Bladder, and Other Lower Urinary Tract Symptoms in Five Countries: Results of the EPIC Study. <i>European Urology</i> , 2006, 50, 1306-1315.	0.9	2,119
64	The performance of a new scoring system for colposcopy in detecting high-grade dysplasia in the uterine cervix. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2005, 84, 1013-1017.	1.3	63
65	A three-armed randomized trial comparing open Burch colposuspension using sutures with laparoscopic colposuspension using sutures and laparoscopic colposuspension using mesh and staples in women with stress urinary incontinence. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2005, 84, 773-779.	1.3	6
66	Changes in attitudes, knowledge and hormone replacement therapy use: a comparative study in two random samples with 6-year interval. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2005, 84, 395-401.	1.3	11
67	DIMERCAPTO-SUCCINIC ACID SCINTIGRAPHY INSTEAD OF VOIDING CYSTOURETHROGRAPHY FOR INFANTS WITH URINARY TRACT INFECTION. <i>Journal of Urology</i> , 2004, 172, 1071-1074.	0.2	212
68	Women's experience of coping with a positive Pap smear: a register-based study of women with two consecutive Pap smears reported as CIN 1. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2003, 82, 756-761.	1.3	42
69	Symptoms, diagnosis and treatment of vaginal atrophy. <i>The Journal of the British Menopause Society</i> , 2002, 8, 115-116.	1.3	1
70	Comparison of the efficacy and safety of nonprescription doses of naproxen and naproxen sodium with ibuprofen, acetaminophen, and placebo in the treatment of primary dysmenorrhea: a pooled analysis of five studies. <i>Clinical Therapeutics</i> , 2002, 24, 1384-1400.	1.1	77
71	Ask the Expert. <i>Pediatric Nephrology</i> , 2002, 17, 465-465.	0.9	1
72	Can changes in sex hormone binding globulin predict the risk of venous thromboembolism with combined oral contraceptive pills?. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2002, 81, 482-490.	1.3	42

#	ARTICLE	IF	CITATIONS
73	Knowledge and attitudes about the Pap-smear screening program: a population-based study of women aged 20-59 years. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 962-967.	1.3	31
74	A population based study of Swedish women's opinions about antenatal, delivery and postpartum care. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 130-136.	1.3	13
75	Factors associated with climacteric symptoms and the use of hormone replacement therapy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 286-292.	1.3	17
76	The prevalence of urinary incontinence. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 1056-1059.	1.3	33
77	Detection of urographic scars in girls with pyelonephritis followed for 13-38 years. <i>Pediatric Nephrology</i> , 2000, 14, 1006-1010.	0.9	28
78	Oral contraceptives and thrombosis, From risk estimates to health impact. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1999, 78, 142-149.	1.3	10
79	The prevalence of urinary incontinence and its influence on the quality of life in women from an urban Swedish population. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1999, 78, 546-551.	1.3	60
80	Factors influencing the presence of uterine cavity fluid in a random sample of asymptomatic postmenopausal women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 751-757.	1.3	7
81	Increased circulating concentrations of asymmetric dimethyl arginine (ADMA), an endogenous inhibitor of nitric oxide synthesis, in preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 808-813.	1.3	56
82	Swedish gynecologists' and general practitioners' views on the climacteric period, Knowledge, attitudes and management strategies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 909-916.	1.3	8
83	Urogenital Ageing. <i>The Journal of the British Menopause Society</i> , 1998, 4, 151-156.	1.3	6
84	URINARY INCONTINENCE AND LOWER URINARY TRACT SYMPTOMS: AN EPIDEMIOLOGICAL STUDY OF MEN AGED 45 TO 99 YEARS. <i>Journal of Urology</i> , 1997, 158, 1733-1737.	0.2	178
85	Epstein-Barr virus DNA in the uterine cervix of teenage girls. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1997, 76, 779-783.	1.3	12
86	Fetal fibronectin and microorganisms in vaginal fluid of women with complicated pregnancies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1997, 76, 521-527.	1.3	15
87	The prevalence and severity of climacteric symptoms and the use of different treatment regimens in a Swedish population. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1997, 76, 442-448.	1.3	69
88	Estrogen and progestagen modify the hemodynamic response to mental stress in young women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1996, 75, 57-62.	1.3	9
89	A comparison of contraceptive habits and pregnancy outcome at 19 years of age in two cohorts of Swedish women born 1962 and 1972. <i>Contraception</i> , 1996, 53, 259-265.	0.8	12
90	Rational Prescribing for Postmenopausal Urogenital Complaints. <i>Drugs and Aging</i> , 1996, 9, 78-86.	1.3	6

#	ARTICLE	IF	CITATIONS
91	The pill: The controversy continues. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1996, 75, 93-97.	1.3	13
92	Age of sexual debut related to life-style and reproductive health factors in a group of Swedish teenage girls. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1996, 75, 484-489.	1.3	64
93	Contraceptive practice and attitudes in Sweden 1994. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1996, 75, 932-940.	1.3	35
94	Girls prone to urinary infections followed into adulthood. Indices of renal disease. <i>Pediatric Nephrology</i> , 1996, 10, 139-142.	0.9	77
95	Girls prone to urinary infections followed into adulthood. Indices of renal disease. <i>Pediatric Nephrology</i> , 1996, 10, 139-142.	0.9	2
96	Urinary infection, reflux and renal scarring in females continuously followed for 13?38 years. <i>Pediatric Nephrology</i> , 1995, 9, 131-136.	0.9	100
97	Treatment trials on children with acute pyelonephritis. <i>Pediatric Nephrology</i> , 1994, 8, 278-279.	0.9	7
98	Factors influencing vaginal cytology, pH and bacterial flora in elderly women. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1993, 72, 286-291.	1.3	62
99	Blood Group Non-Secretors Have an Increased Inflammatory Response to Urinary Tract Infection. <i>Scandinavian Journal of Infectious Diseases</i> , 1992, 24, 77-83.	1.5	30
100	Incidence, Serogroups and Case-Fatality Rate of Invasive Meningococcal Infections in a Swedish Region 1975-1989. <i>Scandinavian Journal of Infectious Diseases</i> , 1992, 24, 333-338.	1.5	24
101	Ask the expert. <i>Pediatric Nephrology</i> , 1992, 6, 344-344.	0.9	0
102	A Comparison between Experienced and Objectively Demonstrated Urinary Leakage in 85-year Old Men and Women. <i>Scandinavian Journal of Caring Sciences</i> , 1991, 5, 17-22.	1.0	15
103	Effects of Intravenous Terbutaline on Maternal Circulation and Fetal Heart Activity. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1990, 69, 223-228.	1.3	12
104	Factors in the infertile couple influencing the success of artificial insemination with donor semen. <i>Fertility and Sterility</i> , 1990, 53, 81-87.	0.5	25
105	Factors influencing the prevalence and severity of dysmenorrhoea in young women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990, 97, 588-594.	1.1	314
106	A Double-Blind Cross-Over Study Comparing Flurbiprofen With Naproxen-Sodium For The Treatment Of Primary Dysmenorrhoea. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1989, 68, 555-558.	1.3	3
107	A Double-Blind Cross-Over Study Comparing Flurbiprofen with Naproxen-Sodium for the Treatment of Primary Dysmenorrhoea. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1989, 68, 555-558.	1.3	2
108	Postprandial Portal Venous Blood Flow and Portal Plasma Vasoactive Intestinal Peptide in Man. <i>Annals of the New York Academy of Sciences</i> , 1988, 527, 591-594.	1.8	2

#	ARTICLE	IF	CITATIONS
109	Plasma and Urine Concentrations of Trimethoprim-Sulphadiazine (Co-trimazine) in Children Given One Dose per Day. <i>Scandinavian Journal of Infectious Diseases</i> , 1988, 20, 91-95.	1.5	7
110	The Effect of Flurbiprofen and Naproxen Sodium on Intra-Uterine Pressure and Menstrual Pain in Patients with Primary Dysmenorrhea. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1988, 67, 711-716.	1.3	17
111	An Objective Evaluation of Flurbiprofen and Tranexamic Acid in the Treatment of Idiopathic Menorrhagia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1988, 67, 645-648.	1.3	60
112	Rehabilitation of the Dysfunctional Bladder in Children: Method and 3-Year Followup. <i>Journal of Urology</i> , 1987, 138, 847-849.	0.2	130
113	The Natural History of Bacteriuria in Childhood. <i>Infectious Disease Clinics of North America</i> , 1987, 1, 713-730.	1.9	201
114	Pad Tests in Children with Incontinence. <i>Scandinavian Journal of Urology and Nephrology</i> , 1986, 20, 47-50.	1.4	16
115	Ibuprofen and naproxen-sodium in the treatment of primary dysmenorrhea: A double-blind cross-over study. <i>International Journal of Gynecology and Obstetrics</i> , 1985, 23, 305-310.	1.0	13
116	Effect of ibuprofen, naproxen sodium and paracetamol on intrauterine pressure and menstrual pain in dysmenorrhoea. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1984, 91, 1129-1135.	1.1	40
117	A Study of Parental Attitudes after Donor Insemination (AID). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1982, 61, 125-128.	1.3	32
118	Measurement of stroke volume with impedance cardiography. <i>Clinical Physiology</i> , 1982, 2, 409-417.	0.7	42