
Claudia de Souza Lopes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2586924/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Tradução e adaptação para o português da Escala de Compulsão Alimentar PeriÃ3dica. Revista Brasileira De Psiquiatria, 2001, 23, 215-220.	0.9	155
2	The assessment of binge eating disorder in obese women: A comparison of the binge eating scale with the structured clinical interview for the DSM-IV. Eating Behaviors, 2006, 7, 282-289.	1.1	91
3	Prevalence of fear of falling in older adults, and its associations with clinical, functional and psychosocial factors: The Frailty in Brazilian Older Peopleâ€Rio de Janeiro Study. Geriatrics and Gerontology International, 2016, 16, 336-344.	0.7	74
4	Association between self-rated health and mortality: 10 years follow-up to the PrÃ ³ -Saúdecohort study. BMC Public Health, 2012, 12, 676.	1.2	64
5	Inequities in access to depression treatment: results of the Brazilian National Health Survey – PNS. International Journal for Equity in Health, 2016, 15, 154.	1.5	64
6	Association between routine visits for dental checkup and selfâ€perceived oral health in an adult population in Rio de Janeiro: the Pró‧aúde Study. Community Dentistry and Oral Epidemiology, 2007, 35, 393-400.	0.9	63
7	The Lack of Selection Bias in a Snowball Sampled Case-Control Study on Drug Abuse. International Journal of Epidemiology, 1996, 25, 1267-1270.	0.9	60
8	Estudo Pró-Saúde: caracterÃsticas gerais e aspectos metodológicos. Revista Brasileira De Epidemiologia, 2005, 8, 454-466.	0.3	60
9	Violence at work and depressive symptoms in primary health care teams: a cross-sectional study in Brazil. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1347-1355.	1.6	60
10	ERICA: prevalence of common mental disorders in Brazilian adolescents. Revista De Saude Publica, 2016, 50, 14s.	0.7	57
11	Depression and health behaviors in Brazilian adults – PNS 2013. Revista De Saude Publica, 2017, 51, 8s.	0.7	55
12	Family socio-economic background modified secular trends in age at menarche: evidence from the Pró-Saú Study (Rio de Janeiro, Brazil). Annals of Human Biology, 2003, 30, 347-352.	0.4	54
13	Depression symptoms and hypothyroidism in a population-based study of middle-aged Brazilian women. Journal of Affective Disorders, 2009, 117, 120-123.	2.0	54
14	Nosological profile and prevalence of common mental disorders of patients seen at the Family Health Program (FHP) units in Petrópolis, Rio de Janeiro. Revista Brasileira De Psiquiatria, 2008, 30, 32-37.	0.9	53
15	Routine Dental Visits Are Associated with Tooth Retention in Brazilian Adults: the Pró‣aúde Study. Journal of Public Health Dentistry, 2004, 64, 216-222.	0.5	47
16	Prevalência do autorrelato de depressão no Brasil: resultados da Pesquisa Nacional de Saúde, 2013. Revista Brasileira De Epidemiologia, 2015, 18, 170-180.	0.3	47
17	Complexity of lifetime occupation and cognitive performance in old age. Occupational Medicine, 2013, 63, 556-562.	0.8	44
18	Temporal Relationship Between Intimate Partner Violence and Postpartum Depression in a Sample of Low Income Women. Maternal and Child Health Journal, 2013, 17, 1297-1303.	0.7	43

CLAUDIA DE SOUZA LOPES

#	Article	IF	CITATIONS
19	Validity of triage systems for paediatric emergency care: a systematic review. Emergency Medicine Journal, 2017, 34, 711-719.	0.4	41
20	Association of weight change with ethnicity and life course socioeconomic position among Brazilian civil servants. International Journal of Epidemiology, 2004, 33, 100-106.	0.9	40
21	Race and perceived racism, education, and hypertension among Brazilian civil servants: the Pró-Saúde Study. Revista Brasileira De Epidemiologia, 2014, 17, 81-87.	0.3	34
22	Common mental disorders in Petrópolis-RJ: a challenge to integrate mental health into primary care strategies. Revista Brasileira De Psiquiatria, 2011, 33, 150-156.	0.9	31
23	Rank, job stress, psychological distress and physical activity among military personnel. BMC Public Health, 2013, 13, 716.	1.2	31
24	Reliability of triage systems for paediatric emergency care: a systematic review. Emergency Medicine Journal, 2019, 36, 231-238.	0.4	31
25	Correlates and impact of DSM-5 binge eating disorder, bulimia nervosa and recurrent binge eating: a representative population survey in a middle-income country. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1491-1503.	1.6	30
26	Estresse no trabalho e hipertensão arterial em mulheres no Estudo PrÃ3-Saúde: Estudo PrÃ3-Saúde (Pro-Health Study). Revista De Saude Publica, 2009, 43, 893-896.	0.7	29
27	Pré- testes de um questionário multidimensional autopreenchÃvel: a experiência do Estudo PrÃ3-Saòde UERJ. Physis, 1999, 9, 117-130.	0.1	28
28	Military hierarchy, job stress and mental health in peacetime. Occupational Medicine, 2012, 62, 182-187.	0.8	28
29	Prevalence of Dementia in Elderly Clients of a Private Health Care Plan: A Study of the FIBRA-RJ, Brazil. Dementia and Geriatric Cognitive Disorders, 2013, 35, 77-86.	0.7	28
30	Social support and leisure-time physical activity: longitudinal evidence from the Brazilian Pró-Saúde cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 77.	2.0	27
31	Changes in physical activity and screen time related to psychological well-being in early adolescence: findings from longitudinal study ELANA. BMC Public Health, 2016, 16, 977.	1.2	27
32	Confiabilidade do relato de eventos de vida estressantes em um questionário autopreenchido: Estudo Pró-Saúde. Revista Brasileira De Psiquiatria, 2001, 23, 126-133.	0.9	26
33	Job strain and other work conditions: relationships with psychological distress among civil servants in Rio de Janeiro, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 345-354.	1.6	26
34	The influence of social relationships on obesity: Sex differences in a longitudinal study. Obesity, 2013, 21, 1540-1547.	1.5	26
35	Lack of association between age at menarche and age at menopause: Pró-Saúde Study, Rio de Janeiro, Brazil. Maturitas, 2010, 67, 245-250.	1.0	25
36	Prevalence of and factors associated with successful aging in Brazilian older adults: Frailty in Brazilian older people Study (FIBRA RJ). Geriatrics and Gerontology International, 2018, 18, 1280-1285.	0.7	23

#	Article	IF	CITATIONS
37	Work-Related Depression in Primary Care Teams in Brazil. American Journal of Public Health, 2016, 106, 1990-1997.	1.5	19
38	Quality of life of asthmatic adolescents: assessment of asthma severity, comorbidity, and life style. Jornal De Pediatria, 2009, 85, 523-530.	0.9	19
39	How reproducible is self-reported information on exposure to smoking, drinking, and dietary patterns? Evidence among Brazilian adults in the PrÃ3-Saúde Study. Sao Paulo Medical Journal, 2003, 121, 63-66.	0.4	18
40	Direct and indirect exposure to violence and psychological distress among civil servants in Rio de Janeiro, Brazil: a prospective cohort study. BMC Psychiatry, 2015, 15, 109.	1.1	18
41	Depressive symptoms and psychosocial aspects of work in bank employees. Occupational Medicine, 2016, 66, 54-61.	0.8	18
42	Psychiatric and alcohol disorders as risk factors for drug abuse. Social Psychiatry and Psychiatric Epidemiology, 1996, 31, 355-363.	1.6	16
43	Gender differences in social support and leisure-time physical activity. Revista De Saude Publica, 2014, 48, 602-612.	0.7	16
44	Uso de serviços de saúde segundo posição socioeconômica em trabalhadores de uma universidade pública. Revista De Saude Publica, 2012, 46, 98-103.	0.7	14
45	Como estÿ a saúde mental dos brasileiros? A importância das coortes de nascimento para melhor compreensA£o do problema. Cadernos De Saude Publica, 2020, 36, e00005020.	0.4	14
46	The demand-control model for job strain: a commentary on different ways to operationalize the exposure variable. Cadernos De Saude Publica, 2015, 31, 208-212.	0.4	13
47	Reliability of the information about the history of diagnosis and treatment of hypertension. Differences in regard to sex, age, and educational level. The pró-saúde study. Arquivos Brasileiros De Cardiologia, 2001, 76, 301-304.	0.3	11
48	Reliability of the Brazilian version of the Cambridge Cognitive Examination Revised CAMCOG-R. Arquivos De Neuro-Psiquiatria, 2009, 67, 439-444.	0.3	11
49	The role of intimate partner violence and other health-related social factors on postpartum common mental disorders: a survey-based structural equation modeling analysis. BMC Public Health, 2014, 14, 427.	1.2	10
50	Common mental disorders in adolescents with and without type 1 diabetes: Reported occurrence from a countrywide survey. Diabetes Research and Clinical Practice, 2018, 135, 192-198.	1.1	10
51	The Influence of Bereavement on Body Mass Index: Results from a National Swedish Survey. PLoS ONE, 2014, 9, e95201.	1.1	10
52	Nefazodone in out-patient treatment of inhaled cocaine dependence: a randomized double-blind placebo-controlled trial. Addiction, 2005, 100, 489-494.	1.7	9
53	Early socioeconomic position and self-rated health among civil servants in Brazil: a cross-sectional analysis from the PrÃ ³ -Saúde cohort study. BMJ Open, 2014, 4, e005321.	0.8	9
54	CLARIPED: um novo instrumento para classificação de risco em emergências pediátricas. Revista Paulista De Pediatria, 2016, 34, 254-262.	0.4	9

#	Article	IF	CITATIONS
55	Is living near green areas beneficial to mental health? Results of the Pró-Saúde Study. Revista De Saude Publica, 2019, 53, 75.	0.7	9
56	Gender differences in the socioeconomic gradient in self-reported diabetes: Does health service access play a role?. Diabetes Research and Clinical Practice, 2009, 86, 134-139.	1.1	8
57	Influencia de fatores psicossociais na cessacao do tabagismo: evidencias longitudinais no Estudo Pro-Saude. Revista De Saude Publica, 2013, 47, 732-739.	0.7	8
58	Stability and bidirectional relationship between physical activity and sedentary behaviours in Brazilian adolescents: Longitudinal findings from a school cohort study. PLoS ONE, 2019, 14, e0211470.	1.1	8
59	Social inequalities in BMI trajectories: 8-year follow-up of the Pró-Saúde study in Rio de Janeiro, Brazil. Public Health Nutrition, 2015, 18, 3183-3191.	1.1	7
60	Psychosocial Work Conditions and Burnout Among Brazilian Bank Employees: A Cross-Sectional Study. Annals of Occupational Hygiene, 2016, 60, 567-580.	1.9	7
61	Burnout among primary health care workers in Brazil: results of a multilevel analysis. International Archives of Occupational and Environmental Health, 2021, 94, 1863-1875.	1.1	7
62	Prevalence of Sarcopenic Obesity and its Association with Functionality, Lifestyle, Biomarkers and Morbidities in Older Adults: the FIBRA-RJ Study of Frailty in Older Brazilian Adults. Clinics, 2020, 75, e1814.	0.6	7
63	Higher Risk of Common Mental Disorders After Experiencing Physical Violence in Rio De Janeiro, Brazil: the <i>Pró-Saúde</i> Study. International Journal of Social Psychiatry, 2008, 54, 112-117.	1.6	6
64	Focusing neighborhood context and self-rated health in the Pró-Saúde Study. Cadernos De Saude Publica, 2018, 34, e00029517.	0.4	6
65	Cross-lagged structural equation models for the relationship between health-related state and behaviours and body bullying in adolescence: findings from longitudinal study ELANA. PLoS ONE, 2018, 13, e0191253.	1.1	6
66	Association between fear of falling and spatial and temporal parameters of gait in older adults: the FIBRA-RJ study. European Geriatric Medicine, 2022, 13, 407-413.	1.2	6
67	Trend in the prevalence of depressive symptoms in Brazil: results from the Brazilian National Health Survey 2013 and 2019. Cadernos De Saude Publica, 2022, 38, e00123421.	0.4	6
68	Eventos de vida produtores de estresse e queixas de insônia entre auxiliares de enfermagem de um hospital universitário no Rio de Janeiro: estudo Pró-Saúde. Revista Brasileira De Epidemiologia, 2009, 12, 501-509.	0.3	5
69	Incidence, persistence and risk factors of fear of falling in older adults: cohort study (2008–2013) in Rio de Janeiro, Brazil. Revista De Saude Publica, 2020, 54, 56.	0.7	5
70	Fatores associados ao uso de antiinflamatórios não esteróides em população de funcionários de uma universidade no Rio de Janeiro: Estudo Pró-Saúde. Revista Brasileira De Epidemiologia, 2006, 9, 514-526.	0.3	4
71	Neighborhood physical disorder and common mental disorders in adolescence. International Archives of Occupational and Environmental Health, 2021, 94, 631-638.	1.1	4
72	Associação entre transtornos mentais comuns e qualidade de vida em adolescentes asmáticos. Revista Brasileira De Epidemiologia, 2010, 13, 476-486.	0.3	3

CLAUDIA DE SOUZA LOPES

#	Article	IF	CITATIONS
73	A case-control study on alcohol and psychiatric disorders as risk factors for drug abuse pattern. Cadernos De Saude Publica, 2002, 18, 1571-1575.	0.4	2
74	Association between Socioeconomic Position in Earlier and Later Life and Age at Natural Menopause: Estudo Pró-SaúDe, Brazil. Women's Health, 2011, 7, 719-727.	0.7	2
75	Psychosocial and environmental determinants of physical activity in a Brazilian public university employees - ELDAF: A prospective cohort study protocol. PLoS ONE, 2022, 17, e0263385.	1.1	1
76	Association between routine visits for dental checkup and self-perceived oral health in an adult population in Rio de Janeiro: the Pró-Saúde Study. Community Dentistry and Oral Epidemiology, 2007, 35, no-no.	0.9	0
77	Does the previous diagnosis of arterial hypertension affect one´s daily life? Pró-Saúde Study. Revista Brasileira De Epidemiologia, 2013, 16, 860-871.	0.3	0
78	Re: Response to †Depressive symptoms and psychosocial aspects of work in bank employees'. Occupational Medicine, 2016, 66, 421.2-422.	0.8	0
79	Do we really need high frequency of physical activity to keep blood pressure at good levels? Results of the Brazilian national survey. Sport Sciences for Health, 0, , 1.	0.4	0
80	Questões metodológicas na avaliação da comorbidade de distúrbios psiquiátricos e abuso de drogas em estudos epidemiológicos. Physis, 1999, 9, 235-250.	0.1	0
81	Accuracy of the Brazilian version of the Functional Activities Questionnaire in the screening of dementia. Revista De Enfermagem Referencia, 2019, IV Série, 25-34.	0.4	0
82	INDICATORS OF ADIPOSITY ASSOCIATED WITH LOW BODY ESTEEM IN ADOLESCENTS. Revista Paulista De Pediatria, 2020, 38, e2018383.	0.4	0