Claudia de Souza Lopes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2586924/publications.pdf

Version: 2024-02-01

82 papers 3,587 citations

32 h-index 54 g-index

121 all docs

121 docs citations

times ranked

121

4430 citing authors

#	Article	IF	CITATIONS
1	Association between fear of falling and spatial and temporal parameters of gait in older adults: the FIBRA-RJ study. European Geriatric Medicine, 2022, 13, 407-413.	1.2	6
2	Correlates and impact of DSM-5 binge eating disorder, bulimia nervosa and recurrent binge eating: a representative population survey in a middle-income country. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1491-1503.	1.6	30
3	Psychosocial and environmental determinants of physical activity in a Brazilian public university employees - ELDAF: A prospective cohort study protocol. PLoS ONE, 2022, 17, e0263385.	1.1	1
4	Trend in the prevalence of depressive symptoms in Brazil: results from the Brazilian National Health Survey 2013 and 2019. Cadernos De Saude Publica, 2022, 38, e00123421.	0.4	6
5	Neighborhood physical disorder and common mental disorders in adolescence. International Archives of Occupational and Environmental Health, 2021, 94, 631-638.	1.1	4
6	Burnout among primary health care workers in Brazil: results of a multilevel analysis. International Archives of Occupational and Environmental Health, 2021, 94, 1863-1875.	1.1	7
7	Incidence, persistence and risk factors of fear of falling in older adults: cohort study (2008–2013) in Rio de Janeiro, Brazil. Revista De Saude Publica, 2020, 54, 56.	0.7	5
8	Como está a saúde mental dos brasileiros? A importância das coortes de nascimento para melhor compreensÁ£o do problema. Cadernos De Saude Publica, 2020, 36, e00005020.	0.4	14
9	Prevalence of Sarcopenic Obesity and its Association with Functionality, Lifestyle, Biomarkers and Morbidities in Older Adults: the FIBRA-RJ Study of Frailty in Older Brazilian Adults. Clinics, 2020, 75, e1814.	0.6	7
10	INDICATORS OF ADIPOSITY ASSOCIATED WITH LOW BODY ESTEEM IN ADOLESCENTS. Revista Paulista De Pediatria, 2020, 38, e2018383.	0.4	0
11	Is living near green areas beneficial to mental health? Results of the Pró-Saúde Study. Revista De Saude Publica, 2019, 53, 75.	0.7	9
12	Stability and bidirectional relationship between physical activity and sedentary behaviours in Brazilian adolescents: Longitudinal findings from a school cohort study. PLoS ONE, 2019, 14, e0211470.	1.1	8
13	Reliability of triage systems for paediatric emergency care: a systematic review. Emergency Medicine Journal, 2019, 36, 231-238.	0.4	31
14	Accuracy of the Brazilian version of the Functional Activities Questionnaire in the screening of dementia. Revista De Enfermagem Referencia, 2019, IV Série, 25-34.	0.4	0
15	Prevalence of and factors associated with successful aging in Brazilian older adults: Frailty in Brazilian older people Study (FIBRA RJ). Geriatrics and Gerontology International, 2018, 18, 1280-1285.	0.7	23
16	Common mental disorders in adolescents with and without type 1 diabetes: Reported occurrence from a countrywide survey. Diabetes Research and Clinical Practice, 2018, 135, 192-198.	1.1	10
17	Focusing neighborhood context and self-rated health in the Pró-Saúde Study. Cadernos De Saude Publica, 2018, 34, e00029517.	0.4	6
18	Cross-lagged structural equation models for the relationship between health-related state and behaviours and body bullying in adolescence: findings from longitudinal study ELANA. PLoS ONE, 2018, 13, e0191253.	1.1	6

#	Article	IF	Citations
19	Validity of triage systems for paediatric emergency care: a systematic review. Emergency Medicine Journal, 2017, 34, 711-719.	0.4	41
20	Depression and health behaviors in Brazilian adults – PNS 2013. Revista De Saude Publica, 2017, 51, 8s.	0.7	55
21	ERICA: prevalence of common mental disorders in Brazilian adolescents. Revista De Saude Publica, 2016, 50, 14s.	0.7	57
22	Inequities in access to depression treatment: results of the Brazilian National Health Survey $\hat{a} \in \text{PNS}$. International Journal for Equity in Health, 2016, 15, 154.	1.5	64
23	Prevalence of fear of falling in older adults, and its associations with clinical, functional and psychosocial factors: The Frailty in Brazilian Older Peopleâ€Rio de Janeiro Study. Geriatrics and Gerontology International, 2016, 16, 336-344.	0.7	74
24	Changes in physical activity and screen time related to psychological well-being in early adolescence: findings from longitudinal study ELANA. BMC Public Health, 2016, 16, 977.	1.2	27
25	Psychosocial Work Conditions and Burnout Among Brazilian Bank Employees: A Cross-Sectional Study. Annals of Occupational Hygiene, 2016, 60, 567-580.	1.9	7
26	Re: Response to â€Depressive symptoms and psychosocial aspects of work in bank employees'. Occupational Medicine, 2016, 66, 421.2-422.	0.8	0
27	Work-Related Depression in Primary Care Teams in Brazil. American Journal of Public Health, 2016, 106, 1990-1997.	1.5	19
28	CLARIPED: um novo instrumento para classificação de risco em emergências pediátricas. Revista Paulista De Pediatria, 2016, 34, 254-262.	0.4	9
29	Depressive symptoms and psychosocial aspects of work in bank employees. Occupational Medicine, 2016, 66, 54-61.	0.8	18
30	Social inequalities in BMI trajectories: 8-year follow-up of the Pró-Saúde study in Rio de Janeiro, Brazil. Public Health Nutrition, 2015, 18, 3183-3191.	1.1	7
31	Prevalência do autorrelato de depressão no Brasil: resultados da Pesquisa Nacional de Saúde, 2013. Revista Brasileira De Epidemiologia, 2015, 18, 170-180.	0.3	47
32	The demand-control model for job strain: a commentary on different ways to operationalize the exposure variable. Cadernos De Saude Publica, 2015, 31, 208-212.	0.4	13
33	Direct and indirect exposure to violence and psychological distress among civil servants in Rio de Janeiro, Brazil: a prospective cohort study. BMC Psychiatry, 2015, 15, 109.	1.1	18
34	Violence at work and depressive symptoms in primary health care teams: a cross-sectional study in Brazil. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1347-1355.	1.6	60
35	Gender differences in social support and leisure-time physical activity. Revista De Saude Publica, 2014, 48, 602-612.	0.7	16
36	Race and perceived racism, education, and hypertension among Brazilian civil servants: the Pró-Saúde Study. Revista Brasileira De Epidemiologia, 2014, 17, 81-87.	0.3	34

#	Article	IF	CITATIONS
37	Early socioeconomic position and self-rated health among civil servants in Brazil: a cross-sectional analysis from the Pró-Saúde cohort study. BMJ Open, 2014, 4, e005321.	0.8	9
38	The role of intimate partner violence and other health-related social factors on postpartum common mental disorders: a survey-based structural equation modeling analysis. BMC Public Health, 2014, 14, 427.	1.2	10
39	The Influence of Bereavement on Body Mass Index: Results from a National Swedish Survey. PLoS ONE, 2014, 9, e95201.	1.1	10
40	Temporal Relationship Between Intimate Partner Violence and Postpartum Depression in a Sample of Low Income Women. Maternal and Child Health Journal, 2013, 17, 1297-1303.	0.7	43
41	Rank, job stress, psychological distress and physical activity among military personnel. BMC Public Health, 2013, 13, 716.	1.2	31
42	The influence of social relationships on obesity: Sex differences in a longitudinal study. Obesity, 2013, 21, 1540-1547.	1.5	26
43	Complexity of lifetime occupation and cognitive performance in old age. Occupational Medicine, 2013, 63, 556-562.	0.8	44
44	Prevalence of Dementia in Elderly Clients of a Private Health Care Plan: A Study of the FIBRA-RJ, Brazil. Dementia and Geriatric Cognitive Disorders, 2013, 35, 77-86.	0.7	28
45	Influencia de fatores psicossociais na cessacao do tabagismo: evidencias longitudinais no Estudo Pro-Saude. Revista De Saude Publica, 2013, 47, 732-739.	0.7	8
46	Does the previous diagnosis of arterial hypertension affect one´s daily life? Pró-Saúde Study. Revista Brasileira De Epidemiologia, 2013, 16, 860-871.	0.3	0
47	Military hierarchy, job stress and mental health in peacetime. Occupational Medicine, 2012, 62, 182-187.	0.8	28
48	Association between self-rated health and mortality: 10 years follow-up to the $Pr\tilde{A}^3$ -Sa \tilde{A}^0 decohort study. BMC Public Health, 2012, 12, 676.	1.2	64
49	Uso de serviços de saúde segundo posição socioeconômica em trabalhadores de uma universidade pública. Revista De Saude Publica, 2012, 46, 98-103.	0.7	14
50	Common mental disorders in Petr \tilde{A}^3 polis-RJ: a challenge to integrate mental health into primary care strategies. Revista Brasileira De Psiquiatria, 2011, 33, 150-156.	0.9	31
51	Social support and leisure-time physical activity: longitudinal evidence from the Brazilian Pró-Saúde cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 77.	2.0	27
52	Association between Socioeconomic Position in Earlier and Later Life and Age at Natural Menopause: Estudo Pró-SaêDe, Brazil. Women's Health, 2011, 7, 719-727.	0.7	2
53	Job strain and other work conditions: relationships with psychological distress among civil servants in Rio de Janeiro, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 345-354.	1.6	26
54	Associação entre transtornos mentais comuns e qualidade de vida em adolescentes asmáticos. Revista Brasileira De Epidemiologia, 2010, 13, 476-486.	0.3	3

#	Article	IF	Citations
55	Lack of association between age at menarche and age at menopause: Pró-Saúde Study, Rio de Janeiro, Brazil. Maturitas, 2010, 67, 245-250.	1.0	25
56	Reliability of the Brazilian version of the Cambridge Cognitive Examination Revised CAMCOG-R. Arquivos De Neuro-Psiquiatria, 2009, 67, 439-444.	0.3	11
57	Estresse no trabalho e hipertensão arterial em mulheres no Estudo Pró-Saúde: Estudo Pró-Saúde (Pro-Health Study). Revista De Saude Publica, 2009, 43, 893-896.	0.7	29
58	Eventos de vida produtores de estresse e queixas de insônia entre auxiliares de enfermagem de um hospital universitário no Rio de Janeiro: estudo Pró-Saúde. Revista Brasileira De Epidemiologia, 2009, 12, 501-509.	0.3	5
59	Depression symptoms and hypothyroidism in a population-based study of middle-aged Brazilian women. Journal of Affective Disorders, 2009, 117, 120-123.	2.0	54
60	Gender differences in the socioeconomic gradient in self-reported diabetes: Does health service access play a role?. Diabetes Research and Clinical Practice, 2009, 86, 134-139.	1.1	8
61	Quality of life of asthmatic adolescents: assessment of asthma severity, comorbidity, and life style. Jornal De Pediatria, 2009, 85, 523-530.	0.9	19
62	Higher Risk of Common Mental Disorders After Experiencing Physical Violence in Rio De Janeiro, Brazil: the <i>Pró-Saúde</i> Study. International Journal of Social Psychiatry, 2008, 54, 112-117.	1.6	6
63	Nosological profile and prevalence of common mental disorders of patients seen at the Family Health Program (FHP) units in Petrópolis, Rio de Janeiro. Revista Brasileira De Psiquiatria, 2008, 30, 32-37.	0.9	53
64	Association between routine visits for dental checkup and self-perceived oral health in an adult population in Rio de Janeiro: the Pró-Saúde Study. Community Dentistry and Oral Epidemiology, 2007, 35, no-no.	0.9	0
65	Association between routine visits for dental checkup and selfâ€perceived oral health in an adult population in Rio de Janeiro: the Próâ€Saúde Study. Community Dentistry and Oral Epidemiology, 2007, 35, 393-400.	0.9	63
66	The assessment of binge eating disorder in obese women: A comparison of the binge eating scale with the structured clinical interview for the DSM-IV. Eating Behaviors, 2006, 7, 282-289.	1.1	91
67	Fatores associados ao uso de antiinflamatórios não esteróides em população de funcionários de uma universidade no Rio de Janeiro: Estudo Pró-Saúde. Revista Brasileira De Epidemiologia, 2006, 9, 514-526.	0.3	4
68	Nefazodone in out-patient treatment of inhaled cocaine dependence: a randomized double-blind placebo-controlled trial. Addiction, 2005, 100, 489-494.	1.7	9
69	Estudo Pró-Saúde: caracterÃsticas gerais e aspectos metodológicos. Revista Brasileira De Epidemiologia, 2005, 8, 454-466.	0.3	60
70	Association of weight change with ethnicity and life course socioeconomic position among Brazilian civil servants. International Journal of Epidemiology, 2004, 33, 100-106.	0.9	40
71	Routine Dental Visits Are Associated with Tooth Retention in Brazilian Adults: the Próâ€Saúde Study. Journal of Public Health Dentistry, 2004, 64, 216-222.	0.5	47
72	Family socio-economic background modified secular trends in age at menarche: evidence from the Pró-Saú Study (Rio de Janeiro, Brazil). Annals of Human Biology, 2003, 30, 347-352.	0.4	54

#	Article	IF	CITATIONS
73	How reproducible is self-reported information on exposure to smoking, drinking, and dietary patterns? Evidence among Brazilian adults in the Pró-Saðde Study. Sao Paulo Medical Journal, 2003, 121, 63-66.	0.4	18
74	A case-control study on alcohol and psychiatric disorders as risk factors for drug abuse pattern. Cadernos De Saude Publica, 2002, 18, 1571-1575.	0.4	2
7 5	Tradução e adaptação para o português da Escala de Compulsão Alimentar Periódica. Revista Brasileira De Psiquiatria, 2001, 23, 215-220.	0.9	155
76	Reliability of the information about the history of diagnosis and treatment of hypertension. Differences in regard to sex, age, and educational level. The pró-saúde study. Arquivos Brasileiros De Cardiologia, 2001, 76, 301-304.	0.3	11
77	Confiabilidade do relato de eventos de vida estressantes em um questionário autopreenchido: Estudo Pró-Saúde. Revista Brasileira De Psiquiatria, 2001, 23, 126-133.	0.9	26
78	Pré- testes de um questionário multidimensional autopreenchÃvel: a experiência do Estudo Pró-Saúde UERJ. Physis, 1999, 9, 117-130.	0.1	28
79	Questões metodológicas na avaliação da comorbidade de distúrbios psiquiátricos e abuso de drogas em estudos epidemiolÁ³gicos. Physis, 1999, 9, 235-250.	0.1	0
80	Psychiatric and alcohol disorders as risk factors for drug abuse. Social Psychiatry and Psychiatric Epidemiology, 1996, 31, 355-363.	1.6	16
81	The Lack of Selection Bias in a Snowball Sampled Case-Control Study on Drug Abuse. International Journal of Epidemiology, 1996, 25, 1267-1270.	0.9	60
82	Do we really need high frequency of physical activity to keep blood pressure at good levels? Results of the Brazilian national survey. Sport Sciences for Health, 0 , 1 .	0.4	0